

Fernando C Passos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6699515/publications.pdf>

Version: 2024-02-01

67
papers

1,440
citations

257101

24
h-index

360668

35
g-index

67
all docs

67
docs citations

67
times ranked

1364
citing authors

#	ARTICLE	IF	CITATIONS
1	Frugivoria em morcegos (Mammalia, Chiroptera) no Parque Estadual Intervales, sudeste do Brasil. Revista Brasileira De Zoologia, 2003, 20, 511-517.	0.5	100
2	Sympatry between <i>Alouatta caraya</i> and <i>Alouatta clamitans</i> and the rediscovery of free-ranging potential hybrids in Southern Brazil. Primates, 2007, 48, 245-248.	0.7	83
3	Global patterns of interaction specialization in bird-flower networks. Journal of Biogeography, 2017, 44, 1891-1910.	1.4	68
4	Comparison of the diet of <i>Alouatta caraya</i> (Primates: Atelidae) between a riparian island and mainland on the Upper Parana River, southern Brazil. Revista Brasileira De Zoologia, 2008, 25, 419-426.	0.5	64
5	Group size and composition of black-and-gold howler monkeys (<i>Alouatta caraya</i>) on the Upper Paran River, Southern Brazil. Primates, 2009, 50, 74-77.	0.7	58
6	Occurrence, local extinction and conservation of Primates in the corridor of the Upper Paran River, with notes on other mammals. Revista Brasileira De Zoologia, 2007, 24, 898-906.	0.5	56
7	<scp>ATLANTIC BATS</scp>: a data set of bat communities from the Atlantic Forests of South America. Ecology, 2017, 98, 3227-3227.	1.5	55
8	NEOTROPICAL XENARTHTRANS: a data set of occurrence of xenarthran species in the Neotropics. Ecology, 2019, 100, e02663.	1.5	54
9	Diets of three sympatric Neotropical small cats: Food niche overlap and interspecies differences in prey consumption. Mammalian Biology, 2011, 76, 308-312.	0.8	51
10	Use of traps to capture black and gold howlers (<i>Alouatta caraya</i>) on the Islands of the upper paran river, Southern Brazil. American Journal of Primatology, 2007, 69, 241-247.	0.8	42
11	<scp>ATLANTIC MAMMAL TRAITS</scp>: a data set of morphological traits of mammals in the Atlantic Forest of South America. Ecology, 2018, 99, 498-498.	1.5	39
12	Differentiation and Species Status of the Neotropical Yellow-Eared Bats <i>Vampyressa pusilla</i> and <i>V. thuyone</i> (Phyllostomidae) with a Molecular Phylogeny and Review of the Genus. Acta Chiropterologica, 2003, 5, 15-29.	0.2	37
13	Assessing the exposure of lion tamarins (<i>Leontopithecus</i> spp.) to future climate change. American Journal of Primatology, 2014, 76, 551-562.	0.8	37
14	Techniques and Trap Models for Capturing Wild Tufted Capuchins. International Journal of Primatology, 2007, 28, 231-243.	0.9	35
15	Feeding habits of ocelot (<i>Leopardus pardalis</i>) in Southern Brazil. Mammalian Biology, 2008, 73, 407-411.	0.8	34
16	The first seven months of an infant of <i>Alouatta guariba</i> (Humboldt) (Primates, Atelidae): interactions and the development of behavioral patterns. Revista Brasileira De Zoologia, 2005, 22, 1191-1195.	0.5	33
17	Paracoccidioidomycosis in wild monkeys from Paran State, Brazil. Mycopathologia, 2007, 164, 225-228.	1.3	31
18	Wild mixed groups of howler species (<i>Alouatta caraya</i> and <i>Alouatta clamitans</i>) and new evidence for their hybridization. Primates, 2008, 49, 149-152.	0.7	31

#	ARTICLE	IF	CITATIONS
19	Predation on <i>Alouatta guariba clamitans</i> Cabrera (Primates, Atelidae) by <i>Leopardus pardalis</i> (Linnaeus) (Carnivora, Felidae). <i>Revista Brasileira De Zoologia</i> , 2005, 22, 793-795.	0.5	29
20	A new species of <i>Eptesicus</i> (Mammalia: Chiroptera: Vespertilionidae) from the Atlantic Forest, Brazil. <i>Zootaxa</i> , 2006, 1383, 57-68.	0.2	29
21	Antipredator Behavior of Brown Howlers Attacked by Black Hawk-eagle in Southern Brazil. <i>International Journal of Primatology</i> , 2006, 27, 1097-1101.	0.9	27
22	Feeding habits of the crab-eating fox, <i>Cerdocyon thous</i> (Carnivora: Canidae), in a mosaic area with native and exotic vegetation in Southern Brazil. <i>Revista Brasileira De Zoologia</i> , 2008, 25, 594-600.	0.5	27
23	Morcegos da regiÃ£o sul do Brasil: anÃlise comparativa da riqueza de espÃcies, novos registros e atualizaÃes nomenclaturais (Mammalia, Chiroptera). <i>Iheringia - Serie Zoologia</i> , 2010, 100, 25-34.	0.5	27
24	HÃbito alimentar de <i>Alouatta guariba</i> (Humboldt) (Primates, Atelidae) em Floresta de AraucÃria, ParanÃ, Brasil. <i>Revista Brasileira De Zoologia</i> , 2004, 21, 821-826.	0.5	26
25	ObservaÃes da dieta de <i>Artibeus lituratus</i> (Olfers) (Chiroptera, Phyllostomidae) em duas Ãreas do sul do Brasil. <i>Revista Brasileira De Zoologia</i> , 2004, 21, 487-489.	0.5	26
26	Cougar Predation on Black-and-Gold Howlers on Mutum Island, Southern Brazil. <i>International Journal of Primatology</i> , 2007, 28, 39-46.	0.9	26
27	NEOTROPICAL CARNIVORES: a data set on carnivore distribution in the Neotropics. <i>Ecology</i> , 2020, 101, e03128.	1.5	26
28	NEOTROPICAL ALIEN MAMMALS: a data set of occurrence and abundance of alien mammals in the Neotropics. <i>Ecology</i> , 2020, 101, e03115.	1.5	22
29	Diet of brown-nosed coatis and crab-eating raccoons from a mosaic landscape with exotic plantations in southern Brazil. <i>Studies on Neotropical Fauna and Environment</i> , 2011, 46, 153-161.	0.5	20
30	ComposiÃo e dinÃmica de grupos de <i>Alouatta guariba clamitans</i> Cabrera (Primates, Atelidae) em Floresta OmbrÃfila Mista no Estado do ParanÃ, Brasil. <i>Revista Brasileira De Zoologia</i> , 2005, 22, 99-106.	0.5	18
31	Distributional extension of <i>Molossops neglectus</i> (Chiroptera, Molossidae) into southeastern Brazil. <i>Mammalia</i> , 2004, 68, .	0.3	16
32	Relative influence of spatial over environmental and historical processes on the taxonomic and phylogenetic beta diversity of Neotropical phyllostomid bat assemblages. <i>Journal of Biogeography</i> , 2018, 45, 617-627.	1.4	15
33	Primeiro registro de <i>Histiopus montanus</i> (Philippi & Landbeck) para o Estado do ParanÃ, Brasil (Chiroptera, Vespertilionidae). <i>Revista Brasileira De Zoologia</i> , 2006, 23, 584-587.	0.5	13
34	Mother-offspring associations in Northern muriquis, <i>Brachyteles hypoxanthus</i> . <i>American Journal of Primatology</i> , 2008, 70, 301-305.	0.8	13
35	Edge effects without habitat fragmentation? Small mammals and a railway in the Atlantic Forest of southern Brazil. <i>Oryx</i> , 2016, 50, 460-467.	0.5	13
36	AmpliaÃo da distribuiÃo de <i>Molossops neglectus</i> Williams & Genoways (Chiroptera, Molossidae) para o Sul da AmÃrica do Sul. <i>Revista Brasileira De Zoologia</i> , 2007, 24, 505-507.	0.5	11

#	ARTICLE	IF	CITATIONS
37	Influential factors on gray brocket deer (<i>Mazama gouazoubira</i>) activity and movement in the Pantanal, Brazil. <i>Journal of Mammalogy</i> , 2019, 100, 454-463.	0.6	11
38	Estrutura de comunidade da quiropterofauna (Mammalia, Chiroptera) do Parque Estadual de Campinhos, Paraná, Brasil. <i>Revista Brasileira De Zoologia</i> , 2007, 24, 573-581.	0.5	10
39	Hematologic Values of Free-ranging <i>Cebus cay</i> and <i>Cebus nigritus</i> in Southern Brazil. <i>International Journal of Primatology</i> , 2008, 29, 1375-1382.	0.9	10
40	How do bat, rodent, and marsupial communities respond to spatial and environmental gradients? Insights from a deconstruction of mammal beta diversity from the Atlantic Forest of South America. <i>Oecologia</i> , 2019, 189, 851-861.	0.9	10
41	First record of <i>Histiotus laephotis</i> Thomas (Chiroptera, Vespertilionidae) from Brazil. <i>Revista Brasileira De Zoologia</i> , 2007, 24, 1188-1191.	0.5	8
42	Assessing the efficacy of hair snares as a method for noninvasive sampling of Neotropical felids. <i>Zoologia</i> , 2013, 30, 49-54.	0.5	7
43	Camera Trap Feasibility for Ecological Studies of Elusive Forest Deer. <i>Wildlife Society Bulletin</i> , 2020, 44, 640-647.	0.4	7
44	Status taxonômico e distribucional do complexo <i>Eumops bonariensis</i> (Chiroptera: Molossidae) no sul do Brasil. <i>Zoologia</i> , 2009, 26, 183-190.	0.5	6
45	The taxonomic status of <i>Myotis levis levis</i> and <i>Myotis levis dinellii</i> (Mammalia: Chiroptera:). <i>Tj ETQq1 1 0.784314 rgBT/Overlock 10 Tf</i>	0.5	6
46	Is the knowledge of bat distribution in the Atlantic Rainforest sufficient? Comments about new findings and a case study in the Paraná State coastal area, Brazil. <i>Mammalia</i> , 2016, 80, .	0.3	6
47	The Vulnerable giant anteater <i>Myrmecophaga tridactyla</i> : new records from the Atlantic Forest highlands and an overview of its occurrence in protected areas in Brazil. <i>Oryx</i> , 2017, 51, 564-566.	0.5	6
48	Ovarian cycle of southern brown howler monkey (<i>Alouatta guariba clamitans</i>) through fecal progesterin measurement. <i>Primates</i> , 2017, 58, 131-139.	0.7	6
49	On the distribution of the Brazilian porcupine <i>Coendou prehensilis</i> (Erethizontidae) in Colombia. <i>Mammalia</i> , 2019, 83, 290-297.	0.3	6
50	Estrutura da comunidade de morcegos (Mammalia, Chiroptera) da Estação Experimental de Itirapina, estado de São Paulo, Brasil. <i>Papeis Avulsos De Zoologia</i> , 2015, 55, 1-11.	0.4	5
51	First record of <i>Vampyrodes caraccioli</i> (Thomas, 1889) (Chiroptera: Phyllostomidae) for the state of Paraná, and range extension to southern region of Brazil. <i>Check List</i> , 2014, 10, 1189-1194.	0.1	5
52	Obtenção de água por um grupo de <i>Alouatta clamitans</i> (Primates: Atelidae), em Floresta com Araucária: variações sazonais, sexo-etárias e circadianas. <i>Revista Brasileira De Zoologia</i> , 2008, 25, 558-562.	0.5	4
53	Small mammal community structure and vertical space use preferences in nonfragmented Atlantic Forest. <i>Mammalia</i> , 2014, 78, .	0.3	4
54	Richness, diversity and abundance of bats from a savanna landscape in central Brazil. <i>Mammalia</i> , 2017, 81, .	0.3	4

#	ARTICLE	IF	CITATIONS
55	Geographical patterns and current and short-term historical correlates of phylogenetic diversity and endemism for New World primates. <i>Journal of Biogeography</i> , 2020, 47, 890-902.	1.4	4
56	Three years on demography of a group of <i>Alouatta guariba clamitans</i> Cabrera (Primates, Atelidae): growth and fragmentation. <i>Revista Brasileira De Zoologia</i> , 2006, 23, 703-706.	0.5	4
57	The evaluation of enteric viruses in asymptomatic free-ranging non-human primates (<i>Alouatta guariba clamitans</i> , <i>Alouatta caraya</i> , <i>Callithrix jacchus</i>) in southern Brazil. <i>Journal of Medical Primatology</i> , 2012, 41, 304-308.	0.3	3
58	Is it possible to identify four small Neotropical felids (Carnivora: Felidae) based on hair microstructure?. <i>Zoologia</i> , 2015, 32, 77-82.	0.5	3
59	Seasonal diet variation, preferences and availability of resources consumed by <i>Sturnira lilium</i> (L.) in southern Brazil. <i>Da Academia Brasileira De Ciencias</i> , 2021, 93, e20201571.	0.3	3
60	Assessment of the rarity and conservation status of the Colombian endemic brown hairy dwarf porcupine <i>Coendou vestitus</i> . <i>Oryx</i> , 2021, 55, 765-770.	0.5	3
61	Null model analysis on bat species co-occurrence and nestedness patterns in a region of the Atlantic Rainforest, Brazil. <i>Mammalia</i> , 2016, 80, .	0.3	2
62	Elusive deer occurrences at the Atlantic Forest: 20 years of surveys. <i>Mammal Research</i> , 2022, 67, 51-59.	0.6	2
63	Reproductive data of a threatened bat, <i>Myotis ruber</i> (Geoffroy, 1806) (Chiroptera, Vespertilionidae) in a southern Brazilian deciduous seasonal forest. <i>Mammalia</i> , 2014, 78, .	0.3	1
64	New records on the use of man-made constructions as diurnal roosts by bats from the southern Amazon in central Brazil. <i>Acta Amazonica</i> , 2017, 47, 79-82.	0.3	1
65	Different land use types influence Red-browed Amazon (<i>Amazona rhodocorytha</i>) occurrence in Southeastern Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2022, 94, e20191227.	0.3	1
66	Primates of the South American Pantanal Wetland. , 2019, , 163-171.		0
67	<i>Coendou vestitus</i> (Rodentia: Erethizontidae). <i>Mammalian Species</i> , 2021, 53, 43-50.	0.4	0