

Fernando C Passos

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6699515/fernando-c-passos-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

987

citations

19

h-index

29

g-index

67

ext. papers

1,167

ext. citations

1.9

avg, IF

3.86

L-index

#	Paper	IF	Citations
66	Frugivoria em morcegos (Mammalia, Chiroptera) no Parque Estadual Intervales, sudeste do Brasil. <i>Revista Brasileira De Zoologia</i> , 2003 , 20, 511-517		76
65	Sympatry between <i>Alouatta caraya</i> and <i>Alouatta clamitans</i> and the rediscovery of free-ranging potential hybrids in Southern Brazil. <i>Primates</i> , 2007 , 48, 245-8	1.7	73
64	Comparison of the diet of <i>Alouatta caraya</i> (Primates: Atelidae) between a riparian island and mainland on the Upper Parana River, southern Brazil. <i>Revista Brasileira De Zoologia</i> , 2008 , 25, 419-426		57
63	Global patterns of interaction specialization in bird-flower networks. <i>Journal of Biogeography</i> , 2017 , 44, 1891-1910	4.1	50
62	Group size and composition of black-and-gold howler monkeys (<i>Alouatta caraya</i>) on the Upper Parana River, Southern Brazil. <i>Primates</i> , 2009 , 50, 74-7	1.7	50
61	Occurrence, local extinction and conservation of Primates in the corridor of the Upper Parana River, with notes on other mammals. <i>Revista Brasileira De Zoologia</i> , 2007 , 24, 898-906		50
60	Differentiation and Species Status of the Neotropical Yellow-Eared Bats <i>Vampyressa pusilla</i> and <i>V. thyone</i> (Phyllostomidae) with a Molecular Phylogeny and Review of the Genus. <i>Acta Chiropterologica</i> , 2003 , 5, 15-29	1	31
59	Paracoccidioidomycosis in wild monkeys from Paraná State, Brazil. <i>Mycopathologia</i> , 2007 , 164, 225-8	2.9	30
58	Assessing the exposure of lion tamarins (<i>Leontopithecus</i> spp.) to future climate change. <i>American Journal of Primatology</i> , 2014 , 76, 551-62	2.5	29
57	ATLANTIC BATS: a data set of bat communities from the Atlantic Forests of South America. <i>Ecology</i> , 2017 , 98, 3227	4.6	29
56	Diets of three sympatric Neotropical small cats: Food niche overlap and interspecies differences in prey consumption. <i>Mammalian Biology</i> , 2011 , 76, 308-312	1.6	29
55	Wild mixed groups of howler species (<i>Alouatta caraya</i> and <i>Alouatta clamitans</i>) and new evidence for their hybridization. <i>Primates</i> , 2008 , 49, 149-52	1.7	27
54	Antipredator Behavior of Brown Howlers Attacked by Black Hawk-eagle in Southern Brazil. <i>International Journal of Primatology</i> , 2006 , 27, 1097-1101	2	27
53	The first seven months of an infant of <i>Alouatta guariba</i> (Humboldt) (Primates, Atelidae): interactions and the development of behavioral patterns. <i>Revista Brasileira De Zoologia</i> , 2005 , 22, 1191-1195		27
52	Feeding habits of ocelot (<i>Leopardus pardalis</i>) in Southern Brazil. <i>Mammalian Biology</i> , 2008 , 73, 407-411	1.6	26
51	Predation on <i>Alouatta guariba clamitans</i> Cabrera (Primates, Atelidae) by <i>Leopardus pardalis</i> (Linnaeus) (Carnivora, Felidae). <i>Revista Brasileira De Zoologia</i> , 2005 , 22, 793-795		25
50	Cougar Predation on Black-and-Gold Howlers on Mutum Island, Southern Brazil. <i>International Journal of Primatology</i> , 2007 , 28, 39-46	2	24

49	Feeding habits of the crab-eating fox, <i>Cerdocyon thous</i> (Carnivora: Canidae), in a mosaic area with native and exotic vegetation in Southern Brazil. <i>Revista Brasileira De Zoologia</i> , 2008 , 25, 594-600		20
48	Observaões da dieta de <i>Artibeus lituratus</i> (Olfers) (Chiroptera, Phyllostomidae) em duas áreas do sul do Brasil. <i>Revista Brasileira De Zoologia</i> , 2004 , 21, 487-489		19
47	ATLANTIC MAMMAL TRAITS: a data set of morphological traits of mammals in the Atlantic Forest of South America. <i>Ecology</i> , 2018 , 99, 498	4.6	18
46	A new species of <i>Eptesicus</i> (Mammalia: Chiroptera: Vespertilionidae) from the Atlantic Forest, Brazil. <i>Zootaxa</i> , 2006 , 1383, 57-68	0.5	18
45	Hbito alimentar de <i>Alouatta guariba</i> (Humboldt) (Primates, Atelidae) em Floresta de Araucária, ParanBrasil. <i>Revista Brasileira De Zoologia</i> , 2004 , 21, 821-826		17
44	NEOTROPICAL XENARTHTRANS: a data set of occurrence of xenarthran species in the Neotropics. <i>Ecology</i> , 2019 , 100, e02663	4.6	16
43	Use of traps to capture black and gold howlers (<i>Alouatta caraya</i>) on the Islands of the upper Paran River, Southern Brazil. <i>American Journal of Primatology</i> , 2007 , 69, 241-7	2.5	16
42	Primeiro registro de <i>Histiotus montanus</i> (Philippi & Landbeck) para o Estado do ParanBrasil (Chiroptera, Vespertilionidae). <i>Revista Brasileira De Zoologia</i> , 2006 , 23, 584-587		13
41	Composi e dinmica de grupos de <i>Alouatta guariba clamitans</i> Cabrera (Primates, Atelidae) em Floresta Ombrfila Mista no Estado do ParanBrasil. <i>Revista Brasileira De Zoologia</i> , 2005 , 22, 99-106		13
40	Edge effects without habitat fragmentation? Small mammals and a railway in the Atlantic Forest of southern Brazil. <i>Oryx</i> , 2016 , 50, 460-467	1.5	12
39	Relative influence of spatial over environmental and historical processes on the taxonomic and phylogenetic beta diversity of Neotropical phyllostomid bat assemblages. <i>Journal of Biogeography</i> , 2018 , 45, 617-627	4.1	10
38	Morcegos da regiõ sul do Brasil: anlise comparativa da riqueza de espõies, novos registros e atualizaões nomenclaturais (Mammalia, Chiroptera). <i>Iheringia - Serie Zoologia</i> , 2010 , 100, 25-34	0.9	10
37	Techniques and Trap Models for Capturing Wild Tufted Capuchins. <i>International Journal of Primatology</i> , 2007 , 28, 231-243	2	10
36	Estrutura de comunidade da quiropterofauna (Mammalia, Chiroptera) do Parque Estadual de Campinhos, ParanBrasil. <i>Revista Brasileira De Zoologia</i> , 2007 , 24, 573-581		9
35	Mother-offspring associations in northern muriquis, <i>Brachyteles hypoxanthus</i> . <i>American Journal of Primatology</i> , 2008 , 70, 301-5	2.5	9
34	Diet of brown-nosed coatis and crab-eating raccoons from a mosaic landscape with exotic plantations in southern Brazil. <i>Studies on Neotropical Fauna and Environment</i> , 2011 , 46, 153-161	0.6	8
33	Ampliaõ da distribuõ de <i>Molossops neglectus</i> Williams & Genoways (Chiroptera, Molossidae) para o Sul da Amõica do Sul. <i>Revista Brasileira De Zoologia</i> , 2007 , 24, 505-507		8
32	NEOTROPICAL CARNIVORES: a data set on carnivore distribution in the Neotropics. <i>Ecology</i> , 2020 , 101, e03128	4.6	8

31	How do bat, rodent, and marsupial communities respond to spatial and environmental gradients? Insights from a deconstruction of mammal beta diversity from the Atlantic Forest of South America. <i>Oecologia</i> , 2019 , 189, 851-861	2.9	8
30	Influential factors on gray brocket deer (<i>Mazama gouazoubira</i>) activity and movement in the Pantanal, Brazil. <i>Journal of Mammalogy</i> , 2019 , 100, 454-463	1.8	7
29	Hematologic Values of Free-ranging <i>Cebus cay</i> and <i>Cebus nigritus</i> in Southern Brazil. <i>International Journal of Primatology</i> , 2008 , 29, 1375-1382	2	7
28	Distributional extension of <i>Molossops neglectus</i> (Chiroptera, Molossidae) into southeastern Brazil. <i>Mammalia</i> , 2004 , 68,	1	7
27	NEOTROPICAL ALIEN MAMMALS: a data set of occurrence and abundance of alien mammals in the Neotropics. <i>Ecology</i> , 2020 , 101, e03115	4.6	7
26	On the distribution of the Brazilian porcupine <i>Coendou prehensilis</i> (Erethizontidae) in Colombia. <i>Mammalia</i> , 2019 , 83, 290-297	1	5
25	Assessing the efficacy of hair snares as a method for noninvasive sampling of Neotropical felids. <i>Zoologia</i> , 2013 , 30, 49-54	2	5
24	First record of <i>Histiotus laephotis</i> Thomas (Chiroptera, Vespertilionidae) from Brazil. <i>Revista Brasileira De Zoologia</i> , 2007 , 24, 1188-1191		5
23	Is the knowledge of bat distribution in the Atlantic Rainforest sufficient? Comments about new findings and a case study in the Paraná State coastal area, Brazil. <i>Mammalia</i> , 2016 , 80,	1	4
22	Status taxonômico e distribucional do complexo <i>Eumops bonariensis</i> (Chiroptera: Molossidae) no sul do Brasil. <i>Zoologia</i> , 2009 , 26, 183-190	2	4
21	Three years on demography of a group of <i>Alouatta guariba clamitans</i> Cabrera (Primates, Atelidae): growth and fragmentation. <i>Revista Brasileira De Zoologia</i> , 2006 , 23, 703-706		4
20	The Vulnerable giant anteater <i>Myrmecophaga tridactyla</i> : new records from the Atlantic Forest highlands and an overview of its occurrence in protected areas in Brazil. <i>Oryx</i> , 2017 , 51, 564-566	1.5	3
19	Ovarian cycle of southern brown howler monkey (<i>Alouatta guariba clamitans</i>) through fecal progesterin measurement. <i>Primates</i> , 2017 , 58, 131-139	1.7	3
18	Obtenção de gua por um grupo de <i>Alouatta clamitans</i> (Primates: Atelidae), em Floresta com Araucária: variações sazonais, sexo-etárias e circadianas. <i>Revista Brasileira De Zoologia</i> , 2008 , 25, 558-562		3
17	First record of <i>Vampyrodes caraccioli</i> (Thomas, 1889) (Chiroptera: Phyllostomidae) for the state of Paraná and range extension to southern region of Brazil. <i>Check List</i> , 2014 , 10, 1189-1194	1	3
16	Richness, diversity and abundance of bats from a savanna landscape in central Brazil. <i>Mammalia</i> , 2017 , 81,	1	2
15	Is it possible to identify four small Neotropical felids (Carnivora: Felidae) based on hair microstructure?. <i>Zoologia</i> , 2015 , 32, 77-82	2	2
14	Small mammal community structure and vertical space use preferences in nonfragmented Atlantic Forest. <i>Mammalia</i> , 2014 , 78,	1	2

13	The evaluation of enteric viruses in asymptomatic free-ranging non-human primates (<i>Alouatta guariba clamitans</i> , <i>Alouatta caraya</i> , <i>Callithrix</i> spp., <i>Callithrix penicillata</i> , and <i>Leontopithecus caissara</i>) in southern Brazil. <i>Journal of Medical Primatology</i> , 2012 , 41, 304-8	0.7	2
12	The taxonomic status of <i>Myotis levis levis</i> and <i>Myotis levis dinellii</i> (Mammalia: Chiroptera: Vespertilionidae). <i>Zoologia</i> , 2013 , 30, 513-518	2	2
11	Assessment of the rarity and conservation status of the Colombian endemic brown hairy dwarf porcupine <i>Coendou vestitus</i> . <i>Oryx</i> , 2021 , 55, 765-770	1.5	2
10	Geographical patterns and current and short-term historical correlates of phylogenetic diversity and endemism for New World primates. <i>Journal of Biogeography</i> , 2020 , 47, 890-902	4.1	2
9	Camera Trap Feasibility for Ecological Studies of Elusive Forest Deer. <i>Wildlife Society Bulletin</i> , 2020 , 44, 640-647	0.6	2
8	Null model analysis on bat species co-occurrence and nestedness patterns in a region of the Atlantic Rainforest, Brazil. <i>Mammalia</i> , 2016 , 80,	1	1
7	Estrutura da comunidade de morcegos (Mammalia, Chiroptera) da Estação Experimental de Itirapina, estado de São Paulo, Brasil. <i>Papeis Avulsos De Zoologia</i> , 2015 , 55, 1-11	0.3	1
6	New records on the use of man-made constructions as diurnal roosts by bats from the southern Amazon in central Brazil. <i>Acta Amazonica</i> , 2017 , 47, 79-82	0.8	0
5	Seasonal diet variation, preferences and availability of resources consumed by <i>Sturnira lilium</i> (Geoffroy St.-Hilaire, 1810) (Chiroptera: Phyllostomidae) in Brazilian seasonal deciduous forest. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021 , 93, e20201571	1.4	0
4	Elusive deer occurrences at the Atlantic Forest: 20 years of surveys. <i>Mammal Research</i> , 1	1.8	
3	<i>Coendou vestitus</i> (Rodentia: Erethizontidae). <i>Mammalian Species</i> , 2021 , 53, 43-50	0.5	
2	Primates of the South American Pantanal Wetland: Seasonal Effects on Their Habitats and Habits 2019 , 163-171		
1	Different land use types influence Red-browed Amazon (<i>Amazona rhodocorytha</i>) occurrence in Southeastern Brazil.. <i>Anais Da Academia Brasileira De Ciencias</i> , 2022 , 94, e20191227	1.4	