

Fernando C Passos

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6699515/fernando-c-passos-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

987

citations

19

h-index

29

g-index

67

ext. papers

1,167

ext. citations

1.9

avg, IF

3.86

L-index

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 66 | Different land use types influence Red-browed Amazon (<i>Amazona rhodocorytha</i>) occurrence in Southeastern Brazil.. <i>Anais Da Academia Brasileira De Ciencias</i> , 2022 , 94, e20191227 | 1.4 | |
| 65 | Assessment of the rarity and conservation status of the Colombian endemic brown hairy dwarf porcupine <i>Coendou vestitus</i> . <i>Oryx</i> , 2021 , 55, 765-770 | 1.5 | 2 |
| 64 | <i>Coendou vestitus</i> (Rodentia: Erethizontidae). <i>Mammalian Species</i> , 2021 , 53, 43-50 | 0.5 | |
| 63 | Seasonal diet variation, preferences and availability of resources consumed by <i>Sturnira lilium</i> (Geoffroy St.-Hilaire, 1810) (Chiroptera: Phyllostomidae) in Brazilian seasonal deciduous forest. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021 , 93, e20201571 | 1.4 | 0 |
| 62 | Geographical patterns and current and short-term historical correlates of phylogenetic diversity and endemism for New World primates. <i>Journal of Biogeography</i> , 2020 , 47, 890-902 | 4.1 | 2 |
| 61 | NEOTROPICAL ALIEN MAMMALS: a data set of occurrence and abundance of alien mammals in the Neotropics. <i>Ecology</i> , 2020 , 101, e03115 | 4.6 | 7 |
| 60 | NEOTROPICAL CARNIVORES: a data set on carnivore distribution in the Neotropics. <i>Ecology</i> , 2020 , 101, e03128 | 4.6 | 8 |
| 59 | Camera Trap Feasibility for Ecological Studies of Elusive Forest Deer. <i>Wildlife Society Bulletin</i> , 2020 , 44, 640-647 | 0.6 | 2 |
| 58 | NEOTROPICAL XENARTHTRANS: a data set of occurrence of xenarthran species in the Neotropics. <i>Ecology</i> , 2019 , 100, e02663 | 4.6 | 16 |
| 57 | Influential factors on gray brocket deer (<i>Mazama gouazoubira</i>) activity and movement in the Pantanal, Brazil. <i>Journal of Mammalogy</i> , 2019 , 100, 454-463 | 1.8 | 7 |
| 56 | On the distribution of the Brazilian porcupine <i>Coendou prehensilis</i> (Erethizontidae) in Colombia. <i>Mammalia</i> , 2019 , 83, 290-297 | 1 | 5 |
| 55 | Primates of the South American Pantanal Wetland: Seasonal Effects on Their Habitats and Habits 2019 , 163-171 | | |
| 54 | How do bat, rodent, and marsupial communities respond to spatial and environmental gradients? Insights from a deconstruction of mammal beta diversity from the Atlantic Forest of South America. <i>Oecologia</i> , 2019 , 189, 851-861 | 2.9 | 8 |
| 53 | ATLANTIC MAMMAL TRAITS: a data set of morphological traits of mammals in the Atlantic Forest of South America. <i>Ecology</i> , 2018 , 99, 498 | 4.6 | 18 |
| 52 | Relative influence of spatial over environmental and historical processes on the taxonomic and phylogenetic beta diversity of Neotropical phyllostomid bat assemblages. <i>Journal of Biogeography</i> , 2018 , 45, 617-627 | 4.1 | 10 |
| 51 | Richness, diversity and abundance of bats from a savanna landscape in central Brazil. <i>Mammalia</i> , 2017 , 81, | 1 | 2 |
| 50 | Global patterns of interaction specialization in bird-flower networks. <i>Journal of Biogeography</i> , 2017 , 44, 1891-1910 | 4.1 | 50 |

| | | | |
|----|---|-----|----|
| 49 | The Vulnerable giant anteater <i>Myrmecophaga tridactyla</i> : new records from the Atlantic Forest highlands and an overview of its occurrence in protected areas in Brazil. <i>Oryx</i> , 2017 , 51, 564-566 | 1.5 | 3 |
| 48 | New records on the use of man-made constructions as diurnal roosts by bats from the southern Amazon in central Brazil. <i>Acta Amazonica</i> , 2017 , 47, 79-82 | 0.8 | 0 |
| 47 | ATLANTIC BATS: a data set of bat communities from the Atlantic Forests of South America. <i>Ecology</i> , 2017 , 98, 3227 | 4.6 | 29 |
| 46 | Ovarian cycle of southern brown howler monkey (<i>Alouatta guariba clamitans</i>) through fecal progesterin measurement. <i>Primates</i> , 2017 , 58, 131-139 | 1.7 | 3 |
| 45 | Edge effects without habitat fragmentation? Small mammals and a railway in the Atlantic Forest of southern Brazil. <i>Oryx</i> , 2016 , 50, 460-467 | 1.5 | 12 |
| 44 | Is the knowledge of bat distribution in the Atlantic Rainforest sufficient? Comments about new findings and a case study in the Paran state coastal area, Brazil. <i>Mammalia</i> , 2016 , 80, | 1 | 4 |
| 43 | Null model analysis on bat species co-occurrence and nestedness patterns in a region of the Atlantic Rainforest, Brazil. <i>Mammalia</i> , 2016 , 80, | 1 | 1 |
| 42 | Estrutura da comunidade de morcegos (Mammalia, Chiroptera) da Est Experimental de Itirapina, estado de S Paulo, Brasil. <i>Papeis Avulsos De Zoologia</i> , 2015 , 55, 1-11 | 0.3 | 1 |
| 41 | Is it possible to identify four small Neotropical felids (Carnivora: Felidae) based on hair microstructure?. <i>Zoologia</i> , 2015 , 32, 77-82 | 2 | 2 |
| 40 | Assessing the exposure of lion tamarins (<i>Leontopithecus</i> spp.) to future climate change. <i>American Journal of Primatology</i> , 2014 , 76, 551-62 | 2.5 | 29 |
| 39 | Small mammal community structure and vertical space use preferences in nonfragmented Atlantic Forest. <i>Mammalia</i> , 2014 , 78, | 1 | 2 |
| 38 | First record of <i>Vampyrodes caraccioli</i> (Thomas, 1889) (Chiroptera: Phyllostomidae) for the state of Paran and range extension to southern region of Brazil. <i>Check List</i> , 2014 , 10, 1189-1194 | 1 | 3 |
| 37 | The taxonomic status of <i>Myotis levis levis</i> and <i>Myotis levis dinellii</i> (Mammalia: Chiroptera: Vespertilionidae). <i>Zoologia</i> , 2013 , 30, 513-518 | 2 | 2 |
| 36 | Assessing the efficacy of hair snares as a method for noninvasive sampling of Neotropical felids. <i>Zoologia</i> , 2013 , 30, 49-54 | 2 | 5 |
| 35 | The evaluation of enteric viruses in asymptomatic free-ranging non-human primates (<i>Alouatta guariba clamitans</i> , <i>Alouatta caraya</i> , <i>Callithrix</i> spp., <i>Callithrix penicillata</i> , and <i>Leontopithecus caissara</i>) in southern Brazil. <i>Journal of Medical Primatology</i> , 2012 , 41, 304-8 | 0.7 | 2 |
| 34 | Diet of brown-nosed coatis and crab-eating raccoons from a mosaic landscape with exotic plantations in southern Brazil. <i>Studies on Neotropical Fauna and Environment</i> , 2011 , 46, 153-161 | 0.6 | 8 |
| 33 | Diets of three sympatric Neotropical small cats: Food niche overlap and interspecies differences in prey consumption. <i>Mammalian Biology</i> , 2011 , 76, 308-312 | 1.6 | 29 |
| 32 | Morcegos da regi sul do Brasil: anlise comparativa da riqueza de espcies, novos registros e atualizaes nomenclaturais (Mammalia, Chiroptera). <i>Iheringia - Serie Zoologia</i> , 2010 , 100, 25-34 | 0.9 | 10 |

| | | | |
|----|--|-----|----|
| 31 | Group size and composition of black-and-gold howler monkeys (<i>Alouatta caraya</i>) on the Upper Paran River, Southern Brazil. <i>Primates</i> , 2009 , 50, 74-7 | 1.7 | 50 |
| 30 | Status taxon mico e distribu cional do complexo <i>Eumops bonariensis</i> (Chiroptera: Molossidae) no sul do Brasil. <i>Zoologia</i> , 2009 , 26, 183-190 | 2 | 4 |
| 29 | Feeding habits of ocelot (<i>Leopardus pardalis</i>) in Southern Brazil. <i>Mammalian Biology</i> , 2008 , 73, 407-411 | 1.6 | 26 |
| 28 | Obten o de  gua por um grupo de <i>Alouatta clamitans</i> (Primates: Atelidae), em Floresta com Arauc ria: varia es sazonais, sexo-et rias e circadianas. <i>Revista Brasileira De Zoologia</i> , 2008 , 25, 558-562 | | 3 |
| 27 | Feeding habits of the crab-eating fox, <i>Cerdocyon thous</i> (Carnivora: Canidae), in a mosaic area with native and exotic vegetation in Southern Brazil. <i>Revista Brasileira De Zoologia</i> , 2008 , 25, 594-600 | | 20 |
| 26 | Comparison of the diet of <i>Alouatta caraya</i> (Primates: Atelidae) between a riparian island and mainland on the Upper Parana River, southern Brazil. <i>Revista Brasileira De Zoologia</i> , 2008 , 25, 419-426 | | 57 |
| 25 | Hematologic Values of Free-ranging <i>Cebus cay</i> and <i>Cebus nigritus</i> in Southern Brazil. <i>International Journal of Primatology</i> , 2008 , 29, 1375-1382 | 2 | 7 |
| 24 | Wild mixed groups of howler species (<i>Alouatta caraya</i> and <i>Alouatta clamitans</i>) and new evidence for their hybridization. <i>Primates</i> , 2008 , 49, 149-52 | 1.7 | 27 |
| 23 | Mother-offspring associations in northern muriquis, <i>Brachyteles hypoxanthus</i> . <i>American Journal of Primatology</i> , 2008 , 70, 301-5 | 2.5 | 9 |
| 22 | Amplia o da distribu o de <i>Molossops neglectus</i> Williams & Genoways (Chiroptera, Molossidae) para o Sul da Am rica do Sul. <i>Revista Brasileira De Zoologia</i> , 2007 , 24, 505-507 | | 8 |
| 21 | Estrutura de comunidade da quiropterofauna (Mammalia, Chiroptera) do Parque Estadual de Campinhos, Paran Brasil. <i>Revista Brasileira De Zoologia</i> , 2007 , 24, 573-581 | | 9 |
| 20 | Occurrence, local extinction and conservation of Primates in the corridor of the Upper Paran River, with notes on other mammals. <i>Revista Brasileira De Zoologia</i> , 2007 , 24, 898-906 | | 50 |
| 19 | First record of <i>Histiotus laephotis</i> Thomas (Chiroptera, Vespertilionidae) from Brazil. <i>Revista Brasileira De Zoologia</i> , 2007 , 24, 1188-1191 | | 5 |
| 18 | Use of traps to capture black and gold howlers (<i>Alouatta caraya</i>) on the Islands of the upper Paran River, Southern Brazil. <i>American Journal of Primatology</i> , 2007 , 69, 241-7 | 2.5 | 16 |
| 17 | Paracoccidioidomycosis in wild monkeys from Paran State, Brazil. <i>Mycopathologia</i> , 2007 , 164, 225-8 | 2.9 | 30 |
| 16 | Cougar Predation on Black-and-Gold Howlers on Mutum Island, Southern Brazil1. <i>International Journal of Primatology</i> , 2007 , 28, 39-46 | 2 | 24 |
| 15 | Techniques and Trap Models for Capturing Wild Tufted Capuchins. <i>International Journal of Primatology</i> , 2007 , 28, 231-243 | 2 | 10 |
| 14 | Sympatry between <i>Alouatta caraya</i> and <i>Alouatta clamitans</i> and the rediscovery of free-ranging potential hybrids in Southern Brazil. <i>Primates</i> , 2007 , 48, 245-8 | 1.7 | 73 |

| | | | |
|----|---|-----|-----|
| 13 | Primeiro registro de <i>Histiotus montanus</i> (Philippi & Landbeck) para o Estado do Paraná-Brasil (Chiroptera, Vespertilionidae). <i>Revista Brasileira De Zoologia</i> , 2006 , 23, 584-587 | | 13 |
| 12 | Antipredator Behavior of Brown Howlers Attacked by Black Hawk-eagle in Southern Brazil. <i>International Journal of Primatology</i> , 2006 , 27, 1097-1101 | 2 | 27 |
| 11 | A new species of <i>Eptesicus</i> (Mammalia: Chiroptera: Vespertilionidae) from the Atlantic Forest, Brazil. <i>Zootaxa</i> , 2006 , 1383, 57-68 | 0.5 | 18 |
| 10 | Three years on demography of a group of <i>Alouatta guariba clamitans</i> Cabrera (Primates, Atelidae): growth and fragmentation. <i>Revista Brasileira De Zoologia</i> , 2006 , 23, 703-706 | | 4 |
| 9 | Predation on <i>Alouatta guariba clamitans</i> Cabrera (Primates, Atelidae) by <i>Leopardus pardalis</i> (Linnaeus) (Carnivora, Felidae). <i>Revista Brasileira De Zoologia</i> , 2005 , 22, 793-795 | | 25 |
| 8 | Composição e dinâmica de grupos de <i>Alouatta guariba clamitans</i> Cabrera (Primates, Atelidae) em Floresta Ombrifila Mista no Estado do Paraná-Brasil. <i>Revista Brasileira De Zoologia</i> , 2005 , 22, 99-106 | | 13 |
| 7 | The first seven months of an infant of <i>Alouatta guariba</i> (Humboldt) (Primates, Atelidae): interactions and the development of behavioral patterns. <i>Revista Brasileira De Zoologia</i> , 2005 , 22, 1191-1195 | | 27 |
| 6 | Hábito alimentar de <i>Alouatta guariba</i> (Humboldt) (Primates, Atelidae) em Floresta de Araucária, Paraná-Brasil. <i>Revista Brasileira De Zoologia</i> , 2004 , 21, 821-826 | | 17 |
| 5 | Observações da dieta de <i>Artibeus lituratus</i> (Olfers) (Chiroptera, Phyllostomidae) em duas áreas do sul do Brasil. <i>Revista Brasileira De Zoologia</i> , 2004 , 21, 487-489 | | 19 |
| 4 | Distributional extension of <i>Molossops neglectus</i> (Chiroptera, Molossidae) into southeastern Brazil. <i>Mammalia</i> , 2004 , 68, | 1 | 7 |
| 3 | Frugivoria em morcegos (Mammalia, Chiroptera) no Parque Estadual Intervales, sudeste do Brasil. <i>Revista Brasileira De Zoologia</i> , 2003 , 20, 511-517 | | 76 |
| 2 | Differentiation and Species Status of the Neotropical Yellow-Eared Bats <i>Vampyressa pusilla</i> and <i>V. thyone</i> (Phyllostomidae) with a Molecular Phylogeny and Review of the Genus. <i>Acta Chiropterologica</i> , 2003 , 5, 15-29 | 1 | 31 |
| 1 | Elusive deer occurrences at the Atlantic Forest: 20 years of surveys. <i>Mammal Research</i> , 1 | | 1.8 |