

M MartÃ-nez-Escandell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6699901/publications.pdf>

Version: 2024-02-01

66
papers

2,762
citations

172207

29
h-index

174990

52
g-index

66
all docs

66
docs citations

66
times ranked

3164
citing authors

#	ARTICLE	IF	CITATIONS
1	Activated carbon materials with a rich surface chemistry prepared from L-cysteine amino acid. Fluid Phase Equilibria, 2022, 558, 113446.	1.4	3
2	Carbon-based monoliths with improved thermal and mechanical properties for methane storage. Fuel, 2022, 324, 124753.	3.4	2
3	The scientific impact of Francisco Rodríguez-Reinoso in carbon research and beyond. Carbon, 2021, 179, 275-287.	5.4	2
4	CO2 Adsorption in Activated Carbon Materials. Engineering Materials, 2021, , 139-152.	0.3	1
5	Freezing/melting of water in the confined nanospace of carbon materials: Effect of an external stimulus. Carbon, 2020, 158, 346-355.	5.4	29
6	Well-defined meso/macroporous materials as a host structure for methane hydrate formation: Organic versus carbon xerogels. Chemical Engineering Journal, 2020, 402, 126276.	6.6	19
7	Preparation of Porous Carbons from Petroleum Pitch and Polyaniline by Thermal Treatment for Methane Storage. Industrial & Engineering Chemistry Research, 2020, 59, 5775-5785.	1.8	8
8	Effect of additives in the nucleation and growth of methane hydrates confined in a high-surface area activated carbon material. Chemical Engineering Journal, 2020, 388, 124224.	6.6	22
9	Structural Flexibility in Activated Carbon Materials Prepared under Harsh Activation Conditions. Materials, 2019, 12, 1988.	1.3	15
10	Reverse Hierarchy of Alkane Adsorption in Metal-Organic Frameworks (MOFs) Revealed by Immersion Calorimetry. Journal of Physical Chemistry C, 2019, 123, 11699-11706.	1.5	12
11	Methane hydrate formation in the confined nanospace of activated carbons in seawater environment. Microporous and Mesoporous Materials, 2018, 255, 220-225.	2.2	37
12	Micromesoporous Activated Carbons as Catalysts for the Efficient Oxidation of Aqueous Sulfide. Langmuir, 2017, 33, 11857-11861.	1.6	4
13	Influence of the oxygen-containing surface functional groups in the methane hydrate nucleation and growth in nanoporous carbon. Carbon, 2017, 123, 299-301.	5.4	34
14	HKUST-1@ACM hybrids for adsorption applications: A systematic study of the synthesis conditions. Microporous and Mesoporous Materials, 2017, 237, 74-81.	2.2	15
15	High-Performance of Gas Hydrates in Confined Nanospace for Reversible CH ₄ /CO ₂ Storage. Chemistry - A European Journal, 2016, 22, 10028-10035.	1.7	19
16	Paving the way for methane hydrate formation on metal-organic frameworks (MOFs). Chemical Science, 2016, 7, 3658-3666.	3.7	103
17	Very high methane uptake on activated carbons prepared from mesophase pitch: A compromise between microporosity and bulk density. Carbon, 2015, 93, 11-21.	5.4	52
18	High-Pressure Methane Storage in Porous Materials: Are Carbon Materials in the Pole Position?. Chemistry of Materials, 2015, 27, 959-964.	3.2	178

#	ARTICLE	IF	CITATIONS
19	Methane hydrate formation in confined nanospace can surpass nature. <i>Nature Communications</i> , 2015, 6, 6432.	5.8	187
20	Novel synthesis of a micro-mesoporous nitrogen-doped nanostructured carbon from polyaniline. <i>Microporous and Mesoporous Materials</i> , 2015, 218, 199-205.	2.2	30
21	Improved mechanical stability of HKUST-1 in confined nanospace. <i>Chemical Communications</i> , 2015, 51, 14191-14194.	2.2	19
22	Non-porous reference carbon for N ₂ (77.4 K) and Ar (87.3 K) adsorption. <i>Carbon</i> , 2014, 66, 699-704.	5.4	33
23	CO ₂ adsorption on crystalline graphitic nanostructures. <i>Journal of CO₂ Utilization</i> , 2014, 5, 60-65.	3.3	17
24	Effect of the porous structure in carbon materials for CO ₂ capture at atmospheric and high-pressure. <i>Carbon</i> , 2014, 67, 230-235.	5.4	187
25	Micro/Mesoporous Activated Carbons Derived from Polyaniline: Promising Candidates for CO ₂ Adsorption. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 15398-15405.	1.8	66
26	Preparation of high metal content nanoporous carbon. <i>Fuel Processing Technology</i> , 2013, 115, 115-121.	3.7	5
27	KOH activation of carbon materials obtained from the pyrolysis of ethylene tar at different temperatures. <i>Fuel Processing Technology</i> , 2013, 106, 402-407.	3.7	22
28	Production of nanoTiC/graphite composites using Ti-doped self-sintering carbon mesophase powder. <i>Journal of the European Ceramic Society</i> , 2013, 33, 583-591.	2.8	6
29	Porosity determination in doped graphites using small-angle neutron scattering measurements. <i>Journal of Physics: Conference Series</i> , 2012, 340, 012102.	0.3	1
30	Diffusion Barrier-Free Porous Carbon Monoliths as a New Form of Activated Carbon. <i>ChemSusChem</i> , 2012, 5, 2271-2277.	3.6	8
31	Ultrahigh CO ₂ adsorption capacity on carbon molecular sieves at room temperature. <i>Chemical Communications</i> , 2011, 47, 6840.	2.2	166
32	Compilation of erosion yields of metal-doped carbon materials by deuterium impact from ion beam and low temperature plasma. <i>Journal of Nuclear Materials</i> , 2011, 417, 612-615.	1.3	2
33	A site energy distribution function from Toth isotherm for adsorption of gases on heterogeneous surfaces. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 5753.	1.3	55
34	Heat of adsorption and binding affinity for hydrogen on pitch-based activated carbons. <i>Chemical Engineering Journal</i> , 2011, 168, 972-978.	6.6	21
35	A continuous site energy distribution function from Redlich-Peterson isotherm for adsorption on heterogeneous surfaces. <i>Chemical Physics Letters</i> , 2010, 492, 187-192.	1.2	38
36	Adsorption on Heterogeneous Surfaces: Site Energy Distribution Functions from Fritz-Schl�nder Isotherms. <i>ChemPhysChem</i> , 2010, 11, 2555-2560.	1.0	6

#	ARTICLE	IF	CITATIONS
37	High Surface Area Carbon Molecular Sieves for Selective CO ₂ Adsorption. ChemSusChem, 2010, 3, 974-981.	3.6	316
38	Neural network and principal component analysis for modeling of hydrogen adsorption isotherms on KOH activated pitch-based carbons containing different heteroatoms. Chemical Engineering Journal, 2010, 159, 272-279.	6.6	16
39	High saturation capacity of activated carbons prepared from mesophase pitch in the removal of volatile organic compounds. Carbon, 2010, 48, 548-556.	5.4	53
40	Hydrogen adsorption on KOH activated carbons from mesophase pitch containing Si, B, Ti or Fe. Carbon, 2010, 48, 636-644.	5.4	41
41	Manufacture of Biomorphic SiC Components with Homogeneous Properties from Sawdust by Reactive Infiltration with Liquid Silicon. Journal of the American Ceramic Society, 2010, 93, 1003-1009.	1.9	32
42	A Continuous Binding Site Affinity Distribution Function from the Freundlich Isotherm for the Supercritical Adsorption of Hydrogen on Activated Carbon. Journal of Physical Chemistry C, 2010, 114, 13759-13765.	1.5	15
43	Selective Hydrogenation of Cinnamaldehyde over (111) Preferentially Oriented Pt Particles Supported on Expanded Graphite. Catalysis Letters, 2009, 133, 267-272.	1.4	30
44	The role of carbon biotemplate density in mechanical properties of biomorphic SiC. Journal of the European Ceramic Society, 2009, 29, 465-472.	2.8	33
45	An activated carbon monolith as an electrode material for supercapacitors. Carbon, 2009, 47, 195-200.	5.4	158
46	The combined effect of porosity and reactivity of the carbon preforms on the properties of SiC produced by reactive infiltration with liquid Si. Carbon, 2009, 47, 2200-2210.	5.4	58
47	Manufacturing and high heat-flux testing of brazed actively cooled mock-ups with Ti-doped graphite and CFC as plasma-facing materials. Physica Scripta, 2009, T138, 014062.	1.2	5
48	Sinterability enhancement in semicokes obtained by controlled pyrolysis of a petroleum residue. Journal of Analytical and Applied Pyrolysis, 2008, 82, 163-169.	2.6	3
49	Preparation of graphite/nano-SiC composites by co-pyrolysis of a petroleum residue with phenylsilanes. Journal of Analytical and Applied Pyrolysis, 2008, 83, 137-144.	2.6	4
50	Production of binderless activated carbon monoliths by KOH activation of carbon mesophase materials. Carbon, 2008, 46, 384-386.	5.4	55
51	Preparation of mesophase pitch doped with TiO ₂ or TiC particles. Journal of Analytical and Applied Pyrolysis, 2007, 80, 477-484.	2.6	22
52	Carbon foam prepared by pyrolysis of olive stones under steam. Carbon, 2006, 44, 1448-1454.	5.4	82
53	Chemistry of the co-pyrolysis of an aromatic petroleum residue with a pyridine-borane complex. Carbon, 2003, 41, 549-561.	5.4	4
54	Effect of boron carbide particle addition on the thermomechanical behavior of carbon matrix silicon carbide particle composites. Carbon, 2003, 41, 1096-1099.	5.4	4

#	ARTICLE	IF	CITATIONS
55	Production of High-Strength Carbon Artifacts from Petroleum Residues: Influence of the Solvent Used to Prepare Mesophase Powder. <i>Energy & Fuels</i> , 2002, 16, 1087-1094.	2.5	6
56	Modification of the sintering behaviour of mesophase powder from a petroleum residue. <i>Carbon</i> , 2002, 40, 2843-2853.	5.4	10
57	Pyrolysis of petroleum residues. <i>Carbon</i> , 2001, 39, 61-71.	5.4	20
58	Co-pyrolysis of an aromatic petroleum residue with triphenylsilane. <i>Carbon</i> , 2001, 39, 1001-1011.	5.4	12
59	CO ₂ activation of olive stones carbonized under pressure. <i>Carbon</i> , 2001, 39, 320-323.	5.4	33
60	Pyrolysis of petroleum residues. <i>Carbon</i> , 2000, 38, 535-546.	5.4	76
61	Semicokes from pitch pyrolysis: mechanisms and kinetics. <i>Carbon</i> , 1999, 37, 363-390.	5.4	114
62	Influence of pressure variations on the formation and development of mesophase in a petroleum residue. <i>Carbon</i> , 1999, 37, 445-455.	5.4	26
63	Pyrolysis of petroleum residues: I. Yields and product analyses. <i>Carbon</i> , 1999, 37, 1567-1582.	5.4	46
64	Pyrolysis of petroleum residues: analysis of semicokes by X-ray diffraction. <i>Carbon</i> , 1999, 37, 1627-1632.	5.4	38
65	Self-sintering of carbon mesophase powders: effect of extraction/washing with solvents. <i>Carbon</i> , 1999, 37, 1662-1665.	5.4	24
66	A new parameter relating the properties of semicokes and the resulting sintered carbons. <i>Carbon</i> , 1995, 33, 1182-1184.	5.4	2