List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6700596/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Stereotactic radiosurgery for brain metastases: analysis of outcome and risk of brain radionecrosis. Radiation Oncology, 2011, 6, 48.	2.7	600
2	Single-Fraction Versus Multifraction (3 × 9ÂGy) Stereotactic Radiosurgery for Large (>2Âcm) Brain Metastases: A Comparative Analysis of Local Control and Risk of Radiation-Induced Brain Necrosis. International Journal of Radiation Oncology Biology Physics, 2016, 95, 1142-1148.	0.8	344
3	No benefit of adjuvant Fluorouracil Leucovorin chemotherapy after neoadjuvant chemoradiotherapy in locally advanced cancer of the rectum (LARC): Long term results of a randomized trial (I-CNR-RT). Radiotherapy and Oncology, 2014, 113, 223-229.	0.6	238
4	Long-term outcome after multimodality treatment for stage III thymic tumors. Annals of Thoracic Surgery, 2003, 76, 1866-1872.	1.3	198
5	Radiotherapy plus concomitant and adjuvant temozolomide for glioblastoma in elderly patients. Journal of Neuro-Oncology, 2008, 88, 97-103.	2.9	195
6	Fractionated stereotactic radiosurgery for patients with brain metastases. Journal of Neuro-Oncology, 2014, 117, 295-301.	2.9	147
7	The longâ€ŧerm efficacy of conventional radiotherapy in patients with GHâ€secreting pituitary adenomas. Clinical Endocrinology, 2005, 62, 210-216.	2.4	126
8	Long-term follow-up results of postoperative radiation therapy for Cushing's disease. Journal of Neuro-Oncology, 2007, 84, 79-84.	2.9	108
9	Hypofractionated radiotherapy followed by adjuvant chemotherapy with temozolomide in elderly patients with glioblastoma. Journal of Neuro-Oncology, 2009, 91, 95-100.	2.9	90
10	Stereotactic radiosurgery combined with nivolumab or Ipilimumab for patients with melanoma brain metastases: evaluation of brain control and toxicity. , 2019, 7, 102.		87
11	Fractionated stereotactic reirradiation and concurrent temozolomide in patients with recurrent glioblastoma. Journal of Neuro-Oncology, 2011, 103, 683-691.	2.9	85
12	Target delineation and optimal radiosurgical dose for pituitary tumors. Radiation Oncology, 2016, 11, 135.	2.7	67
13	Dextran cross-linked gelatin microspheres as a drug delivery system. European Journal of Pharmaceutics and Biopharmaceutics, 1999, 47, 153-160.	4.3	66
14	Frameless linac-based stereotactic radiosurgery (SRS) for brain metastases: analysis of patient repositioning using a mask fixation system and clinical outcomes. Radiation Oncology, 2011, 6, 158.	2.7	65
15	Repeated stereotactic radiosurgery for patients with progressive brain metastases. Journal of Neuro-Oncology, 2016, 126, 91-97.	2.9	65
16	Fractionated stereotactic conformal radiotherapy for large benign skull base meningiomas. Radiation Oncology, 2011, 6, 36.	2.7	62
17	Radiotherapy for nonfunctioning pituitary adenomas: from conventional to modern stereotactic radiation techniques. Neurosurgical Review, 2007, 30, 167-176.	2.4	60
18	Lung Metastases Treated With Stereotactic Ablative Radiation Therapy in Oligometastatic Colorectal Cancer Patients: Outcomes and Prognostic Factors After Long-Term Follow-Up. Clinical Colorectal Cancer, 2017, 16, 58-64.	2.3	59

#	Article	IF	CITATIONS
19	Radiological assessment of necrosis in glioblastoma: variability and prognostic value. Neuroradiology, 1998, 40, 150-153.	2.2	55
20	<i>Lactobacillus brevis</i> CD2 for Prevention of Oral Mucositis in Patients With Head and Neck Tumors: A Multicentric Randomized Study. Anticancer Research, 2019, 39, 1935-1942.	1.1	55
21	Clinical Outcomes of Single Dose Stereotactic Radiotherapy for Lung Metastases. Clinical Lung Cancer, 2013, 14, 699-703.	2.6	51
22	Surgical treatment of pituitary tumors in the elderly: clinical outcome and long-term follow-up. Journal of Neuro-Oncology, 2002, 60, 185-191.	2.9	48
23	Stereotactic radiosurgery in elderly patients with brain metastases. Journal of Neuro-Oncology, 2013, 111, 319-325.	2.9	48
24	Time to surgery and pathologic complete response after neoadjuvant chemoradiation in rectal cancer: A population study on 2094 patients. Clinical and Translational Radiation Oncology, 2017, 4, 8-14.	1.7	47
25	Image Guided Hypofractionated 3-Dimensional Radiation Therapy in Patients With Inoperable Advanced Stage Non-Small Cell Lung Cancer. International Journal of Radiation Oncology Biology Physics, 2013, 85, e157-e163.	0.8	43
26	Cytokines, Fatigue, and Cutaneous Erythema in Early Stage Breast Cancer Patients Receiving Adjuvant Radiation Therapy. BioMed Research International, 2014, 2014, 1-7.	1.9	42
27	MACOP-B and Involved-Field Radiotherapy Is an Effective and Safe Therapy for Primary Mediastinal Large B Cell Lymphoma. International Journal of Radiation Oncology Biology Physics, 2008, 72, 1154-1160.	0.8	40
28	Outcomes of postoperative stereotactic radiosurgery to the resection cavity versus stereotactic radiosurgery alone for melanoma brain metastases. Journal of Neuro-Oncology, 2017, 132, 455-462.	2.9	38
29	Clinical and technical characteristics of intraoperative radiotherapy. Strahlentherapie Und Onkologie, 2013, 189, 729-737.	2.0	36
30	Comparision between transrectal ultrasonography and computed tomography with rectal inflation of gas in preoperative staging of lower rectal cancer. European Radiology, 1997, 7, 26-30.	4.5	35
31	Detection of Colon Cancer with99mTc-Labeled Bombesin Derivative (99mTc-leu13-BN1). Cancer Biotherapy and Radiopharmaceuticals, 2004, 19, 245-252.	1.0	32
32	Hypofractionated stereotactic radiotherapy in combination with bevacizumab or fotemustine for patients with progressive malignant gliomas. Journal of Neuro-Oncology, 2015, 122, 559-566.	2.9	32
33	Radiation therapy for older patients with brain tumors. Radiation Oncology, 2017, 12, 101.	2.7	32
34	30 Gy single dose stereotactic body radiation therapy (SBRT): Report on outcome in a large series of patients with lung oligometastatic disease. Lung Cancer, 2018, 122, 165-170.	2.0	32
35	Value of diffusion-weighted MRI and apparent diffusion coefficient measurements for predicting the response of locally advanced rectal cancer to neoadjuvant chemoradiotherapy. Abdominal Radiology, 2016, 41, 1906-1917.	2.1	31
36	Preoperative intensity-modulated radiotherapy with a simultaneous integrated boost combined with Capecitabine in locally advanced rectal cancer: short-term results of a multicentric study. Radiation Oncology, 2017, 12, 139.	2.7	30

#	Article	IF	CITATIONS
37	Hodgkin's disease of the nasopharynx: diagnostic and therapeutic approach with a review of the literature. Annals of Hematology, 2002, 81, 514-516.	1.8	28
38	Integral Dose and Radiation-Induced Secondary Malignancies: Comparison between Stereotactic Body Radiation Therapy and Three-Dimensional Conformal Radiotherapy. International Journal of Environmental Research and Public Health, 2012, 9, 4223-4240.	2.6	28
39	The importance of lymph node retrieval and lymph node ratio following preoperative chemoradiation of rectal cancer. Colorectal Disease, 2013, 15, e382-8.	1.4	28
40	Immunotherapy in association with stereotactic radiotherapy for non-small cell lung cancer brain metastases: results from a multicentric retrospective study on behalf of AIRO. Neuro-Oncology, 2021, 23, 1750-1764.	1.2	28
41	Radiation therapy after breast reconstruction: outcomes, complications, and patient satisfaction. Radiologia Medica, 2013, 118, 1240-1250.	7.7	27
42	Renin-Angiotensin System Inhibitors Might Help to Reduce the Development of Symptomatic Radiation Pneumonitis After Stereotactic Body Radiotherapy for Lung Cancer. Clinical Lung Cancer, 2016, 17, 189-197.	2.6	25
43	Fractionated stereotactic radiosurgery for patients with skull base metastases from systemic cancer involving the anterior visual pathway. Radiation Oncology, 2014, 9, 110.	2.7	24
44	A multicenter LArge retrospectIve daTabase on the personalization of stereotactic ABlative radiotherapy use in lung metastases from colon-rectal cancer: The LaIT-SABR study. Radiotherapy and Oncology, 2022, 166, 92-99.	0.6	24
45	Supratentorial glioblastoma: Neuroradiological findings and survival after surgery and radiotherapy. Neuroradiology, 1996, 38, S26-S30.	2.2	22
46	Stereotactic radiosurgery plus whole-brain radiotherapy for treatment of multiple metastases from non-small cell lung cancer. Anticancer Research, 2010, 30, 3055-61.	1.1	22
47	Potential Role of Single Nucleotide Polymorphisms of XRCC1, XRCC3, and RAD51 in Predicting Acute Toxicity in Rectal Cancer Patients Treated With Preoperative Radiochemotherapy. American Journal of Clinical Oncology: Cancer Clinical Trials, 2017, 40, 535-542.	1.3	21
48	Comparative effectiveness of multi-fraction stereotactic radiosurgery for surgically resected or intact large brain metastases from non-small-cell lung cancer (NSCLC). Lung Cancer, 2019, 132, 119-125.	2.0	20
49	Chemoradiation for anaplastic oligodendrogliomas: clinical outcomes and prognostic value of molecular markers. Journal of Neuro-Oncology, 2014, 116, 275-282.	2.9	19
50	Stereotactic Ablative Body Radiotherapy (SABR) in Pulmonary Oligometastatic/Oligorecurrent Non-small Cell Lung Cancer Patients: A New Therapeutic Approach. Anticancer Research, 2015, 35, 6239-45.	1.1	19
51	Intensity modulated radiotherapy in early stage Hodgkin lymphoma patients: Is it better than three dimensional conformal radiotherapy?. Radiation Oncology, 2012, 7, 129.	2.7	18
52	Intermediate-risk prostate cancer patients treated with androgen deprivation therapy and a hypofractionated radiation regimen with or without image guided radiotherapy. Radiation Oncology, 2013, 8, 137.	2.7	18
53	Simultaneous intraductal papillary neoplasms of the bile duct and pancreas treated with chemoradiotherapy. World Journal of Gastrointestinal Oncology, 2012, 4, 22.	2.0	18
54	Neoadiuvant Chemoradiation for Locally Advanced Carcinoma of the Rectum Tumori 2004 90 303-309	11	17

#	Article	IF	CITATIONS
55	Primary cutaneous Hodgkin lymphoma. Journal of the American Academy of Dermatology, 2010, 63, e52-e53.	1.2	17
56	Radiotherapy and sequential temozolomide compared with radiotherapy with concomitant and sequential temozolomide in the treatment of newly diagnosed glioblastoma multiforme. Anti-Cancer Drugs, 2006, 17, 969-975.	1.4	16
57	Radiotherapy in metastatic castration resistant prostate cancer patients with oligo-progression during abiraterone-enzalutamide treatment: a mono-institutional experience. Radiation Oncology, 2019, 14, 205.	2.7	16
58	The role of stereotactic body radiation therapy in oligometastatic colorectal cancer. Medicine (United States), 2017, 96, e9023.	1.0	14
59	Long term results of single high dose Stereotactic Body Radiotherapy in the treatment of primary lung tumors. Scientific Reports, 2019, 9, 15498.	3.3	14
60	Mono- and Bi-weekly Hypofractionated Radiation Therapy for the Treatment of Epithelial Skin Cancer in Very Elderly Patients. Anticancer Research, 2017, 37, 825-830.	1.1	14
61	Whole brain reirradiation and concurrent temozolomide in patients with brain metastases. Journal of Neuro-Oncology, 2014, 118, 329-334.	2.9	13
62	How technology can help in oncologic patient management during COVID-19 outbreak. European Journal of Surgical Oncology, 2020, 46, 1189-1191.	1.0	13
63	Role of salvage stereotactic body radiation therapy in post-surgical loco-regional recurrence in a selected population of non-small cell lung cancer patients. Anticancer Research, 2015, 35, 1783-9.	1.1	13
64	Re-irradiation in lung disease by SBRT: a retrospective, single institutional study. Radiation Oncology, 2018, 13, 87.	2.7	12
65	Stereotactic reirradiation with temozolomide in patients with recurrent aggressive pituitary tumors and pituitary carcinomas. Journal of Neuro-Oncology, 2020, 149, 123-130.	2.9	12
66	Radiation therapy for oncological emergencies. Anticancer Research, 2001, 21, 2219-24.	1,1	12
67	Late morbidity and oncological outcome after radical hypofractionated radiotherapy in men with prostate cancer. BJU International, 2010, 106, 1458-1462.	2.5	11
68	Impact of Different Treatment Approaches on Pregnancy Outcomes in 99 Women Treated for Hodgkin Lymphoma. International Journal of Radiation Oncology Biology Physics, 2012, 84, 755-761.	0.8	11
69	Orbital Radiotherapy Plus Concomitant Steroids in Moderate-to-Severe Graves' Ophthalmopathy: Good Results After Long-Term Follow-Up. International Journal of Endocrinology and Metabolism, 2019, In Press, e84427.	1.0	11
70	Three-Dimensional Computed Tomographic Imaging in the Diagnosis of Vertebral Column Trauma. Arteriosclerosis, Thrombosis, and Vascular Biology, 1997, 42, 254-259.	2.4	11
71	Interventions to Reduce Neurological Symptoms in Patients with GBM Receiving Radiotherapy: From Theory to Clinical Practice. Anticancer Research, 2018, 38, 2423-2427.	1.1	11
72	Radiotherapy for T1 Carcinoma of the Glottis. Tumori, 1995, 81, 414-418.	1.1	10

#	Article	IF	CITATIONS
73	Acute toxicity in 14 patients with locally advanced head and neck squamous cell carcinoma treated with concurrent cetuximab and radiotherapy. Radiologia Medica, 2012, 117, 125-132.	7.7	10
74	Local and metastatic curative radiotherapy in patients with de novo oligometastatic prostate cancer. Scientific Reports, 2020, 10, 17471.	3.3	10
75	The role of vaginal brachytherapy in stage I endometrial serous cancer: a systematic review. Journal of Contemporary Brachytherapy, 2020, 12, 61-66.	0.9	10
76	Post-mastectomy immediate breast reconstruction and adjuvant radiotherapy: long term results of a mono institutional experience. Radiologia Medica, 2020, 125, 887-893.	7.7	10
77	Analysis of the risk of solid tumor following Hodgkin's disease. Haematologica, 1997, 82, 57-63.	3.5	10
78	Concomitant Radiotherapy with Protracted 5-fluorouracil Infusion in Locally Advanced Carcinoma of the Pancreas: A Phase Ii Study. Tumori, 2001, 87, 398-401.	1.1	9
79	Image guided intensity modulated hypofractionated radiotherapy in high-risk prostate cancer patients treated four or five times per week: analysis of toxicity and preliminary results. Radiation Oncology, 2014, 9, 214.	2.7	9
80	Stereotactic body radiation therapy for adrenal gland metastases: outcome and predictive factors from a multicenter analysis. Clinical and Experimental Metastasis, 2021, 38, 511-518.	3.3	9
81	Radiotherapy in classic Kaposi's sarcoma (CKS): experience of the Institute of Radiology of University "La Sapienza" of Rome. Anticancer Research, 1999, 19, 4539-44.	1.1	9
82	Neoadjuvant chemoradiation for locally advanced carcinoma of the rectum. Tumori, 2004, 90, 303-9.	1.1	9
83	Hypofractionated radiotherapy with or without IGRT in prostate cancer: preliminary report of acute toxicity. Anticancer Research, 2011, 31, 3555-8.	1.1	9
84	Acute nonlymphocytic leukemia: onset after treatment for Hodgkin's disease. Annals of Hematology, 1997, 74, 103-110.	1.8	8
85	Adjuvant radiochemotherapy for gastric cancer: Should we use prognostic factors to select patients?. World Journal of Gastroenterology, 2016, 22, 1131.	3.3	8
86	The risk of non-Hodgkin's lymphoma after Hodgkin's disease, with special reference to splenic treatment. Haematologica, 1998, 83, 636-44.	3.5	8
87	Hypofractionated Image-guided Radiation Therapy (3Gy/fraction) in Patients Affected by Inoperable Advanced-stage Non-small Cell Lung Cancer After Long-term Follow-up. Anticancer Research, 2015, 35, 5693-700.	1.1	8
88	Manipulation of radiation-induced bystander effect in prostate adenocarcinoma by dose and tumor differentiation grade: In vitro study. International Journal of Radiation Biology, 2015, 91, 166-171.	1.8	7
89	Re-irradiation with curative intent in patients with squamous cell carcinoma of the head and neck: a national survey of usual practice on behalf of the Italian Association of Radiation Oncology (AIRO). European Archives of Oto-Rhino-Laryngology, 2018, 275, 561-567.	1.6	7
90	Two Cases of Capecitabine-Induced lleitis in Patients Treated with Radiochemotherapy to the Pelvis and Review of the Literature. Journal of Gastrointestinal Cancer, 2018, 49, 538-542.	1.3	7

#	Article	IF	CITATIONS
91	Markers of Cardiotoxicity in Early Breast Cancer Patients Treated With a Hypofractionated Schedule: A Prospective Study. Clinical Breast Cancer, 2020, 21, e141-e149.	2.4	7
92	Treatment Volume, Dose Prescription and Delivery Techniques for Dose-intensification in Rectal Cancer: A National Survey. Anticancer Research, 2021, 41, 1985-1995.	1.1	7
93	Exclusive electron intraoperative radiotherapy in early-stage breast cancer: a monoinstitutional experience. Anticancer Research, 2013, 33, 1229-35.	1.1	7
94	The Role of Indocyanine Green in Laparoscopic Low Anterior Resections for Rectal Cancer Previously Treated With Chemo-radiotherapy: A Single-center Retrospective Analysis. Anticancer Research, 2022, 42, 211-216.	1.1	7
95	Retroperitoneal mesenchymal chondrosarcoma mimicking a large retroperitoneal sacral scral schwannoma. Neurosurgical Review, 2008, 31, 225-229.	2.4	6
96	External-beam radiotherapy and/or HDR brachytherapy in postoperative endometrial cancer patients: clinical outcomes and toxicity rates. Radiologia Medica, 2013, 118, 311-322.	7.7	6
97	Neoadjuvant chemoradiation with concomitant boost radiotherapy associated to capecitabine in rectal cancer patients. International Journal of Colorectal Disease, 2014, 29, 835-842.	2.2	6
98	Second cancer incidence in primary mediastinal Bâ€cell lymphoma treated with methotrexate with leucovorin rescue, doxorubicin, cyclophosphamide, vincristine, prednisone, and bleomycin regimen with or without rituximab and mediastinal radiotherapy: Results from a monoinstitutional cohort analysis of longâ€term survivors. Hematological Oncology, 2017, 35, 554-560.	1.7	6
99	Locally advanced inoperable primary or recurrent non-small cell lung cancer treated with 4-week hypofractionated radiation therapy (3ÂGy/fraction). Radiologia Medica, 2019, 124, 1324-1332.	7.7	6
100	Androgen Receptor Targeted Therapy + Radiotherapy in Metastatic Castration Resistant Prostate Cancer. Frontiers in Oncology, 2021, 11, 695136.	2.8	6
101	Single nucleotide polymorphism of GSTP1 and pathological complete response in locally advanced rectal cancer patients treated with neoadjuvant concomitant radiochemotherapy. Radiation Oncology Journal, 2018, 36, 218-226.	1.5	6
102	Adjuvant chemoradiation with 5-fluorouracil or capecitabine in patients with gastric cancer after D2 nodal dissection. Anticancer Research, 2012, 32, 1397-402.	1.1	6
103	Critical decision-making in radiotherapy for early stage breast cancer in a neo-adjuvant treatment era. Expert Review of Anticancer Therapy, 2017, 17, 481-485.	2.4	5
104	Salvage radiotherapy with simultaneous integrated boost in non small-cell lung cancer patients with mediastinal relapse after surgery: a pilot study. Radiation Oncology, 2018, 13, 207.	2.7	5
105	Beyond BRCA1 and BRCA2: Deleterious Variants in DNA Repair Pathway Genes in Italian Families with Breast/Ovarian and Pancreatic Cancers. Journal of Clinical Medicine, 2020, 9, 3003.	2.4	5
106	One-week vaginal brachytherapy schedule as exclusive adjuvant post-operative treatment in intermediate- and high-intermediate-risk endometrial cancer patients. Journal of Contemporary Brachytherapy, 2020, 12, 124-130.	0.9	5
107	Radiotherapy with Intensity-Modulated (IMRT) Techniques in the Treatment of Anal Carcinoma (RAINSTORM): A Multicenter Study on Behalf of AIRO (Italian Association of Radiotherapy and Clinical) Tj ETQq1	1 0.7 8431	- -4 ₅ gBT /Ove
108	Stereotactic Body Radiation Therapy in Primary and Metastatic Liver Disease. Anticancer Research, 2017, 37, 7005-7010.	1.1	5

#	Article	IF	CITATIONS
109	Rectal cancer response to neoadjuvant chemoradiotherapy evaluated with MRI: Development and validation of a classification algorithm. European Journal of Radiology, 2022, 147, 110146.	2.6	5
110	Primary cutaneous lymphoma: local control and survival in patients treated with radiotherapy. Anticancer Research, 2007, 27, 601-5.	1.1	5
111	Image-Guided Hypofractionated Radiotherapy in Low-Risk Prostate Cancer Patients. BioMed Research International, 2014, 2014, 1-6.	1.9	4
112	What is the role of reirradiation in the management of locoregionally relapsed non small-cell lung cancer?. Lung Cancer, 2020, 146, 263-275.	2.0	4
113	OLIGO-AIRO: a national survey on the role of radiation oncologist in the management of OLIGO-metastatic patients on the behalf of AIRO. Medical Oncology, 2021, 38, 48.	2.5	4
114	Stereotactic Body Radiation Therapy Boost in Patients With Cervical Cancer Ineligible for Brachytherapy. Cancer Diagnosis & Prognosis, 2021, 1, 53-60.	0.7	4
115	Prognostic features and treatment outcome in patients with nasopharyngeal carcinoma: an experience of 20 years. Anticancer Research, 2001, 21, 1413-8.	1.1	4
116	Dose intensification with autologous stem cell transplantation in relapsed and resistant Hodgkin's disease. Haematologica, 2002, 87, 507-11.	3.5	4
117	Longâ€ŧerm results of 60 patients with pathologic stage I & IIA Hodgkin's disease treated with exclusive mantle radiation therapy. European Journal of Haematology, 1999, 63, 126-133.	2.2	3
118	Hypofractionated Intensity-Modulated Simultaneous Integrated Boost and Image-Guided Radiotherapy in the Treatment of High-Risk Prostate Cancer Patients: A Preliminary Report on Acute Toxicity. Tumori, 2013, 99, 474-479.	1.1	3
119	Different outcomes among favourable and unfavourable intermediate-risk prostate cancer patients treated with hypofractionated radiotherapy and androgen deprivation therapy. Radiation Oncology, 2016, 11, 78.	2.7	3
120	PALLIATIVE RADIOTHERAPY FOR BRAIN METASTASES. Oncology Reports, 1995, 2, 391-5.	2.6	3
121	Moderate Hypofractionation in Patients with Low-risk Prostate Cancer: Long-term Outcomes. Anticancer Research, 2018, 38, 1671-1676.	1.1	3
122	A case report of metastatic atypical thymic carcinoid with ectopic ACTH production: locoregional control after adaptive radiation treatment. Tumori, 2012, 98, 172e-5e.	1.1	3
123	Hypofractionated intensity-modulated simultaneous integrated boost and image-guided radiotherapy in the treatment of high-risk prostate cancer patients: a preliminary report on acute toxicity. Tumori, 2013, 99, 474-9.	1.1	3
124	Adjuvant Chemoradiotherapy in Gastric Cancer: A Pooled Analysis of the AIRO Gastrointestinal Group Experience. Tumori, 2015, 101, 91-97.	1.1	2
125	Intermediate Risk Prostate Cancer Patients Treated With Image Guided Hypofractionated Radiation Therapy. International Journal of Radiation Oncology Biology Physics, 2017, 99, E216.	0.8	2
126	Inoperable early-stage primary and early recurrent non-small cell lung cancer: outcomes of a mono-institutional experience using a moderate hypofractionated schedule. Radiologia Medica, 2019, 124, 58-64.	7.7	2

#	Article	IF	CITATIONS
127	Adjuvant vaginal interventional radiotherapy in early-stage non-endometrioid carcinoma of corpus uteri: aÂsystematic review. Journal of Contemporary Brachytherapy, 2021, 13, 231-243.	0.9	2
128	A multi-institutional analysis of fractionated versus single-fraction stereotactic body radiotherapy (SBRT) in the treatment of primary lung tumors: a comparison between two antipodal fractionations. Clinical and Translational Oncology, 2021, 23, 2133-2140.	2.4	2
129	Hypofractionated Radiation Therapy (HFRT) of Breast/Chest Wall and Regional Nodes in Locally Advanced Breast Cancer: Toxicity Profile and Survival Outcomes in Retrospective Monoistitutional Study. Clinical Breast Cancer, 2022, 22, e332-e340.	2.4	2
130	BRIDGE â~'1 TRIAL: BReak Interval Delayed surgery for Gastrointestinal Extraperitoneal rectal cancer, a multicentric phase III randomized trial. Clinical and Translational Radiation Oncology, 2022, 34, 30-36.	1.7	2
131	The Role of Restaging Laparotomy in Hodgkin'S Disease. Acta Oncológica, 1989, 28, 659-662.	1.8	1
132	Radiation Therapy for Oncological Emergencies. Cancer Nursing, 1994, 17, 516???527.	1.5	1
133	Feasibility and Results of a Multimodality Approach in Elderly Patients with Localized Intermediate to High-Grade Non-Hodgkin's Lymphomas. Tumori, 2004, 90, 289-293.	1.1	1
134	Re-Irradiation in Lung Disease. International Journal of Radiation Oncology Biology Physics, 2017, 99, E443-E444.	0.8	1
135	492P A multicenter LArge retrospectIve daTabase on the personalization of Stereotactic ABlative Radiotherapy for lung metastases from colorectal cancer: Early results from the LaIT-SABR study. Annals of Oncology, 2020, 31, S450.	1.2	1
136	Residual Site Radiotherapy After Immunochemotherapy in Primary Mediastinal B-Cell Lymphoma: A Monoinstitutional Retrospective Study. In Vivo, 2020, 34, 1407-1413.	1.3	1
137	Integrated care pathways and the hub-and-spoke model for the management of non-melanoma skin cancer: A proposal of the Italian Association of Hospital Dermatologists (ADOI). Dermatology Reports, 2021, 13, 9278.	0.8	1
138	Stereotactic and Hypofractionated Radiotherapy Associated With Immune Checkpoint Inhibitor Drugs: Analysis of Local Control, Toxicity, and Outcome in a Single Research Centre Case Study. Anticancer Research, 2021, 41, 5107-5116.	1.1	1
139	Supratentorial glioblastoma: neuroradiological findings and survival after surgery and radiotherapy. Neuroradiology, 1996, 38, S26-S30.	2.2	1
140	Stereotactic body radiation therapy (SBRT) for patients with oligometastatic/oligoprogressive adrenal metastases: Outcomes and toxicities profile in a monoinstitutional study Cancer Treatment and Research Communications, 2021, 29, 100481.	1.7	1
141	Radiation Therapy for Local-Regional Recurrences of Rectal Carcinoma following Primary Surgery. Tumori, 1997, 83, 818-821.	1.1	0
142	Preop chemoradiation (CTRT) ± postop chemo (CT) in locally advanced rectal cancer. Preliminary results. European Journal of Cancer, 1999, 35, S67.	2.8	0
143	EP-1373: Hypofractionated radiotherapy and androgen deprivation in intermediate risk prostate cancer. Radiotherapy and Oncology, 2016, 119, S641.	0.6	0
144	OC-0243: Randomised trial on preoperative platin-based Radiochemotherapy in rectal cancer: 10-years analysis. Radiotherapy and Oncology, 2016, 119, S111.	0.6	0

#	Article	IF	CITATIONS
145	EP-1248: Lung re-irradiation with stereotactic body radiation therapy (SBRT). Radiotherapy and Oncology, 2016, 119, S590.	0.6	0
146	EP-1141: Second cancer in Primary Mediastinal Lymphoma treated with MACOP-B ± R and mediastinal radiotherapy. Radiotherapy and Oncology, 2016, 119, S545-S546.	0.6	0
147	EP-1303: Radiotherapy dose-escalation in rectal cancer: preliminary results of a pooled analysis Radiotherapy and Oncology, 2016, 119, S611-S612.	0.6	0
148	EP-2038: Manipulation of radiation-induced bystander effect in prostate adenocarcinoma. Radiotherapy and Oncology, 2016, 119, S962.	0.6	0
149	PV-0326: Time to surgery and pCR after neoadjuvant CRT in rectal cancer: a population study on 2113 patients. Radiotherapy and Oncology, 2017, 123, S171.	0.6	0
150	PO-0754: ISIORT pooled analysis 2016: characteristics of intraoperative radiotherapy in 11,025 patients. Radiotherapy and Oncology, 2017, 123, S397-S398.	0.6	0
151	PO-0666: 30 Gy single-dose SBRT to lung lesions: outcome in a large series of patients. Radiotherapy and Oncology, 2017, 123, S348-S349.	0.6	0
152	EP-1488: A matched pair analysis of hypofractionated IMRT-SIB versus concomitant boost in rectal cancer. Radiotherapy and Oncology, 2018, 127, S807-S808.	0.6	0
153	EP-1610: Oligoprogression during Abiraterone therapy treated with radiotherapy in mCRPC patients. Radiotherapy and Oncology, 2018, 127, S866-S867.	0.6	0
154	Fractionated Stereotactic Body Radiotherapy (SBRT) Versus Single Dose Stereotactic Body Radiotherapy in the Treatment of Primary Lung Tumors: Early Results from a Multi-Institutional Analysis. International Journal of Radiation Oncology Biology Physics, 2019, 105, E526.	0.8	0
155	PO-0781 30 Gy single dose SBRT: Outcome in a large series of patients with lung oligometastatic disease. Radiotherapy and Oncology, 2019, 133, S403-S404.	0.6	0
156	EP-1463 Radiation dose intensification in rectal cancer: a survey by the AIRO gastrointestinal study group. Radiotherapy and Oncology, 2019, 133, S793-S794.	0.6	0
157	30 GY SINGLE HIGH DOSE STEREOTACTIC BODY RADIOTHERAPY IN THE TREATMENT OF PRIMARY LUNG TUMORS: LONG TERM RESULTS. Chest, 2020, 157, A259.	0.8	0
158	Resilience in Radiotherapy Services During the COVID-19 Emergency: Collaboration Between the Regional Radiation Oncology Departments of Lazio, Abruzzo and Molise. Anticancer Research, 2021, 41, 3561-3565.	1.1	0
159	Hypofractionated radiation therapy in low-risk prostate cancer: Outcome, toxicity, and sexual function Journal of Clinical Oncology, 2017, 35, e16575-e16575.	1.6	0
160	Next-generation expression analysis (NanoString) to develop prognostic and predictive gene signatures for patients with locally advanced rectal cancer treated with neoadjuvant chemoradiotherapy Journal of Clinical Oncology, 2018, 36, 700-700.	1.6	0
161	Reply to: Stereotactic radiotherapy needs more evidence before it can be used routinely to treat metastases: a comment on the paper by Nicosia et al. Radiotherapy and Oncology, 2022, , .	0.6	0
162	Long-term results of treatment of childhood and adolescent Hodgkin's disease in 73 patients: the experience of the Departments of Radiology and Hematology of the University of Rome "La Sapienza". Haematologica, 1996, 81, 245-52.	3.5	0

#	Article	IF	CITATIONS
163	Abstract S7, published in "I Supplementi di Tumori", Vol 4, No 5. Tumori, 2005, 91, 567.	1.1	0
164	Stereotactic Body Radiation Therapy for Liver Lesions. A Single-institution Experience. Anticancer Research, 2015, 35, 4171-5.	1.1	0