

Mattia F Osti

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6700596/mattia-f-osti-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140
papers

3,252
citations

28
h-index

53
g-index

179
ext. papers

3,841
ext. citations

3.3
avg, IF

4.79
L-index

#	Paper	IF	Citations
140	Stereotactic radiosurgery for brain metastases: analysis of outcome and risk of brain radionecrosis. <i>Radiation Oncology</i> , 2011 , 6, 48	4.2	436
139	Single-Fraction Versus Multifraction (3 D[math>\times Gy) Stereotactic Radiosurgery for Large (>2cm) Brain Metastases: A Comparative Analysis of Local Control and Risk of Radiation-Induced Brain Necrosis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 95, 1142-8	4	213
138	No benefit of adjuvant Fluorouracil Leucovorin chemotherapy after neoadjuvant chemoradiotherapy in locally advanced cancer of the rectum (LARC): Long term results of a randomized trial (I-CNR-RT). <i>Radiotherapy and Oncology</i> , 2014 , 113, 223-9	5.3	174
137	Long-term outcome after multimodality treatment for stage III thymic tumors. <i>Annals of Thoracic Surgery</i> , 2003 , 76, 1866-72; discussion 1872	2.7	165
136	Radiotherapy plus concomitant and adjuvant temozolomide for glioblastoma in elderly patients. <i>Journal of Neuro-Oncology</i> , 2008 , 88, 97-103	4.8	163
135	Fractionated stereotactic radiosurgery for patients with brain metastases. <i>Journal of Neuro-Oncology</i> , 2014 , 117, 295-301	4.8	107
134	The long-term efficacy of conventional radiotherapy in patients with GH-secreting pituitary adenomas. <i>Clinical Endocrinology</i> , 2005 , 62, 210-6	3.4	106
133	Long-term follow-up results of postoperative radiation therapy for Cushing's disease. <i>Journal of Neuro-Oncology</i> , 2007 , 84, 79-84	4.8	95
132	Fractionated stereotactic reirradiation and concurrent temozolomide in patients with recurrent glioblastoma. <i>Journal of Neuro-Oncology</i> , 2011 , 103, 683-91	4.8	74
131	Hypofractionated radiotherapy followed by adjuvant chemotherapy with temozolomide in elderly patients with glioblastoma. <i>Journal of Neuro-Oncology</i> , 2009 , 91, 95-100	4.8	72
130	Stereotactic radiosurgery combined with nivolumab or Ipilimumab for patients with melanoma brain metastases: evaluation of brain control and toxicity 2019 , 7, 102		61
129	Dextran cross-linked gelatin microspheres as a drug delivery system. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 1999 , 47, 153-60	5.7	59
128	Fractionated stereotactic conformal radiotherapy for large benign skull base meningiomas. <i>Radiation Oncology</i> , 2011 , 6, 36	4.2	57
127	Radiotherapy for nonfunctioning pituitary adenomas: from conventional to modern stereotactic radiation techniques. <i>Neurosurgical Review</i> , 2007 , 30, 167-75; discussion 175-6	3.9	54
126	Frameless linac-based stereotactic radiosurgery (SRS) for brain metastases: analysis of patient repositioning using a mask fixation system and clinical outcomes. <i>Radiation Oncology</i> , 2011 , 6, 158	4.2	53
125	Target delineation and optimal radiosurgical dose for pituitary tumors. <i>Radiation Oncology</i> , 2016 , 11, 135	4.2	48
124	Repeated stereotactic radiosurgery for patients with progressive brain metastases. <i>Journal of Neuro-Oncology</i> , 2016 , 126, 91-97	4.8	43

123	Radiological assessment of necrosis in glioblastoma: variability and prognostic value. <i>Neuroradiology</i> , 1998 , 40, 150-3	3.2	43
122	Surgical treatment of pituitary tumors in the elderly: clinical outcome and long-term follow-up. <i>Journal of Neuro-Oncology</i> , 2002 , 60, 185-91	4.8	43
121	Image guided hypofractionated 3-dimensional radiation therapy in patients with inoperable advanced stage non-small cell lung cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 85, e157-63	4	41
120	Lung Metastases Treated With Stereotactic Ablative Radiation Therapy in Oligometastatic Colorectal Cancer Patients: Outcomes and Prognostic Factors After Long-Term Follow-Up. <i>Clinical Colorectal Cancer</i> , 2017 , 16, 58-64	3.8	39
119	Clinical outcomes of single dose stereotactic radiotherapy for lung metastases. <i>Clinical Lung Cancer</i> , 2013 , 14, 699-703	4.9	37
118	Cytokines, fatigue, and cutaneous erythema in early stage breast cancer patients receiving adjuvant radiation therapy. <i>BioMed Research International</i> , 2014 , 2014, 523568	3	36
117	Stereotactic radiosurgery in elderly patients with brain metastases. <i>Journal of Neuro-Oncology</i> , 2013 , 111, 319-25	4.8	35
116	MACOP-B and involved-field radiotherapy is an effective and safe therapy for primary mediastinal large B cell lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 72, 1154-60	4	34
115	Time to surgery and pathologic complete response after neoadjuvant chemoradiation in rectal cancer: A population study on 2094 patients. <i>Clinical and Translational Radiation Oncology</i> , 2017 , 4, 8-14	4.6	33
114	Comparison between transrectal ultrasonography and computed tomography with rectal inflation of gas in preoperative staging of lower rectal cancer. <i>European Radiology</i> , 1997 , 7, 26-30	8	31
113	Clinical and technical characteristics of intraoperative radiotherapy. Analysis of the ISIORT-Europe database. <i>Strahlentherapie Und Onkologie</i> , 2013 , 189, 729-37	4.3	28
112	Detection of colon cancer with 99mTc-labeled bombesin derivative (99mTc-leu13-BN1). <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2004 , 19, 245-52	3.9	27
111	CD2 for Prevention of Oral Mucositis in Patients With Head and Neck Tumors: A Multicentric Randomized Study. <i>Anticancer Research</i> , 2019 , 39, 1935-1942	2.3	26
110	Hypofractionated stereotactic radiotherapy in combination with bevacizumab or fotemustine for patients with progressive malignant gliomas. <i>Journal of Neuro-Oncology</i> , 2015 , 122, 559-66	4.8	26
109	Value of diffusion-weighted MRI and apparent diffusion coefficient measurements for predicting the response of locally advanced rectal cancer to neoadjuvant chemoradiotherapy. <i>Abdominal Radiology</i> , 2016 , 41, 1906-17	3	26
108	Outcomes of postoperative stereotactic radiosurgery to the resection cavity versus stereotactic radiosurgery alone for melanoma brain metastases. <i>Journal of Neuro-Oncology</i> , 2017 , 132, 455-462	4.8	25
107	Radiation therapy for older patients with brain tumors. <i>Radiation Oncology</i> , 2017 , 12, 101	4.2	25
106	Preoperative intensity-modulated radiotherapy with a simultaneous integrated boost combined with Capecitabine in locally advanced rectal cancer: short-term results of a multicentric study. <i>Radiation Oncology</i> , 2017 , 12, 139	4.2	22

105	Fractionated stereotactic radiosurgery for patients with skull base metastases from systemic cancer involving the anterior visual pathway. <i>Radiation Oncology</i> , 2014 , 9, 110	4.2	22
104	Radiation therapy after breast reconstruction: outcomes, complications, and patient satisfaction. <i>Radiologia Medica</i> , 2013 , 118, 1240-50	6.5	21
103	Integral dose and radiation-induced secondary malignancies: comparison between stereotactic body radiation therapy and three-dimensional conformal radiotherapy. <i>International Journal of Environmental Research and Public Health</i> , 2012 , 9, 4223-40	4.6	20
102	The importance of lymph node retrieval and lymph node ratio following preoperative chemoradiation of rectal cancer. <i>Colorectal Disease</i> , 2013 , 15, e382-8	2.1	20
101	Stereotactic radiosurgery plus whole-brain radiotherapy for treatment of multiple metastases from non-small cell lung cancer. <i>Anticancer Research</i> , 2010 , 30, 3055-61	2.3	20
100	Hodgkin disease of the nasopharynx: diagnostic and therapeutic approach with a review of the literature. <i>Annals of Hematology</i> , 2002 , 81, 514-6	3	19
99	Renin-Angiotensin System Inhibitors Might Help to Reduce the Development of Symptomatic Radiation Pneumonitis After Stereotactic Body Radiotherapy for Lung Cancer. <i>Clinical Lung Cancer</i> , 2016 , 17, 189-97	4.9	18
98	30 Gy single dose stereotactic body radiation therapy (SBRT): Report on outcome in a large series of patients with lung oligometastatic disease. <i>Lung Cancer</i> , 2018 , 122, 165-170	5.9	17
97	Supratentorial glioblastoma: neuroradiological findings and survival after surgery and radiotherapy. <i>Neuroradiology</i> , 1996 , 38 Suppl 1, S26-30	3.2	17
96	Intermediate-risk prostate cancer patients treated with androgen deprivation therapy and a hypofractionated radiation regimen with or without image guided radiotherapy. <i>Radiation Oncology</i> , 2013 , 8, 137	4.2	16
95	Stereotactic Ablative Body Radiotherapy (SABR) in Pulmonary Oligometastatic/Oligorecurrent Non-small Cell Lung Cancer Patients: A New Therapeutic Approach. <i>Anticancer Research</i> , 2015 , 35, 6239-45	4.5	16
94	Chemoradiation for anaplastic oligodendrogliomas: clinical outcomes and prognostic value of molecular markers. <i>Journal of Neuro-Oncology</i> , 2014 , 116, 275-82	4.8	15
93	Simultaneous intraductal papillary neoplasms of the bile duct and pancreas treated with chemoradiotherapy. <i>World Journal of Gastrointestinal Oncology</i> , 2012 , 4, 22-5	3.4	15
92	Primary cutaneous Hodgkin lymphoma. <i>Journal of the American Academy of Dermatology</i> , 2010 , 63, e52-3	4.5	14
91	Neoadjuvant Chemoradiation for Locally Advanced Carcinoma of the Rectum. <i>Tumori</i> , 2004 , 90, 303-309	1.7	14
90	Radiotherapy in metastatic castration resistant prostate cancer patients with oligo-progression during abiraterone-enzalutamide treatment: a mono-institutional experience. <i>Radiation Oncology</i> , 2019 , 14, 205	4.2	14
89	Intensity modulated radiotherapy in early stage Hodgkin lymphoma patients: is it better than three dimensional conformal radiotherapy?. <i>Radiation Oncology</i> , 2012 , 7, 129	4.2	13
88	Potential Role of Single Nucleotide Polymorphisms of XRCC1, XRCC3, and RAD51 in Predicting Acute Toxicity in Rectal Cancer Patients Treated With Preoperative Radiochemotherapy. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2017 , 40, 535-542	2.7	12

87	Radiotherapy and sequential temozolomide compared with radiotherapy with concomitant and sequential temozolomide in the treatment of newly diagnosed glioblastoma multiforme. <i>Anti-Cancer Drugs</i> , 2006 , 17, 969-75	2.4	12
86	Radiation therapy for oncological emergencies. <i>Anticancer Research</i> , 2001 , 21, 2219-24	2.3	12
85	Whole brain reirradiation and concurrent temozolomide in patients with brain metastases. <i>Journal of Neuro-Oncology</i> , 2014 , 118, 329-334	4.8	11
84	Long term results of single high dose Stereotactic Body Radiotherapy in the treatment of primary lung tumors. <i>Scientific Reports</i> , 2019 , 9, 15498	4.9	10
83	The role of stereotactic body radiation therapy in oligometastatic colorectal cancer: Clinical case report of a long-responder patient treated with regorafenib beyond progression. <i>Medicine (United States)</i> , 2017 , 96, e9023	1.8	10
82	Analysis of the risk of solid tumor following Hodgkin disease. <i>Haematologica</i> , 1997 , 82, 57-63	6.6	10
81	Role of salvage stereotactic body radiation therapy in post-surgical loco-regional recurrence in a selected population of non-small cell lung cancer patients. <i>Anticancer Research</i> , 2015 , 35, 1783-9	2.3	10
80	Comparative effectiveness of multi-fraction stereotactic radiosurgery for surgically resected or intact large brain metastases from non-small-cell lung cancer (NSCLC). <i>Lung Cancer</i> , 2019 , 132, 119-125	5.9	9
79	Re-irradiation in lung disease by SBRT: a retrospective, single institutional study. <i>Radiation Oncology</i> , 2018 , 13, 87	4.2	9
78	Acute toxicity in 14 patients with locally advanced head and neck squamous cell carcinoma treated with concurrent cetuximab and radiotherapy. <i>Radiologia Medica</i> , 2012 , 117, 125-32	6.5	9
77	Impact of different treatment approaches on pregnancy outcomes in 99 women treated for Hodgkin lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 84, 755-61	4	9
76	Late morbidity and oncological outcome after radical hypofractionated radiotherapy in men with prostate cancer. <i>BJU International</i> , 2010 , 106, 1458-62	5.6	9
75	Mono- and Bi-weekly Hypofractionated Radiation Therapy for the Treatment of Epithelial Skin Cancer in Very Elderly Patients. <i>Anticancer Research</i> , 2017 , 37, 825-830	2.3	9
74	Interventions to Reduce Neurological Symptoms in Patients with GBM Receiving Radiotherapy: From Theory to Clinical Practice. <i>Anticancer Research</i> , 2018 , 38, 2423-2427	2.3	9
73	Three-dimensional computed tomographic imaging in the diagnosis of vertebral column trauma: experience based on 21 patients and review of the literature. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 42, 254-9	9.4	9
72	Radiotherapy in classic Kaposi sarcoma (CKS): experience of the Institute of Radiology of University "La Sapienza" of Rome. <i>Anticancer Research</i> , 1999 , 19, 4539-44	2.3	9
71	Hypofractionated radiotherapy with or without IGRT in prostate cancer: preliminary report of acute toxicity. <i>Anticancer Research</i> , 2011 , 31, 3555-8	2.3	9
70	Acute nonlymphocytic leukemia: onset after treatment for Hodgkin disease. <i>Annals of Hematology</i> , 1997 , 74, 103-10	3	8

69	Concomitant Radiotherapy with Protracted 5-fluorouracil Infusion in Locally Advanced Carcinoma of the Pancreas: A Phase II Study. <i>Tumori</i> , 2001 , 87, 398-401	1.7	8
68	Adjuvant radiochemotherapy for gastric cancer: Should we use prognostic factors to select patients?. <i>World Journal of Gastroenterology</i> , 2016 , 22, 1131-8	5.6	8
67	The risk of non-Hodgkin's lymphoma after Hodgkin's disease, with special reference to splenic treatment. <i>Haematologica</i> , 1998 , 83, 636-44	6.6	8
66	Hypofractionated Image-guided Radiation Therapy (3Gy/fraction) in Patients Affected by Inoperable Advanced-stage Non-small Cell Lung Cancer After Long-term Follow-up. <i>Anticancer Research</i> , 2015 , 35, 5693-700	2.3	8
65	Neoadjuvant chemoradiation for locally advanced carcinoma of the rectum. <i>Tumori</i> , 2004 , 90, 303-9	1.7	7
64	Second cancer incidence in primary mediastinal B-cell lymphoma treated with methotrexate with leucovorin rescue, doxorubicin, cyclophosphamide, vincristine, prednisone, and bleomycin regimen with or without rituximab and mediastinal radiotherapy: Results from a mono-institutional cohort. <i>Orbital Radiotherapy Plus Concomitant Steroids in Moderate-to-Severe Graves' Ophthalmopathy: Good Results After Long-Term Follow-Up. International Journal of Endocrinology and Metabolism</i> , 2019 , 17, e84427	1.3	6
63	Orbital Radiotherapy Plus Concomitant Steroids in Moderate-to-Severe Graves' Ophthalmopathy: Good Results After Long-Term Follow-Up. <i>International Journal of Endocrinology and Metabolism</i> , 2019 , 17, e84427	1.8	6
62	Post-mastectomy immediate breast reconstruction and adjuvant radiotherapy: long term results of a mono-institutional experience. <i>Radiologia Medica</i> , 2020 , 125, 887-893	6.5	6
61	Manipulation of radiation-induced bystander effect in prostate adenocarcinoma by dose and tumor differentiation grade: in vitro study. <i>International Journal of Radiation Biology</i> , 2015 , 91, 166-71	2.9	6
60	Image guided intensity modulated hypofractionated radiotherapy in high-risk prostate cancer patients treated four or five times per week: analysis of toxicity and preliminary results. <i>Radiation Oncology</i> , 2014 , 9, 214	4.2	6
59	Radiotherapy for T1 Carcinoma of the Glottis. <i>Tumori</i> , 1995 , 81, 414-418	1.7	6
58	A multicenter Large retrospective database on the personalization of stereotactic Ablative radiotherapy use in lung metastases from colon-rectal cancer: The LAT-SABR study. <i>Radiotherapy and Oncology</i> , 2021 , 166, 92-99	5.3	6
57	Critical decision-making in radiotherapy for early stage breast cancer in a neo-adjuvant treatment era. <i>Expert Review of Anticancer Therapy</i> , 2017 , 17, 481-485	3.5	5
56	How technology can help in oncologic patient management during COVID-19 outbreak. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 1189-1191	3.6	5
55	Locally advanced inoperable primary or recurrent non-small cell lung cancer treated with 4-week hypofractionated radiation therapy (3Gy/fraction). <i>Radiologia Medica</i> , 2019 , 124, 1324-1332	6.5	5
54	Immunotherapy in association with stereotactic radiotherapy for non-small cell lung cancer brain metastases: results from a multicentric retrospective study on behalf of AIRO. <i>Neuro-Oncology</i> , 2021 , 23, 1750-1764	1	5
53	Primary cutaneous lymphoma: local control and survival in patients treated with radiotherapy. <i>Anticancer Research</i> , 2007 , 27, 601-5	2.3	5
52	Adjuvant chemoradiation with 5-fluorouracil or capecitabine in patients with gastric cancer after D2 nodal dissection. <i>Anticancer Research</i> , 2012 , 32, 1397-402	2.3	5

51	Stereotactic reirradiation with temozolomide in patients with recurrent aggressive pituitary tumors and pituitary carcinomas. <i>Journal of Neuro-Oncology</i> , 2020 , 149, 123-130	4.8	4
50	Re-irradiation with curative intent in patients with squamous cell carcinoma of the head and neck: a national survey of usual practice on behalf of the Italian Association of Radiation Oncology (AIRO). <i>European Archives of Oto-Rhino-Laryngology</i> , 2018 , 275, 561-567	3.5	4
49	Two Cases of Capecitabine-Induced Ileitis in Patients Treated with Radiochemotherapy to the Pelvis and Review of the Literature. <i>Journal of Gastrointestinal Cancer</i> , 2018 , 49, 538-542	1.6	4
48	Neoadjuvant chemoradiation with concomitant boost radiotherapy associated to capecitabine in rectal cancer patients. <i>International Journal of Colorectal Disease</i> , 2014 , 29, 835-42	3	4
47	Image-guided hypofractionated radiotherapy in low-risk prostate cancer patients. <i>BioMed Research International</i> , 2014 , 2014, 465175	3	4
46	Retroperitoneal mesenchymal chondrosarcoma mimicking a large retroperitoneal sacral schwannoma. <i>Neurosurgical Review</i> , 2008 , 31, 225-9	3.9	4
45	Single nucleotide polymorphism of GSTP1 and pathological complete response in locally advanced rectal cancer patients treated with neoadjuvant concomitant radiochemotherapy. <i>Radiation Oncology Journal</i> , 2018 , 36, 218-226	2.5	4
44	Stereotactic Body Radiation Therapy in Primary and Metastatic Liver Disease. <i>Anticancer Research</i> , 2017 , 37, 7005-7010	2.3	4
43	Salvage radiotherapy with simultaneous integrated boost in non small-cell lung cancer patients with mediastinal relapse after surgery: a pilot study. <i>Radiation Oncology</i> , 2018 , 13, 207	4.2	4
42	Prognostic features and treatment outcome in patients with nasopharyngeal carcinoma: an experience of 20 years. <i>Anticancer Research</i> , 2001 , 21, 1413-8	2.3	4
41	Dose intensification with autologous stem cell transplantation in relapsed and resistant Hodgkin's disease. <i>Haematologica</i> , 2002 , 87, 507-11	6.6	4
40	One-week vaginal brachytherapy schedule as exclusive adjuvant post-operative treatment in intermediate- and high-intermediate-risk endometrial cancer patients. <i>Journal of Contemporary Brachytherapy</i> , 2020 , 12, 124-130	1.9	3
39	The role of vaginal brachytherapy in stage I endometrial serous cancer: a systematic review. <i>Journal of Contemporary Brachytherapy</i> , 2020 , 12, 61-66	1.9	3
38	External-beam radiotherapy and/or HDR brachytherapy in postoperative endometrial cancer patients: clinical outcomes and toxicity rates. <i>Radiologia Medica</i> , 2013 , 118, 311-22	6.5	3
37	Hypofractionated Intensity-Modulated Simultaneous Integrated Boost and Image-Guided Radiotherapy in the Treatment of High-Risk Prostate Cancer Patients: A Preliminary Report on Acute Toxicity. <i>Tumori</i> , 2013 , 99, 474-479	1.7	3
36	Long-term results of 60 patients with pathologic stage I & IIA Hodgkin's disease treated with exclusive mantle radiation therapy. <i>European Journal of Haematology</i> , 1999 , 63, 126-33	3.8	3
35	Markers of Cardiotoxicity in Early Breast Cancer Patients Treated With a Hypofractionated Schedule: A Prospective Study. <i>Clinical Breast Cancer</i> , 2021 , 21, e141-e149	3	3
34	Local and metastatic curative radiotherapy in patients with de novo oligometastatic prostate cancer. <i>Scientific Reports</i> , 2020 , 10, 17471	4.9	3

33	Treatment Volume, Dose Prescription and Delivery Techniques for Dose-intensification in Rectal Cancer: A National Survey. <i>Anticancer Research</i> , 2021 , 41, 1985-1995	2.3	3
32	Androgen Receptor Targeted Therapy + Radiotherapy in Metastatic Castration Resistant Prostate Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 695136	5.3	3
31	Exclusive electron intraoperative radiotherapy in early-stage breast cancer: a monoinstitutional experience. <i>Anticancer Research</i> , 2013 , 33, 1229-35	2.3	3
30	Different outcomes among favourable and unfavourable intermediate-risk prostate cancer patients treated with hypofractionated radiotherapy and androgen deprivation therapy. <i>Radiation Oncology</i> , 2016 , 11, 78	4.2	2
29	Adjuvant chemoradiotherapy in gastric cancer: a pooled analysis of the AIRO gastrointestinal group experience. <i>Tumori</i> , 2015 , 101, 91-7	1.7	2
28	Moderate Hypofractionation in Patients with Low-risk Prostate Cancer: Long-term Outcomes. <i>Anticancer Research</i> , 2018 , 38, 1671-1676	2.3	2
27	Inoperable early-stage primary and early recurrent non-small cell lung cancer: outcomes of a mono-institutional experience using a moderate hypofractionated schedule. <i>Radiologia Medica</i> , 2019 , 124, 58-64	6.5	2
26	The Role of Indocyanine Green in Laparoscopic Low Anterior Resections for Rectal Cancer Previously Treated With Chemo-radiotherapy: A Single-center Retrospective Analysis.. <i>Anticancer Research</i> , 2022 , 42, 211-216	2.3	2
25	A case report of metastatic atypical thymic carcinoid with ectopic ACTH production: locoregional control after adaptive radiation treatment. <i>Tumori</i> , 2012 , 98, 172e-5e	1.7	2
24	Hypofractionated intensity-modulated simultaneous integrated boost and image-guided radiotherapy in the treatment of high-risk prostate cancer patients: a preliminary report on acute toxicity. <i>Tumori</i> , 2013 , 99, 474-9	1.7	2
23	What is the role of reirradiation in the management of locoregionally relapsed non small-cell lung cancer?. <i>Lung Cancer</i> , 2020 , 146, 263-275	5.9	1
22	Feasibility and Results of a Multimodality Approach in Elderly Patients with Localized Intermediate to High-Grade Non-Hodgkin's Lymphomas. <i>Tumori</i> , 2004 , 90, 289-293	1.7	1
21	The role of restaging laparotomy in Hodgkin's disease. <i>Acta Oncologica</i> , 1989 , 28, 659-62	3.2	1
20	Stereotactic Body Radiation Therapy Boost in Patients With Cervical Cancer Ineligible for Brachytherapy.. <i>Cancer Diagnosis & Prognosis</i> , 2021 , 1, 53-60		1
19	Supratentorial glioblastoma: Neuroradiological findings and survival after surgery and radiotherapy 1996 , 38, S26		1
18	Adjuvant vaginal interventional radiotherapy in early-stage non-endometrioid carcinoma of corpus uteri: a systematic review. <i>Journal of Contemporary Brachytherapy</i> , 2021 , 13, 231-243	1.9	1
17	Hypofractionated Radiation Therapy (HFRT) of Breast/Chest Wall and Regional Nodes in Locally Advanced Breast Cancer: Toxicity Profile and Survival Outcomes in Retrospective Monoinstitutional Study. <i>Clinical Breast Cancer</i> , 2021 ,	3	1
16	Rectal cancer response to neoadjuvant chemoradiotherapy evaluated with MRI: Development and validation of a classification algorithm.. <i>European Journal of Radiology</i> , 2022 , 147, 110146	4.7	0

15	Stereotactic body radiation therapy for adrenal gland metastases: outcome and predictive factors from a multicenter analysis. <i>Clinical and Experimental Metastasis</i> , 2021 , 38, 511-518	4.7	o
14	OLIGO-AIRO: a national survey on the role of radiation oncologist in the management of OLIGO-metastatic patients on the behalf of AIRO. <i>Medical Oncology</i> , 2021 , 38, 48	3.7	o
13	A multi-institutional analysis of fractionated versus single-fraction stereotactic body radiotherapy (SBRT) in the treatment of primary lung tumors: a comparison between two antipodal fractionations. <i>Clinical and Translational Oncology</i> , 2021 , 23, 2133-2140	3.6	o
12	Integrated care pathways and the hub-and-spoke model for the management of non-melanoma skin cancer: A proposal of the Italian Association of Hospital Dermatologists (ADOI). <i>Dermatology Reports</i> , 2021 , 13, 9278	0.9	o
11	Stereotactic and Hypofractionated Radiotherapy Associated With Immune Checkpoint Inhibitor Drugs: Analysis of Local Control, Toxicity, and Outcome in a Single Research Centre Case Study. <i>Anticancer Research</i> , 2021 , 41, 5107-5116	2.3	o
10	Residual Site Radiotherapy After Immunochemotherapy in Primary Mediastinal B-Cell Lymphoma: A Monoinstitutional Retrospective Study. <i>In Vivo</i> , 2020 , 34, 1407-1413	2.3	
9	Radiation Therapy for Local-Regional Recurrences of Rectal Carcinoma following Primary Surgery. <i>Tumori</i> , 1997 , 83, 818-821	1.7	
8	Reply to: Stereotactic radiotherapy needs more evidence before it can be used routinely to treat metastases: a comment on the paper by Nicosia et al.. <i>Radiotherapy and Oncology</i> , 2022 ,	5.3	
7	Stereotactic body radiation therapy (SBRT) for patients with oligometastatic/oligoprogressive adrenal metastases: Outcomes and toxicities profile in a monoinstitutional study. <i>Cancer Treatment and Research Communications</i> , 2021 , 29, 100481	2	
6	Next-generation expression analysis (NanoString) to develop prognostic and predictive gene signatures for patients with locally advanced rectal cancer treated with neoadjuvant chemoradiotherapy.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 700-700	2.2	
5	Hypofractionated radiation therapy in low-risk prostate cancer: Outcome, toxicity, and sexual function.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e16575-e16575	2.2	
4	Resilience in Radiotherapy Services During the COVID-19 Emergency: Collaboration Between the Regional Radiation Oncology Departments of Lazio, Abruzzo and Molise. <i>Anticancer Research</i> , 2021 , 41, 3561-3565	2.3	
3	Long-term results of treatment of childhood and adolescent Hodgkin disease in 73 patients: the experience of the Departments of Radiology and Hematology of the University of Rome "La Sapienza". <i>Haematologica</i> , 1996 , 81, 245-52	6.6	
2	Stereotactic Body Radiation Therapy for Liver Lesions. A Single-institution Experience. <i>Anticancer Research</i> , 2015 , 35, 4171-5	2.3	
1	BRIDGE -1 TRIAL: BReak Interval Delayed surgery for Gastrointestinal Extraperitoneal rectal cancer, a multicentric phase III randomized trial.. <i>Clinical and Translational Radiation Oncology</i> , 2022 , 34, 30-36	4.6	