

Peter A^{1/2}uptÄ;Äik

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6701579/publications.pdf>

Version: 2024-02-01

13
papers

161
citations

1478505

6
h-index

1281871

11
g-index

13
all docs

13
docs citations

13
times ranked

232
citing authors

#	ARTICLE	IF	CITATIONS
1	Distinct phylogeographic patterns in populations of two oribatid mite species from the genus <i>Pantelozetes</i> (Acari, Oribatida, Thyrisomidae) in Central Europe. <i>Experimental and Applied Acarology</i> , 2021, 83, 493-511.	1.6	1
2	Cushion plants act as facilitators for soil microarthropods in high alpine Sweden. <i>Biodiversity and Conservation</i> , 2021, 30, 3243-3264.	2.6	2
3	Oribatida (Acari) communities in arable soils formed under waterlogged conditions: the influence of a soil moisture gradient. <i>Biologia (Poland)</i> , 2020, 75, 243-257.	1.5	9
4	Legacy effects of experimental environmental change on soil microarthropod communities. <i>Ecosphere</i> , 2020, 11, e03030.	2.2	7
5	Terrestrial isopods associated with shallow underground of forested scree slopes in the Western Carpathians (Slovakia). <i>ZooKeys</i> , 2018, 801, 323-335.	1.1	11
6	Impacts of twenty years of experimental warming on soil carbon, nitrogen, moisture and soil mites across alpine/subarctic tundra communities. <i>Scientific Reports</i> , 2017, 7, 44489.	3.3	42
7	Organic carbon content and temperature as substantial factors affecting diversity and vertical distribution of <i>Collembola</i> on forested scree slopes. <i>European Journal of Soil Biology</i> , 2016, 75, 180-187.	3.2	30
8	<i>Allocaeculus sandbergensis</i> sp. n. (Acari: Caeculidae), a new prostigmatid mite from Slovakia. <i>Biologia (Poland)</i> , 2014, 69, 214-218.	1.5	2
9	Community structure of soil oribatida (acari) two years after windthrow in the high tatra mountains. <i>Biologia (Poland)</i> , 2013, 68, 932-940.	1.5	7
10	The effect of clear-cutting and wildfire on soil Oribatida (Acari) in windthrown stands of the High Tatra Mountains (Slovakia). <i>European Journal of Soil Biology</i> , 2013, 55, 131-138.	3.2	23
11	Diversity and community structure of soil Oribatida (Acari) in an arable field with alluvial soils. <i>European Journal of Soil Biology</i> , 2012, 50, 97-105.	3.2	16
12	<i>Chthonius (Chthonius) carinthiacus</i> and <i>Chthonius (Ephippiochthonius) tuberculatus</i> new to the fauna of Slovakia (Pseudoscorpiones: Chthoniidae). <i>Arachnologische Mitteilungen</i> , 2011, 42, 23-28.	0.3	5
13	Distribution of Oribatida (Acari) along a depth gradient in forested scree slopes. <i>Subterranean Biology</i> , 0, 31, 29-48.	5.0	6