

Ting Xiao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6702351/publications.pdf>

Version: 2024-02-01

30
papers

877
citations

623734

14
h-index

501196

28
g-index

33
all docs

33
docs citations

33
times ranked

1555
citing authors

#	ARTICLE	IF	CITATIONS
1	Integrative Proteomic Characterization of Human Lung Adenocarcinoma. <i>Cell</i> , 2020, 182, 245-261.e17.	28.9	300
2	An Approach to Studying Lung Cancer-related Proteins in Human Blood. <i>Molecular and Cellular Proteomics</i> , 2005, 4, 1480-1486.	3.8	121
3	Cathepsin D Is Secreted from M-BE Cells: Its Potential Role as a Biomarker of Lung Cancer. <i>Journal of Proteome Research</i> , 2007, 6, 1083-1092.	3.7	58
4	Prognostic significance of matrix metalloproteinase-1 levels in peripheral plasma and tumour tissues of lung cancer patients. <i>Lung Cancer</i> , 2010, 69, 341-347.	2.0	51
5	Secretory/releasing proteome-based identification of plasma biomarkers in HBV-associated hepatocellular carcinoma. <i>Science China Life Sciences</i> , 2013, 56, 638-646.	4.9	28
6	Single nucleotide variant profiles of viable single circulating tumour cells reveal CTC behaviours in breast cancer. <i>Oncology Reports</i> , 2018, 39, 2147-2159.	2.6	28
7	The ovarian cancer-derived secretory/releasing proteome: A repertoire of tumor markers. <i>Proteomics</i> , 2012, 12, 1883-1891.	2.2	26
8	Heterogeneity of tumor-infiltrating lymphocytes ascribed to local immune status rather than neoantigens by multi-omics analysis of glioblastoma multiforme. <i>Scientific Reports</i> , 2017, 7, 6968.	3.3	26
9	A high-risk luminal A dominant breast cancer subtype with increased mobility. <i>Breast Cancer Research and Treatment</i> , 2019, 175, 459-472.	2.5	26
10	iTRAQ-based quantitative analysis of cancer-derived secretory proteome reveals TPM2 as a potential diagnostic biomarker of colorectal cancer. <i>Frontiers of Medicine</i> , 2016, 10, 278-285.	3.4	23
11	Nidogen-1: a candidate biomarker for ovarian serous cancer. <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 176-182.	1.3	21
12	Characterization of Distinct T Cell Receptor Repertoires in Tumor and Distant Non-tumor Tissues from Lung Cancer Patients. <i>Genomics, Proteomics and Bioinformatics</i> , 2019, 17, 287-296.	6.9	20
13	Post-surgical resection prognostic value of combined OPN, MMP7, and PSG9 plasma biomarkers in hepatocellular carcinoma. <i>Frontiers of Medicine</i> , 2019, 13, 250-258.	3.4	16
14	Non-SMC Condensin I Complex Subunit D2 Is a Prognostic Factor in Triple-Negative Breast Cancer for the Ability to Promote Cell Cycle and Enhance Invasion. <i>American Journal of Pathology</i> , 2020, 190, 37-47.	3.8	16
15	DJ-1 as a potential biomarker for the early diagnosis in lung cancer patients. <i>Tumor Biology</i> , 2017, 39, 101042831771462.	1.8	15
16	Impact of Molecular Testing in the Diagnosis of Thyroid Fine Needle Aspiration Cytology: Data from Mainland China. <i>Disease Markers</i> , 2014, 2014, 1-6.	1.3	14
17	Cigarette smoke suppresses the ubiquitin-dependent degradation of OLC1. <i>Biochemical and Biophysical Research Communications</i> , 2011, 407, 753-757.	2.1	13
18	Identification of Human Tissue Kallikrein 6 as a Potential Marker of Laryngeal Cancer Based on the Relevant Secretory/Releasing Protein Database. <i>Disease Markers</i> , 2014, 2014, 1-8.	1.3	10

#	ARTICLE	IF	CITATIONS
19	Detection of BRAF c.1799T>A (p.V>E) mutation using residual routine fine-needle aspiration specimens of papillary thyroid carcinoma. <i>Diagnostic Cytopathology</i> , 2015, 43, 786-790.	1.0	9
20	PSG9 promotes angiogenesis by stimulating VEGFA production and is associated with poor prognosis in hepatocellular carcinoma. <i>Science China Life Sciences</i> , 2017, 60, 528-535.	4.9	9
21	An immunohistochemical analysis-based decision tree model for estimating the risk of lymphatic metastasis in pN0 squamous cell carcinomas of the lung. <i>Histopathology</i> , 2011, 59, 882-891.	2.9	6
22	Proteomic and Phosphoproteomic Maps of Lung Squamous Cell Carcinoma From Chinese Patients. <i>Frontiers in Oncology</i> , 2020, 10, 963.	2.8	6
23	Four-protein model for predicting prognostic risk of lung cancer. <i>Frontiers of Medicine</i> , 2022, 16, 618-626.	3.4	6
24	Risk stratification of indeterminate thyroid nodules by novel multigene testing: a study of Asians with a high risk of malignancy. <i>Molecular Oncology</i> , 2022, 16, 1680-1693.	4.6	5
25	A time-resolved proteotranscriptomics atlas of the human placenta reveals pan-cancer immunomodulators. <i>Signal Transduction and Targeted Therapy</i> , 2020, 5, 110.	17.1	4
26	Elevated expression of lung development-related protein HSP90 ^{Î²} indicates poor prognosis in non-small cell lung cancer through affecting the cell cycle and apoptosis. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 82.	17.1	4
27	Proteomics study of <i>Mycoplasma pneumoniae</i> pneumonia reveals the Fc fragment of the IgG-binding protein as a serum biomarker and implicates potential therapeutic targets. <i>Frontiers of Medicine</i> , 2022, 16, 378-388.	3.4	4
28	Integrated analysis of the rhesus monkey liver transcriptome during development and human primary HCC AFP-related gene expression. <i>Molecular Therapy - Nucleic Acids</i> , 2021, 25, 406-415.	5.1	4
29	Systems biology analysis of the lung cancer-related secretome. <i>Oncology Reports</i> , 2018, 40, 1103-1118.	2.6	2
30	Characterization of molecular and immune landscape of microvascular invasion in hepatocellular carcinoma and prognostic significance. <i>Journal of Clinical Oncology</i> , 2022, 40, e16162-e16162.	1.6	0