Ting Xiao

List of Publications by Year
in descending order

30 papers	**877** citations	623734 **14** h-index	501196 **28** g-index
33 all docs	**33** docs citations	**33** times ranked	**1555** citing authors

#	Article	IF	Citations
1	Proteomics study of Mycoplasma pneumoniae pneumonia reveals the Fc fragment of the IgG-binding protein as a serum biomarker and implicates potential therapeutic targets. Frontiers of Medicine, 2022, 16, 378-388.	3.4	4
2	Risk stratification of indeterminate thyroid nodules by novel multigene testing: a study of Asians with a high risk of malignancy. Molecular Oncology, 2022, 16, 1680-1693.	4.6	5
3	Four-protein model for predicting prognostic risk of lung cancer. Frontiers of Medicine, 2022, 16, 618-626.	3.4	6
4	Characterization of molecular and immune landscape of microvascular invasion in hepatocellular carcinoma and prognostic significance.. Journal of Clinical Oncology, 2022, 40, e16162-e16162.	1.6	0
5	Elevated expression of lung development-related protein HSP90Î² indicates poor prognosis in non-small cell lung cancer through affecting the cell cycle and apoptosis. Signal Transduction and Targeted Therapy, 2021, 6, 82.	17.1	4
6	Integrated analysis of the rhesus monkey liver transcriptome during development and human primary HCC AFP-related gene expression. Molecular Therapy - Nucleic Acids, 2021, 25, 406-415.	5.1	4
7	Non-SMC Condensin I Complex Subunit D2 Is a Prognostic Factor in Triple-Negative Breast Cancer for the Ability to Promote Cell Cycle and Enhance Invasion. American Journal of Pathology, 2020, 190, 37-47.	3.8	16
8	Proteomic and Phosphoproteomic Maps of Lung Squamous Cell Carcinoma From Chinese Patients. Frontiers in Oncology, 2020, 10, 963.	2.8	6
9	A time-resolved proteotranscriptomics atlas of the human placenta reveals pan-cancer immunomodulators. Signal Transduction and Targeted Therapy, 2020, 5, 110.	17.1	4
10	Integrative Proteomic Characterization of Human Lung Adenocarcinoma. Cell, 2020, 182, 245-261.e17.	28.9	300
11	Post-surgical resection prognostic value of combined OPN, MMP7, and PSG9 plasma biomarkers in hepatocellular carcinoma. Frontiers of Medicine, 2019, 13, 250-258.	3.4	16
12	Characterization of Distinct T Cell Receptor Repertoires in Tumor and Distant Non-tumor Tissues from Lung Cancer Patients. Genomics, Proteomics and Bioinformatics, 2019, 17, 287-296.	6.9	20
13	A high-risk luminal A dominant breast cancer subtype with increased mobility. Breast Cancer Research and Treatment, 2019, 175, 459-472.	2.5	26
14	Single nucleotide variant profiles of viable single circulating tumour cells reveal CTC behaviours in breast cancer. Oncology Reports, 2018, 39, 2147-2159.	2.6	28
15	Systems biology analysis of the lung cancerâ€‘related secretome. Oncology Reports, 2018, 40, 1103-1118.	2.6	2
16	PSG9 promotes angiogenesis by stimulating VEGFA production and is associated with poor prognosis in hepatocellular carcinoma. Science China Life Sciences, 2017, 60, 528-535.	4.9	9
17	Heterogeneity of tumor-infiltrating lymphocytes ascribed to local immune status rather than neoantigens by multi-omics analysis of glioblastoma multiforme. Scientific Reports, 2017, 7, 6968.	3.3	26
18	DJ-1 as a potential biomarker for the early diagnosis in lung cancer patients. Tumor Biology, 2017, 39, 101042831771462.	1.8	15

#	ARTICLE	IF	CITATIONS
19	iTRAQ-based quantitative analysis of cancer-derived secretory proteome reveals TPM2 as a potential diagnostic biomarker of colorectal cancer. Frontiers of Medicine, 2016, 10, 278-285.	3.4	23
20	Detection of <scp>BRAF</scp> c.1799<scp>T</scp>â€‰>â€‰<scp>A</scp> (p.<scp>V</scp>600<scp>E</scp>) mutation using residual routine fineâ€needle aspiration specimens of papillary thyroid carcinoma. Diagnostic Cytopathology, 2015, 43, 786-790.	1.0	9
21	Nidogen-1: a candidate biomarker for ovarian serous cancer. Japanese Journal of Clinical Oncology, 2015, 45, 176-182.	1.3	21
22	Identification of Human Tissue Kallikrein 6 as a Potential Marker of Laryngeal Cancer Based on the Relevant Secretory/Releasing Protein Database. Disease Markers, 2014, 2014, 1-8.	1.3	10
23	Impact of Molecular Testing in the Diagnosis of Thyroid Fine Needle Aspiration Cytology: Data from Mainland China. Disease Markers, 2014, 2014, 1-6.	1.3	14
24	Secretory/releasing proteome-based identification of plasma biomarkers in HBV-associated hepatocellular carcinoma. Science China Life Sciences, 2013, 56, 638-646.	4.9	28
25	The ovarian cancerâ€derived secretory/releasing proteome: A repertoire of tumor markers. Proteomics, 2012, 12, 1883-1891.	2.2	26
26	Cigarette smoke suppresses the ubiquitin-dependent degradation of OLC1. Biochemical and Biophysical Research Communications, 2011, 407, 753-757.	2.1	13
27	An immunohistochemical analysisâ€based decision tree model for estimating the risk of lymphatic metastasis in pN0 squamous cell carcinomas of the lung. Histopathology, 2011, 59, 882-891.	2.9	6
28	Prognostic significance of matrix metalloproteinase-1 levels in peripheral plasma and tumour tissues of lung cancer patients. Lung Cancer, 2010, 69, 341-347.	2.0	51
29	Cathepsin D Is Secreted from M-BE Cells:â€‰ Its Potential Role as a Biomarker of Lung Cancer. Journal of Proteome Research, 2007, 6, 1083-1092.	3.7	58
30	An Approach to Studying Lung Cancer-related Proteins in Human Blood. Molecular and Cellular Proteomics, 2005, 4, 1480-1486.	3.8	121