

Young Hoon Ryu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6702532/young-hoon-ryu-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129
papers

2,579
citations

28
h-index

47
g-index

139
ext. papers

3,164
ext. citations

5.1
avg. IF

4.83
L-index

#	Paper	IF	Citations
129	In vivo cortical spreading pattern of tau and amyloid in the Alzheimer disease spectrum. <i>Annals of Neurology</i> , 2016 , 80, 247-58	9.4	266
128	Reversed halo sign on high-resolution CT of cryptogenic organizing pneumonia: diagnostic implications. <i>American Journal of Roentgenology</i> , 2003 , 180, 1251-4	5.4	232
127	Tau PET in Alzheimer disease and mild cognitive impairment. <i>Neurology</i> , 2016 , 87, 375-83	6.5	175
126	Dopamine transporter density in the basal ganglia assessed with [123I]IPT SPET in children with attention deficit hyperactivity disorder. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003 , 30, 306-11	8.8	156
125	Subcortical F-AV-1451 binding patterns in progressive supranuclear palsy. <i>Movement Disorders</i> , 2017 , 32, 134-140	7	87
124	Topographical distribution of cerebral cortical thinning in patients with mild Parkinson's disease without dementia. <i>Movement Disorders</i> , 2010 , 25, 496-9	7	68
123	Pleomorphic carcinoma of lung: comparison of CT features and pathologic findings. <i>Radiology</i> , 2004 , 232, 554-9	20.5	65
122	Assessment of Extent and Role of Tau in Subcortical Vascular Cognitive Impairment Using 18F-AV1451 Positron Emission Tomography Imaging. <i>JAMA Neurology</i> , 2018 , 75, 999-1007	17.2	60
121	Off-Target F-AV-1451 Binding in the Basal Ganglia Correlates with Age-Related Iron Accumulation. <i>Journal of Nuclear Medicine</i> , 2018 , 59, 117-120	8.9	52
120	Perfusion impairments in infantile autism on technetium-99m ethyl cysteinate dimer brain single-photon emission tomography: comparison with findings on magnetic resonance imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1999 , 26, 253-9	8.8	50
119	F-AV-1451 binds to motor-related subcortical gray and white matter in corticobasal syndrome. <i>Neurology</i> , 2017 , 89, 1170-1178	6.5	48
118	Progressive Tau Accumulation in Alzheimer Disease: 2-Year Follow-up Study. <i>Journal of Nuclear Medicine</i> , 2019 , 60, 1611-1621	8.9	46
117	Nodal staging of rectal cancer: high-resolution pelvic MRI versus 18F-FDG PET/CT. <i>Journal of Computer Assisted Tomography</i> , 2011 , 35, 531-4	2.2	46
116	Acute cholecystitis at T2-weighted and manganese-enhanced T1-weighted MR cholangiography: preliminary study. <i>Radiology</i> , 2003 , 227, 580-4	20.5	45
115	Evaluation of right ventricular volume and mass using retrospective ECG-gated cardiac multidetector computed tomography: comparison with first-pass radionuclide angiography. <i>European Radiology</i> , 2005 , 15, 1987-93	8	43
114	Excessive tau accumulation in the parieto-occipital cortex characterizes early-onset Alzheimer's disease. <i>Neurobiology of Aging</i> , 2017 , 53, 103-111	5.6	42
113	Efficacy of multidetector row computed tomography of the spine in patients with multiple myeloma: comparison with magnetic resonance imaging and fluorodeoxyglucose-positron emission tomography. <i>Journal of Computer Assisted Tomography</i> , 2007 , 31, 342-7	2.2	41

112	Distinct patterns of amyloid-dependent tau accumulation in Lewy body diseases. <i>Movement Disorders</i> , 2018 , 33, 262-272	7	41
111	Cerebral glucose metabolism of Parkinson's disease patients with mild cognitive impairment. <i>European Neurology</i> , 2010 , 64, 65-73	2.1	40
110	The role of ultrasonography and FDG-PET in axillary lymph node staging of breast cancer. <i>Acta Radiologica</i> , 2010 , 51, 859-65	2	40
109	Saline flush effect for enhancement of aorta and coronary arteries at multidetector CT coronary angiography. <i>Radiology</i> , 2008 , 246, 110-5	20.5	40
108	Head to head comparison of [F] AV-1451 and [F] THK5351 for tau imaging in Alzheimer's disease and frontotemporal dementia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 432-442	8.8	38
107	Assessment of Demographic, Genetic, and Imaging Variables Associated With Brain Resilience and Cognitive Resilience to Pathological Tau in Patients With Alzheimer Disease. <i>JAMA Neurology</i> , 2020 , 77, 632-642	17.2	36
106	Role of diffusion-weighted MRI: predicting axillary lymph node metastases in breast cancer. <i>Acta Radiologica</i> , 2014 , 55, 909-16	2	34
105	Radiographic findings of primary B-cell lymphoma of the stomach: low-grade versus high-grade malignancy in relation to the mucosa-associated lymphoid tissue concept. <i>American Journal of Roentgenology</i> , 2002 , 179, 1297-304	5.4	31
104	Distinct tau PET patterns in atrophy-defined subtypes of Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020 , 16, 335-344	1.2	31
103	Standardized uptake value of 18 F-fluorodeoxyglucose positron emission tomography for prediction of tumor recurrence in breast cancer beyond tumor burden. <i>Breast Cancer Research</i> , 2014 , 16, 502	8.3	29
102	Accuracy of Tau Positron Emission Tomography as a Prognostic Marker in Preclinical and Prodromal Alzheimer Disease: A Head-to-Head Comparison Against Amyloid Positron Emission Tomography and Magnetic Resonance Imaging. <i>JAMA Neurology</i> , 2021 , 78, 961-971	17.2	29
101	Predicted sequence of cortical tau and amyloid- β deposition in Alzheimer disease spectrum. <i>Neurobiology of Aging</i> , 2018 , 68, 76-84	5.6	24
100	Diagnostic efficacy and characteristic feature of MRI in pulmonary hamartoma: comparison with CT, specimen MRI, and pathology. <i>Journal of Computer Assisted Tomography</i> , 2008 , 32, 919-25	2.2	24
99	Differential CT features of infectious pneumonia versus bronchioloalveolar carcinoma (BAC) mimicking pneumonia. <i>European Radiology</i> , 2006 , 16, 1763-8	8	24
98	Assessment of regional GABA(A) receptor binding using 18 F-fluorofluzelenil positron emission tomography in spastic type cerebral palsy. <i>NeuroImage</i> , 2007 , 34, 19-25	7.9	23
97	Environmental enrichment enhances synaptic plasticity by internalization of striatal dopamine transporters. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2016 , 36, 2122-2133	7.3	23
96	Relationship between dopamine deficit and the expression of depressive behavior resulted from alteration of serotonin system. <i>Synapse</i> , 2015 , 69, 453-60	2.4	20
95	18 F-FDG PET imaging of progressive massive fibrosis. <i>Annals of Nuclear Medicine</i> , 2010 , 24, 21-7	2.5	20

94	Adrenocortical oncocytoma displaying intense activity on 18F-FDG-PET: a case report and a literature review. <i>Annals of Nuclear Medicine</i> , 2008 , 22, 821-4	2.5	20
93	Low iodine diet for one week is sufficient for adequate preparation of high dose radioactive iodine ablation therapy of differentiated thyroid cancer patients in iodine-rich areas. <i>Thyroid</i> , 2014 , 24, 1289-96 ^{6.2}	6.2	19
92	F-AV-1451 binds to putamen in multiple system atrophy. <i>Movement Disorders</i> , 2017 , 32, 171-173	7	18
91	Age dependency of mGluR5 availability in 5xFAD mice measured by PET. <i>Neurobiology of Aging</i> , 2019 , 84, 208-216	5.6	18
90	Cerebral cortical areas in which thickness correlates with severity of motor deficits of Parkinson's disease. <i>Journal of Neurology</i> , 2011 , 258, 1871-6	5.5	18
89	Evaluation of cardiac sympathetic neuronal integrity in diabetic patients using iodine-123 metaiodobenzylguanidine. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1996 , 23, 401-6		17
88	Feasibility of Computed Tomography-Guided Methods for Spatial Normalization of Dopamine Transporter Positron Emission Tomography Image. <i>PLoS ONE</i> , 2015 , 10, e0132585	3.7	17
87	Aβ pathology downregulates brain mGluR5 density in a mouse model of Alzheimer. <i>Neuropharmacology</i> , 2018 , 133, 512-517	5.5	16
86	Initially non-diagnostic ultrasound-guided fine needle aspiration cytology of thyroid nodules: value and management. <i>Acta Radiologica</i> , 2012 , 53, 168-73	2	16
85	Effect of APOE ε genotype on amyloid-β and tau accumulation in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 140	9	15
84	Relationship Between 18F-Fluorodeoxyglucose Uptake and V-Ki-Ras2 Kirsten Rat Sarcoma Viral Oncogene Homolog Mutation in Colorectal Cancer Patients: Variability Depending on C-Reactive Protein Level. <i>Medicine (United States)</i> , 2016 , 95, e2236	1.8	15
83	Temporal trajectories of in vivo tau and amyloid-β accumulation in Alzheimer's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 2879-2886	8.8	14
82	[18F]-fluorodeoxyglucose positron emission tomography can contribute to discriminate patients with poor prognosis in hormone receptor-positive breast cancer. <i>PLoS ONE</i> , 2014 , 9, e105905	3.7	14
81	Effective microPET imaging of brain 5-HT(1A) receptors in rats with [(18) F]MeFWAY by suppression of radioligand defluorination. <i>Synapse</i> , 2012 , 66, 1015-23	2.4	13
80	Accuracy of fluorodeoxyglucose-positron emission tomography for diagnosis of single bone metastasis: comparison with bone scintigraphy. <i>Journal of Computer Assisted Tomography</i> , 2007 , 31, 812-9 ²	3.2	13
79	18F-AV-1451 PET Imaging in Three Patients with Probable Cerebral Amyloid Angiopathy. <i>Journal of Alzheimer's Disease</i> , 2017 , 57, 711-716	4.3	12
78	Predominant subcortical accumulation of F-flortaucipir binding in behavioral variant frontotemporal dementia. <i>Neurobiology of Aging</i> , 2018 , 66, 112-121	5.6	12
77	Rebound thymic hyperplasia detected by 18F-FDG PET/CT after radioactive iodine ablation therapy for thyroid cancer. <i>Thyroid</i> , 2014 , 24, 1636-41	6.2	11

76	Acute physical stress induces the alteration of the serotonin 1A receptor density in the hippocampus. <i>Synapse</i> , 2014 , 68, 363-8	2.4	10
75	Evaluation of dopamine transporters and D2 receptors in hemiparkinsonian rat brains in vivo using consecutive PET scans of [18F]FPCIT and [18F]fallypride. <i>Applied Radiation and Isotopes</i> , 2012 , 70, 2689-94	1.7	10
74	Human Radiation Dosimetry of [(18)F]AV-1451(T807) to Detect Tau Pathology. <i>Molecular Imaging and Biology</i> , 2016 , 18, 479-82	3.8	10
73	F-flortaucipir uptake patterns in clinical subtypes of primary progressive aphasia. <i>Neurobiology of Aging</i> , 2019 , 75, 187-197	5.6	10
72	Comparison of standardized uptake value of 18F-FDG-PET-CT with 21-gene recurrence score in estrogen receptor-positive, HER2-negative breast cancer. <i>PLoS ONE</i> , 2017 , 12, e0175048	3.7	9
71	Assessment of the right ventricular function and mass using cardiac multi-detector computed tomography in patients with chronic obstructive pulmonary disease. <i>Korean Journal of Radiology</i> , 2007 , 8, 15-21	6.9	9
70	Cerebral Cavernous Malformations. <i>Neurologia Medico-Chirurgica</i> , 1998 , 38, 255-261	2.6	9
69	18F-Mefway PET imaging of serotonin 1A receptors in humans: a comparison with 18F-FCWAY. <i>PLoS ONE</i> , 2015 , 10, e0121342	3.7	9
68	Frequent visualization of thyroglossal duct remnant on post-ablation 131I-SPECT/CT and its clinical implications. <i>Clinical Radiology</i> , 2015 , 70, 638-43	2.9	8
67	Prognostic significance of standardized uptake value on preoperative 18F-FDG PET/CT in patients with ampullary adenocarcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015 , 42, 841-7	8.8	8
66	Risk factors for developing hyponatremia in thyroid cancer patients undergoing radioactive iodine therapy. <i>PLoS ONE</i> , 2014 , 9, e106840	3.7	8
65	Application of an amyloid and tau classification system in subcortical vascular cognitive impairment patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 292-303	8.8	8
64	The impact of demographic, clinical, genetic, and imaging variables on tau PET status. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 2245-2258	8.8	8
63	Tau Accumulation in Primary Motor Cortex of Variant Alzheimer's Disease with Spastic Paraparesis. <i>Journal of Alzheimer's Disease</i> , 2016 , 51, 671-5	4.3	7
62	Usefulness of (131)I-SPECT/CT and (18)F-FDG PET/CT in Evaluating Successful (131)I and Retinoic Acid Combined Therapy in a Patient with Metastatic Struma Ovarii. <i>Nuclear Medicine and Molecular Imaging</i> , 2015 , 49, 52-6	1.9	6
61	Optimization of the radiosynthesis of [(18) F]MEFWAY for imaging brain serotonin 1A receptors by using the GE TracerLab FXFN-Pro module. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2013 , 56, 589-94	1.9	6
60	Evaluation of reperfusion and recovery of brain function before and after intracarotid arterial urokinase therapy in acute cerebral infarction with brain SPECT. <i>Clinical Nuclear Medicine</i> , 1999 , 24, 566-71	1.7	6
59	THK5351 and flortaucipir PET with pathological correlation in a Creutzfeldt-Jakob disease patient: a case report. <i>BMC Neurology</i> , 2019 , 19, 211	3.1	5

58	Detection of malignant melanoma by Tc-99m HMPAO. <i>Clinical Nuclear Medicine</i> , 1995 , 20, 528-30	1.7	5
57	Shear-Wave Elastography for the Differential Diagnosis of Breast Papillary Lesions. <i>PLoS ONE</i> , 2016 , 11, e0167118	3.7	5
56	Tau Positron Emission Tomography Imaging in Degenerative Parkinsonisms. <i>Journal of Movement Disorders</i> , 2018 , 11, 1-12	2.9	5
55	Clinicopathologic risk factors of radioactive iodine therapy based on response assessment in patients with differentiated thyroid cancer: a multicenter retrospective cohort study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 561-571	8.8	5
54	P-Glycoprotein, not BCRP, Limits the Brain Uptake of [(18)F]Mefway in Rodent Brain. <i>Molecular Imaging and Biology</i> , 2016 , 18, 267-73	3.8	4
53	Synthesis of F-Labeled Aryl Fluorosulfates via Nucleophilic Radiofluorination. <i>Organic Letters</i> , 2020 , 22, 5511-5516	6.2	4
52	Dopaminergic neuron destruction reduces hippocampal serotonin 1A receptor uptake of trans-[(18)F]Mefway. <i>Applied Radiation and Isotopes</i> , 2014 , 94, 30-34	1.7	4
51	Effects of hypothyroidism on serotonin 1A receptors in the rat brain. <i>Psychopharmacology</i> , 2018 , 235, 729-736	4.7	4
50	Increased Uptake of AV-1451 in a Subacute Infarction Lesion. <i>Yonsei Medical Journal</i> , 2018 , 59, 563-565	3	4
49	Customized FreeSurfer-based brain atlas for diffeomorphic anatomical registration through exponentiated lie algebra tool. <i>Annals of Nuclear Medicine</i> , 2020 , 34, 280-288	2.5	3
48	Translational possibility of [F]Mefway to image serotonin 1A receptors in humans: Comparison with [F]FCWAY in rodents. <i>Synapse</i> , 2014 , 68, 595-603	2.4	3
47	[(18)F]FPEB and [(18)F]FDEGPECO comparative study of mGlu5 quantification in rodent brain. <i>Applied Radiation and Isotopes</i> , 2015 , 98, 103-7	1.7	3
46	Determination of optimal acquisition time of [(18)F]FCWAY PET for imaging serotonin 1A receptors in the healthy male subjects. <i>Applied Radiation and Isotopes</i> , 2014 , 89, 141-5	1.7	3
45	Effect of A/T/N imaging biomarkers on impaired odor identification in Alzheimer's disease. <i>Scientific Reports</i> , 2020 , 10, 11556	4.9	3
44	Principal components of tau positron emission tomography and longitudinal tau accumulation in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 114	9	3
43	Combined Model of Aggregation and Network Diffusion Recapitulates Alzheimer's Regional Tau-Positron Emission Tomography. <i>Brain Connectivity</i> , 2021 , 11, 624-638	2.7	3
42	Biodistribution and Radiation Dosimetry of [F]Mefway in Humans. <i>Molecular Imaging and Biology</i> , 2016 , 18, 803-806	3.8	2
41	Optimal timing of [F]Mefway PET for imaging the serotonin 1A receptor in healthy male subjects. <i>Applied Radiation and Isotopes</i> , 2016 , 107, 127-132	1.7	2

40	Usefulness of 18F-fluorodeoxyglucose Positron Emission Tomography-Computed Tomography in Monitoring Adhesive Capsulitis After Breast Cancer Treatment. <i>Journal of Computer Assisted Tomography</i> , 2015 , 39, 349-55	2.2	2
39	A computed tomography-based spatial normalization for the analysis of [18F] fluorodeoxyglucose positron emission tomography of the brain. <i>Korean Journal of Radiology</i> , 2014 , 15, 862-70	6.9	2
38	The Impact of Amyloid- β or Tau on Cognitive Change in the Presence of Severe Cerebrovascular Disease. <i>Journal of Alzheimer's Disease</i> , 2020 , 78, 573-585	4.3	2
37	Late-Stage F/F Isotopic Exchange for the Synthesis of F-Labeled Sulfamoyl Fluorides. <i>Organic Letters</i> , 2021 , 23, 2766-2771	6.2	2
36	MRI-Visible Perivascular Spaces in the Centrum Semiovale Are Associated with Brain Amyloid Deposition in Patients with Alzheimer Disease-Related Cognitive Impairment. <i>American Journal of Neuroradiology</i> , 2021 , 42, 1231-1238	4.4	2
35	Visual Rating and Computer-Assisted Analysis of FDG PET in the Prediction of Conversion to Alzheimer's Disease in Mild Cognitive Impairment. <i>Molecular Diagnosis and Therapy</i> , 2018 , 22, 475-483	4.5	2
34	Time and cost effective production of sodium [18F]fluoride using a dedicated automation module with disposable cassettes for GMP environment. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2016 , 309, 983-987	1.5	1
33	[P4012]: HEAD-TO-HEAD COMPARISON OF [18F] AV-1451 AND [18F] THK5351 FOR TAU IMAGING IN ALZHEIMER'S DISEASE AND FRONTOTEMPORAL DEMENTIA 2017 , 13, P1347-P1348		1
32	A spinal cord astrocytoma and its concurrent osteoblastic metastases at the time of the initial diagnosis: a case report and literature review. <i>Korean Journal of Radiology</i> , 2011 , 12, 620-5	6.9	1
31	Differential CT Features between Malignant Mesothelioma and Pleural Metastasis from Lung Cancer or Extrathoracic Primary Tumor Mimicking Malignant Mesothelioma. <i>Journal of the Korean Radiological Society</i> , 2000 , 42, 71		1
30	F-18 FDG PET Features of Progressive Massive Fibrosis in Patients with Pneumoconiosis. <i>Journal of the Korean Radiological Society</i> , 2008 , 59, 255		1
29	Prognostic significance of bone marrow and spleen F-FDG uptake in patients with colorectal cancer. <i>Scientific Reports</i> , 2021 , 11, 12137	4.9	1
28	P2-232: TAU Burden and Cognition in Early-Onset Versus Late-Onset Alzheimer's Disease Spectrum 2016 , 12, P711-P712		1
27	O4-07-04: In Vivo Cortical Spreading Pattern of TAU and Amyloid Pathology in the Alzheimer's Disease Spectrum 2016 , 12, P349-P349		1
26	Prognostic Role of Pre-Treatment [F]FDG PET/CT in Patients with Anaplastic Thyroid Cancer. <i>Cancers</i> , 2021 , 13,	6.6	1
25	F-18 FDG PET scan findings in patients with Loeffler's syndrome. <i>Clinical Nuclear Medicine</i> , 2009 , 34, 570-57		0
24	Different prognostic impact of glucose uptake in visceral adipose tissue according to sex in patients with colorectal cancer. <i>Scientific Reports</i> , 2021 , 11, 21556	4.9	0
23	Effect of A/T/N imaging biomarkers on impaired odor identification in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020 , 16, e041700	1.2	

- 22 Effect of apolipoprotein-E ϵ genotype on amyloid- β and tau accumulation in Alzheimer's disease. *Alzheimer's and Dementia*, **2020**, 16, e042284 1.2
- 21 Longitudinal changes in A/T/N imaging biomarkers in early-onset and late-onset Alzheimer's disease. *Alzheimer's and Dementia*, **2020**, 16, e046718 1.2
- 20 [S20104]: IN VIVO CORTICAL SPREADING OF TAU AND AMYLOID **2017**, 13, P541-P541
- 19 [P1024]: 18F-AV1451 PET IMAGING IN SUBCORTICAL VASCULAR COGNITIVE IMPAIRMENT **2017**, 13, P329-P330
- 18 [P2046]: EXCESSIVE NEOCORTICAL TAU ACCUMULATION IN DOWN SYNDROME **2017**, 13, P754-P755
- 17 [IC-P-179]: PRINCIPAL COMPONENT ANALYSIS OF TAU PET IN ALZHEIMER'S DISEASE AND HEALTHY ELDERLY **2017**, 13, P133-P134
- 16 [P1065]: PREDOMINANT SUBCORTICAL 18F-AV-1451 BINDING IN BEHAVIORAL VARIANT FRONTOTEMPORAL DEMENTIA **2017**, 13, P399-P399
- 15 [P1086]: DISTINCT TAU ACCUMULATION PATTERN IN DEMENTIA WITH LEWY BODY **2017**, 13, P414-P414
- 14 [P2042]: 18F-AV-1451 BINDS TO THE MOTOR-RELATED SUBCORTICAL GRAY AND WHITE MATTER IN CORTICOBASAL SYNDROME **2017**, 13, P753-P753
- 13 Hiatal hernia detected by iodine-131 scan for ablation of thyroid carcinoma. *ANZ Journal of Surgery*, **2010**, 80, 198 1
- 12 MR Findings of Cerebral Palsy: Comparison Between Preterm Patients and Fullterm Patients. *Journal of the Korean Radiological Society*, **1997**, 37, 547
- 11 A Case of Primary Pericardial Malignant Mesothelioma. *Tuberculosis and Respiratory Diseases*, **2004**, 57, 599 3.2
- 10 CT Findings of Focal Organizing Pneumonia. *Journal of the Korean Radiological Society*, **2000**, 43, 711
- 9 Relationship Between the Striatal and Cerebellar Glucose Metabolism and the Response to Levodopa Treatment in Patients With Multiple System Atrophy. *Journal of Movement Disorders*, **2008**, 1, 26-32 2.9
- 8 CT Findings of Pleural Dissemination in Primary Lung Cancer. *Journal of the Korean Radiological Society*, **1998**, 39, 1119
- 7 P3-263: TAU PET in Alzheimer's Disease and Mild Cognitive Impairment **2016**, 12, P933-P933
- 6 IC-P-164: MEDIAL TEMPORAL TAU CAN BE A PREDICTOR OF AMYLOID-POSITIVITY IN MILD COGNITIVE IMPAIRMENT **2019**, 15, P130-P130
- 5 IC-P-163: TEMPORAL TRAJECTORIES OF IN VIVO TAU AND AMYLOID- β ACCUMULATION IN ALZHEIMER'S DISEASE **2019**, 15, P130-P130

4 P1-382: COMPARISON OF AD PATHOLOGIES IN HYPERTENSIVE SUBCORTICAL VASCULAR COGNITIVE IMPAIRMENT AND CEREBRAL AMYLOID ANGIOPATHY **2018**, 14, P445-P446

3 IC-P-078: CLINICAL SIGNIFICANCE OF A/T/N SYSTEM IN SUBCORTICAL VASCULAR COGNITIVE IMPAIRMENT PATIENTS **2018**, 14, P69-P69

2 P1-383: 18F-FLORTAUCIPIR BINDING PATTERNS IN CLINICAL SUBTYPES OF PRIMARY PROGRESSIVE APHASIA **2018**, 14, P446-P446

1 Abstract P4-05-08: 18F-FDG uptake of visceral adipose tissue on preoperative PET/CT as a predictive marker for breast cancer recurrence. *Cancer Research*, **2022**, 82, P4-05-08-P4-05-08

10.1