

Young Hoon Ryu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6702532/young-hoon-ryu-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129
papers

2,579
citations

28
h-index

47
g-index

139
ext. papers

3,164
ext. citations

5.1
avg. IF

4.83
L-index

#	Paper	IF	Citations
129	Abstract P4-05-08: 18F-FDG uptake of visceral adipose tissue on preoperative PET/CT as a predictive marker for breast cancer recurrence. <i>Cancer Research</i> , 2022 , 82, P4-05-08-P4-05-08	10.1	
128	Different prognostic impact of glucose uptake in visceral adipose tissue according to sex in patients with colorectal cancer. <i>Scientific Reports</i> , 2021 , 11, 21556	4.9	0
127	Late-Stage F/F Isotopic Exchange for the Synthesis of F-Labeled Sulfamoyl Fluorides. <i>Organic Letters</i> , 2021 , 23, 2766-2771	6.2	2
126	MRI-Visible Perivascular Spaces in the Centrum Semiovale Are Associated with Brain Amyloid Deposition in Patients with Alzheimer Disease-Related Cognitive Impairment. <i>American Journal of Neuroradiology</i> , 2021 , 42, 1231-1238	4.4	2
125	Prognostic significance of bone marrow and spleen F-FDG uptake in patients with colorectal cancer. <i>Scientific Reports</i> , 2021 , 11, 12137	4.9	1
124	Combined Model of Aggregation and Network Diffusion Recapitulates Alzheimer's Regional Tau-Positron Emission Tomography. <i>Brain Connectivity</i> , 2021 , 11, 624-638	2.7	3
123	The impact of demographic, clinical, genetic, and imaging variables on tau PET status. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 2245-2258	8.8	8
122	Prognostic Role of Pre-Treatment [F]FDG PET/CT in Patients with Anaplastic Thyroid Cancer. <i>Cancers</i> , 2021 , 13,	6.6	1
121	Accuracy of Tau Positron Emission Tomography as a Prognostic Marker in Preclinical and Prodromal Alzheimer Disease: A Head-to-Head Comparison Against Amyloid Positron Emission Tomography and Magnetic Resonance Imaging. <i>JAMA Neurology</i> , 2021 , 78, 961-971	17.2	29
120	Effect of A/T/N imaging biomarkers on impaired odor identification in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020 , 16, e041700	1.2	
119	Effect of apolipoprotein-E ϵ genotype on amyloid- β and tau accumulation in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020 , 16, e042284	1.2	
118	Longitudinal changes in A/T/N imaging biomarkers in early-onset and late-onset Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020 , 16, e046718	1.2	
117	Effect of APOE ϵ genotype on amyloid- β and tau accumulation in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 140	9	15
116	Synthesis of F-Labeled Aryl Fluorosulfates via Nucleophilic Radiofluorination. <i>Organic Letters</i> , 2020 , 22, 5511-5516	6.2	4
115	Assessment of Demographic, Genetic, and Imaging Variables Associated With Brain Resilience and Cognitive Resilience to Pathological Tau in Patients With Alzheimer Disease. <i>JAMA Neurology</i> , 2020 , 77, 632-642	17.2	36
114	Customized FreeSurfer-based brain atlas for diffeomorphic anatomical registration through exponentiated lie algebra tool. <i>Annals of Nuclear Medicine</i> , 2020 , 34, 280-288	2.5	3
113	Temporal trajectories of in vivo tau and amyloid- β accumulation in Alzheimer's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 2879-2886	8.8	14

112	Distinct tau PET patterns in atrophy-defined subtypes of Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020 , 16, 335-344	1.2	31
111	Clinicopathologic risk factors of radioactive iodine therapy based on response assessment in patients with differentiated thyroid cancer: a multicenter retrospective cohort study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 561-571	8.8	5
110	The Impact of Amyloid- β Tau on Cognitive Change in the Presence of Severe Cerebrovascular Disease. <i>Journal of Alzheimer's Disease</i> , 2020 , 78, 573-585	4.3	2
109	Effect of A/T/N imaging biomarkers on impaired odor identification in Alzheimer's disease. <i>Scientific Reports</i> , 2020 , 10, 11556	4.9	3
108	Principal components of tau positron emission tomography and longitudinal tau accumulation in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 114	9	3
107	Application of an amyloid and tau classification system in subcortical vascular cognitive impairment patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 292-303	8.8	8
106	Progressive Tau Accumulation in Alzheimer Disease: 2-Year Follow-up Study. <i>Journal of Nuclear Medicine</i> , 2019 , 60, 1611-1621	8.9	46
105	Age dependency of mGluR5 availability in 5xFAD mice measured by PET. <i>Neurobiology of Aging</i> , 2019 , 84, 208-216	5.6	18
104	THK5351 and flortaucipir PET with pathological correlation in a Creutzfeldt-Jakob disease patient: a case report. <i>BMC Neurology</i> , 2019 , 19, 211	3.1	5
103	IC-P-164: MEDIAL TEMPORAL TAU CAN BE A PREDICTOR OF AMYLOID-POSITIVITY IN MILD COGNITIVE IMPAIRMENT 2019 , 15, P130-P130		
102	IC-P-163: TEMPORAL TRAJECTORIES OF IN VIVO TAU AND AMYLOID- β ACCUMULATION IN ALZHEIMER'S DISEASE 2019 , 15, P130-P130		
101	F-flortaucipir uptake patterns in clinical subtypes of primary progressive aphasia. <i>Neurobiology of Aging</i> , 2019 , 75, 187-197	5.6	10
100	Predicted sequence of cortical tau and amyloid- β deposition in Alzheimer disease spectrum. <i>Neurobiology of Aging</i> , 2018 , 68, 76-84	5.6	24
99	A β pathology downregulates brain mGluR5 density in a mouse model of Alzheimer. <i>Neuropharmacology</i> , 2018 , 133, 512-517	5.5	16
98	Predominant subcortical accumulation of F-flortaucipir binding in behavioral variant frontotemporal dementia. <i>Neurobiology of Aging</i> , 2018 , 66, 112-121	5.6	12
97	Tau Positron Emission Tomography Imaging in Degenerative Parkinsonisms. <i>Journal of Movement Disorders</i> , 2018 , 11, 1-12	2.9	5
96	Distinct patterns of amyloid-dependent tau accumulation in Lewy body diseases. <i>Movement Disorders</i> , 2018 , 33, 262-272	7	41
95	Effects of hypothyroidism on serotonin 1A receptors in the rat brain. <i>Psychopharmacology</i> , 2018 , 235, 729-736	4.7	4

94	Head to head comparison of [F] AV-1451 and [F] THK5351 for tau imaging in Alzheimer's disease and frontotemporal dementia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 432-442	8.8	38
93	Off-Target F-AV-1451 Binding in the Basal Ganglia Correlates with Age-Related Iron Accumulation. <i>Journal of Nuclear Medicine</i> , 2018 , 59, 117-120	8.9	52
92	P1-382: COMPARISON OF AD PATHOLOGIES IN HYPERTENSIVE SUBCORTICAL VASCULAR COGNITIVE IMPAIRMENT AND CEREBRAL AMYLOID ANGIOPATHY 2018 , 14, P445-P446		
91	IC-P-078: CLINICAL SIGNIFICANCE OF A/T/N SYSTEM IN SUBCORTICAL VASCULAR COGNITIVE IMPAIRMENT PATIENTS 2018 , 14, P69-P69		
90	P1-383: 18F-FLORTAUCIPIR BINDING PATTERNS IN CLINICAL SUBTYPES OF PRIMARY PROGRESSIVE APHASIA 2018 , 14, P446-P446		
89	Increased Uptake of AV-1451 in a Subacute Infarction Lesion. <i>Yonsei Medical Journal</i> , 2018 , 59, 563-565	3	4
88	Assessment of Extent and Role of Tau in Subcortical Vascular Cognitive Impairment Using 18F-AV1451 Positron Emission Tomography Imaging. <i>JAMA Neurology</i> , 2018 , 75, 999-1007	17.2	60
87	Visual Rating and Computer-Assisted Analysis of FDG PET in the Prediction of Conversion to Alzheimer's Disease in Mild Cognitive Impairment. <i>Molecular Diagnosis and Therapy</i> , 2018 , 22, 475-483	4.5	2
86	Excessive tau accumulation in the parieto-occipital cortex characterizes early-onset Alzheimer's disease. <i>Neurobiology of Aging</i> , 2017 , 53, 103-111	5.6	42
85	18F-AV-1451 PET Imaging in Three Patients with Probable Cerebral Amyloid Angiopathy. <i>Journal of Alzheimer's Disease</i> , 2017 , 57, 711-716	4.3	12
84	F-AV-1451 binds to putamen in multiple system atrophy. <i>Movement Disorders</i> , 2017 , 32, 171-173	7	18
83	Comparison of standardized uptake value of 18F-FDG-PET-CT with 21-gene recurrence score in estrogen receptor-positive, HER2-negative breast cancer. <i>PLoS ONE</i> , 2017 , 12, e0175048	3.7	9
82	F-AV-1451 binds to motor-related subcortical gray and white matter in corticobasal syndrome. <i>Neurology</i> , 2017 , 89, 1170-1178	6.5	48
81	[S20104]: IN VIVO CORTICAL SPREADING OF TAU AND AMYLOID 2017 , 13, P541-P541		
80	[P4012]: HEAD-TO-HEAD COMPARISON OF [18F] AV-1451 AND [18F] THK5351 FOR TAU IMAGING IN ALZHEIMER'S DISEASE AND FRONTOTEMPORAL DEMENTIA 2017 , 13, P1347-P1348		1
79	Subcortical F-AV-1451 binding patterns in progressive supranuclear palsy. <i>Movement Disorders</i> , 2017 , 32, 134-140	7	87
78	[P1024]: 18F-AV1451 PET IMAGING IN SUBCORTICAL VASCULAR COGNITIVE IMPAIRMENT 2017 , 13, P329-P330		
77	[P2B46]: EXCESSIVE NEOCORTICAL TAU ACCUMULATION IN DOWN SYNDROME 2017 , 13, P754-P755		

76	[IC-P-179]: PRINCIPAL COMPONENT ANALYSIS OF TAU PET IN ALZHEIMER'S DISEASE AND HEALTHY ELDERLY 2017 , 13, P133-P134		
75	[P1B65]: PREDOMINANT SUBCORTICAL 18F-AV-1451 BINDING IN BEHAVIORAL VARIANT FRONTOTEMPORAL DEMENTIA 2017 , 13, P399-P399		
74	[P1B86]: DISTINCT TAU ACCUMULATION PATTERN IN DEMENTIA WITH LEWY BODY 2017 , 13, P414-P414		
73	[P2B42]: 18F-AV-1451 BINDS TO THE MOTOR-RELATED SUBCORTICAL GRAY AND WHITE MATTER IN CORTICOBASAL SYNDROME 2017 , 13, P753-P753		
72	P-Glycoprotein, not BCRP, Limits the Brain Uptake of [(18F)]Mefway in Rodent Brain. <i>Molecular Imaging and Biology</i> , 2016 , 18, 267-73	3.8	4
71	Tau PET in Alzheimer disease and mild cognitive impairment. <i>Neurology</i> , 2016 , 87, 375-83	6.5	175
70	Tau Accumulation in Primary Motor Cortex of Variant Alzheimer's Disease with Spastic Paraparesis. <i>Journal of Alzheimer's Disease</i> , 2016 , 51, 671-5	4.3	7
69	Time and cost effective production of sodium [18F]fluoride using a dedicated automation module with disposable cassettes for GMP environment. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2016 , 309, 983-987	1.5	1
68	Biodistribution and Radiation Dosimetry of [F]Mefway in Humans. <i>Molecular Imaging and Biology</i> , 2016 , 18, 803-806	3.8	2
67	Optimal timing of [11C]Mefway PET for imaging the serotonin 1A receptor in healthy male subjects. <i>Applied Radiation and Isotopes</i> , 2016 , 107, 127-132	1.7	2
66	Shear-Wave Elastography for the Differential Diagnosis of Breast Papillary Lesions. <i>PLoS ONE</i> , 2016 , 11, e0167118	3.7	5
65	In vivo cortical spreading pattern of tau and amyloid in the Alzheimer disease spectrum. <i>Annals of Neurology</i> , 2016 , 80, 247-58	9.4	266
64	Relationship Between 18F-Fluorodeoxyglucose Uptake and V-Ki-Ras2 Kirsten Rat Sarcoma Viral Oncogene Homolog Mutation in Colorectal Cancer Patients: Variability Depending on C-Reactive Protein Level. <i>Medicine (United States)</i> , 2016 , 95, e2236	1.8	15
63	P2-232: TAU Burden and Cognition in Early-Onset Versus Late-Onset Alzheimer's Disease Spectrum 2016 , 12, P711-P712		1
62	P3-263: TAU PET in Alzheimer's Disease and Mild Cognitive Impairment 2016 , 12, P933-P933		
61	O4-07-04: In Vivo Cortical Spreading Pattern of TAU and Amyloid Pathology in the Alzheimer's Disease Spectrum 2016 , 12, P349-P349		1
60	Environmental enrichment enhances synaptic plasticity by internalization of striatal dopamine transporters. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2016 , 36, 2122-2133	7.3	23
59	Human Radiation Dosimetry of [(18F)]AV-1451(T807) to Detect Tau Pathology. <i>Molecular Imaging and Biology</i> , 2016 , 18, 479-82	3.8	10

58	Frequent visualization of thyroglossal duct remnant on post-ablation ^{131}I -SPECT/CT and its clinical implications. <i>Clinical Radiology</i> , 2015 , 70, 638-43	2.9	8
57	Prognostic significance of standardized uptake value on preoperative ^{18}F -FDG PET/CT in patients with ampullary adenocarcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015 , 42, 841-7	8.8	8
56	Usefulness of (^{131}I) -SPECT/CT and (^{18}F) -FDG PET/CT in Evaluating Successful (^{131}I) and Retinoic Acid Combined Therapy in a Patient with Metastatic Struma Ovarii. <i>Nuclear Medicine and Molecular Imaging</i> , 2015 , 49, 52-6	1.9	6
55	Usefulness of ^{18}F -fluorodeoxyglucose Positron Emission Tomography-Computed Tomography in Monitoring Adhesive Capsulitis After Breast Cancer Treatment. <i>Journal of Computer Assisted Tomography</i> , 2015 , 39, 349-55	2.2	2
54	Relationship between dopamine deficit and the expression of depressive behavior resulted from alteration of serotonin system. <i>Synapse</i> , 2015 , 69, 453-60	2.4	20
53	$[(^{18}\text{F})\text{FPEB}]$ and $[(^{18}\text{F})\text{FDEGPECO}]$ comparative study of mGlu5 quantification in rodent brain. <i>Applied Radiation and Isotopes</i> , 2015 , 98, 103-7	1.7	3
52	^{18}F -Mefway PET imaging of serotonin 1A receptors in humans: a comparison with ^{18}F -FCWAY. <i>PLoS ONE</i> , 2015 , 10, e0121342	3.7	9
51	Feasibility of Computed Tomography-Guided Methods for Spatial Normalization of Dopamine Transporter Positron Emission Tomography Image. <i>PLoS ONE</i> , 2015 , 10, e0132585	3.7	17
50	Role of diffusion-weighted MRI: predicting axillary lymph node metastases in breast cancer. <i>Acta Radiologica</i> , 2014 , 55, 909-16	2	34
49	Rebound thymic hyperplasia detected by ^{18}F -FDG PET/CT after radioactive iodine ablation therapy for thyroid cancer. <i>Thyroid</i> , 2014 , 24, 1636-41	6.2	11
48	Translational possibility of $[\text{F}]\text{Mefway}$ to image serotonin 1A receptors in humans: Comparison with $[\text{F}]\text{FCWAY}$ in rodents. <i>Synapse</i> , 2014 , 68, 595-603	2.4	3
47	Low iodine diet for one week is sufficient for adequate preparation of high dose radioactive iodine ablation therapy of differentiated thyroid cancer patients in iodine-rich areas. <i>Thyroid</i> , 2014 , 24, 1289-96	6.2	19
46	Dopaminergic neuron destruction reduces hippocampal serotonin 1A receptor uptake of trans- $[(^{18}\text{F})\text{Mefway}]$. <i>Applied Radiation and Isotopes</i> , 2014 , 94, 30-34	1.7	4
45	$[\text{F}]\text{-fluorodeoxyglucose}$ positron emission tomography can contribute to discriminate patients with poor prognosis in hormone receptor-positive breast cancer. <i>PLoS ONE</i> , 2014 , 9, e105905	3.7	14
44	Risk factors for developing hyponatremia in thyroid cancer patients undergoing radioactive iodine therapy. <i>PLoS ONE</i> , 2014 , 9, e106840	3.7	8
43	A computed tomography-based spatial normalization for the analysis of $[\text{F}]\text{-fluorodeoxyglucose}$ positron emission tomography of the brain. <i>Korean Journal of Radiology</i> , 2014 , 15, 862-70	6.9	2
42	Acute physical stress induces the alteration of the serotonin 1A receptor density in the hippocampus. <i>Synapse</i> , 2014 , 68, 363-8	2.4	10
41	Standardized uptake value of ^{18}F -fluorodeoxyglucose positron emission tomography for prediction of tumor recurrence in breast cancer beyond tumor burden. <i>Breast Cancer Research</i> , 2014 , 16, 502	8.3	29

40	Determination of optimal acquisition time of [(18)F]FCWAY PET for imaging serotonin 1A receptors in the healthy male subjects. <i>Applied Radiation and Isotopes</i> , 2014 , 89, 141-5	1.7	3
39	Optimization of the radiosynthesis of [(18) F]MEFWAY for imaging brain serotonin 1A receptors by using the GE TracerLab FXFN-Pro module. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2013 , 56, 589-94	1.9	6
38	Effective microPET imaging of brain 5-HT(1A) receptors in rats with [(18) F]MeFWAY by suppression of radioligand defluorination. <i>Synapse</i> , 2012 , 66, 1015-23	2.4	13
37	Initially non-diagnostic ultrasound-guided fine needle aspiration cytology of thyroid nodules: value and management. <i>Acta Radiologica</i> , 2012 , 53, 168-73	2	16
36	Evaluation of dopamine transporters and D2 receptors in hemiparkinsonian rat brains in vivo using consecutive PET scans of [18F]FPCIT and [18F]fallypride. <i>Applied Radiation and Isotopes</i> , 2012 , 70, 2689-94	1.7	10
35	A spinal cord astrocytoma and its concurrent osteoblastic metastases at the time of the initial diagnosis: a case report and literature review. <i>Korean Journal of Radiology</i> , 2011 , 12, 620-5	6.9	1
34	Nodal staging of rectal cancer: high-resolution pelvic MRI versus 18 F-FDGPET/CT. <i>Journal of Computer Assisted Tomography</i> , 2011 , 35, 531-4	2.2	46
33	Cerebral cortical areas in which thickness correlates with severity of motor deficits of Parkinson's disease. <i>Journal of Neurology</i> , 2011 , 258, 1871-6	5.5	18
32	Hiatal hernia detected by iodine-131 scan for ablation of thyroid carcinoma. <i>ANZ Journal of Surgery</i> , 2010 , 80, 198	1	
31	Cerebral glucose metabolism of Parkinson's disease patients with mild cognitive impairment. <i>European Neurology</i> , 2010 , 64, 65-73	2.1	40
30	The role of ultrasonography and FDG-PET in axillary lymph node staging of breast cancer. <i>Acta Radiologica</i> , 2010 , 51, 859-65	2	40
29	18 F-FDG PET imaging of progressive massive fibrosis. <i>Annals of Nuclear Medicine</i> , 2010 , 24, 21-7	2.5	20
28	Topographical distribution of cerebral cortical thinning in patients with mild Parkinson's disease without dementia. <i>Movement Disorders</i> , 2010 , 25, 496-9	7	68
27	F-18 FDG PET scan findings in patients with Loeffler's syndrome. <i>Clinical Nuclear Medicine</i> , 2009 , 34, 570-57	5.7	0
26	Saline flush effect for enhancement of aorta and coronary arteries at multidetector CT coronary angiography. <i>Radiology</i> , 2008 , 246, 110-5	20.5	40
25	Diagnostic efficacy and characteristic feature of MRI in pulmonary hamartoma: comparison with CT, specimen MRI, and pathology. <i>Journal of Computer Assisted Tomography</i> , 2008 , 32, 919-25	2.2	24
24	Adrenocortical oncocytoma displaying intense activity on 18 F-FDG-PET: a case report and a literature review. <i>Annals of Nuclear Medicine</i> , 2008 , 22, 821-4	2.5	20
23	F-18 FDG PET Features of Progressive Massive Fibrosis in Patients with Pneumoconiosis. <i>Journal of the Korean Radiological Society</i> , 2008 , 59, 255		1

22	Relationship Between the Striatal and Cerebellar Glucose Metabolism and the Response to Levodopa Treatment in Patients With Multiple System Atrophy. <i>Journal of Movement Disorders</i> , 2008 , 1, 26-32	2.9	
21	Assessment of the right ventricular function and mass using cardiac multi-detector computed tomography in patients with chronic obstructive pulmonary disease. <i>Korean Journal of Radiology</i> , 2007 , 8, 15-21	6.9	9
20	Accuracy of fluorodeoxyglucose-positron emission tomography for diagnosis of single bone metastasis: comparison with bone scintigraphy. <i>Journal of Computer Assisted Tomography</i> , 2007 , 31, 812-92	2.9	13
19	Efficacy of multidetector row computed tomography of the spine in patients with multiple myeloma: comparison with magnetic resonance imaging and fluorodeoxyglucose-positron emission tomography. <i>Journal of Computer Assisted Tomography</i> , 2007 , 31, 342-7	2.2	41
18	Assessment of regional GABA(A) receptor binding using 18F-fluoroflumazenil positron emission tomography in spastic type cerebral palsy. <i>NeuroImage</i> , 2007 , 34, 19-25	7.9	23
17	Differential CT features of infectious pneumonia versus bronchioloalveolar carcinoma (BAC) mimicking pneumonia. <i>European Radiology</i> , 2006 , 16, 1763-8	8	24
16	Evaluation of right ventricular volume and mass using retrospective ECG-gated cardiac multidetector computed tomography: comparison with first-pass radionuclide angiography. <i>European Radiology</i> , 2005 , 15, 1987-93	8	43
15	A Case of Primary Pericardial Malignant Mesothelioma. <i>Tuberculosis and Respiratory Diseases</i> , 2004 , 57, 599	3.2	
14	Pleomorphic carcinoma of lung: comparison of CT features and pathologic findings. <i>Radiology</i> , 2004 , 232, 554-9	20.5	65
13	Reversed halo sign on high-resolution CT of cryptogenic organizing pneumonia: diagnostic implications. <i>American Journal of Roentgenology</i> , 2003 , 180, 1251-4	5.4	232
12	Acute cholecystitis at T2-weighted and manganese-enhanced T1-weighted MR cholangiography: preliminary study. <i>Radiology</i> , 2003 , 227, 580-4	20.5	45
11	Dopamine transporter density in the basal ganglia assessed with [123I]IPT SPET in children with attention deficit hyperactivity disorder. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003 , 30, 306-11	8.8	156
10	Radiographic findings of primary B-cell lymphoma of the stomach: low-grade versus high-grade malignancy in relation to the mucosa-associated lymphoid tissue concept. <i>American Journal of Roentgenology</i> , 2002 , 179, 1297-304	5.4	31
9	CT Findings of Focal Organizing Pneumonia. <i>Journal of the Korean Radiological Society</i> , 2000 , 43, 711		
8	Differential CT Features between Malignant Mesothelioma and Pleural Metastasis from Lung Cancer or Extrathoracic Primary Tumor Mimicking Malignant Mesothelioma. <i>Journal of the Korean Radiological Society</i> , 2000 , 42, 71		1
7	Perfusion impairments in infantile autism on technetium-99m ethyl cysteinate dimer brain single-photon emission tomography: comparison with findings on magnetic resonance imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1999 , 26, 253-9	8.8	50
6	Evaluation of reperfusion and recovery of brain function before and after intracarotid arterial urokinase therapy in acute cerebral infarction with brain SPECT. <i>Clinical Nuclear Medicine</i> , 1999 , 24, 566-77	7.7	6
5	Cerebral Cavernous Malformations. <i>Neurologia Medico-Chirurgica</i> , 1998 , 38, 255-261	2.6	9

- | | | | |
|---|---|-----|---|
| 4 | CT Findings of Pleural Dissemination in Primary Lung Cancer. <i>Journal of the Korean Radiological Society</i> , 1998 , 39, 1119 | | |
| 3 | MR Findings of Cerebral Palsy: Comparison Between Preterm Patients and Fullterm Patients. <i>Journal of the Korean Radiological Society</i> , 1997 , 37, 547 | | |
| 2 | Evaluation of cardiac sympathetic neuronal integrity in diabetic patients using iodine-123 metaiodobenzylguanidine. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1996 , 23, 401-6 | 17 | |
| 1 | Detection of malignant melanoma by Tc-99m HMPAO. <i>Clinical Nuclear Medicine</i> , 1995 , 20, 528-30 | 1.7 | 5 |