Junghyun Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6703768/publications.pdf

Version: 2024-02-01

		394421	454955
59	1,090 citations	19	30
papers	citations	h-index	g-index
60	60	60	1534
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Extract of Moutan radicis cortex and Cinnamomi ramulus ameliorates laser-induced choroidal neovascularization in Brown-Norway rats. Phytomedicine, 2022, 94, 153794.	5.3	2
2	D-allulose ameliorates hyperglycemia through IRE1 \hat{l}_{\pm} sulfonation-RIDD-SIRT1 decay axis in the skeletal muscle. Antioxidants and Redox Signaling, 2022, , .	5.4	4
3	Polydatin Alleviates Diabetes-Induced Hyposalivation through Anti-Glycation Activity in db/db Mouse. Pharmaceutics, 2022, 14, 51.	4.5	3
4	GABA and Fermented Curcuma longa L. Extract Enriched with GABA Ameliorate Obesity through Nox4-IRE1α Sulfonation-RIDD-SIRT1 Decay Axis in High-Fat Diet-Induced Obese Mice. Nutrients, 2022, 14, 1680.	4.1	7
5	Effect of Aucubin-Containing Eye Drops on Tear Hyposecretion and Lacrimal Gland Damage Induced by Urban Particulate Matter in Rats. Molecules, 2022, 27, 2926.	3.8	3
6	Esculetin has therapeutic potential via the proapoptotic signaling pathway in A253 human submandibular salivary gland tumor cells. Experimental and Therapeutic Medicine, 2022, 24, .	1.8	3
7	Pectin-Lyase-Modified Ginseng Extract and Ginsenoside Rd Inhibits High Glucose-Induced ROS Production in Mesangial Cells and Prevents Renal Dysfunction in db/db Mice. Molecules, 2021, 26, 367.	3.8	5
8	Gemigliptin suppresses salivary dysfunction in streptozotocin-induced diabetic rats. Biomedicine and Pharmacotherapy, 2021, 137, 111297.	5.6	5
9	Ginger extract controls mTOR-SREBP1-ER stress-mitochondria dysfunction through AMPK activation in obesity model. Journal of Functional Foods, 2021, 87, 104628.	3.4	10
10	GABA- and Glycine-Mimetic Responses of Linalool on the Substantia Gelatinosa of the Trigeminal Subnucleus Caudalis in Juvenile Mice: Pain Management through Linalool-Mediated Inhibitory Neurotransmission. The American Journal of Chinese Medicine, 2021, 49, 1437-1448.	3.8	3
11	Advanced Glycation End Products Increase Salivary Gland Hypofunction in d-Galactose-Induced Aging Rats and Its Prevention by Physical Exercise. Current Issues in Molecular Biology, 2021, 43, 2059-2067.	2.4	8
12	Preventive effect of polydatin on diabetes-related hypofunction of salivary gland in streptozotocin-induced diabetic rats. Journal of Biomedical Translational Research, 2021, 22, 159-167.	0.1	1
13	The Herbal Combination CPA4-1 Inhibits Changes in Retinal Capillaries and Reduction of Retinal Occludin in db/db Mice. Antioxidants, 2020, 9, 627.	5.1	2
14	Citrus Peel Extract Ameliorates High-Fat Diet-Induced NAFLD via Activation of AMPK Signaling. Nutrients, 2020, 12, 673.	4.1	22
15	<i>Aucuba japonica</i> extract inhibits retinal neovascularization in a mouse model of oxygenâ€induced retinopathy, with its bioactive components preventing VEGFâ€induced retinal vascular hyperpermeability. Food Science and Nutrition, 2020, 8, 2895-2903.	3.4	3
16	Anti-angiogenic effect of EGHB010, a standardized herbal formula of Paeoniae radix and Glycyrrhizae radix. Pakistan Journal of Pharmaceutical Sciences, 2020, 33, 129-134.	0.2	0
17	Antiglycation Activity of Aucubin In Vitro and in Exogenous Methylglyoxal Injected Rats. Molecules, 2019, 24, 3653.	3.8	10
18	Improvement in Diabetic Retinopathy through Protection against Retinal Apoptosis in Spontaneously Diabetic Torii Rats Mediated by Ethanol Extract of Osteomeles schwerinae C.K. Schneid. Nutrients, 2019, 11, 546.	4.1	9

#	Article	IF	Citations
19	Apricot Kernel Extract and Amygdalin Inhibit Urban Particulate Matter-Induced Keratoconjunctivitis Sicca. Molecules, 2019, 24, 650.	3.8	23
20	Ginseng Extract Modified by Pectin Lyase Inhibits Retinal Vascular Injury and Blood-Retinal Barrier Breakage in a Rat Model of Diabetes. Journal of Medicinal Food, 2019, 22, 337-343.	1.5	8
21	Ethyl Pyruvate Prevents Renal Damage Induced by Methylglyoxal-Derived Advanced Glycation End Products. Journal of Diabetes Research, 2019, 2019, 1-9.	2.3	8
22	Aucubin, An Active Ingredient in Aucuba japonica, Prevents N-methyl-N-nitrosourea-induced Retinal Degeneration in Mice. Molecules, 2019, 24, 4437.	3.8	8
23	Aster koraiensis extract improves impaired skin wound healing during hyperglycemia. Integrative Medicine Research, 2018, 7, 351-357.	1.8	8
24	Aloin Inhibits Mýller Cells Swelling in a Rat Model of Thioacetamide-Induced Hepatic Retinopathy. Molecules, 2018, 23, 2806.	3.8	25
25	Aucuba japonica Extract and Aucubin Prevent Desiccating Stress-Induced Corneal Epithelial Cell Injury and Improve Tear Secretion in a Mouse Model of Dry Eye Disease. Molecules, 2018, 23, 2599.	3.8	16
26	<i>Aster koraiensis</i> Extract and Chlorogenic Acid Inhibit Retinal Angiogenesis in a Mouse Model of Oxygen-Induced Retinopathy. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-8.	1.2	14
27	Osteomeles schwerinae Extract Prevents Diabetes-Induced Renal Injury in Spontaneously Diabetic Torii Rats. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-8.	1.2	8
28	Oridonin induces apoptosis in human oral cancer cells via phosphorylation of histone H2 <scp>AX</scp> . European Journal of Oral Sciences, 2017, 125, 438-443.	1.5	22
29	EGHB010, a Standardized Extract of Paeoniae Radix and Glycyrrhizae Radix, Inhibits VEGF-Induced Tube Formation In Vitro and Retinal Vascular Leakage and Choroidal Neovascularization In Vivo. Evidence-based Complementary and Alternative Medicine, 2017, 2017, 1-7.	1.2	3
30	GS-E3D, a new pectin lyase-modified red ginseng extract, inhibited diabetes-related renal dysfunction in streptozotocin-induced diabetic rats. BMC Complementary and Alternative Medicine, 2017, 17, 430.	3.7	13
31	The role of glycation in the pathogenesis of aging and its prevention through herbal products and physical exercise. Journal of Exercise Nutrition & Biochemistry, 2017, 21, 55-61.	1.3	79
32	Pectin lyase-modified red ginseng extract exhibits potent anti-glycation effects in vitro and in vivo. Journal of Exercise Nutrition & Biochemistry, 2017, 21, 56-62.	1.3	5
33	The Extract of Aster Koraiensis Prevents Retinal Pericyte Apoptosis in Diabetic Rats and Its Active Compound, Chlorogenic Acid Inhibits AGE Formation and AGE/RAGE Interaction. Nutrients, 2016, 8, 585.	4.1	29
34	Jakyakgamcho-tang and Its Major Component, Paeonia Lactiflora, Exhibit Potent Anti-glycation Properties. Journal of Exercise Nutrition & Biochemistry, 2016, 20, 60-64.	1.3	10
35	Topical Application of Apricot Kernel Extract Improves Dry Eye Symptoms in a Unilateral Exorbital Lacrimal Gland Excision Mouse. Nutrients, 2016, 8, 750.	4.1	23
36	Cnidium officinale extract and butylidenephthalide inhibits retinal neovascularization in vitro and in vivo. BMC Complementary and Alternative Medicine, 2016, 16, 231.	3.7	27

#	Article	IF	Citations
37	Extract of Rhizoma Polygonum cuspidatum reduces early renal podocyte injury in streptozotocin-induced diabetic rats and its active compound emodin inhibits methylglyoxal-mediated glycation of proteins. Molecular Medicine Reports, 2015, 12, 5837-5845.	2.4	25
38	OSSC1E-K19, a novel phytochemical component of Osteomeles schwerinae, prevents glycated albumin-induced retinal vascular injury in rats. Molecular Medicine Reports, 2015, 12, 7279-7284.	2.4	1
39	Treadmill Exercise Attenuates Retinal Oxidative Stress in Naturally-Aged Mice: An Immunohistochemical Study. International Journal of Molecular Sciences, 2015, 16, 21008-21020.	4.1	28
40	Gemigliptin improves renal function and attenuates podocyte injury in mice with diabetic nephropathy. European Journal of Pharmacology, 2015, 761, 116-124.	3.5	40
41	Gemigliptin, a dipeptidyl peptidase-4 inhibitor, inhibits retinal pericyte injury in db/db mice and retinal neovascularization in mice with ischemic retinopathy. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2015, 1852, 2618-2629.	3.8	17
42	Myricetin inhibits advanced glycation end product (AGE)-induced migration of retinal pericytes through phosphorylation of ERK1/2, FAK-1, and paxillin in vitro and in vivo. Biochemical Pharmacology, 2015, 93, 496-505.	4.4	34
43	Anti-glycation and anti-angiogenic activities of 5′-methoxybiphenyl-3,4,3′-triol, a novel phytochemical component of Osteomeles schwerinae. European Journal of Pharmacology, 2015, 760, 172-178.	3.5	10
44	Inhibitory effect of Samul-tang on retinal neovascularization in oxygen-induced retinopathy. BMC Complementary and Alternative Medicine, 2015, 15, 271.	3.7	11
45	HL-217, a new topical anti-angiogenic agent, inhibits retinal vascular leakage and pathogenic subretinal neovascularization in Vldlrâ^'/â^' mice. Biochemical and Biophysical Research Communications, 2015, 456, 53-58.	2.1	7
46	Root of Polygonum cuspidatum extract reduces progression of diabetes-induced mesangial cell dysfunction via inhibition of platelet-derived growth factor-BB (PDGF-BB) and interaction with its receptor in streptozotocin-induced diabetic rats. BMC Complementary and Alternative Medicine, 2014, 14, 477.	3.7	11
47	Extract of Litsea japonica ameliorates blood–retinal barrier breakdown in db/db mice. Endocrine, 2014, 46, 462-469.	2.3	18
48	Scopoletin Inhibits Rat Aldose Reductase Activity and Cataractogenesis in Galactose-Fed Rats. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-8.	1.2	11
49	Ethyl Pyruvate Prevents Methyglyoxal-Induced Retinal Vascular Injury in Rats. Journal of Diabetes Research, 2013, 2013, 1-8.	2.3	6
50	The Extract of i>Litsea japonica i>Reduced the Development of Diabetic Nephropathy via the Inhibition of Advanced Glycation End Products Accumulation in db/db Mice. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-9.	1.2	23
51	Ethyl Pyruvate Inhibits Retinal Pathogenic Neovascularization by Downregulating HMGB1 Expression. Journal of Diabetes Research, 2013, 2013, 1-8.	2.3	25
52	Effect of Regular Exercise on the Histochemical Changes of D-Galactose-Induced Oxidative Renal Injury in High-Fat Diet-Fed Rats. Acta Histochemica Et Cytochemica, 2013, 46, 111-119.	1.6	21
53	Renal Podocyte Injury in a Rat Model of Type 2 Diabetes Is Prevented by Metformin. Experimental Diabetes Research, 2012, 2012, 1-9.	3.8	85
54	Chlorogenic acid inhibits the formation of advanced glycation end products and associated protein cross-linking. Archives of Pharmacal Research, 2011, 34, 495-500.	6.3	70

#	Article	IF	CITATIONS
55	KIOM-79 Prevents Lens Epithelial Cell Apoptosis and Lens Opacification in Zucker Diabetic Fatty Rats. Evidence-based Complementary and Alternative Medicine, 2011, 2011, 1-10.	1.2	9
56	3,5-Di- <i>O</i> -caffeoyl- <i>epi</i> -quinic Acid from the Leaves and Stems of <i>Erigeron annuus</i> Inhibits Protein Glycation, Aldose Reductase, and Cataractogenesis. Biological and Pharmaceutical Bulletin, 2010, 33, 329-333.	1.4	59
57	Cytotoxic role of methylglyoxal in rat retinal pericytes: Involvement of a nuclear factor-kappaB and inducible nitric oxide synthase pathway. Chemico-Biological Interactions, 2010, 188, 86-93.	4.0	27
58	Extract of the aerial parts of Aster koraiensis reduced development of diabetic nephropathy via anti-apoptosis of podocytes in streptozotocin-induced diabetic rats. Biochemical and Biophysical Research Communications, 2010, 391, 733-738.	2.1	51
59	Anti-lipase and lipolytic activities of ursolic acid isolated from the roots of Actinidia arguta. Archives of Pharmacal Research, 2009, 32, 983-987.	6.3	72