

Andrew E Hanselman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6704983/publications.pdf>

Version: 2024-02-01

18
papers

291
citations

933447
10
h-index

888059
17
g-index

20
all docs

20
docs citations

20
times ranked

323
citing authors

#	ARTICLE	IF	CITATIONS
1	How Has Opioid Prescribing in Total Ankle Arthroplasty Changed with Time and State Legislation? A National and State-Level Analysis. <i>Foot & Ankle Orthopaedics</i> , 2022, 7, 2473011421S0015.	0.2	0
2	From Patient to Procedure: The Process of Creating a Custom 3D-Printed Medical Device for Foot and Ankle Pathology. <i>Foot and Ankle Specialist</i> , 2021, 14, 271-280.	1.0	8
3	Avascular Necrosis of the Talus After Subchondroplasty. <i>Foot and Ankle International</i> , 2021, 42, 1138-1143.	2.3	10
4	Clinical applications of custom 3D printed implants in complex lower extremity reconstruction. <i>3D Printing in Medicine</i> , 2020, 6, 29.	3.1	26
5	Attritional Rupture of Peroneus Brevis and Peroneus Longus Tendons: Allograft Reconstruction. , 2020, , 309-319.		0
6	Hallux Valgus. <i>Foot & Ankle Orthopaedics</i> , 2019, 4, 247301141983850.	0.2	27
7	Peroneal Tendon Tears: When to Use an Allograft. <i>Techniques in Foot and Ankle Surgery</i> , 2019, 18, 80-86.	0.2	1
8	Osseointegrated Transcutaneous Device for Amputees: A Pilot Large Animal Model. <i>Advances in Orthopedics</i> , 2018, 2018, 1-9.	1.0	3
9	Acute Rupture Open Repair Techniques. <i>Clinics in Podiatric Medicine and Surgery</i> , 2017, 34, 245-250.	0.6	4
10	Smartphone assessment of knee flexion compared to radiographic standards. <i>Knee</i> , 2017, 24, 224-230.	1.6	15
11	Posterior Tibialis Tendon Rupture in a Closed Bimalleolar-Equivalent Ankle Fracture: Case Report. <i>Foot and Ankle Specialist</i> , 2017, 10, 572-577.	1.0	8
12	Operative Cost Comparison: Plating Versus Intramedullary Fixation for Clavicle Fractures. <i>Orthopedics</i> , 2016, 39, e877-82.	1.1	11
13	Contamination Relative to the Activation Timing of Filtered-Exhaust Helmets. <i>Journal of Arthroplasty</i> , 2016, 31, 776-780.	3.1	16
14	Economic impact of syndesmosis hardware removal. <i>Foot</i> , 2015, 25, 131-133.	1.1	47
15	Topical Review. <i>Foot and Ankle Specialist</i> , 2015, 8, 297-304.	1.0	16
16	Cryopreserved Human Amniotic Membrane Injection for Plantar Fasciitis. <i>Foot and Ankle International</i> , 2015, 36, 151-158.	2.3	70
17	Total Ankle Arthroplasty With Severe Preoperative Varus Deformity. <i>Orthopedics</i> , 2015, 38, e343-6.	1.1	14
18	Effect of Dorsal Plate Positioning on Dorsiflexion Angle in Arthrodesis of the First Metatarsophalangeal Joint. <i>Foot and Ankle International</i> , 2014, 35, 802-808.	2.3	11