## Takanari Kitazono

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6705366/publications.pdf

Version: 2024-02-01

439 papers 7,951 citations

66343 42 h-index 63 g-index

450 all docs

450 docs citations

450 times ranked 11525 citing authors

#	Article	IF	CITATIONS
1	Secular Trends in Cardiovascular Disease and Its Risk Factors in Japanese. Circulation, 2013, 128, 1198-1205.	1.6	250
2	Dietary patterns and risk of dementia in an elderly Japanese population: the Hisayama Study. American Journal of Clinical Nutrition, 2013, 97, 1076-1082.	4.7	178
3	Trends in dementia prevalence, incidence, and survival rate in a Japanese community. Neurology, 2017, 88, 1925-1932.	1.1	154
4	Phosphate overload directly induces systemic inflammation and malnutrition as well as vascular calcification in uremia. American Journal of Physiology - Renal Physiology, 2014, 306, F1418-F1428.	2.7	138
5	Management of patients on antithrombotic agents undergoing emergency and elective endoscopy: joint Asian Pacific Association of Gastroenterology (APAGE) and Asian Pacific Society for Digestive Endoscopy (APSDE) practice guidelines. Gut, 2018, 67, 405-417.	12.1	132
6	PDGF Receptor & Signaling in Pericytes Following Ischemic Brain Injury. Current Neurovascular Research, 2012, 9, 1-9.	1.1	122
7	Day-to-Day Blood Pressure Variability and Risk of Dementia in a General Japanese Elderly Population. Circulation, 2017, 136, 516-525.	1.6	113
8	Proton Pump Inhibitors Increase Incidence of Nonsteroidal Anti-Inflammatory Drug–Induced Small Bowel Injury: AÂRandomized, Placebo-Controlled Trial. Clinical Gastroenterology and Hepatology, 2016, 14, 809-815.e1.	4.4	108
9	A Hereditary Enteropathy Caused by Mutations in the SLCO2A1 Gene, Encoding a Prostaglandin Transporter. PLoS Genetics, 2015, 11, e1005581.	3.5	94
10	Selfâ€Reported Dietary Intake of Potassium, Calcium, and Magnesium and Risk of Dementia in the <scp>J</scp> apanese: The <scp>H</scp> isayama Study. Journal of the American Geriatrics Society, 2012, 60, 1515-1520.	2.6	93
11	Milk and Dairy Consumption and Risk of Dementia in an Elderly <scp>J</scp> apanese Population: The <scp>H</scp> isayama Study. Journal of the American Geriatrics Society, 2014, 62, 1224-1230.	2.6	92
12	Comparison of the microbial community structure between inflamed and nonâ€inflamed sites in patients with ulcerative colitis. Journal of Gastroenterology and Hepatology (Australia), 2018, 33, 1590-1597.	2.8	87
13	Involvement of platelet-derived growth factor receptor $\hat{l}^2$ in fibrosis through extracellular matrix protein production after ischemic stroke. Experimental Neurology, 2015, 264, 127-134.	4.1	83
14	Three-month risk-benefit profile of anticoagulation after stroke with atrial fibrillation: The SAMURAI-Nonvalvular Atrial Fibrillation (NVAF) study. International Journal of Stroke, 2016, 11, 565-574.	5.9	75
15	Neurotrophin production in brain pericytes during hypoxia: A role of pericytes for neuroprotection. Microvascular Research, 2012, 83, 352-359.	2.5	73
16	Insulin resistance and clinical outcomes after acute ischemic stroke. Neurology, 2018, 90, e1470-e1477.	1.1	72
17	Association Between Diabetes and Hippocampal Atrophy in Elderly Japanese: The Hisayama Study. Diabetes Care, 2016, 39, 1543-1549.	8.6	71
18	Impact of the Triglycerides to High-Density Lipoprotein Cholesterol Ratio on the Incidence and Progression of CKD: A Longitudinal Study in a Large Japanese Population. American Journal of Kidney Diseases, 2015, 66, 972-983.	1.9	70

#	Article	lF	CITATIONS
19	Day-by-Day Blood Pressure Variability and Functional Outcome After Acute Ischemic Stroke. Stroke, 2015, 46, 1832-1839.	2.0	67
20	The long-term association between physical activity and risk of dementia in the community: the Hisayama Study. European Journal of Epidemiology, 2016, 31, 267-274.	5.7	67
21	Detrimental role of pericyte Nox4 in the acute phase of brain ischemia. Journal of Cerebral Blood Flow and Metabolism, 2016, 36, 1143-1154.	4.3	65
22	Association of the triglycerides to high-density lipoprotein cholesterol ratio with the risk of chronic kidney disease: Analysis in a large Japanese population. Atherosclerosis, 2014, 233, 260-267.	0.8	64
23	Endothelium-Dependent Hyperpolarization (EDH) in Hypertension: The Role of Endothelial Ion Channels. International Journal of Molecular Sciences, 2018, 19, 315.	4.1	64
24	Comparing intracerebral hemorrhages associated with direct oral anticoagulants or warfarin. Neurology, 2018, 90, e1143-e1149.	1.1	63
25	U-shaped association of sleep duration with metabolic syndrome and insulin resistance in patients with type 2 diabetes: The Fukuoka Diabetes Registry. Metabolism: Clinical and Experimental, 2014, 63, 484-491.	3.4	61
26	Plasma C-Reactive Protein and Clinical Outcomes after Acute Ischemic Stroke: A Prospective Observational Study. PLoS ONE, 2016, 11, e0156790.	2.5	59
27	Possible involvement of basic FGF in the upregulation of PDGFRβ in pericytes after ischemic stroke. Brain Research, 2016, 1630, 98-108.	2.2	57
28	Midlife and Lateâ€Life Smoking and Risk of Dementia in the Community: The Hisayama Study. Journal of the American Geriatrics Society, 2015, 63, 2332-2339.	2.6	56
29	Sex Differences in Short-Term Outcomes After Acute Ischemic Stroke. Stroke, 2015, 46, 471-476.	2.0	55
30	Vascular endothelial growth factor-C ameliorates renal interstitial fibrosis through lymphangiogenesis in mouse unilateral ureteral obstruction. Laboratory Investigation, 2017, 97, 1439-1452.	3.7	55
31	Downregulation of Endothelial Transient Receptor Potential Vanilloid Type 4 Channel and Small-Conductance of Ca <sup>2+</sup> -Activated K <sup>+</sup> Channels Underpins Impaired Endothelium-Dependent Hyperpolarization in Hypertension. Hypertension, 2017, 69, 143-153.	2.7	55
32	Thrombolysis With Alteplase at 0.6 mg/kg for Stroke With Unknown Time of Onset. Stroke, 2020, 51, $1530-1538$ .	2.0	55
33	Hematocrit and the risk of cardiovascular disease in a Japanese community: The Hisayama Study. Atherosclerosis, 2015, 242, 199-204.	0.8	54
34	Association Between Serum Phosphate Levels and Stroke Risk in Patients Undergoing Hemodialysis. Stroke, 2016, 47, 2189-2196.	2.0	54
35	Dose- and Time-Dependent Association of Smoking and Its Cessation with Glycemic Control and Insulin Resistance in Male Patients with Type 2 Diabetes Mellitus: The Fukuoka Diabetes Registry. PLoS ONE, 2015, 10, e0122023.	2.5	54
36	Blood urea nitrogen is independently associated with renal outcomes in Japanese patients with stage 3–5 chronic kidney disease: a prospective observational study. BMC Nephrology, 2019, 20, 115.	1.8	53

#	Article	IF	CITATIONS
37	Celecoxib and 2,5â€dimethylcelecoxib inhibit intestinal cancer growth by suppressing the Wnt∫βâ€catenin signaling pathway. Cancer Science, 2017, 108, 108-115.	3.9	52
38	Small Dense Low-Density Lipoprotein Cholesterol and the Risk of Coronary Heart Disease in a Japanese Community. Journal of Atherosclerosis and Thrombosis, 2020, 27, 669-682.	2.0	52
39	High neutrophil/lymphocyte ratio is associated with poor renal outcomes in Japanese patients with chronic kidney disease. Renal Failure, 2019, 41, 238-243.	2.1	49
40	Pericyte-Mediated Tissue Repair through PDGFRÎ <sup>2</sup> Promotes Peri-Infarct Astrogliosis, Oligodendrogenesis, and Functional Recovery after Acute Ischemic Stroke. ENeuro, 2020, 7, ENEURO.0474-19.2020.	1.9	49
41	Midlife and late-life handgrip strength and risk of cause-specific death in a general Japanese population: the Hisayama Study. Journal of Epidemiology and Community Health, 2014, 68, 663-668.	3.7	48
42	Early Reperfusion After Brain Ischemia Has Beneficial Effects Beyond Rescuing Neurons. Stroke, 2017, 48, 2222-2230.	2.0	48
43	Cardiothoracic Ratio and All-Cause Mortality and Cardiovascular Disease Events in Hemodialysis Patients: The Q-Cohort Study. American Journal of Kidney Diseases, 2017, 70, 84-92.	1.9	47
44	Serum Soluble Triggering Receptor Expressed on Myeloid Cells 2 as a Biomarker for Incident Dementia: The Hisayama Study. Annals of Neurology, 2019, 85, 47-58.	<b>5.</b> 3	45
45	Modified Creatinine Index and the Risk of Bone Fracture in Patients Undergoing Hemodialysis: The Q-Cohort Study. American Journal of Kidney Diseases, 2017, 70, 270-280.	1.9	44
46	Association Between Onset-to-Door Time and Clinical Outcomes After Ischemic Stroke. Stroke, 2017, 48, 3049-3056.	2.0	44
47	Intensive Treat-to-Target Statin Therapy in High-Risk Japanese Patients With Hypercholesterolemia and Diabetic Retinopathy: Report of a Randomized Study. Diabetes Care, 2018, 41, 1275-1284.	8.6	43
48	Significance of plasma adiponectin for diagnosis, neurological severity and functional outcome in ischemic stroke $\hat{a} \in \mathbb{Z}$ Research for Biomarkers in Ischemic Stroke (REBIOS). Metabolism: Clinical and Experimental, 2014, 63, 1093-1103.	3.4	42
49	Clinical features of chronic enteropathy associated with SLCO2A1 gene: a new entity clinically distinct from Crohn's disease. Journal of Gastroenterology, 2018, 53, 907-915.	5.1	42
50	Outcomes associated with under-dosing of rivaroxaban for management of non-valvular atrial fibrillation in real-world Japanese clinical settings. Journal of Thrombosis and Thrombolysis, 2019, 48, 653-660.	2.1	42
51	Left Atrial Size and Longâ€Term Risk of Recurrent Stroke After Acute Ischemic Stroke in Patients With Nonvalvular Atrial Fibrillation. Journal of the American Heart Association, 2017, 6, .	3.7	40
52	The EXPAND study: Efficacy and safety of rivaroxaban in Japanese patients with non-valvular atrial fibrillation. International Journal of Cardiology, 2018, 258, 126-132.	1.7	40
53	Albuminuria Increases the Risks for Both Alzheimer Disease and Vascular Dementia in Communityâ€Dwelling Japanese Elderly: The Hisayama Study. Journal of the American Heart Association, 2018, 7, .	3.7	40
54	Association of geriatric nutritional risk index with infection-related mortality in patients undergoing hemodialysis: The Q-Cohort Study. Clinical Nutrition, 2019, 38, 279-287.	5.0	40

#	Article	IF	CITATIONS
55	Incidence of diabetic foot ulcer in Japanese patients with type 2 diabetes mellitus: The Fukuoka diabetes registry. Diabetes Research and Clinical Practice, 2018, 137, 183-189.	2.8	39
56	Sex differences in the association between serum uric acid levels and cardiac hypertrophy in patients with chronic kidney disease. Hypertension Research, 2014, 37, 246-252.	2.7	38
57	Non-high-density lipoprotein cholesterol and the development of coronary heart disease and stroke subtypes in a general Japanese population: The Hisayama Study. Atherosclerosis, 2014, 233, 343-348.	0.8	37
58	Gastrointestinal Bleeding in Acute Ischemic Stroke: Recent Trends from the Fukuoka Stroke Registry. Cerebrovascular Diseases Extra, 2014, 4, 156-164.	1.5	37
59	Association of severe hypoglycemia with depressive symptoms in patients with type 2 diabetes: the Fukuoka Diabetes Registry. BMJ Open Diabetes Research and Care, 2015, 3, e000063.	2.8	37
60	Brain Atrophy in Peritoneal Dialysis and CKD Stages 3-5: AÂCross-sectional and Longitudinal Study. American Journal of Kidney Diseases, 2015, 65, 312-321.	1.9	37
61	Comparison of prasugrel and clopidogrel in patients with non-cardioembolic ischaemic stroke: a phase 3, randomised, non-inferiority trial (PRASTRO-I). Lancet Neurology, The, 2019, 18, 238-247.	10.2	37
62	TYK2 Promoter Variant and Diabetes Mellitus in the Japanese. EBioMedicine, 2015, 2, 744-749.	6.1	35
63	The long-term follow-up of patients with thionamide-treated Graves' hyperthyroidism. Endocrine Journal, 2019, 66, 535-545.	1.6	35
64	Role of Nitric Oxide in Regulation of Brain Stem Circulation during Hypotension. Journal of Cerebral Blood Flow and Metabolism, 1997, 17, 1089-1096.	4.3	34
65	Reduced Estimated GFR and Cardiac Remodeling: A Population-Based Autopsy Study. American Journal of Kidney Diseases, 2019, 74, 373-381.	1.9	34
66	Association of hemoglobin A1c and glycated albumin with carotid atherosclerosis in community-dwelling Japanese subjects: the Hisayama Study. Cardiovascular Diabetology, 2015, 14, 84.	6.8	33
67	Short-Term Exposure to Fine Particulate Matter and Risk of Ischemic Stroke. Stroke, 2016, 47, 3032-3034.	2.0	33
68	Smoking Status and Functional Outcomes After Acute Ischemic Stroke. Stroke, 2020, 51, 846-852.	2.0	33
69	Prevalence and Mortality of Sarcopenia in a Community-dwelling Older Japanese Population: The Hisayama Study. Journal of Epidemiology, 2021, 31, 320-327.	2.4	33
70	Spironolactone ameliorates arterial medial calcification in uremic rats: the role of mineralocorticoid receptor signaling in vascular calcification. American Journal of Physiology - Renal Physiology, 2015, 309, F967-F979.	2.7	32
71	Nonconvulsive Partial Status Epilepticus Mimicking Recurrent Infarction Revealed by Diffusion-weighted and Arterial Spin Labeling Perfusion Magnetic Resonance Images. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 731-738.	1.6	32
72	Association of serum total bilirubin with renal outcome in Japanese patients with stages 3–5 chronic kidney disease. Metabolism: Clinical and Experimental, 2015, 64, 1096-1102.	3.4	31

#	Article	IF	Citations
73	Serum Angiopoietin–Like Protein 2 Is a Novel Risk Factor for Cardiovascular Disease in the Community. Arteriosclerosis, Thrombosis, and Vascular Biology, 2016, 36, 1686-1691.	2.4	31
74	Alternative Measures of Hyperglycemia and Risk of Alzheimer's Disease in the Community: The Hisayama Study. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 3002-3010.	3.6	31
75	Outcome Prediction in Acute Stroke Patients by Continuous Glucose Monitoring. Journal of the American Heart Association, 2018, 7, .	3.7	31
76	Reciprocal Interaction Between Pericytes and Macrophage in Poststroke Tissue Repair and Functional Recovery. Stroke, 2020, 51, 3095-3106.	2.0	31
77	Early Initiation of Direct Oral Anticoagulants After Onset of Stroke and Short- and Long-Term Outcomes of Patients With Nonvalvular Atrial Fibrillation. Stroke, 2020, 51, 883-891.	2.0	31
78	Impact of Leisure-Time Physical Activity on Glycemic Control and Cardiovascular Risk Factors in Japanese Patients with Type 2 Diabetes Mellitus: The Fukuoka Diabetes Registry. PLoS ONE, 2014, 9, e98768.	2.5	31
79	Angiotensin II Receptor–Neprilysin Inhibitor Sacubitril/Valsartan Improves Endothelial Dysfunction in Spontaneously Hypertensive Rats. Journal of the American Heart Association, 2017, 6, .	3.7	30
80	Adenovirus-Mediated Gene Transfer to Ischemic Brain. Stroke, 2001, 32, 1043-1047.	2.0	29
81	Plasma S100A12 is associated with functional outcome after ischemic stroke: Research for Biomarkers in Ischemic Stroke. Journal of the Neurological Sciences, 2014, 340, 75-79.	0.6	28
82	NADPH Oxidase-Related Pathophysiology in Experimental Models of Stroke. International Journal of Molecular Sciences, 2017, 18, 2123.	4.1	28
83	Association of adipocyte enhancerâ€binding protein 1 with <scp>A</scp>  zheimer's disease pathology in human hippocampi. Brain Pathology, 2018, 28, 58-71.	4.1	28
84	Sodium-Coupled Glucose Transporter as a Functional Glucose Sensor of Retinal Microvascular Circulation. Circulation Research, 2001, 88, 1183-1188.	4.5	27
85	Clinical Significance of Fronto-Temporal Gray Matter Atrophy in Executive Dysfunction in Patients with Chronic Kidney Disease: The VCOHP Study. PLoS ONE, 2015, 10, e0143706.	2.5	27
86	Modified creatinine index and risk for cardiovascular events and all-cause mortality in patients undergoing hemodialysis: The Q-Cohort study. Atherosclerosis, 2018, 275, 115-123.	0.8	27
87	Risks of Mortality and Airflow Limitation in Japanese Individuals with Preserved Ratio Impaired Spirometry. American Journal of Respiratory and Critical Care Medicine, 2022, 206, 563-572.	5.6	27
88	Renal denervation has blood pressure–independent protective effects on kidney and heart in a rat model of chronic kidney disease. Kidney International, 2015, 87, 116-127.	5.2	26
89	Fetuin-A decrease induced by a low-protein diet enhances vascular calcification in uremic rats with hyperphosphatemia. American Journal of Physiology - Renal Physiology, 2015, 309, F744-F754.	2.7	26
90	Effects of smoking and its cessation on creatinine- and cystatin C-based estimated glomerular filtration rates and albuminuria in male patients with type 2 diabetes mellitus: the Fukuoka Diabetes Registry. Hypertension Research, 2016, 39, 744-751.	2.7	26

#	Article	IF	CITATIONS
91	Real-world outcomes of the Xarelto Post-Authorization Safety & Effectiveness Study in Japanese Patients with Atrial Fibrillation (XAPASS). Journal of Cardiology, 2019, 74, 60-66.	1.9	26
92	Decline in Handgrip Strength From Midlife to Late-Life is Associated With Dementia in a Japanese Community: The Hisayama Study. Journal of Epidemiology, 2020, 30, 15-23.	2.4	26
93	Altered Cerebrovascular Response to a Potassium Channel Opener in Hypertensive Rats. Hypertension, 1996, 28, 143-146.	2.7	26
94	Practical "1-2-3-4-Day―Rule for Starting Direct Oral Anticoagulants After Ischemic Stroke With Atrial Fibrillation: Combined Hospital-Based Cohort Study. Stroke, 2022, 53, 1540-1549.	2.0	26
95	Association between serum albumin level and incidence of end-stage renal disease in patients with Immunoglobulin A nephropathy: A possible role of albumin as an antioxidant agent. PLoS ONE, 2018, 13, e0196655.	2.5	25
96	Genome-Wide Polygenic Score and the Risk of Ischemic Stroke in a Prospective Cohort. Stroke, 2020, 51, 759-765.	2.0	25
97	Role of Ca2+ -activated K+ channels in acetylcholine-induced dilatation of the basilar artery in vivo. British Journal of Pharmacology, 1997, 120, 102-106.	5.4	24
98	Increased activity of calcium channels and Rho-associated kinase in the basilar artery during chronic hypertension in vivo. Journal of Hypertension, 2002, 20, 879-884.	0.5	24
99	Comparison of oral versus intravenous vitamin D receptor activator in reducing infection-related mortality in hemodialysis patients: the Q-Cohort Study. Nephrology Dialysis Transplantation, 2016, 31, 1152-1160.	0.7	24
100	Endothelium-Dependent Hyperpolarization (EDH) in Diabetes: Mechanistic Insights and Therapeutic Implications. International Journal of Molecular Sciences, 2019, 20, 3737.	4.1	24
101	Dietary fiber intake and risk of typeÂ2 diabetes in a general Japanese population: The Hisayama Study. Journal of Diabetes Investigation, 2021, 12, 527-536.	2.4	24
102	Role of Phosphatidylinositol 3-Kinase in Acetylcholine-Induced Dilatation of Rat Basilar Artery. Stroke, 2000, 31, 2487-2493.	2.0	23
103	Present Profiles of Novel Anticoagulant Use in Japanese Patients with Atrial Fibrillation: Insights from the Rivaroxaban Postmarketing Surveillance Registry. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 2520-2526.	1.6	23
104	Improvement in spatial memory dysfunction by telmisartan through reduction of brain angiotensin II and oxidative stress in experimental uremic mice. Life Sciences, 2014, 113, 55-59.	4.3	23
105	Very low protein diet enhances inflammation, malnutrition, and vascular calcification in uremic rats. Life Sciences, 2016, 146, 117-123.	4.3	23
106	The serum creatinine to cystatin C ratio predicts bone fracture in patients with type 2 diabetes: The Fukuoka Diabetes Registry. Diabetes Research and Clinical Practice, 2018, 146, 202-210.	2.8	23
107	Development and Validation of a Risk Prediction Model for Atherosclerotic Cardiovascular Disease in Japanese Adults: The Hisayama Study. Journal of Atherosclerosis and Thrombosis, 2022, 29, 345-361.	2.0	23
108	Capsule endoscopy findings for the diagnosis of Crohn's disease: a nationwide case–control study. Journal of Gastroenterology, 2019, 54, 249-260.	5.1	22

#	Article	IF	Citations
109	Arginase 2 is a mediator of ischemia–reperfusion injury in the kidney through regulation of nitrosative stress. Kidney International, 2020, 98, 673-685.	5.2	22
110	Effect of selective brain hypothermia on regional cerebral blood flow and tissue metabolism using brain thermo-regulator in spontaneously hypertensive rats. Neurochemical Research, 2000, 25, 369-375.	3.3	21
111	Extracellular Acidification Activates cAMP Responsive Element Binding Protein via Na+/H+ Exchanger Isoform 1–Mediated Ca <sup>2+</sup> Oscillation in Central Nervous System Pericytes. Arteriosclerosis, Thrombosis, and Vascular Biology, 2012, 32, 2670-2677.	2.4	21
112	Dietary Protein Intake and Stroke Risk in a General Japanese Population. Stroke, 2017, 48, 1478-1486.	2.0	21
113	Autophagy promotes degradation of internalized collagen and regulates distribution of focal adhesions to suppress cell adhesion. Biology Open, 2017, 6, 1644-1653.	1.2	21
114	The Fukuoka Kidney disease Registry (FKR) Study: design and methods. Clinical and Experimental Nephrology, 2017, 21, 465-473.	1.6	21
115	Development and validation of a risk assessment tool for gastric cancer in a general Japanese population. Gastric Cancer, 2018, 21, 383-390.	5.3	21
116	Anti-Xa Activity and Event Risk in Patients With Direct Factor Xa Inhibitors Initiated Early After Stroke. Circulation Journal, 2018, 82, 2872-2879.	1.6	21
117	Clinical risk factors of stroke and major bleeding in patients with non-valvular atrial fibrillation under rivaroxaban: the EXPAND Study sub-analysis. Heart and Vessels, 2019, 34, 1839-1851.	1.2	21
118	Impact of age at menarche on obesity and glycemic control in Japanese patients with type 2 diabetes: Fukuoka Diabetes Registry. Journal of Diabetes Investigation, 2018, 9, 1216-1223.	2.4	20
119	Prevalence of and risk factors for cerebral microbleeds in a general Japanese elderly community. Neurology: Clinical Practice, 2018, 8, 223-231.	1.6	20
120	Nox4 Promotes Neural Stem/Precursor Cell Proliferation and Neurogenesis in the Hippocampus and Restores Memory Function Following Trimethyltin-Induced Injury. Neuroscience, 2019, 398, 193-205.	2.3	20
121	Effect of treatment modality and cerebral vasospasm agent on patient outcomes after aneurysmal subarachnoid hemorrhage in the elderlyÂaged 75 years and older. PLoS ONE, 2020, 15, e0230953.	2.5	20
122	Factors Associated with the Serum Myostatin Level in Patients Undergoing Peritoneal Dialysis: Potential Effects of Skeletal Muscle Mass and Vitamin D Receptor Activator Use. Calcified Tissue International, 2016, 99, 13-22.	3.1	19
123	Hemoglobin concentration and the risk of hemorrhagic and ischemic stroke in patients undergoing hemodialysis: the Q-cohort study. Nephrology Dialysis Transplantation, 2018, 33, 856-864.	0.7	19
124	Impact of Body Weight Loss From Maximum Weight on Fragility Bone Fractures in Japanese Patients With Type 2 Diabetes: The Fukuoka Diabetes Registry. Diabetes Care, 2018, 41, 1061-1067.	8.6	19
125	Development and validation of modified risk prediction models for cardiovascular disease and its subtypes: The Hisayama Study. Atherosclerosis, 2018, 279, 38-44.	0.8	19
126	Association between the ratio of serum arachidonic acid to eicosapentaenoic acid and the presence of depressive symptoms in a general Japanese population: the Hisayama Study. Journal of Affective Disorders, 2018, 237, 73-79.	4.1	19

#	Article	IF	CITATIONS
127	Additive effects of green tea and coffee on all-cause mortality in patients with type 2 diabetes mellitus: the Fukuoka Diabetes Registry. BMJ Open Diabetes Research and Care, 2020, 8, e001252.	2.8	19
128	Association of Genetically Determined Aldehyde Dehydrogenase 2 Activity with Diabetic Complications in Relation to Alcohol Consumption in Japanese Patients with Type 2 Diabetes Mellitus: The Fukuoka Diabetes Registry. PLoS ONE, 2015, 10, e0143288.	2.5	19
129	Characteristics of Primary and Metachronous Gastric Cancers Discovered after <i>Helicobacter pylori</i> Eradication: A Multicenter Propensity Score-Matched Study. Gut and Liver, 2017, 11, 628-634.	2.9	19
130	Attenuation and Recovery of Brain Stem Autoregulation in Spontaneously Hypertensive Rats. Journal of Cerebral Blood Flow and Metabolism, 1998, 18, 305-310.	4.3	18
131	Intravenous Thrombolysis with Recombinant Tissue Plasminogen Activator for Ischemic Stroke Patients over 80 Years Old: The Fukuoka Stroke Registry. PLoS ONE, 2014, 9, e110444.	2.5	18
132	Dietary Patterns and Clinical Outcomes in Hemodialysis Patients in Japan: A Cohort Study. PLoS ONE, 2015, 10, e0116677.	2.5	18
133	Differentiation-inducing factor-3 inhibits intestinal tumor growth inÂvitro and inÂvivo. Journal of Pharmacological Sciences, 2015, 127, 446-455.	2.5	18
134	The ratio of serum eicosapentaenoic acid to arachidonic acid and riskÂof cancer death in a Japanese community: The Hisayama Study. Journal of Epidemiology, 2017, 27, 578-583.	2.4	18
135	Association of Hypertriglyceridemia With the Incidence and Progression of Chronic Kidney Disease and Modification of the Association by Daily Alcohol Consumption. , 2017, 27, 381-394.		18
136	Serum Non-High-Density Lipoprotein Cholesterol and Risk of Cardiovascular Disease in Community Dwellers with Chronic Kidney Disease: the Hisayama Study. Journal of Atherosclerosis and Thrombosis, 2017, 24, 706-715.	2.0	18
137	Quality Management Program of Stroke Rehabilitation Using Adherence to Guidelines: A Nationwide Initiative in Japan. Journal of Stroke and Cerebrovascular Diseases, 2019, 28, 2434-2441.	1.6	18
138	Association Between Serum $\hat{l}^2$ -Alanine and Risk of Dementia. American Journal of Epidemiology, 2019, 188, 1637-1645.	3.4	18
139	The Incidence and Associated Factors of Sudden Death in Patients on Hemodialysis: 10-Year Outcome of the Q-Cohort Study. Journal of Atherosclerosis and Thrombosis, 2020, 27, 306-318.	2.0	18
140	Serum homocysteine and risk of dementia in Japan. Journal of Neurology, Neurosurgery and Psychiatry, 2020, 91, 540-546.	1.9	18
141	Incidence of Hepatitis B Viral Reactivation After Kidney Transplantation With Low-Dose Rituximab Administration. Transplantation, 2018, 102, 140-145.	1.0	17
142	Overexpression of MTH1 and OGG1 proteins in ulcerative colitis‑associated carcinogenesis. Oncology Letters, 2018, 16, 1765-1776.	1.8	17
143	Trends in the prevalence of type 2 diabetes and prediabetes in a Japanese community, 1988–2012: the Hisayama Study. Diabetology International, 2019, 10, 198-205.	1.4	17
144	Utility of Columbia classification in focal segmental glomerulosclerosis: renal prognosis and treatment response among the pathological variants. Nephrology Dialysis Transplantation, 2020, 35, 1219-1227.	0.7	17

#	Article	IF	Citations
145	Measurement of prostaglandin metabolites is useful in diagnosis of small bowel ulcerations. World Journal of Gastroenterology, 2019, 25, 1753-1763.	3.3	17
146	Emerging cross-talks between chronic kidney disease–mineral and bone disorder (CKD–MBD) and malnutrition–inflammation complex syndrome (MICS) in patients receiving dialysis. Clinical and Experimental Nephrology, 2022, 26, 613-629.	1.6	17
147	Relationship between salt intake as estimated by a brief self-administered diet-history questionnaire (BDHQ) and 24-h urinary salt excretion in hypertensive patients. Hypertension Research, 2015, 38, 560-563.	2.7	16
148	White-coat and masked hypertension are associated with albuminuria in a general population: the Hisayama Study. Hypertension Research, 2017, 40, 937-943.	2.7	16
149	A J-shaped association between serum uric acid levels and poor renal survival in female patients with IgA nephropathy. Hypertension Research, 2017, 40, 291-297.	2.7	16
150	Factors Associated with Postprocedural Diffusion-Weighted Imaging–Positive Lesions inÂEndovascular Treatment for Unruptured Cerebral Aneurysms. World Neurosurgery, 2019, 130, e457-e462.	1.3	16
151	Shortâ€term and longâ€term outcomes of indigo naturalis treatment for inflammatory bowel disease. Journal of Gastroenterology and Hepatology (Australia), 2020, 35, 412-417.	2.8	16
152	Influence of the Accumulation of Unhealthy Eating Habits on Obesity in a General Japanese Population: The Hisayama Study. Nutrients, 2020, 12, 3160.	4.1	16
153	Modified creatinine index and risk for long-term infection-related mortality in hemodialysis patients: ten-year outcomes of the Q-Cohort Study. Scientific Reports, 2020, 10, 1241.	3.3	16
154	Anti-Cyclic Citrullinated Peptide Antibody-Positive Meningoencephalitis in the Preclinical Period of Rheumatoid Arthritis. Case Reports in Neurology, 2016, 8, 156-160.	0.7	15
155	Impact of blood urea nitrogen to creatinine ratio on mortality and morbidity in hemodialysis patients: The Q-Cohort Study. Scientific Reports, 2017, 7, 14901.	3.3	15
156	Association Between Serum Vitamin D and All-Cause and Cause-Specific Death in a General Japanese Population $\tilde{a} \in \hat{a} \in \mathbb{R}$ The Hisayama Study $\hat{a} \in \mathbb{R}$ . Circulation Journal, 2017, 81, 1315-1321.	1.6	15
157	Association of Embolic Sources With Cause-Specific Functional Outcomes Among Adults With Cryptogenic Stroke. JAMA Network Open, 2018, 1, e182953.	5.9	15
158	Achieving LDL cholesterol target levels <1.81 mmol/L may provide extra cardiovascular protection in patients at high risk: Exploratory analysis of the Standard Versus Intensive Statin Therapy for Patients with Hypercholesterolaemia and Diabetic Retinopathy study. Diabetes, Obesity and Metabolism, 2019, 21, 791-800.	4.4	15
159	Association between serum glycated albumin and risk of cardiovascular disease in a Japanese community: The Hisayama Study. Atherosclerosis, 2020, 311, 52-59.	0.8	15
160	Association of Albuminuria With White Matter Hyperintensities Volume on Brain Magnetic Resonance Imaging in Elderly Japaneseã€ê€ The Hisayama Study ―. Circulation Journal, 2020, 84, 935-942.	1.6	15
161	Significance of revised criteria for chronic active T cell–mediated rejection in the 2017 Banff classification: Surveillance by 1-year protocol biopsies for kidney transplantation. American Journal of Transplantation, 2021, 21, 174-185.	4.7	15
162	Impact of combined losartan/hydrochlorothiazide on proteinuria in patients with chronic kidney disease and hypertension. Hypertension Research, 2014, 37, 993-998.	2.7	14

#	Article	IF	Citations
163	Two Years of Cinacalcet Hydrochloride Treatment Decreased Parathyroid Gland Volume and Serum Parathyroid Hormone Level in Hemodialysis Patients With Advanced Secondary Hyperparathyroidism. Therapeutic Apheresis and Dialysis, 2015, 19, 367-377.	0.9	14
164	Comparison of the therapeutic efficacy and safety between tacrolimus and infliximab for moderate-to-severe ulcerative colitis: a single center experience. Scandinavian Journal of Gastroenterology, 2016, 51, 700-705.	1.5	14
165	Thrombolytic Therapy in Severe Cardioembolic Stroke After Reversal of Dabigatran with Idarucizumab: Case Report and Literature Review. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, e128-e131.	1.6	14
166	Development of Quality Indicators of Stroke Centers and Feasibility of Their Measurement Using a Nationwide Insurance Claims Database in Japan ― J-ASPECT Study ―. Circulation Journal, 2019, 83, 2292-23	0 <sup>1</sup> 2.6	14
167	Colorectal endoscopic submucosal dissection using novel articulating devices: a comparative study in a live porcine model. Surgical Endoscopy and Other Interventional Techniques, 2019, 33, 651-657.	2.4	14
168	Clinicopathological significance of monoclonal IgA deposition in patients with IgA nephropathy. Clinical and Experimental Nephrology, 2017, 21, 266-274.	1.6	13
169	Serum adiponectin predicts fracture risk in individuals with type 2 diabetes: the Fukuoka Diabetes Registry. Diabetologia, 2017, 60, 1922-1930.	6.3	13
170	Apparent Treatment-Resistant Hypertension and Cardiovascular Risk in Hemodialysis Patients: Ten-Year Outcomes of the Q-Cohort Study. Scientific Reports, 2019, 9, 1043.	3.3	13
171	Lessons from the Trials for the Desirable Effects of Sodium Glucose Co-Transporter 2 Inhibitors on Diabetic Cardiovascular Events and Renal Dysfunction. International Journal of Molecular Sciences, 2019, 20, 5668.	4.1	13
172	Prasugrel for Japanese Patients With Ischemic Heart Disease in Long-Term Clinical Practice (PRASFIT-Practice II) ― 1-Year Follow-up Results of a Postmarketing Observational Study ―. Circulation Journal, 2019, 84, 101-108.	1.6	13
173	Better Oral Hygiene Habits Are Associated With a Lower Incidence of Peritoneal Dialysisâ€Related Peritonitis. Therapeutic Apheresis and Dialysis, 2019, 23, 187-194.	0.9	13
174	Serum uric acid levels and cardiovascular mortality in a general Japanese population: the Hisayama Study. Hypertension Research, 2020, 43, 560-568.	2.7	13
175	The Association of Small Dense Low-Density Lipoprotein Cholesterol and Coronary Heart Disease in Subjects at High Cardiovascular Risk. Journal of Atherosclerosis and Thrombosis, 2021, 28, 79-89.	2.0	13
176	Causes of death in patients undergoing maintenance hemodialysis in Japan: 10-year outcomes of the Q-Cohort Study. Clinical and Experimental Nephrology, 2021, 25, 1121-1130.	1.6	13
177	Long-term association of vegetable and fruit intake with risk of dementia in Japanese older adults: the Hisayama study. BMC Geriatrics, 2022, 22, 257.	2.7	13
178	Prognostic impact of serum bilirubin level on long-term renal survival in IgA nephropathy. Clinical and Experimental Nephrology, 2015, 19, 1062-1070.	1.6	12
179	Importance of specific reference values for evaluation of the deteriorating thyroid function in patients with end-stage renal disease on hemodialysis. Journal of Endocrinological Investigation, 2015, 38, 47-56.	3.3	12
180	Erythropoiesis-stimulating agent slows the progression of chronic kidney disease: a possibility of a direct action of erythropoietin. Renal Failure, 2016, 38, 390-396.	2.1	12

#	Article	IF	CITATIONS
181	The potential role of perivascular lymphatic vessels in preservation of kidney allograft function. Clinical and Experimental Nephrology, 2017, 21, 721-731.	1.6	12
182	Isolated and repeated stroke-like episodes in a middle-aged man with a mitochondrial ND3 T10158C mutation: a case report. BMC Neurology, 2017, 17, 217.	1.8	12
183	Colorectal diffuse large B-cell lymphoma: molecular subclassification and prognostic significance of immunoglobulin gene translocation. Human Pathology, 2020, 96, 67-78.	2.0	12
184	Safety and Efficacy of Prasugrel in Elderly/Low Body Weight Japanese Patients with Ischemic Stroke: Randomized PRASTRO-II. Cerebrovascular Diseases, 2020, 49, 152-159.	1.7	12
185	Advanced glycation end products are associated with immature angiogenesis and peritoneal dysfunction in patients on peritoneal dialysis. Peritoneal Dialysis International, 2020, 40, 67-75.	2.3	12
186	Ischemic stroke, hemorrhage, and mortality in patients with non-valvular atrial fibrillation and renal dysfunction treated with rivaroxaban: sub-analysis of the EXPAND study. Heart and Vessels, 2021, 36, 1410-1420.	1.2	12
187	Factors associated with serum soluble inhibitors of <scp>W</scp> ntâ€Î²â€catenin signaling (sclerostin) Tj ETQq1	1.0.7843 1.6	14 rgBT /0\ 11
188	A multicenter, prospective, observational study of warfarin-associated intracerebral hemorrhage: The SAMURAI-WAICH study. Journal of the Neurological Sciences, 2015, 359, 72-77.	0.6	11
189	Diagnosis and follow-up of posterior inferior cerebellar artery dissection complicated with ischemic stroke assisted by T1-VISTA: a report of two cases. BMC Neurology, 2016, 16, 121.	1.8	11
190	The effect of renin–angiotensin system blockade on the incidence of end-stage renal disease in IgA nephropathy. Clinical and Experimental Nephrology, 2016, 20, 689-698.	1.6	11
191	Safety of antithrombotic therapy for patients with acute ischemic stroke harboring unruptured intracranial aneurysm. International Journal of Stroke, 2018, 13, 734-742.	5.9	11
192	Influence of cytochrome P450 polymorphisms on the antiplatelet effects of prasugrel in patients with non-cardioembolic stroke previously treated with clopidogrel. Journal of Thrombosis and Thrombolysis, 2018, 46, 488-495.	2.1	11
193	Dairy consumption and risk of functional disability in an elderly Japanese population: the Hisayama Study. American Journal of Clinical Nutrition, 2019, 109, 1664-1671.	4.7	11
194	Serum elaidic acid concentration and risk of dementia. Neurology, 2019, 93, e2053-e2064.	1.1	11
195	National trends in outcomes of ischemic stroke and prognostic influence of stroke center capability in Japan, 2010–2016. International Journal of Stroke, 2019, , 174749301988452.	5.9	11
196	Angiotensin-converting enzyme inhibitors versus angiotensin receptor blockers in hypertensive patients with myocardial infarction or heart failure: a systematic review and meta-analysis. Hypertension Research, 2019, 42, 641-649.	2.7	11
197	Lower Serum Albumin Level Is Associated With an Increased Risk for Loss of Residual Kidney Function in Patients Receiving Peritoneal Dialysis. Therapeutic Apheresis and Dialysis, 2020, 24, 72-80.	0.9	11
198	Usefulness of Transesophageal Echocardiography for Predicting Covert Paroxysmal Atrial Fibrillation in Patients with Embolic Stroke of Undetermined Source. Cerebrovascular Diseases Extra, 2020, 9, 98-106.	1.5	11

#	Article	IF	CITATIONS
199	Mucosal dysbiosis in patients with gastrointestinal follicular lymphoma. Hematological Oncology, 2020, 38, 181-188.	1.7	11
200	Simultaneous targeting of mitochondria and monocytes enhances neuroprotection against ischemia–reperfusion injury. Scientific Reports, 2020, 10, 14435.	3.3	11
201	Multiple-region grey matter atrophy as a predictor for the development of dementia in a community: the Hisayama Study. Journal of Neurology, Neurosurgery and Psychiatry, 2022, 93, 263-271.	1.9	11
202	Tocilizumab-induced remission of nephrotic syndrome accompanied by secondary amyloidosis and glomerulonephritis in a patient with rheumatoid arthritis. CEN Case Reports, 2014, 3, 237-243.	0.9	10
203	Trends in blood pressure control and medication use during 20 years in a hypertension clinic in Japan. Clinical and Experimental Hypertension, 2016, 38, 299-304.	1.3	10
204	Effects of Lowering Dialysate Calcium Concentration on Mineral and Bone Disorders in Chronic Hemodialysis Patients: Conversion from 3.0 <scp>mEq/L</scp> to 2.75 <scp>mEq/L</scp> . Therapeutic Apheresis and Dialysis, 2016, 20, 31-39.	0.9	10
205	Association between serum uric acid level and renal arteriolar hyalinization in individuals without chronic kidney disease. Atherosclerosis, 2017, 266, 121-127.	0.8	10
206	Comparison of cystatin C- and creatinine-based estimated glomerular filtration rates for predicting all-cause mortality in Japanese patients with type 2 diabetes: the Fukuoka Diabetes Registry. Clinical and Experimental Nephrology, 2017, 21, 383-390.	1.6	10
207	Comparison of Prognostic Values of Daytime and Night-Time Systolic Blood Pressures on Renal Outcomes in Patients With Chronic Kidney Disease. Circulation Journal, 2017, 81, 1454-1462.	1.6	10
208	Impact of obstructive sleep apnea on long-term blood pressure variability in Japanese men: a cross-sectional study of a work-site population. Hypertension Research, 2018, 41, 957-964.	2.7	10
209	Prasugrel for Japanese Patients With Ischemic Heart Disease in Long-Term Clinical Practice (PRASFIT-Practice II) ― A 3-Month Interim Analysis of a Postmarketing Observational Study ―. Circulation Journal, 2019, 83, 637-646.	1.6	10
210	Lifetime cumulative incidence of dementia in a community-dwelling elderly population in Japan. Neurology, 2020, 95, e508-e518.	1.1	10
211	Impact of body mass index on real-world outcomes of rivaroxaban treatment in Japanese patients with non-valvular atrial fibrillation. Heart and Vessels, 2020, 35, 1125-1134.	1.2	10
212	Efficacy and Safety of Prasugrel by Stroke Subtype: A Sub-Analysis of the PRASTRO-I Randomized Controlled Trial. Journal of Atherosclerosis and Thrombosis, 2021, 28, 169-180.	2.0	10
213	Association of hyperphosphatemia with an increased risk of sudden death in patients on hemodialysis: Ten-year outcomes of the Q-Cohort Study. Atherosclerosis, 2021, 316, 25-31.	0.8	10
214	Effects of case volume and comprehensive stroke center capabilities on patient outcomes of clipping and coiling for subarachnoid hemorrhage. Journal of Neurosurgery, 2021, 134, 929-939.	1.6	10
215	Comparison of the contributions of impaired beta cell function and insulin resistance to the development of type 2 diabetes in a Japanese community: the Hisayama Study. Diabetologia, 2021, 64, 1775-1784.	6.3	10
216	Association between geriatric nutritional risk index and stroke risk in hemodialysis patients: 10-Years outcome of the Q-Cohort study. Atherosclerosis, 2021, 323, 30-36.	0.8	10

#	Article	IF	Citations
217	The Transient Receptor Potential Vanilloid 4 Channel and Cardiovascular Disease Risk Factors. Frontiers in Physiology, 2021, 12, 728979.	2.8	10
218	Long-Term Antithyroid Drug Treatment: Trends in Serum TSH and TSH Receptor Antibody Changes in Patients with Graves' Disease. International Journal of Endocrinology and Metabolism, 2020, 18, .	1.0	10
219	Polypharmacy and bone fracture risk in patients with type 2 diabetes: The Fukuoka Diabetes Registry. Diabetes Research and Clinical Practice, 2021, 181, 109097.	2.8	10
220	A case of bacterial peritonitis caused by Roseomonas mucosa in a patient undergoing continuous ambulatory peritoneal dialysis. CEN Case Reports, 2014, 3, 127-131.	0.9	9
221	Assessment of urinary angiotensinogen as a marker of podocyte injury in proteinuric nephropathies. American Journal of Physiology - Renal Physiology, 2016, 310, F322-F333.	2.7	9
222	Modified Simple Peritoneal Wall Anchor Technique (Pwat) in Peritoneal Dialysis. Peritoneal Dialysis International, 2017, 37, 103-108.	2.3	9
223	Metyrapone-responsive ectopic ACTH-secreting pheochromocytoma with a vicious cycle & lt;i>via a glucocorticoid-driven positive-feedback mechanism. Endocrine Journal, 2018, 65, 755-767.	1.6	9
224	Upregulation of Annexin A1 in Reactive Astrocytes and Its Subtle Induction in Microglia at the Boundaries of Human Brain Infarcts. Journal of Neuropathology and Experimental Neurology, 2019, 78, 961-970.	1.7	9
225	Serum Ethylamine Levels as an Indicator of <scp>I</scp> -Theanine Consumption and the Risk of Type 2 Diabetes in a General Japanese Population: The Hisayama Study. Diabetes Care, 2019, 42, 1234-1240.	8.6	9
226	Poor glycemic control and posterior circulation ischemic stroke. Neurology: Clinical Practice, 2019, 9, 129-139.	1.6	9
227	Association of serum phosphate concentration with the incidence of intervention for peripheral artery disease in patients undergoing hemodialysis: 10-year outcomes of the Q-Cohort Study. Atherosclerosis, 2020, 304, 22-29.	0.8	9
228	Elevated serum glycated albumin and glycated albumin $\hat{A}$ : $\hat{A}$ hemoglobin A <sub>1c</sub> ratio were associated with hippocampal atrophy in a general elderly population of Japanese: The Hisayama Study. Journal of Diabetes Investigation, 2020, 11, 971-979.	2.4	9
229	Gastric microbiota in patients with Helicobacter pylori-negative gastric MALT lymphoma. Medicine (United States), 2021, 100, e27287.	1.0	9
230	Pathologic Diabetic Nephropathy in Autopsied Diabetic Cases With Normoalbuminuria From a Japanese Community-Based Study. Kidney International Reports, 2021, 6, 3035-3044.	0.8	9
231	Risk of surgery in patients with stricturing type of Crohn's disease at the initial diagnosis: a single center experience. Intestinal Research, 2019, 17, 357-364.	2.6	9
232	Low-dose sodium-glucose cotransporter 2 inhibitor ameliorates ischemic brain injury in mice through pericyte protection without glucose-lowering effects. Communications Biology, 2022, 5, .	4.4	9
233	Extended Swanâ€Neck Catheter With Upper Abdominal Exitâ€Site Reduces Peritoneal Dialysisâ€Related Infections. Therapeutic Apheresis and Dialysis, 2016, 20, 158-164.	0.9	8
234	Dura mater graftâ€associated Creutzfeldtâ€Jakob disease with 30â€year incubation period. Neuropathology, 2017, 37, 275-281.	1.2	8

#	Article	IF	CITATIONS
235	Disruption of xanthine oxidoreductase gene attenuates renal ischemia reperfusion injury in mice. Life Sciences, 2017, 182, 73-79.	4.3	8
236	Prognostic value of pre-dialysis blood pressure and risk threshold on clinical outcomes in hemodialysis patients. Medicine (United States), 2018, 97, e13485.	1.0	8
237	Development of a risk prediction model for infection-related mortality in patients undergoing peritoneal dialysis. PLoS ONE, 2019, 14, e0213922.	2.5	8
238	Câ€reactive protein and incident hypertension in a worksite population of Japanese men. Journal of Clinical Hypertension, 2019, 21, 524-532.	2.0	8
239	Association Between Plasma Intact Parathyroid Hormone Levels and the Prevalence of Atrial Fibrillation in Patients With Chronic Kidney Disease ― The Fukuoka Kidney Disease Registry Study ―. Circulation Journal, 2020, 84, 1105-1111.	1.6	8
240	Clinical Risk Factors of Thromboembolic and Major Bleeding Events for Patients with Atrial Fibrillation Treated with Rivaroxaban in Japan. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 104584.	1.6	8
241	Î <sup>2</sup> -Cell Function and Clinical Outcome in Nondiabetic Patients With Acute Ischemic Stroke. Stroke, 2021, 52, 2621-2628.	2.0	8
242	Association between Multimorbidity and Kidney Function among Patients with Non-Dialysis-Dependent CKD: The Fukuoka Kidney Disease Registry Study. Journal of Atherosclerosis and Thrombosis, 2022, 29, 1249-1264.	2.0	8
243	Efficacy and Safety of Prasugrel vs Clopidogrel in Thrombotic Stroke Patients With Risk Factors for Ischemic Stroke Recurrence: A Double-blind, Phase III Study (PRASTRO-III). Journal of Atherosclerosis and Thrombosis, 2023, 30, 222-236.	2.0	8
244	Subclinical nephrosclerosis is linked to left ventricular hypertrophy independent of classical atherogenic factors. Hypertension Research, 2014, 37, 472-477.	2.7	7
245	Ankle-brachial blood pressure index predicts cardiovascular events and mortality in Japanese patients with chronic kidney disease not on dialysis. Hypertension Research, 2014, 37, 1050-1055.	2.7	7
246	Associations of fibroblast growth factor 23 with urate metabolism in patients with chronic kidney disease. Metabolism: Clinical and Experimental, 2016, 65, 1498-1507.	3.4	7
247	Inhibition of <scp>GSK</scp> â€3 <i>β</i> increases trabecular bone volume but not cortical bone volume in adenineâ€induced uremic mice with severe hyperparathyroidism. Physiological Reports, 2016, 4, e13010.	1.7	7
248	Comparison of steroid-pulse therapy and combined with mizoribine in IgA nephropathy: a randomized controlled trial. Clinical and Experimental Nephrology, 2016, 20, 896-903.	1.6	7
249	Association between responsiveness to methoxy polyethylene glycolâ€epoetin beta and renal survival in patients with nonâ€dialysisâ€dependent chronic kidney disease: A pooled analysis of individual patientâ€level data from clinical trials. Nephrology, 2017, 22, 769-775.	1.6	7
250	Morning and Evening Blood Pressures Are Associated With Intima-Media Thickness in a General Population ― The Hisayama Study ―. Circulation Journal, 2017, 81, 1647-1653.	1.6	7
251	Predictive Factors for Rebleeding after Negative Capsule Endoscopy among Patients with Overt Obscure Gastrointestinal Bleeding. Digestion, 2020, 101, 129-136.	2.3	7
252	Real-world outcomes of rivaroxaban treatment in elderly Japanese patients with nonvalvular atrial fibrillation. Heart and Vessels, 2020, 35, 399-408.	1.2	7

#	Article	IF	CITATIONS
253	Higher Cholesterol Level Predicts Cardiovascular Event and Inversely Associates With Mortality in Hemodialysis Patients: 10‥ear Outcomes of the Q ohort Study. Therapeutic Apheresis and Dialysis, 2020, 24, 431-438.	0.9	7
254	The glucose degradation product methylglyoxal induces immature angiogenesis in patients undergoing peritoneal dialysis. Biochemical and Biophysical Research Communications, 2020, 525, 767-772.	2.1	7
255	Incidence of stroke and its association with glycemic control and lifestyle in Japanese patients with type 2 diabetes mellitus: The Fukuoka diabetes registry. Diabetes Research and Clinical Practice, 2021, 172, 108518.	2.8	7
256	Measuring Quality of Care for Ischemic Stroke Treated With Acute Reperfusion Therapy in Japan ― The Close The Gap-Stroke ―. Circulation Journal, 2021, 85, 201-209.	1.6	7
257	Non-invasive fibrosis assessments of non-alcoholic fatty liver disease associated with low estimated glomerular filtration rate among CKD patients: the Fukuoka Kidney disease Registry Study. Clinical and Experimental Nephrology, 2021, 25, 822-834.	1.6	7
258	Risk Prediction Model for Incident Atrial Fibrillation in a General Japanese Population ― The Hisayama Study ―. Circulation Journal, 2021, 85, 1373-1382.	1.6	7
259	Association of the nutritional risk index for Japanese hemodialysis patients with long-term mortality: The Q-Cohort Study. Clinical and Experimental Nephrology, 2021, , 1.	1.6	7
260	Incidence of end-stage renal disease and risk factors for progression of renal dysfunction in Japanese patients with type 2 diabetes: the Fukuoka Diabetes Registry. Clinical and Experimental Nephrology, 2021, , 1.	1.6	7
261	Malnutrition-Inflammation Complex Syndrome and Bone Fractures and Cardiovascular Disease Events in Patients Undergoing Hemodialysis: The Q-Cohort Study. Kidney Medicine, 2022, 4, 100408.	2.0	7
262	Association Between Diabetes and Gray Matter Atrophy Patterns in a General Older Japanese Population: The Hisayama Study. Diabetes Care, 2022, 45, 1364-1371.	8.6	7
263	Systemic Aldosterone, But Not Angiotensin II, Plays a Pivotal Role in the Pathogenesis of Renal Injury in Chronic Nitric Oxide-Deficient Male Rats. Endocrinology, 2015, 156, 2657-2666.	2.8	6
264	The gene–treatment interaction of paraoxonase-1 gene polymorphism and statin therapy on insulin secretion in Japanese patients with type 2 diabetes: Fukuoka diabetes registry. BMC Medical Genetics, 2017, 18, 146.	2.1	6
265	Impact of obstructive sleep apnea on blood pressure and cardiovascular risk factors in Japanese men: A cross-sectional study in work-site group. Clinical and Experimental Hypertension, 2018, 40, 73-78.	1.3	6
266	Effect of steroid pulse therapy on postâ€transplant immunoglobulin A nephropathy. Nephrology, 2018, 23, 10-16.	1.6	6
267	Thrombotic microangiopathy associated with anticardiolipin antibody in a kidney transplant recipient with polycythemia. CEN Case Reports, 2019, 8, 1-7.	0.9	6
268	Relative hypophosphatemia early after transplantation is a predictor of good kidney graft function. Clinical and Experimental Nephrology, 2019, 23, 1161-1168.	1.6	6
269	Arterial Spin Labeling Magnetic Resonance Imaging for Differentiating Acute Ischemic Stroke from Epileptic Disorders. Journal of Stroke and Cerebrovascular Diseases, 2019, 28, 1684-1690.	1.6	6
270	Anti-tumor necrosis factor therapy decreases the risk of initial intestinal surgery after diagnosis of Crohn's disease of inflammatory type. Journal of Gastroenterology, 2019, 54, 330-338.	5.1	6

#	Article	IF	Citations
271	Association of Lower Serum Bilirubin With Loss of Residual Kidney Function in Peritoneal Dialysis Patients. Therapeutic Apheresis and Dialysis, 2020, 24, 202-207.	0.9	6
272	Hypocomplementemic urticarial vasculitis syndrome with gastrointestinal vasculitis and crescentic membranoproliferative glomerulonephritis without immune complex deposits. CEN Case Reports, 2020, 9, 30-35.	0.9	6
273	Increased Risk of Infection-Related and All-Cause Death in Hypercalcemic Patients Receiving Hemodialysis: The Q-Cohort Study. Scientific Reports, 2020, 10, 6327.	3.3	6
274	Changes in Body Weight and Concurrent Changes in Cardiovascular Risk Profiles in Community Residents in Japan: the Hisayama Study. Journal of Atherosclerosis and Thrombosis, 2021, , .	2.0	6
275	Relationship between serum lipid concentrations and impaired renal function in patients with chronic kidney disease: the Fukuoka Kidney Disease Registry Study. Clinical and Experimental Nephrology, 2021, 25, 385-393.	1.6	6
276	Blood Pressure Level and Variability During Long-Term Prasugrel or Clopidogrel Medication After Stroke, 2021, 52, 1234-1243.	2.0	6
277	Midlife and lateâ€life diabetes and sarcopenia in a general older Japanese population: The Hisayama Study. Journal of Diabetes Investigation, 2021, 12, 1899-1907.	2.4	6
278	Day-by-Day Blood Pressure Variability in the Subacute Stage of Ischemic Stroke and Long-Term Recurrence. Stroke, 2022, 53, 70-78.	2.0	6
279	Angiotensin II promotes primary tumor growth and metastasis formation of murine TNBC 4T1 cells through the fibroblasts around cancer cells. European Journal of Pharmacology, 2021, 909, 174415.	3.5	6
280	Association of Airflow Limitation With Carotid Atherosclerosis in a Japanese Community ― The Hisayama Study ―. Circulation Journal, 2017, 81, 1846-1853.	1.6	6
281	Prasugrel for Japanese Patients With Ischemic Heart Disease in Long-Term Clinical Practice (PRASFIT-Practice II) ― Final 2-Year Follow-up Results of a Postmarketing Observational Study ―. Circulation Journal, 2020, 84, 1981-1989.	1.6	6
282	One-year clinical efficacy and safety of indigo naturalis for active ulcerative colitis: a real-world prospective study. Intestinal Research, 2022, 20, 260-268.	2.6	6
283	Temporal serum creatinine increase and exacerbation of tubulointerstitial inflammation during the first two months in resolving polyomavirus BK nephropathy. Nephrology, 2015, 20, 45-50.	1.6	5
284	Membranoproliferative glomerulonephritis with predominant IgG2 and IgG3 deposition in a patient with IgG4-related disease. BMC Nephrology, 2015, 16, 173.	1.8	5
285	De novo myeloperoxidase-antineutrophil cytoplasmic antibody (MPO-ANCA)-associated glomerulonephritis 31Âyears after living-donor kidney transplantation. CEN Case Reports, 2015, 4, 14-19.	0.9	5
286	Risk of cancer in the rectal remnant after ileorectal anastomosis in patients with familial adenomatous polyposis: <scp>S</scp> ingle center experience. Digestive Endoscopy, 2015, 27, 471-478.	2.3	5
287	Analysis of Japanese Articles about Suicides Involving Charcoal Burning or Hydrogen Sulfide Gas. International Journal of Environmental Research and Public Health, 2016, 13, 1013.	2.6	5
288	<scp>PKC</scp> î· deficiency improves lipid metabolism and atherosclerosis in apolipoprotein <scp>E</scp> â€deficient mice. Genes To Cells, 2016, 21, 1030-1048.	1.2	5

#	Article	IF	CITATIONS
289	Cerebral Venous Thrombosis in the Superior Sagittal Sinus as a Rare Cause of a Paroxysmal Kinetic Tremor. Case Reports in Neurology, 2017, 8, 276-281.	0.7	5
290	Association between the maximal distance of atrial septal protrusion and cryptogenic stroke. International Journal of Stroke, 2017, 12, 941-945.	5.9	5
291	A noninferiority confirmatory trial of prasugrel versus clopidogrel in Japanese patients with non-cardioembolic stroke: rationale and study design for a randomized controlled trial – PRASTRO-I trial. Expert Opinion on Pharmacotherapy, 2018, 19, 529-535.	1.8	5
292	Paradoxical Brain Embolism in Elderly Subjects with Small Atrial Septal Defects. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 1987-1991.	1.6	5
293	Role of renin–angiotensin aldosterone system on short-term blood pressure variability in hypertensive patients. Clinical and Experimental Hypertension, 2018, 40, 624-630.	1.3	5
294	Association between stroke-like episodes and neuronal hyperexcitability in MELAS with m.3243A>G: A case report. ENeurologicalSci, 2018, 12, 39-41.	1.3	5
295	Use of phosphate-binders and risk of infection-related and all-cause mortality in patients undergoing hemodialysis: The Q-Cohort Study. Scientific Reports, 2018, 8, 11387.	3.3	5
296	A case of hyperparathyroidism-associated parkinsonism successfully treated with cinacalcet hydrochloride, a calcimimetic. BMC Neurology, 2018, 18, 62.	1.8	5
297	Primary and secondary prevention of stroke and systemic embolism with rivaroxaban in patients with non-valvular atrial fibrillation. Heart and Vessels, 2019, 34, 141-150.	1.2	5
298	Development and validation of a new prediction model for graft function using preoperative marginal factors in living-donor kidney transplantation. Clinical and Experimental Nephrology, 2019, 23, 1331-1340.	1.6	5
299	Trends in the prevalence of airflow limitation in a general Japanese population: two serial cross-sectional surveys from the Hisayama Study. BMJ Open, 2019, 9, e023673.	1.9	5
300	Adrenal crisis presented as acute onset of hypercalcemia and hyponatremia triggered by acute pyelonephritis in a patient with partial hypopituitarism and pre-dialysis chronic kidney disease. CEN Case Reports, 2019, 8, 83-88.	0.9	5
301	Kidney transplantation for treatment of end-stage kidney disease after haematopoietic stem cell transplantation: case series and literature review. Clinical and Experimental Nephrology, 2019, 23, 561-568.	1.6	5
302	30-minute postload plasma glucose levels during an oral glucose tolerance test predict the risk of future type 2 diabetes: the Hisayama Study. BMJ Open Diabetes Research and Care, 2020, 8, e001156.	2.8	5
303	Serum N-terminal pro-B-type natriuretic peptide as a predictor for future development of atrial fibrillation in a general population: the Hisayama Study. International Journal of Cardiology, 2020, 320, 90-96.	1.7	5
304	Association of normalized protein catabolic rate (nPCR) with the risk of bone fracture in patients undergoing maintenance hemodialysis: The Q-Cohort Study. Clinical Nutrition, 2021, 40, 997-1004.	5.0	5
305	Serum Alkaline Phosphatase Levels and Increased Risk of Brain Hemorrhage in Hemodialysis Patients: The Q-Cohort Study. Journal of Atherosclerosis and Thrombosis, 2022, 29, 923-936.	2.0	5
306	High Serum Folate Concentrations Are Associated with Decreased Risk of Mortality among Japanese Adults. Journal of Nutrition, 2021, 151, 657-665.	2.9	5

#	Article	IF	CITATIONS
307	Associations Between Surrogates of Skeletal Muscle Mass and History of Bone Fracture in Patients with Chronic Kidney Disease: The Fukuoka Kidney disease Registry (FKR) Study. Calcified Tissue International, 2021, 109, 393-404.	3.1	5
308	Real-world safety and effectiveness of rivaroxaban using Japan-specific dosage during long-term follow-up in patients with atrial fibrillation: XAPASS. PLoS ONE, 2021, 16, e0251325.	2.5	5
309	Serum High-Sensitivity C-Reactive Protein Levels and the Development of Atrial Fibrillation in a General Japanese Population ― The Hisayama Study ―. Circulation Journal, 2021, 85, 1365-1372.	1.6	5
310	Delayed administration of epinephrine is associated with worse neurological outcomes in patients with out-of-hospital cardiac arrest and initial pulseless electrical activity: insight from the nationwide multicentre observational JAAM-OHCA (Japan Association for Acute Medicine) registry. European Heart Journal: Acute Cardiovascular Care, 2022, 11, 389-396.	1.0	5
311	The Compositional Structure of the Small Intestinal Microbial Community via Balloon-Assisted Enteroscopy. Digestion, 2022, 103, 308-318.	2.3	5
312	Chilaiditi's Syndrome in Schizophrenic Patients. Psychiatry and Clinical Neurosciences, 1987, 41, 71-75.	1.8	4
313	Successful treatment of massive proteinuria and severe chyluria by inhibition of cholesterol absorption with ezetimibe in a patient with filariasis. CKJ: Clinical Kidney Journal, 2012, 5, 449-452.	2.9	4
314	A CADASIL-Like Case with a Novel Noncysteine Mutation of the <i>NOTCH3 </i> Cene and Granular Deposits in the Renal Arterioles. Case Reports in Neurological Medicine, 2015, 2015, 1-6.	0.4	4
315	Cerebral Small-Vessel Disease in Neuro-Behçet Disease. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, e237-e239.	1.6	4
316	Contribution of susceptibility variants at FCGR2A and 13q12 to the risk of relapse among Japanese patients with ulcerative colitis. Journal of Gastroenterology, 2015, 50, 1094-1102.	5.1	4
317	Clinical characteristics of type A acute aortic dissection with CNS symptom. American Journal of Emergency Medicine, 2017, 35, 1836-1838.	1.6	4
318	A Case of Recurrent Ischemic Stroke due to Intravascular Lymphomatosis, Undiagnosed by Random Skin Biopsy and Brain Imaging. Case Reports in Neurology, 2018, 9, 234-240.	0.7	4
319	Associations between Pre-Admission Risk Scores and Two-Year Clinical Outcomes in Ischemic Stroke or Transient Ischemic Attack Patients with Non-Valvular Atrial Fibrillation. Cerebrovascular Diseases, 2018, 45, 170-179.	1.7	4
320	Subacute Methotrexate Encephalopathy Mimicking Ischemic Stroke With Dynamic Changes on Magnetic Resonance Imaging. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, e233-e235.	1.6	4
321	Risk factors for reflux esophagitis after eradication of <i>Helicobacter pylori</i> Scandinavian Journal of Gastroenterology, 2019, 54, 1183-1188.	1.5	4
322	Short- and Long-term Effects of Dialysate Calcium Concentrations on Mineral and Bone Metabolism in Hemodialysis Patients: The K4 Study. Kidney Medicine, 2019, 1, 296-306.	2.0	4
323	Impact of hip fracture on allâ€cause mortality in Japanese patients with typeÂ2 diabetes mellitus: The Fukuoka Diabetes Registry. Journal of Diabetes Investigation, 2020, 11, 62-69.	2.4	4
324	Ratios of serum eicosapentaenoic acid to arachidonic acid and docosahexaenoic acid to arachidonic acid were inversely associated with serum resistin levels: The Hisayama Study. Journal of Diabetes Investigation, 2020, 11, 482-489.	2.4	4

#	Article	IF	CITATIONS
325	Epstein-Barr Virus-Associated Encephalopathy Presenting with Nonconvulsive Status Epilepticus in an Immunosuppressive State. Case Reports in Neurology, 2020, 12, 214-221.	0.7	4
326	Incidence of severe hypoglycemia and its association with serum adiponectin in Japanese patients with typeÂ1 and insulinâ€treated typeÂ2 diabetes: The Fukuoka Diabetes Registry. Journal of Diabetes Investigation, 2020, 11, 1258-1264.	2.4	4
327	Mitochondrial myopathy, encephalopathy, lactic acidosis, and stroke-like episodes due to m.3243AÂ>ÂG mutation in a 76-year-old woman. Journal of the Neurological Sciences, 2020, 412, 116791.	0.6	4
328	B cell receptor signaling related to resistance to <i>Helicobacter pylori</i> eradication therapy in gastric diffuse large B cell lymphoma. Hematological Oncology, 2021, 39, 145-147.	1.7	4
329	Stronger Effect of Azilsartan on Reduction of Proteinuria Compared to Candesartan in Patients with CKD: A Randomized Crossover Trial. Kidney and Blood Pressure Research, 2021, 46, 173-184.	2.0	4
330	Nationwide temporal trend analysis of reperfusion therapy utilization and mortality in acute ischemic stroke patients in Japan. Medicine (United States), 2021, 100, e24145.	1.0	4
331	Prevalence of bone fracture and its association with severe hypoglycemia in Japanese patients with type 1 diabetes. BMJ Open Diabetes Research and Care, 2021, 9, e002099.	2.8	4
332	Sex Differences in the Risk of 30-Day Death After Acute Ischemic Stroke. Neurology: Clinical Practice, 2021, 11, e809-e816.	1.6	4
333	N-Terminal Pro–B-Type Natriuretic Peptide and Incident CKD. Kidney International Reports, 2021, 6, 976-985.	0.8	4
334	Urinary N-terminal pro–B-type natriuretic peptide as a biomarker for cardiovascular events in a general Japanese population: the Hisayama Study. Environmental Health and Preventive Medicine, 2021, 26, 47.	3.4	4
335	Roles of Sodium-Glucose Cotransporter 2 of Mesangial Cells in Diabetic Kidney Disease. Journal of the Endocrine Society, 2021, 5, bvab083.	0.2	4
336	Constipation and diabetic kidney disease: The Fukuoka Diabetes Registry. Clinical and Experimental Nephrology, 2021, 25, 1247-1254.	1.6	4
337	Pre-Stroke Cholinesterase Inhibitor Treatment Is Beneficially Associated with Functional Outcome in Patients with Acute Ischemic Stroke and Pre-Stroke Dementia: The Fukuoka Stroke Registry. Cerebrovascular Diseases, 2021, 50, 390-396.	1.7	4
338	Endoscopic features of gastrointestinal stromal tumor in the small intestine. Intestinal Research, 2019, 17, 398-403.	2.6	4
339	Meningitis retention syndrome associated with complicated mild encephalitis/encephalopathy with reversible splenial lesion in a young adult patient: a case report. Oxford Medical Case Reports, 2021, 2021, omab092.	0.4	4
340	Relationship of coffee consumption with a decline in kidney function among patients with type 2 diabetes: The Fukuoka Diabetes Registry. Journal of Diabetes Investigation, 2022, 13, 1030-1038.	2.4	4
341	lodide-sensitive Graves' hyperthyroidism and the strategy for resistant or escaped patients during potassium iodide treatment. Endocrine Journal, 2022, 69, 983-997.	1.6	4
342	Long-Term Trends in The 5-Year Risk of Recurrent Stroke over A Half Century in A Japanese Community: The Hisayama Study. Journal of Atherosclerosis and Thrombosis, 2022, 29, 1759-1773.	2.0	4

#	Article	IF	CITATIONS
343	Effect of diet on changes in small intestinal blood flow following intracolonic administration of indomethacin to rats. Digestive Diseases and Sciences, 2001, 46, 200-207.	2.3	3
344	Fever associated with severe dialysis-related amyloidosis. CEN Case Reports, 2012, 1, 112-116.	0.9	3
345	Impact of the 1425G/A Polymorphism of PRKCH on the Recurrence of Ischemic Stroke: Fukuoka Stroke Registry. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 1356-1361.	1.6	3
346	Influenza Vaccination and Other Factors Related to the Development of Influenzaâ€Like Illness Among Patients on Chronic Hemodialysis in a Japanese Dialysis Facility. Therapeutic Apheresis and Dialysis, 2016, 20, 122-126.	0.9	3
347	Secular trends in the incidence, risk factors, and prognosis of transient ischemic attack in Japan: The Hisayama Study. Atherosclerosis, 2018, 273, 84-90.	0.8	3
348	Stroke registries in the world: a systematic review. Nosotchu, 2018, 40, 331-342.	0.1	3
349	Real-World Outcomes of Rivaroxaban Treatment in Patients with Both Nonvalvular Atrial Fibrillation and a History of Ischemic Stroke/Transient Ischemic Attack. Cerebrovascular Diseases, 2019, 48, 53-60.	1.7	3
350	Association of B-Type Natriuretic Peptide Level with Residual Kidney Function in Incident Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2019, 39, 147-154.	2.3	3
351	Anticoagulation and Risk of Stroke Recurrence in Patients with Embolic Stroke of Undetermined Source Having No Potential Source of Embolism. Cerebrovascular Diseases, 2020, 49, 601-608.	1.7	3
352	Adding Thiopurine After Loss of Response to Infliximab Versus Early Combination in Treating Crohn's Disease: A Retrospective Study. Digestive Diseases and Sciences, 2021, 66, 3124-3131.	2.3	3
353	Clinical experience of treating Graves' hyperthyroidism complicated with malignancy—The possible role of potassium iodide for avoiding the risk of thionamide-associated neutropenia. Endocrine Journal, 2020, 67, 751-758.	1.6	3
354	Defecation frequency and glycemic control in patients with diabetes: The Fukuoka Diabetes Registry. Journal of Diabetes and Its Complications, 2021, 35, 107751.	2.3	3
355	Risk of Rebleeding in Patients with Small Bowel Vascular Lesions. Internal Medicine, 2021, 60, 3663-3669.	0.7	3
356	Left Atrial Appendage Flow Velocity and Multiple Infarcts in Cryptogenic Stroke. Cerebrovascular Diseases, 2021, 50, 429-434.	1.7	3
357	Subclinical hypothyroidism is independently associated with poor renal outcomes in patients with chronic kidney disease. Endocrine, 2021, 73, 141-150.	2.3	3
358	A case of Stappia indica-induced relapsing peritonitis confirmed by 16S ribosomal RNA gene sequencing analysis in a patient undergoing continuous ambulatory peritoneal dialysis. CEN Case Reports, 2021, 10, 402-408.	0.9	3
359	Impact of Multivascular Disease on Cardiovascular Mortality and Morbidity in Patients Receiving Hemodialysis: Ten-Year Outcomes of the Q-Cohort Study. Journal of Atherosclerosis and Thrombosis, 2021, 28, 385-395.	2.0	3
360	Association of blood pressure after peritoneal dialysis initiation with the decline rate of residual kidney function in newly-initiated peritoneal dialysis patients. PLoS ONE, 2021, 16, e0254169.	2.5	3

#	Article	IF	CITATIONS
361	Ustekinumab Improves Active Crohnâ∈™s Disease by Suppressing the T Helper 17 Pathway. Digestion, 2021, 102, 946-955.	2.3	3
362	Association between the urinary sodium-to-potassium ratio and renal outcomes in patients with chronic kidney disease: a prospective cohort study. Hypertension Research, 2021, 44, 1492-1504.	2.7	3
363	Intraplaque high-intensity signal on time-of-flight magnetic resonance angiography and restenosis after carotid artery stenting. Journal of Neurosurgery, 2022, 136, 1029-1034.	1.6	3
364	The Association between Dialysis Dose and Risk of Cancer Death in Patients Undergoing Hemodialysis: The Q-Cohort Study. Internal Medicine, 2020, 59, 1141-1148.	0.7	3
365	Protective Roles of Xenotropic and Polytropic Retrovirus Receptor 1 (XPR1) in Uremic Vascular Calcification. Calcified Tissue International, 2022, 110, 685-697.	3.1	3
366	Retroperitoneal Hemorrhage in Patients with COVID-19 Undergoing Hemodialysis: Three Case Reports. Internal Medicine, 2022, 61, 1869-1876.	0.7	3
367	Influence of hospital capabilities and prehospital time on outcomes of thrombectomy for stroke in Japan from 2013 to 2016. Scientific Reports, 2022, 12, 3252.	3.3	3
368	Usefulness of urinary tubule injury markers for predicting progression of renal dysfunction in patients with type 2 diabetes and albuminuria: The Fukuoka Diabetes Registry. Diabetes Research and Clinical Practice, 2022, 186, 109840.	2.8	3
369	Potential therapeutic targets discovery by transcriptome analysis of an in vitro human gastric signet ring carcinoma model. Gastric Cancer, 0, , .	5.3	3
370	The Association of Controlling Nutritional Status Score and Prognostic Nutritional Index with Cardiovascular Diseases: the Fukuoka Kidney Disease Registry Study. Journal of Atherosclerosis and Thrombosis, 2023, 30, 390-407.	2.0	3
371	Decreased expression of calcium-sensing receptor and parafibromin in secondary hyperparathyroidism with an abnormal whole PTH/intact PTH ratio. CKJ: Clinical Kidney Journal, 2013, 6, 429-432.	2.9	2
372	New-onset systemic lupus erythematosus in a long-term hemodialysis patient with acute pleuritis and pneumonitis. CEN Case Reports, 2015, 4, 139-144.	0.9	2
373	Subacute pulmonary embolism in a hemodialysis patient, successfully treated with surgical thrombectomy. CEN Case Reports, 2016, 5, 74-77.	0.9	2
374	Prognostic value of chromosomal translocations in smallâ€bowel diffuse large Bâ€cell lymphoma. Histopathology, 2016, 68, 199-209.	2.9	2
375	Repeated Paradoxical Brain Infarctions in a Patient on Self-Managed Home Hemodialysis Using a Long-Term Indwelling Catheter. Journal of Stroke and Cerebrovascular Diseases, 2017, 26, e183-e185.	1.6	2
376	Elevated serum thyroglobulin levels as a marker of reversible hypothyroidism in patients with end-stage renal disease due to chronic glomerulonephritis. Cogent Medicine, 2017, 4, 1362745.	0.7	2
377	Asymptomatic Brain Edema after Hemodialysis Initiation in a Patient with Severe Uremia. Case Reports in Medicine, 2017, 2017, 1-6.	0.7	2
378	Immobilizationâ€induced severe hypercalcaemia successfully treated with reduced dose of zoledronate in a maintenance haemodialysis patient. Nephrology, 2018, 23, 963-964.	1.6	2

#	Article	IF	Citations
379	Prospective study of cancer in Japanese patients with type 2 diabetes: the Fukuoka Diabetes Registry. Diabetology International, 2019, 10, 260-267.	1.4	2
380	Early postoperative change in serum creatinine predicts acute kidney injury after cardiothoracic surgery: a retrospective cohort study. Clinical and Experimental Nephrology, 2019, 23, 325-334.	1.6	2
381	Lidocaineâ€Propitocain Cream, a Eutectic Mixture of Local Anesthetics, Effectively Relieves Pain Associated With Vascular Access Intervention Therapy in Patients Undergoing Hemodialysis: A Placeboâ€Controlled, Doubleâ€Blind, Crossover Study. Therapeutic Apheresis and Dialysis, 2020, 24, 34-41.	0.9	2
382	Rapid formation of large pseudostones and acute cholangitis caused by ceftriaxone treatment for bacterial pneumonia in a patient on kidney transplantation: potential risk of ceftriaxone use in patients with decreased kidney function. CEN Case Reports, 2020, 9, 87-88.	0.9	2
383	Estimated plasma osmolarity and risk of end-stage kidney disease in patients with IgA nephropathy. Clinical and Experimental Nephrology, 2020, 24, 910-918.	1.6	2
384	Anti-glomerular basement membrane disease complicated with posterior reversible encephalopathy syndrome and subcortical cerebral hemorrhage: a case report and review of the literature. CEN Case Reports, 2020, 9, 278-284.	0.9	2
385	Association between urinary salt excretion and albuminuria in Japanese patients with chronic kidney disease: the Fukuoka kidney disease registry study. Clinical and Experimental Nephrology, 2021, 25, 9-18.	1.6	2
386	Clopidogrel response predicts thromboembolic events associated with coil embolization of unruptured intracranial aneurysms: A prospective cohort study. PLoS ONE, 2021, 16, e0249766.	2.5	2
387	Development of a risk prediction model for incident hypertension in Japanese individuals: the Hisayama Study. Hypertension Research, 2021, 44, 1221-1229.	2.7	2
388	Efficacy of thromboelastography in the management of anticoagulation for veno-venous extracorporeal membrane oxygenation in a coronavirus disease 2019 patient. Medicine (United States), 2021, 100, e26313.	1.0	2
389	Autophagy gene <i>ATG7</i> regulates albumin transcytosis in renal tubule epithelial cells. American Journal of Physiology - Renal Physiology, 2021, 321, F572-F586.	2.7	2
390	Development and validation of a risk score for the prediction of cardiovascular disease in living donor kidney transplant recipients. Nephrology Dialysis Transplantation, 2021, 36, 365-374.	0.7	2
391	Serum Uric Acid Levels and Nephrosclerosis in a Population-Based Autopsy Study: The Hisayama Study. American Journal of Nephrology, 2022, 53, 69-77.	3.1	2
392	Progressive Small-Vessel Strokes Following Antiretroviral Therapy in a Patient with Acquired Immunodeficiency Syndrome. Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106409.	1.6	2
393	Calcium antagonist isradipine reduces metabolic alterations in acute cerebral ischemia in spontaneously hypertensive rats. Neurochemical Research, 2000, 25, 349-355.	3.3	1
394	Total Phosphate Elimination is Negatively Associated With Increased Serum Fibroblast Growth Factor 23 Levels in Patients who Undergo Peritoneal Dialysis. Therapeutic Apheresis and Dialysis, 2017, 21, 71-78.	0.9	1
395	Real-world outcomes of rivaroxaban treatment in patients with nonvalvular atrial fibrillation and worsening renal function. Journal of Cardiology, 2019, 74, 501-506.	1.9	1
396	Early initiation of a factor Xa inhibitor can attenuate tissue repair and neurorestoration after middle cerebral artery occlusion. Brain Research, 2019, 1718, 201-211.	2.2	1

#	Article	IF	CITATIONS
397	A case of ischemic osteopathy in a hemodialysis patient with advanced peripheral artery disease. CEN Case Reports, 2020, 9, 89-90.	0.9	1
398	Axillary arterial angiosarcoma in a nonfunctioning arteriovenous fistula limb of a patient undergoing hemodialysis: case report with literature review. CEN Case Reports, 2020, 9, 36-41.	0.9	1
399	Brachiocephalic vein compression caused by a mediastinal cystic tumor presenting with rapidly progressive upper limb swelling and pain in a patient on hemodialysis with a newly created arteriovenous graft. CEN Case Reports, 2020, 9, 186-187.	0.9	1
400	Effect of renin–angiotensin system blockade on graft survival and cardiovascular disease in kidney transplant recipients: retrospective multicenter study in Japan. Clinical and Experimental Nephrology, 2020, 24, 369-378.	1.6	1
401	Association of aortic valve calcification with carotid artery lesions and peripheral artery disease in patients with chronic kidney disease: a cross-sectional study. BMC Nephrology, 2020, 21, 203.	1.8	1
402	Fluctuations in Moyamoya Vasculopathy Associated with Basedow Disease Depending on Thyroid Hormone Status. Case Reports in Neurology, 2020, 12, 140-147.	0.7	1
403	An Embolic Stroke in a Patient With PROC p.Lys193del. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 104597.	1.6	1
404	Serum NT-proBNP levels and histopathological myocardial fibrosis in autopsied cases from a Japanese community: The Hisayama Study. Journal of Cardiology, 2021, 78, 237-243.	1.9	1
405	A case of Graves' disease presenting with internal ophthalmoplegia during methylmercaptoimidazole treatment. Endocrine Journal, 2021, , .	1.6	1
406	Post-ischemic gene transfer of IL-10 protects against global brain ischemia. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, S507-S507.	4.3	1
407	Comparison of Immunohistochemical Staining for Large T Antigen and Capsid Protein VP1 in BK Polyomavirus-Associated Nephropathy. Nephron, 2020, 144, 28-36.	1.8	1
408	Association of daily sleep duration with the incident dementia by serum soluble <scp>TREM2</scp> in a community. Journal of the American Geriatrics Society, 2022, 70, 1147-1156.	2.6	1
409	Prevalence, treatment status, and predictors of anemia and erythropoietin hyporesponsiveness in Japanese patients with non-dialysis-dependent chronic kidney disease: a cross-sectional study. Clinical and Experimental Nephrology, 2022, 26, 867-879.	1.6	1
410	Wernicke-Korsakoff Syndrome in a Young Adult on Dialysis Who Showed Bilateral Ganglia Lesions: A Case Report. Internal Medicine, 2022, , .	0.7	1
411	Idiopathic myointimal hyperplasia of mesenteric veins depicted by barium enema examination, and conventional and magnifying colonoscopy. Clinical Journal of Gastroenterology, 2022, 15, 734-739.	0.8	1
412	Factors Affecting Postoperative Recurrence in Japanese Patients With Crohnʽs Disease in The Era of Biologic Therapy: Retrospective Single Center Study. Inflammatory Bowel Diseases, 2012, 18, S65-S66.	1.9	0
413	Clinical and radiological correlation in patients with vertebrobasilar artery occlusion. Neurology and Clinical Neuroscience, 2013, 1, 168-171.	0.4	0
414	[OPINION]Diverse mechanism of ischemic tissue injury and drug delivery system. Drug Delivery System, 2015, 30, 274-274.	0.0	0

#	Article	IF	Citations
415	Ulcerative Colitis Presented as Fever and Bloody Diarrhea at Initiation of Dialysis in an Elderly Patient with End-Stage Kidney Disease. Case Reports in Medicine, 2015, 2015, 1-5.	0.7	0
416	Fulminant bilateral cerebral infarction caused by paradoxical embolism in a patient with proteinÂS Ala525Val substitution. Neurology and Clinical Neuroscience, 2015, 3, 105-107.	0.4	0
417	Extrapulmonary tuberculosis presented as fever of unknown origin in two patients with endstage kidney disease not on dialysis: usefulness of 18-FDG-PET/CT in the diagnostic localization of fever of unknown origin. CEN Case Reports, 2016, 5, 11-17.	0.9	0
418	P-174â€fChronic Enteropathy Associated with SLCO2A1 Gene, Encoding Prostaglandin Transporter (CEAS). Inflammatory Bowel Diseases, 2016, 22, S62.	1.9	0
419	Joint impact of modifiable lifestyle behaviors on glycemic control and insulin resistance in patients with type 2 diabetes: the Fukuoka Diabetes Registry. Diabetology International, 2017, 8, 296-305.	1.4	0
420	A case of congenital left ventricular diverticulum in a patient with autosomal dominant polycystic kidney disease: possible mechanistic link between polycystin and ventricular diverticulum. CEN Case Reports, 2018, 7, 237-242.	0.9	0
421	Predictive Value of the Combination of Peripheral Blood Lymphocyte Count and Urinary Cytology in BK Polyomavirus–associated Nephropathy. Transplantation Proceedings, 2019, 51, 1410-1414.	0.6	0
422	Rapidly Progressive Glomerulonephritis with Delayed Appearance of Anti-Glomerular Basement Membrane Antibody Successfully Treated with Multiple Courses of Steroid Pulse Therapy. Case Reports in Nephrology and Dialysis, 2019, 9, 25-32.	0.6	0
423	Severe Hypocalcemia and Resulting Seizure Caused by Vitamin D Deficiency in an Older Patient Receiving Phenytoin: Eldecalcitol and Maxacalcitol Ointment as Potential Therapeutic Options for Hypocalcemia. Case Reports in Nephrology, 2019, 2019, 1-6.	0.4	0
424	Response to Letter regarding case report, $\hat{a} \in \infty$ Mitochondrial myopathy, encephalopathy, lactic acidosis, and stroke-like episodes due to m.3243A > G mutation in a 76-year-old woman $\hat{a} \in \mathbb{R}$ Journal of the Neurological Sciences, 2020, 414, 116925.	0.6	0
425	Rupture of a heavily calcified aortic arch in a patient with aortitis syndrome, advanced atherosclerosis, and renal ischemia: a dilemma between appropriate blood pressure control and maintenance of renal perfusion. CEN Case Reports, 2021, 10, 156-157.	0.9	0
426	High lowâ€density lipoprotein cholesterol as an independent risk factor for coronary restenosis in hemodialysis patients undergoing percutaneous coronary interventions. Therapeutic Apheresis and Dialysis, 2021, 25, 296-303.	0.9	0
427	An adult patient with permanent neonatal diabetes successfully discontinued insulin therapy after initiating sitagliptin added to sulphonylurea. Diabetes, Obesity and Metabolism, 2021, 23, 1213-1214.	4.4	0
428	Clinical epidemiological analysis of cohort studies investigating the pathogenesis of kidney disease. Clinical and Experimental Nephrology, 2022, 26, 1-12.	1.6	0
429	A case of peritoneal dialysis-related peritonitis caused by dialysate leakage with successful treatment by intravenous and intraperitoneal antibiotic therapy. CEN Case Reports, $2021, 1.$	0.9	0
430	Research for biomarkers in ischemic stroke (REBIOS). Nosotchu, 2016, 38, 186-190.	0.1	0
431	Diagnostic impact of superficial temporal artery duplex ultrasonography for evaluating cerebral hemodynamics before and after extracranial–intracranial bypass surgery in the setting of common carotid artery occlusion and spontaneous bonnet bypass: a case report. Neurosonology, 2016, 29, 47-52.	0.0	0
432	Ischemic stroke in patients with chronic kidney disease. Nosotchu, 2016, 38, 353-357.	0.1	0

#	Article	IF	CITATIONS
433	Serum 1,25-Dihydroxyvitamin D Level Is Inappropriate for Use in Prospective Studies of Cancer Incidence ― Reply ―. Circulation Journal, 2018, 82, 2216.	1.6	0
434	Sarcoidosis triggered by an active vitamin D preparation after the initiation of hemodialysis: a case report. Nihon Toseki Igakkai Zasshi, 2020, 53, 35-42.	0.1	0
435	Sex differences in the 10-year survival of patients undergoing maintenance hemodialysis in the Q-Cohort Study. Scientific Reports, 2022, 12, 345.	3.3	0
436	Comparison of the predictability of serum creatinine-based surrogates of skeletal muscle mass for all-cause mortality in patients receiving hemodialysis: creatinine generation rate and creatinine index. Clinical and Experimental Nephrology, 2022, , 1.	1.6	0
437	Intravenous Alteplase at 0.6 mg/kg for Unknown Onset Stroke with Prior Antithrombotic Medication: THAWS Randomized Clinical Trial. Journal of Atherosclerosis and Thrombosis, 2022, , .	2.0	0
438	Impact of three major risk factors on clinical outcomes in patients with nonvalvular atrial fibrillation receiving rivaroxaban: Subâ€analysis from the ⟨scp⟩XAPASS⟨/scp⟩ study. Journal of Arrhythmia, 0, , .	1.2	0
439	Role of barium enema examination for the diagnosis of submucosal invasion depth in T1 colorectal cancers. Cancer Imaging, 2021, 21, 66.	2.8	0