

Alar Jnes

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6705394/alar-janes-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134
papers

3,889
citations

38
h-index

57
g-index

144
ext. papers

4,210
ext. citations

4.5
avg, IF

5.45
L-index

#	Paper	IF	Citations
134	Electrochemical Characteristics of Zn-Ion Hybrid Supercapacitors Based on Aqueous Solution of Different Electrolytes. <i>Journal of the Electrochemical Society</i> , 2022 , 169, 020512	3.9	1
133	Operando XRD study on the Effect of Boron Doping on the Failure Mechanisms of Na-, Ni- and Mn-based Positive Electrodes in Sodium-Ion Batteries. <i>ECS Meeting Abstracts</i> , 2021 , MA2021-02, 123-123 ⁰		
132	Carbide-Derived Carbons: WAXS and Raman Spectra for Detailed Structural Analysis. <i>Journal of Carbon Research</i> , 2021 , 7, 29	3.3	2
131	Hydrogen adsorption properties of carbide-derived carbons at ambient temperature and high pressure. <i>International Journal of Hydrogen Energy</i> , 2021 , 46, 15761-15772	6.7	3
130	Bis(trifluoromethanesulfonyl)imide Metallic Salts Based Electrolytes for Electrochemical Capacitor Application: Theoretical vs Experimental Performance. <i>Journal of the Electrochemical Society</i> , 2021 , 168, 070528	3.9	1
129	Peat-derived hard carbon electrodes with superior capacity for sodium-ion batteries.. <i>RSC Advances</i> , 2020 , 10, 20145-20154	3.7	11
128	Effect of Zinc Chloride Activation on D-Glucose Derived Carbons Based Capacitors Performance in Ionic Liquid. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 080533	3.9	4
127	Hydrothermal and peat-derived carbons as electrode materials for high-efficient electrical double-layer capacitors. <i>Journal of Applied Electrochemistry</i> , 2020 , 50, 15-32	2.6	10
126	Iodide ion containing ionic liquid mixture based asymmetrical capacitor performance. <i>Journal of Energy Storage</i> , 2020 , 32, 101845	7.8	3
125	Enhanced Power Performance of Highly Mesoporous Sol-Gel TiC Derived Carbons in Ionic Liquid and Non-Aqueous Electrolyte Based Capacitors. <i>Journal of the Electrochemical Society</i> , 2019 , 166, A2887-A2895 ²	3.9	
124	Low concentrated carbonaceous suspensions assisted with carboxymethyl cellulose as electrode for electrochemical flow capacitor. <i>European Physical Journal E</i> , 2019 , 42, 8	1.5	6
123	Electrical Double Layer Capacitors Based on Steam and CO ₂ -Steam Co-Activated Carbon Electrodes and Ionic Liquid Electrolyte. <i>Journal of the Electrochemical Society</i> , 2019 , 166, A1558-A1567	3.9	8
122	Glycine-Nitrate Process for Synthesis of Na ₃ V ₂ (PO ₄) ₃ Cathode Material and Optimization of Glucose-Derived Hard Carbon Anode Material for Characterization in Full Cells. <i>Batteries</i> , 2019 , 5, 56	5.7	3
121	In Situ Acoustic Diagnostics of Particle-Binder Interactions in Battery Electrodes. <i>Joule</i> , 2018 , 2, 988-1003 ^{7.8}	7.8	24
120	Steam and Carbon Dioxide Co-Activated Silicon Carbide-Derived Carbons for High Power Density Electrical Double Layer Capacitors. <i>Journal of the Electrochemical Society</i> , 2018 , 165, A2357-A2364	3.9	3
119	Influence of porosity parameters and electrolyte chemical composition on the power densities of non-aqueous and ionic liquid based supercapacitors. <i>Electrochimica Acta</i> , 2018 , 283, 931-948	6.7	26
118	Potassium Salts Based Non-Aqueous Electrolytes for Electrical Double Layer Capacitors: A Comparison with LiPF ₆ and NaPF ₆ Based Electrolytes. <i>Journal of the Electrochemical Society</i> , 2018 , 165, A3862-A3870	3.9	8

117	Increasing the stability of very high potential electrical double layer capacitors by operando passivation. <i>Journal of Power Sources</i> , 2018 , 402, 53-61	8.9	10
116	Application of Some Carbon Fabrics as Outstanding Supercapacitor Electrode Materials in Acetonitrile Based Electrolyte. <i>Journal of the Electrochemical Society</i> , 2017 , 164, A453-A460	3.9	3
115	Novel sol-gel synthesis route of carbide-derived carbon composites for very high power density supercapacitors. <i>Chemical Engineering Journal</i> , 2017 , 320, 576-587	14.7	32
114	Synthesis and characterization of d-glucose derived nanospheric hard carbon negative electrodes for lithium- and sodium-ion batteries. <i>Electrochimica Acta</i> , 2017 , 253, 536-544	6.7	48
113	Carbon for Energy Storage Derived from Granulated White Sugar by Hydrothermal Carbonization and Subsequent Zinc Chloride Activation. <i>Journal of the Electrochemical Society</i> , 2017 , 164, A1866-A1872	3.9	28
112	Alkali-Metal Insertion Processes on Nanospheric Hard Carbon Electrodes: An Electrochemical Impedance Spectroscopy Study. <i>Journal of the Electrochemical Society</i> , 2017 , 164, E3429-E3437	3.9	21
111	Characteristics of Capacitors Based on Ionic Liquids: From Dielectric Polymers to Redox-Active Adsorbed Species. <i>ECS Transactions</i> , 2016 , 75, 161-170	1	6
110	D-Glucose Derived Nanospheric Hard Carbon Electrodes for Room-Temperature Sodium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2016 , 163, A1619-A1626	3.9	49
109	Ionic liquid-1,2-dimethoxyethane mixture as electrolyte for high power density supercapacitors. <i>Journal of Energy Chemistry</i> , 2016 , 25, 609-614	12	16
108	In situ hydrodynamic spectroscopy for structure characterization of porous energy storage electrodes. <i>Nature Materials</i> , 2016 , 15, 570-5	27	65
107	Vinylene Carbonate as Co-Solvent for Low-Temperature Mixed Electrolyte Based Supercapacitors. <i>Journal of the Electrochemical Society</i> , 2016 , 163, A851-A857	3.9	11
106	Microporous/mesoporous carbons for energy storage synthesized by activation of carbonaceous material by zinc chloride, potassium hydroxide or mixture of them. <i>Journal of Power Sources</i> , 2016 , 326, 624-634	8.9	56
105	Supercapacitors Based on Activated Silicon Carbide-Derived Carbon Materials and Ionic Liquid. <i>Journal of the Electrochemical Society</i> , 2016 , 163, A1317-A1325	3.9	25
104	A Hybrid Capacitor Based on Fe ₃ O ₄ -Graphene Nanocomposite/Few-Layer Graphene in Different Aqueous Electrolytes. <i>Journal of the Electrochemical Society</i> , 2016 , 163, A2768-A2775	3.9	57
103	Low Temperature Performance of Electrochemical Double-Layer Capacitor based on Electrospun Half-Cells. <i>Journal of the Electrochemical Society</i> , 2015 , 162, A5031-A5036	3.9	4
102	Huge enhancement of energy storage capacity and power density of supercapacitors based on the carbon dioxide activated microporous SiC-CDC. <i>Electrochimica Acta</i> , 2015 , 161, 364-370	6.7	62
101	Separator Materials Influence on Supercapacitors Performance in Viscous Electrolytes. <i>ECS Transactions</i> , 2015 , 64, 41-49	1	5
100	Oxygen Electroreduction on Platinum Nanoparticles Deposited onto D-Glucose Derived Carbon. <i>Journal of the Electrochemical Society</i> , 2015 , 162, F651-F660	3.9	6

99	Supercapacitors Based on Propylene Carbonate Solution Operating from -45 °C to 100 °C. <i>ECS Transactions</i> , 2015 , 64, 31-40	1	2
98	Electrochemical behaviour of hybrid devices based on Na ₂ SO ₄ and Rb ₂ SO ₄ neutral aqueous electrolytes and carbon electrodes within wide cell potential region. <i>Journal of Solid State Electrochemistry</i> , 2015 , 19, 769-783	2.6	15
97	Synthesis and Characterization of Na ₃ V ₂ (PO ₄) ₂ F ₃ Based Cathode Material for Sodium Ion Batteries. <i>ECS Transactions</i> , 2015 , 69, 27-36	1	3
96	Supercapacitors Based on Mixture of Room Temperature Ionic Liquids Containing Specifically Adsorbed Iodide Anions. <i>ECS Transactions</i> , 2015 , 64, 1-11	1	4
95	High power density supercapacitors based on the carbon dioxide activated d-glucose derived carbon electrodes and 1-ethyl-3-methylimidazolium tetrafluoroborate ionic liquid. <i>Journal of Power Sources</i> , 2015 , 280, 667-677	8.9	99
94	Electrochemical Double Layer Capacitors Based on Propylene Carbonate Solution Operating from -45 °C to 100 °C. <i>Journal of the Electrochemical Society</i> , 2014 , 161, A712-A717	3.9	6
93	Novel micromesoporous carbon materials synthesized from tantalum hafnium carbide and tungsten titanium carbide. <i>Carbon</i> , 2014 , 67, 607-616	10.4	38
92	Microporous and mesoporous carbide-derived carbons for strain modification of electromechanical actuators. <i>Langmuir</i> , 2014 , 30, 2583-7	4	10
91	A Type High Capacitance Supercapacitor Based on Mixed Room Temperature Ionic Liquids Containing Specifically Adsorbed Iodide Anions. <i>Journal of the Electrochemical Society</i> , 2014 , 161, A222-A227	3.9	55
90	D-Glucose Derived Micro/Mesoporous Carbons for Ultra-High Rate Supercapacitor Application. <i>ECS Transactions</i> , 2014 , 58, 3-12	1	
89	Supercapacitors Based on Propylene Carbonate with Small Addition of Different Sulfur Containing Organic Solvents. <i>Journal of the Electrochemical Society</i> , 2014 , 161, A1284-A1290	3.9	9
88	Fluoroethylene Carbonate and Propylene Carbonate Mixtures Based Electrolytes for Supercapacitors. <i>ECS Transactions</i> , 2014 , 58, 71-79	1	4
87	Characteristics of non-aqueous quaternary solvent mixture and Na-salts based supercapacitor electrolytes in a wide temperature range. <i>Electrochimica Acta</i> , 2014 , 121, 294-300	6.7	35
86	Application of multistep electrospinning method for preparation of electrical double-layer capacitor half-cells. <i>Electrochimica Acta</i> , 2014 , 119, 72-77	6.7	14
85	Cesium carborane as an unconventional non-aqueous electrolyte salt for electrochemical capacitors. <i>Electrochimica Acta</i> , 2014 , 125, 482-487	6.7	15
84	Specific Performance of Supercapacitors at Lower Temperatures Based on Different Separator Materials. <i>Journal of the Electrochemical Society</i> , 2013 , 160, A449-A457	3.9	19
83	Supercapacitors based on carbide-derived carbons synthesised using HCl and Cl ₂ as reactants. <i>Journal of Solid State Electrochemistry</i> , 2013 , 17, 19-28	2.6	36
82	Influence of separator properties on electrochemical performance of electrical double-layer capacitors. <i>Journal of Electroanalytical Chemistry</i> , 2013 , 689, 8-20	4.1	29

81	Carbon materials for supercapacitor application by hydrothermal carbonization of D-glucose. <i>IOP Conference Series: Materials Science and Engineering</i> , 2013 , 49, 012020	0.4	1
80	Fluoroethylene Carbonate as Co-Solvent for Propylene Carbonate Based Electrical Double Layer Capacitors. <i>Journal of the Electrochemical Society</i> , 2013 , 160, A1025-A1030	3.9	15
79	Surface analysis of supercapacitor electrodes after long-lasting constant current tests. <i>IOP Conference Series: Materials Science and Engineering</i> , 2013 , 49, 012006	0.4	1
78	High Power Density Supercapacitors Based on the Carbon Dioxide Activated D-Glucose Derived Carbon Electrodes and Acetonitrile Electrolyte. <i>Journal of the Electrochemical Society</i> , 2013 , 160, A1834-A1841	3.9	14 ¹
77	Influence of Different Organic Solvent Additives on 1-ethyl-3-methylimidazolium Tetrafluoroborate Electrolyte Based Electrical Double Layer Capacitors. <i>Journal of the Electrochemical Society</i> , 2013 , 160, A1741-A1745	3.9	13
76	Polymorphic Behavior and Morphology of Electrospun Poly(Vinylidene Fluoride) Separator Materials for Non-Aqueous Electrolyte Based Electric Double Layer Capacitors. <i>ECS Transactions</i> , 2013 , 50, 49-58	1	5
75	Comparative Study of Using Chlorine and Hydrogen Chloride for Synthesis of Titanium Carbide Derived Carbon. <i>ECS Transactions</i> , 2013 , 50, 3-12	1	1
74	Replacing Chlorine with Hydrogen Chloride as a Possible Reactant for Synthesis of Titanium Carbide Derived Carbon Powders for High-Technology Devices. <i>IOP Conference Series: Materials Science and Engineering</i> , 2013 , 49, 012018	0.4	1
73	Nanoporous carbide-derived carbon based actuators modified with gold foil: Prospect for fast response and low voltage applications. <i>Sensors and Actuators B: Chemical</i> , 2012 , 161, 629-634	8.5	37
72	Electrical double layer capacitors based on 1-ethyl-3-methylimidazolium tetrafluoroborate with small addition of acetonitrile. <i>Electrochimica Acta</i> , 2012 , 85, 139-144	6.7	33
71	Surface Analysis of Supercapacitor Electrodes After Long-Lasting Constant Current Tests in Organic Electrolyte. <i>Journal of the Electrochemical Society</i> , 2012 , 159, A1141-A1147	3.9	15
70	Influence of Room Temperature Ionic Liquid Anion Chemical Composition and Electrical Charge Delocalization on the Supercapacitor Properties. <i>Journal of the Electrochemical Society</i> , 2012 , 159, A944-A951	3.9	74
69	Lithium bis(oxalato)borate as an electrolyte for micromesoporous carbide-derived carbon based supercapacitors. <i>Journal of Electroanalytical Chemistry</i> , 2012 , 669, 67-72	4.1	15
68	Specific performance of electrical double layer capacitors based on different separator materials in room temperature ionic liquid. <i>Electrochemistry Communications</i> , 2012 , 22, 77-80	5.1	39
67	Is the mixture of 1-ethyl-3-methylimidazolium tetrafluoroborate and 1-butyl-3-methylimidazolium tetrafluoroborate applicable as electrolyte in electrical double layer capacitors?. <i>Electrochemistry Communications</i> , 2012 , 22, 203-206	5.1	57
66	NaClO ₄ and NaPF ₆ as potential non-aqueous electrolyte salts for electrical double layer capacitor application. <i>Electrochimica Acta</i> , 2012 , 82, 309-313	6.7	36
65	Comparison of carbon aerogel and carbide-derived carbon as electrode materials for non-aqueous supercapacitors with high performance. <i>Journal of Solid State Electrochemistry</i> , 2012 , 16, 2717-2722	2.6	11
64	Selective adsorption of multivalent ions into TiC-derived nanoporous carbon. <i>Carbon</i> , 2012 , 50, 3957-3960	0.4	23

63	Impact of carbon nanotube additives on carbide-derived carbon-based electroactive polymer actuators. <i>Carbon</i> , 2012 , 50, 4351-4358	10.4	31
62	Electrochemical Behavior of Tungsten Carbide-Derived Carbon Based Electric Double-Layer Capacitors. <i>Journal of the Electrochemical Society</i> , 2012 , 159, A208-A213	3.9	23
61	Electrochemical properties of carbide-derived carbon electrodes in non-aqueous electrolytes based on different Li-salts. <i>Electrochimica Acta</i> , 2011 , 56, 9048-9055	6.7	54
60	Mesoporous carbide-derived carbons prepared from different chromium carbides. <i>Microporous and Mesoporous Materials</i> , 2011 , 141, 88-93	5.3	51
59	Electroactive polymer actuators with carbon aerogel electrodes. <i>Journal of Materials Chemistry</i> , 2011 , 21, 2577		54
58	Nanostructured carbide-derived carbon synthesized by chlorination of tungsten carbide. <i>Carbon</i> , 2011 , 49, 4427-4433	10.4	70
57	Physical and electrochemical characteristics of supercapacitors based on carbide derived carbon electrodes in aqueous electrolytes. <i>Journal of Power Sources</i> , 2011 , 196, 4109-4116	8.9	83
56	Electrochemical Behavior of Carbide Derived Carbons in LiPF ₆ and LiCF ₃ SO ₃ Nonaqueous Electrolytes. <i>ECS Transactions</i> , 2010 , 28, 65-75	1	4
55	Electrochemical Characteristics of Carbide-Derived Carbon 1-Ethyl-3-methylimidazolium Tetrafluoroborate Supercapacitor Cells. <i>Journal of the Electrochemical Society</i> , 2010 , 157, A272	3.9	94
54	Substituted phosphonium cation based electrolytes for nonaqueous electrical double-layer capacitors. <i>Journal of Materials Research</i> , 2010 , 25, 1447-1450	2.5	10
53	Energy and power performance of electrochemical double-layer capacitors based on molybdenum carbide derived carbon. <i>Electrochimica Acta</i> , 2010 , 55, 3138-3143	6.7	85
52	Novel doubly charged cation based electrolytes for non-aqueous supercapacitors. <i>Electrochemistry Communications</i> , 2010 , 12, 535-539	5.1	30
51	Micro- and Mesoporous Carbide-Derived Carbon Materials and Polymer Membranes for Supercapacitors. <i>ECS Transactions</i> , 2009 , 16, 57-67	1	12
50	Comparison of Electrospun and Commercially Available Separator Materials for Supercapacitors. <i>ECS Transactions</i> , 2009 , 19, 23-32	1	3
49	Electrochemical Characteristics of Titanium Carbide Derived Carbon 1-Ethyl-3-Methylimidazolium Tetrafluoroborate Electrical Double Layer Capacitors. <i>ECS Transactions</i> , 2009 , 25, 15-23	1	5
48	Influence of Mesoporous Separator Properties on the Parameters of Electrical Double-Layer Capacitor Single Cells. <i>Journal of the Electrochemical Society</i> , 2009 , 156, A334	3.9	37
47	Electrochemical impedance study of hydrogen evolution on Bi(001) electrode in the HClO ₄ aqueous solutions. <i>Journal of Solid State Electrochemistry</i> , 2009 , 13, 745-754	2.6	7
46	LiPF ₆ based ethylene carbonate/dimethyl carbonate electrolyte for high power density electrical double layer capacitor. <i>Electrochimica Acta</i> , 2009 , 54, 4587-4594	6.7	55

45	Energy and power performance of vanadium carbide derived carbon electrode materials for supercapacitors. <i>Journal of Electroanalytical Chemistry</i> , 2009 , 630, 55-62	4.1	64
44	Nanoscale fine-tuning of porosity of carbide-derived carbon prepared from molybdenum carbide. <i>Carbon</i> , 2009 , 47, 23-29	10.4	114
43	In situ infrared spectroscopic characterization of a bismuth-ethanol interface. <i>Electrochimica Acta</i> , 2008 , 53, 8166-8171	6.7	7
42	Characterisation of activated nanoporous carbon for supercapacitor electrode materials. <i>Carbon</i> , 2007 , 45, 1226-1233	10.4	219
41	Synthesis and characterisation of nanoporous carbide-derived carbon by chlorination of vanadium carbide. <i>Carbon</i> , 2007 , 45, 2717-2722	10.4	104
40	Advanced nanostructured carbon materials for electrical double layer capacitors. <i>Journal of Physics: Conference Series</i> , 2007 , 93, 012002	0.3	2
39	On the porosity of polypyrrole films. <i>Synthetic Metals</i> , 2007 , 157, 1085-1090	3.6	40
38	Micro- and Mesoporous Carbon Based Electrode Materials for Electrical Double Layer Capacitors. <i>ECS Transactions</i> , 2007 , 6, 269-278	1	5
37	Characterization of Activated Nanoporous Carbon as Electrical Double Layer Capacitor Electrode Materials. <i>ECS Transactions</i> , 2006 , 3, 39-48	1	1
36	Electrochemical Characteristics of Nanoporous Carbide-Derived Carbon Materials in Various Nonaqueous Electrolyte Solutions. <i>Journal of the Electrochemical Society</i> , 2006 , 153, A113	3.9	60
35	Analysis of electrochemical impedance of polypyrrole sulfate and polypyrrole perchlorate films. <i>Synthetic Metals</i> , 2006 , 156, 488-494	3.6	39
34	Use of organic esters as co-solvents for electrical double layer capacitors with low temperature performance. <i>Journal of Electroanalytical Chemistry</i> , 2006 , 588, 285-295	4.1	71
33	Organic carbonate/Organic ester-based non-aqueous electrolytes for electrical double layer capacitors. <i>Electrochemistry Communications</i> , 2005 , 7, 510-514	5.1	50
32	Influence of nanoporous carbon electrode thickness on the electrochemical characteristics of a nanoporous carbon tetraethylammonium tetrafluoroborate in acetonitrile solution interface. <i>Journal of Solid State Electrochemistry</i> , 2004 , 8, 224-237	2.6	44
31	Influence of electrolyte characteristics on the electrochemical parameters of electrical double layer capacitors. <i>Journal of Solid State Electrochemistry</i> , 2004 , 8, 488-496	2.6	36
30	Influence of solvent nature on the electrochemical characteristics of nanoporous carbon 1 M (C ₂ H ₅) ₃ CH ₃ NBF ₄ electrolyte solution interface. <i>Surface Science</i> , 2004 , 560, 145-157	1.8	38
29	Influence of solvent nature on the electrochemical parameters of electrical double layer capacitors. <i>Journal of Electroanalytical Chemistry</i> , 2004 , 562, 33-42	4.1	96
28	Adsorption kinetics of tetrabutylammonium cations on Bi() plane. <i>Journal of Electroanalytical Chemistry</i> , 2004 , 569, 241-256	4.1	11

27	Voltammetric and electrochemical impedance spectroscopy studies of the nanoporous carbon 1 M (C ₂ H ₅) ₃ CH ₃ NBF ₄ electrolyte solution interface. <i>Journal of Electroanalytical Chemistry</i> , 2004 , 569, 257-269	4.1	40
26	Influence of the solvent properties on the characteristics of a double layer capacitor. <i>Journal of Power Sources</i> , 2004 , 133, 320-328	8.9	198
25	Electrochemical characteristics of nanoporous carbide-derived carbon materials in non-aqueous electrolyte solutions. <i>Electrochemistry Communications</i> , 2004 , 6, 313-318	5.1	124
24	Adsorption of 1-heptanol on bismuth single-crystal plane electrodes. <i>Journal of Solid State Electrochemistry</i> , 2003 , 7, 189-200	2.6	4
23	Electrochemical properties of nanoporous carbon electrodes in various nonaqueous electrolytes. <i>Journal of Solid State Electrochemistry</i> , 2003 , 7, 91-105	2.6	57
22	Adsorption kinetics of dodecyl sulfate anions on the bismuth plane. <i>Journal of Electroanalytical Chemistry</i> , 2003 , 553, 1-19	4.1	25
21	Adsorption kinetics of d-ribose on the bismuth(0 0 1) plane. <i>Journal of Electroanalytical Chemistry</i> , 2003 , 548, 27-39	4.1	5
20	Investigation of the surface topography and double layer characteristics of variously pre-treated antimony single crystal electrodes. <i>Surface Science</i> , 2003 , 532-535, 1121-1126	1.8	7
19	Influence of Surface Charge Density on the Electrochemically Derived Surface Roughness of Bi Electrodes. <i>Journal of the Electrochemical Society</i> , 2003 , 150, E175	3.9	10
18	Adsorption Kinetics of Normal-Heptanol on the Bismuth Single Crystal Planes. <i>Russian Journal of Electrochemistry</i> , 2002 , 38, 8-19	1.2	10
17	Adsorption of D-ribose on bismuth single crystal plane electrodes. <i>Electrochimica Acta</i> , 2001 , 47, 967-975	5.7	10
16	Adsorption of 2-methyl-2-butanol on bismuth single crystal planes. <i>Journal of Electroanalytical Chemistry</i> , 2001 , 515, 33-44	4.1	3
15	Adsorption kinetics of 2-methyl-2-butanol on bismuth single crystal planes. <i>Journal of Electroanalytical Chemistry</i> , 2001 , 515, 17-32	4.1	26
14	Influence of charge density and electrolyte concentration on the electrical double layer characteristics at rough cadmium electrodes. <i>Electrochimica Acta</i> , 2000 , 46, 185-191	6.7	24
13	Orientation of organic compounds at single-crystal bismuth electrodes. <i>Electrochimica Acta</i> , 1999 , 44, 4707-4720	6.7	7
12	The zero charge potential shift upon adsorption of various organic compounds at bismuth solution interface. <i>Electrochimica Acta</i> , 1999 , 45, 935-943	6.7	2
11	Adsorption of 1-pentanol on bismuth single-crystal plane electrodes. <i>Journal of Solid State Electrochemistry</i> , 1999 , 3, 277-287	2.6	4
10	Surface roughness of bismuth, antimony and cadmium electrodes. <i>Electrochimica Acta</i> , 1998 , 44, 373-383	3.7	32

9	Adsorption of normal hexanol on bismuth single crystal plane electrodes. <i>Journal of Electroanalytical Chemistry</i> , 1998 , 442, 189-200	4.1	10
8	Adsorption of adenosine on (111) and (001) bismuth single crystal planes. <i>Journal of Electroanalytical Chemistry</i> , 1998 , 449, 153-163	4.1	6
7	Adsorption of pyridine on the (111), (001) and (00) faces of bismuth. <i>Journal of Electroanalytical Chemistry</i> , 1997 , 425, 25-37	4.1	25
6	Adsorption of propanol on bismuth single-crystal-plane electrodes. <i>Journal of Electroanalytical Chemistry</i> , 1997 , 436, 141-153	4.1	10
5	Electric double layer structure and adsorption of cyclohexanol on single crystal cadmium, antimony and bismuth electrodes. <i>Electrochimica Acta</i> , 1997 , 42, 771-783	6.7	50
4	Influence of surface pretreatment of bismuth and cadmium electrodes to the electric double layer and adsorption characteristics of organic compounds. <i>Electrochimica Acta</i> , 1997 , 42, 2861-2879	6.7	22
3	Adsorption of isomers of butanol on bismuth single crystal plane electrodes. <i>Journal of Electroanalytical Chemistry</i> , 1996 , 413, 175-185	4.1	19
2	Influence of the surface structure of cadmium electrodes on the electric double layer parameters in aqueous surface-inactive electrolyte solutions. <i>Journal of Electroanalytical Chemistry</i> , 1996 , 413, 111-124	4.1	14
1	Zn(ClO ₄) ₂ aqueous solution based Zn thin foil carbon cloth two-electrode single-cell characteristics. <i>Journal of Solid State Electrochemistry</i> , 1	2.6	2