

Yael Diskin-Posner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6706431/publications.pdf>

Version: 2024-02-01

130
papers

7,384
citations

41323

49
h-index

60583

81
g-index

134
all docs

134
docs citations

134
times ranked

6706
citing authors

#	ARTICLE	IF	CITATIONS
1	Controlling the helicity of π -conjugated oligomers by tuning the aromatic backbone twist. <i>Nature Communications</i> , 2022, 13, 451.	5.8	20
2	Dehydrogenative ester synthesis from enol ethers and water with a ruthenium complex catalyzing two reactions in synergy. <i>Green Chemistry</i> , 2022, 24, 1481-1487.	4.6	8
3	Iron-catalysed ring-opening metathesis polymerization of olefins and mechanistic studies. <i>Nature Catalysis</i> , 2022, 5, 494-502.	16.1	19
4	Ternary host-guest complexes with rapid exchange kinetics and photoswitchable fluorescence. <i>CheM</i> , 2022, 8, 2362-2379.	5.8	15
5	Controlled Selectivity through Reversible Inhibition of the Catalyst: Stereodivergent Semihydrogenation of Alkynes. <i>Journal of the American Chemical Society</i> , 2022, 144, 13266-13275.	6.6	14
6	Homogeneous Reforming of Aqueous Ethylene Glycol to Glycolic Acid and Pure Hydrogen Catalyzed by Pincer-Ruthenium Complexes Capable of Metal-Ligand Cooperation. <i>Chemistry - A European Journal</i> , 2021, 27, 4715-4722.	1.7	22
7	Strongly Anharmonic Octahedral Tilting in Two-Dimensional Hybrid Halide Perovskites. <i>ACS Nano</i> , 2021, 15, 10153-10162.	7.3	59
8	Autocatalytic and oscillatory reaction networks that form guanidines and products of their cyclization. <i>Nature Communications</i> , 2021, 12, 2994.	5.8	13
9	Near-Ambient-Temperature Dehydrogenative Synthesis of the Amide Bond: Mechanistic Insight and Applications. <i>ACS Catalysis</i> , 2021, 11, 7383-7393.	5.5	19
10	Kinetic Selection in the Out-of-Equilibrium Autocatalytic Reaction Networks that Produce Macrocylic Peptides. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 20366-20375.	7.2	9
11	Fast Ion-Chelate Dissociation Rate for <i>In Vivo</i> MRI of Labile Zinc with Frequency-Specific Encodability. <i>Journal of the American Chemical Society</i> , 2021, 143, 11751-11758.	6.6	12
12	Kinetic Selection in the Out-of-Equilibrium Autocatalytic Reaction Networks that Produce Macrocylic Peptides. <i>Angewandte Chemie</i> , 2021, 133, 20529-20538.	1.6	0
13	Manganese Catalyzed Hydrogenation of Azo (N=N) Bonds to Amines. <i>Advanced Synthesis and Catalysis</i> , 2021, 363, 3744-3749.	2.1	12
14	Manganese-Pincer-Catalyzed Nitrile Hydration, β -Deuteration, and α -Deuterated Amide Formation via Metal Ligand Cooperation. <i>ACS Catalysis</i> , 2021, 11, 10239-10245.	5.5	17
15	Cation-Ligand Complexation Mediates the Temporal Evolution of Colloidal Fluoride Nanocrystals through Transient Aggregation. <i>Nano Letters</i> , 2021, 21, 9916-9921.	4.5	2
16	Structural basis of reactivation of oncogenic p53 mutants by a small molecule: methylene quinuclidinone (MQ). <i>Nature Communications</i> , 2021, 12, 7057.	5.8	39
17	Redox Noninnocent Nature of Acridine-Based Pincer Complexes of 3d Metals and C-C Bond Formation. <i>Organometallics</i> , 2020, 39, 279-285.	1.1	22
18	Catalytic Oxidative Deamination by Water with H ₂ Liberation. <i>Journal of the American Chemical Society</i> , 2020, 142, 20875-20882.	6.6	26

#	ARTICLE	IF	CITATIONS
19	Improving Fatigue Resistance of Dihydropyrene by Encapsulation within a Coordination Cage. <i>Journal of the American Chemical Society</i> , 2020, 142, 14557-14565.	6.6	39
20	Palladium Complexes of Corroles and Sapphyrins. <i>Chemistry - A European Journal</i> , 2020, 26, 9481-9485.	1.7	15
21	Synthesis of oxalamides by acceptorless dehydrogenative coupling of ethylene glycol and amines and the reverse hydrogenation catalyzed by ruthenium. <i>Chemical Science</i> , 2020, 11, 7188-7193.	3.7	23
22	Synthesis and Reactivity of Cationic Boron Complexes Distorted by Pyridine-based Pincer Ligands: Isolation of a Photochemical Hofmann-Martius-type Intermediate. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 4932-4936.	7.2	18
23	Anharmonic Lattice Vibrations in Small Molecule Organic Semiconductors. <i>Advanced Materials</i> , 2020, 32, 1908028.	11.1	24
24	Formation of thioesters by dehydrogenative coupling of thiols and alcohols with H ₂ evolution. <i>Nature Catalysis</i> , 2020, 3, 887-892.	16.1	32
25	Positive shift in corrole redox potentials leveraged by modest ¹² -CF ₃ -substitution helps achieve efficient photocatalytic C-H bond functionalization by group 13 complexes. <i>Dalton Transactions</i> , 2019, 48, 12279-12286.	1.6	24
26	(Me,Me)Bimane as a Structural Building Block in Metal Coordination Architectures. <i>Crystal Growth and Design</i> , 2019, 19, 4358-4368.	1.4	6
27	Reversible switching of arylazopyrazole within a metal-organic cage. <i>Beilstein Journal of Organic Chemistry</i> , 2019, 15, 2398-2407.	1.3	35
28	Polymorphism of L-Tryptophan. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 18788-18792.	7.2	21
29	Superstructured metallocorroles for electrochemical CO ₂ reduction. <i>Chemical Communications</i> , 2019, 55, 11912-11915.	2.2	16
30	Formamides as Isocyanate Surrogates: A Mechanistically Driven Approach to the Development of Atom-Efficient, Selective Catalytic Syntheses of Ureas, Carbamates, and Heterocycles. <i>Journal of the American Chemical Society</i> , 2019, 141, 16486-16493.	6.6	47
31	Maximizing Property Tuning of Phosphorus Corrole Photocatalysts through a Trifluoromethylation Approach. <i>Inorganic Chemistry</i> , 2019, 58, 6184-6198.	1.9	27
32	Pyridine-Based PCP-Ruthenium Complexes: Unusual Structures and Metal-Ligand Cooperation. <i>Journal of the American Chemical Society</i> , 2019, 141, 7554-7561.	6.6	32
33	C-C Bond Formation of Benzyl Alcohols and Alkynes Using a Catalytic Amount of KO ^t Bu: Unusual Regioselectivity through a Radical Mechanism. <i>Angewandte Chemie</i> , 2019, 131, 3411-3415.	1.6	7
34	C-C Bond Formation of Benzyl Alcohols and Alkynes Using a Catalytic Amount of KO ^t Bu: Unusual Regioselectivity through a Radical Mechanism. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 3373-3377.	7.2	23
35	Dehydrogenative Cross-Coupling of Primary Alcohols To Form Cross-Esters Catalyzed by a Manganese Pincer Complex. <i>ACS Catalysis</i> , 2019, 9, 479-484.	5.5	79
36	Reversible chromism of spiropyran in the cavity of a flexible coordination cage. <i>Nature Communications</i> , 2018, 9, 641.	5.8	148

#	ARTICLE	IF	CITATIONS
37	N ² -Substituted Hydrazones by Manganese-Catalyzed Coupling of Alcohols with Hydrazine: Borrowing Hydrogen and Acceptorless Dehydrogenation in One System. <i>Angewandte Chemie</i> , 2018, 130, 2201-2204.	1.6	29
38	N ² -Substituted Hydrazones by Manganese-Catalyzed Coupling of Alcohols with Hydrazine: Borrowing Hydrogen and Acceptorless Dehydrogenation in One System. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 2179-2182.	7.2	104
39	Reversible photoswitching of encapsulated azobenzenes in water. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 9379-9384.	3.3	110
40	Formal oxidative addition of a C-H bond by a 16e iridium complex involves metal-ligand cooperation. <i>Chemical Communications</i> , 2018, 54, 5365-5368.	2.2	7
41	CO Oxidation by N ₂ O Homogeneously Catalyzed by Ruthenium Hydride Pincer Complexes Indicating a New Mechanism. <i>Journal of the American Chemical Society</i> , 2018, 140, 7061-7064.	6.6	52
42	CO ₂ activation by metal-ligand-cooperation mediated by iridium pincer complexes. <i>Journal of Coordination Chemistry</i> , 2018, 71, 1679-1689.	0.8	12
43	Sorting of Molecular Building Blocks from Solution to Surface. <i>Journal of the American Chemical Society</i> , 2018, 140, 8162-8171.	6.6	10
44	Highly Selective, Efficient Deoxygenative Hydrogenation of Amides Catalyzed by a Manganese Pincer Complex via Metal-Ligand Cooperation. <i>ACS Catalysis</i> , 2018, 8, 8014-8019.	5.5	100
45	Direct Conversion of Alcohols into Alkenes by Dehydrogenative Coupling with Hydrazine/Hydrazone Catalyzed by Manganese. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 13444-13448.	7.2	50
46	Synthesis of Pyrazines and Quinoxalines via Acceptorless Dehydrogenative Coupling Routes Catalyzed by Manganese Pincer Complexes. <i>ACS Catalysis</i> , 2018, 8, 7734-7741.	5.5	124
47	Metal-Ligand Cooperation as Key in Formation of Dearomatized Ni ^{II} -H Pincer Complexes and in Their Reactivity toward CO and CO ₂ . <i>Organometallics</i> , 2018, 37, 2217-2221.	1.1	39
48	Quenching of syn-bimane fluorescence by Na ⁺ complexation. <i>New Journal of Chemistry</i> , 2018, 42, 15541-15545.	1.4	7
49	Direct Conversion of Alcohols into Alkenes by Dehydrogenative Coupling with Hydrazine/Hydrazone Catalyzed by Manganese. <i>Angewandte Chemie</i> , 2018, 130, 13632-13636.	1.6	13
50	The Ferraquinone-Ferrahydroquinone Couple: Combining Quinonic and Metal-Based Reactivity. <i>Journal of the American Chemical Society</i> , 2017, 139, 2799-2807.	6.6	28
51	Selective N-Formylation of Amines with H ₂ and CO ₂ Catalyzed by Cobalt Pincer Complexes. <i>ACS Catalysis</i> , 2017, 7, 2500-2504.	5.5	137
52	Manganese-Catalyzed N-Formylation of Amines by Methanol Liberating H ₂ : A Catalytic and Mechanistic Study. <i>Angewandte Chemie</i> , 2017, 129, 4293-4297.	1.6	49
53	Formation of Alkanes by Aerobic Carbon-Carbon Bond Coupling Reactions Catalyzed by a Phosphovanadomolybdic Acid. <i>ACS Catalysis</i> , 2017, 7, 2725-2729.	5.5	9
54	Manganese-Catalyzed N-Formylation of Amines by Methanol Liberating H ₂ : A Catalytic and Mechanistic Study. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 4229-4233.	7.2	170

#	ARTICLE	IF	CITATIONS
55	Direct Synthesis of Amides by Dehydrogenative Coupling of Amines with either Alcohols or Esters: Manganese Pincer Complex as Catalyst. <i>Angewandte Chemie</i> , 2017, 129, 15188-15192.	1.6	39
56	Direct Synthesis of Amides by Dehydrogenative Coupling of Amines with either Alcohols or Esters: Manganese Pincer Complex as Catalyst. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 14992-14996.	7.2	141
57	Synthesis of Cyclic Imides by Acceptorless Dehydrogenative Coupling of Diols and Amines Catalyzed by a Manganese Pincer Complex. <i>Journal of the American Chemical Society</i> , 2017, 139, 11722-11725.	6.6	135
58	Bottom-Up Construction of a CO ₂ -Based Cycle for the Photocarbonylation of Benzene, Promoted by a Rhodium(I) Pincer Complex. <i>Journal of the American Chemical Society</i> , 2016, 138, 9941-9950.	6.6	49
59	Reductive Cleavage of CO ₂ by Metal-Ligand-Cooperation Mediated by an Iridium Pincer Complex. <i>Journal of the American Chemical Society</i> , 2016, 138, 6445-6454.	6.6	88
60	Reversible Aromaticity Transfer in a Bora-Cycle: Boron-Ligand Cooperation. <i>Journal of the American Chemical Society</i> , 2016, 138, 13307-13313.	6.6	30
61	syn-Bimane as a chelating O-donor ligand for palladium(ii). <i>Dalton Transactions</i> , 2016, 45, 17123-17131.	1.6	11
62	Avilamycin and evernimicin induce structural changes in rProteins uL16 and CTC that enhance the inhibition of A-site tRNA binding. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E6796-E6805.	3.3	21
63	New Ruthenium Nitrosyl Pincer Complexes Bearing an O ₂ Ligand. Mono-Oxygen Transfer. <i>Inorganic Chemistry</i> , 2015, 54, 2253-2263.	1.9	12
64	O ₂ Activation by Metal-Ligand Cooperation with Ir PNP Pincer Complexes. <i>Journal of the American Chemical Society</i> , 2015, 137, 4634-4637.	6.6	42
65	Generation of Mono- and Bimetallic Palladium Complexes and Mechanistic Insight into an Operative Metal Ring-Walking Process. <i>Organometallics</i> , 2015, 34, 1098-1106.	1.1	11
66	Cobalt-Catalyzed Hydrogenation of Esters to Alcohols: Unexpected Reactivity Trend Indicates Ester Enolate Intermediacy. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 12357-12360.	7.2	166
67	How Innocent are Potentially Redox Non-Innocent Ligands? Electronic Structure and Metal Oxidation States in Iron-PNN Complexes as a Representative Case Study. <i>Inorganic Chemistry</i> , 2015, 54, 4909-4926.	1.9	76
68	Bismuth-Substituted α -Sandwich-Type Polyoxometalate Catalyst for Activation of Peroxide: Umpolung of the Peroxo Intermediate and Change of Chemoselectivity. <i>ACS Catalysis</i> , 2015, 5, 3336-3341.	5.5	38
69	Synthesis and Reactivity of Iron Complexes with a New Pyrazine-Based Pincer Ligand, and Application in Catalytic Low-Pressure Hydrogenation of Carbon Dioxide. <i>Inorganic Chemistry</i> , 2015, 54, 4526-4538.	1.9	119
70	A novel liquid organic hydrogen carrier system based on catalytic peptide formation and hydrogenation. <i>Nature Communications</i> , 2015, 6, 6859.	5.8	115
71	Direct Synthesis of Secondary Amines From Alcohols and Ammonia Catalyzed by a Ruthenium Pincer Complex. <i>Catalysis Letters</i> , 2015, 145, 139-144.	1.4	58
72	Iron Dicarbonyl Complexes Featuring Bipyridine-Based PNN Pincer Ligands with Short Interpyridine C-C Bond Lengths: Innocent or Non-Innocent Ligand?. <i>Chemistry - A European Journal</i> , 2014, 20, 4403-4413.	1.7	56

#	ARTICLE	IF	CITATIONS
73	Reversible CO ₂ binding triggered by metal–ligand cooperation in a rhenium(<i>scpi</i>) PNP pincer-type complex and the reaction with dihydrogen. <i>Chemical Science</i> , 2014, 5, 2043-2051.	3.7	120
74	Reusable Homogeneous Catalytic System for Hydrogen Production from Methanol and Water. <i>ACS Catalysis</i> , 2014, 4, 2649-2652.	5.5	176
75	Direct Observation of Reductive Elimination of MeX (X = Cl, Br, I) from Rh ^{III} Complexes: Mechanistic Insight and the Importance of Sterics. <i>Journal of the American Chemical Society</i> , 2013, 135, 11040-11047.	6.6	48
76	A Phosphine-Accelerated Ar–F–Cl Bond Activation Process by Palladium. <i>Organometallics</i> , 2013, 32, 3074-3082.	1.1	3
77	High Charge Delocalization and Conjugation in Oligofuran Molecular Wires. <i>Chemistry - A European Journal</i> , 2013, 19, 13140-13150.	1.7	52
78	Synthesis, Structures, and Dearomatization by Deprotonation of Iron Complexes Featuring Bipyridine-based PNN Pincer Ligands. <i>Inorganic Chemistry</i> , 2013, 52, 9636-9649.	1.9	53
79	Iron Pincer Complex Catalyzed, Environmentally Benign, <i>selective Semi-Hydrogenation of Alkynes</i> . <i>Angewandte Chemie - International Edition</i> , 2013, 52, 14131-14134.	7.2	215
80	Activation of Nitriles by Metal Ligand Cooperation. Reversible Formation of Ketimido- and Enamido-Rhenium PNP Pincer Complexes and Relevance to Catalytic Design. <i>Journal of the American Chemical Society</i> , 2013, 135, 17004-17018.	6.6	110
81	Ru(O) and Ru(II) Nitrosyl Pincer Complexes: Structure, Reactivity, and Catalytic Activity. <i>Inorganic Chemistry</i> , 2013, 52, 11469-11479.	1.9	29
82	Anionic Nickel(II) Complexes with Doubly Deprotonated PNP Pincer-Type Ligands and Their Reactivity toward CO ₂ . <i>Organometallics</i> , 2013, 32, 300-308.	1.1	79
83	Stepwise Metal–Ligand Cooperation by a Reversible Aromatization/Deconjugation Sequence in Ruthenium Complexes with a Tetradentate Phenanthroline-Based Ligand. <i>Chemistry - A European Journal</i> , 2013, 19, 3407-3414.	1.7	49
84	Formal loss of an H radical by a cobalt complex via metal–ligand cooperation. <i>Chemical Communications</i> , 2013, 49, 2771.	2.2	63
85	PNN Ruthenium Pincer Complexes Based on Phosphinated 2,2'-Dipyridinemethane and 2,2'-Oxobispyridine. Metal–Ligand Cooperation in Cyclometalation and Catalysis. <i>Organometallics</i> , 2013, 32, 2973-2982.	1.1	40
86	Structural studies of p53 inactivation by DNA-contact mutations and its rescue by suppressor mutations via alternative protein-DNA interactions. <i>Nucleic Acids Research</i> , 2013, 41, 8748-8759.	6.5	60
87	Palladium-Catalyzed Cross-Coupling Reactions with Fluorinated Substrates: Mechanistic Insights into the Undesired Hydrodehalogenation of Aryl Halides. <i>Organometallics</i> , 2012, 31, 1271-1274.	1.1	14
88	PNS-Type Ruthenium Pincer Complexes. <i>Organometallics</i> , 2012, 31, 6207-6214.	1.1	45
89	Exclusive C–C Oxidative Addition in a Rhodium Thiophosphoryl Pincer Complex and Computational Evidence for an $\hat{\text{I}}^3\text{-C}^{\text{H}}$ Agostic Intermediate. <i>Organometallics</i> , 2012, 31, 505-512.	1.1	33
90	N–H Activation by Rh(I) via Metal–Ligand Cooperation. <i>Organometallics</i> , 2012, 31, 4083-4101.	1.1	83

#	ARTICLE	IF	CITATIONS
91	Iron Borohydride Pincer Complexes for the Efficient Hydrogenation of Ketones under Mild, Base-Free Conditions: Synthesis and Mechanistic Insight. <i>Chemistry - A European Journal</i> , 2012, 18, 7196-7209.	1.7	180
92	A New Mode of Activation of CO ₂ by Metal-Ligand Cooperation with Reversible C≡C and M-η ² O Bond Formation at Ambient Temperature. <i>Chemistry - A European Journal</i> , 2012, 18, 9194-9197.	1.7	125
93	Selective Acceptorless Conversion of Primary Alcohols to Acetals and Dihydrogen Catalyzed by the Ruthenium(II) Complex Ru(PPh ₃) ₂ (NCCH ₃) ₂ (SO ₄). <i>Advanced Synthesis and Catalysis</i> , 2012, 354, 497-504.	2.1	48
94	Photocatalytic Splitting of CS ₂ to S ₈ and a Carbon-Sulfur Polymer Catalyzed by a Bimetallic Ruthenium(II) Compound with a Tertiary Amine Binding Site: Toward Photocatalytic Splitting of CO ₂ ?. <i>Inorganic Chemistry</i> , 2011, 50, 11273-11275.	1.9	10
95	Photoreduction of Carbon Dioxide to Carbon Monoxide with Hydrogen Catalyzed by a Rhenium(I) Phenanthroline-Polyoxometalate Hybrid Complex. <i>Journal of the American Chemical Society</i> , 2011, 133, 188-190.	6.6	206
96	Aliphatic and aromatic C-H activation of benzo[h]quinolines by Rh(I). Unique precursor dependent formation of mono-, di- and trinuclear complexes. <i>Inorganica Chimica Acta</i> , 2011, 369, 260-269.	1.2	4
97	Copper(I) Complexes of Bipyridine and Terpyridine with Fluorous Tails and the Formation of Crystalline Materials with Fluorous Layers. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 1792-1796.	1.0	3
98	Low-Pressure Hydrogenation of Carbon Dioxide Catalyzed by an Iron Pincer Complex Exhibiting Noble Metal Activity. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 9948-9952.	7.2	479
99	Effect of CO on the Oxidative Addition of Arene C-H Bonds by Cationic Rhodium Complexes. <i>Chemistry - A European Journal</i> , 2010, 16, 328-353.	1.7	49
100	Cationic, Neutral, and Anionic PNP Pd ^{II} and Pt ^{II} Complexes: Dearomatization by Deprotonation and Double-Deprotonation of Pincer Systems. <i>Inorganic Chemistry</i> , 2010, 49, 1615-1625.	1.9	78
101	Lanthanide Organic Framework of a Rigid Bis-Gd Complex: Composed by Carbonate Ions Spacers. <i>Crystal Growth and Design</i> , 2010, 10, 4235-4239.	1.4	10
102	Synthesis and Reactivity of an Iridium(I) Acetylonyl PNP Complex. Experimental and Computational Study of Metal-Ligand Cooperation in H-H and C-H Bond Activation via Reversible Ligand Dearomatization. <i>Organometallics</i> , 2010, 29, 3817-3827.	1.1	97
103	±-Oligofurans. <i>Journal of the American Chemical Society</i> , 2010, 132, 2148-2150.	6.6	246
104	Formation of Stable <i>trans</i> -Dihydride Ruthenium(II) and 16-Electron Ruthenium(0) Complexes Based on Phosphinite PONOP Pincer Ligands. Reactivity toward Water and Electrophiles. <i>Organometallics</i> , 2009, 28, 4791-4806.	1.1	84
105	Long-Range Through-Bond Heteronuclear Communication in Platinum Complexes. <i>Inorganic Chemistry</i> , 2009, 48, 4021-4030.	1.9	5
106	Structural Basis of Restoring Sequence-Specific DNA Binding and Transactivation to Mutant p53 by Suppressor Mutations. <i>Journal of Molecular Biology</i> , 2009, 385, 249-265.	2.0	52
107	Structure and Reactivity of Rhodium(I) Complexes Based on Electron-Withdrawing Pyrrolyl-PCP-Pincer Ligands. <i>Organometallics</i> , 2009, 28, 523-533.	1.1	27
108	The Impact of Weak C-H...Rh Interactions on the Structure and Reactivity of <i>trans</i> -[Rh(CO) ₂ (phosphine) ₂] ⁺ : An Experimental and Theoretical Examination. <i>Chemistry - A European Journal</i> , 2008, 14, 8183-8194.	1.7	11

#	ARTICLE	IF	CITATIONS
109	Pyridine-based SNS-iridium and -rhodium sulfide complexes, including d ⁸ metal-metal interactions in the solid state. <i>Dalton Transactions</i> , 2008, , 3226.	1.6	20
110	Synthesis, Structure, and Reactivity of Rhodium and Iridium Complexes of the Chelating Bis-Sulfoxide <i>t</i> -BuSOC ₂ H ₄ SO ₂ <i>t</i> -Bu. Selective O ¹⁸ H Activation of 2-Hydroxy- <i>iso</i> -propyl-pyridine. <i>Inorganic Chemistry</i> , 2008, 47, 6502-6512.	1.9	14
111	Pyridine-Based Sulfoxide Pincer Complexes of Rhodium and Iridium. <i>Organometallics</i> , 2008, 27, 1892-1901.	1.1	30
112	Assembly of Crystalline Halogen-Bonded Materials by Physical Vapor Deposition. <i>Journal of the American Chemical Society</i> , 2008, 130, 8162-8163.	6.6	76
113	Cationic, Neutral, and Anionic Platinum(II) Complexes Based on an Electron-Rich PNN Ligand. New Modes of Reactivity Based on Pincer Hemilability and Dearomatization. <i>Organometallics</i> , 2008, 27, 2627-2634.	1.1	57
114	Competitive C ¹ versus C ² Reductive Elimination from a Rh ^{III} Complex. Selectivity is Controlled by the Solvent. <i>Journal of the American Chemical Society</i> , 2008, 130, 14374-14375.	6.6	42
115	Reactivity and stability of platinum(II) formyl complexes based on PCP-type ligands. The significance of sterics. <i>Dalton Transactions</i> , 2007, , 5692.	1.6	32
116	Mononuclear Rh(II) PNP-Type Complexes. Structure and Reactivity. <i>Inorganic Chemistry</i> , 2007, 46, 10479-10490.	1.9	66
117	Crystal Engineering of Porphyrin Sieves Based on Coordination Polymers of Pd- and Pt-tetra(4-carboxyphenyl)porphyrin. <i>Crystal Growth and Design</i> , 2003, 3, 855-863.	1.4	81
118	Crystal engineering of metalloporphyrin assemblies. New supramolecular architectures mediated by bipyridyl ligands. <i>Chemical Communications</i> , 2002, , 1420-1421.	2.2	42
119	Supramolecular porphyrin-based materials. Assembly modes of [5,10,15,20-tetrakis(4-hydroxyphenyl)porphyrinato- ¹⁴ N]zinc with bipyridyl ligands. <i>CrystEngComm</i> , 2002, 4, 296-301.	1.3	29
120	Hydrogen-bonded supramolecular lattice of the 1:3:4 complex between [5,10,15,20-meso-tetrakis(4-hydroxyphenyl)porphyrinato- ¹⁴ N]zinc(II), dibenzo-24-crown-8 and methanol. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002, 58, m344-m346.	0.4	3
121	meso-(4-Nitrophenyl)dipyromethane. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2002, 58, o530-o531.	0.2	3
122	Supramolecular assembly of metalloporphyrins in crystals by axial coordination through amine ligands. <i>Dalton Transactions RSC</i> , 2001, , 2775-2782.	2.3	83
123	Porphyrin sieves. Designing open networks of tetra(carboxyphenyl)porphyrins by extended coordination through sodium ion auxiliaries. <i>New Journal of Chemistry</i> , 2001, 25, 899-904.	1.4	39
124	[5,10,15,20-meso-Tetrakis(2-thienyl)porphyrinato- ¹⁴ N]copper(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2001, 57, m346-m348.	0.2	10
125	Crystal Engineering of 2-D and 3-D Multiporphyrin Architectures - The Versatile Topologies of Tetracarboxyphenylporphyrin-Based Materials. <i>European Journal of Inorganic Chemistry</i> , 2001, 2001, 2515-2523.	1.0	59
126	Crystal Engineering of Metalloporphyrin Zeolite Analogues. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 1288-1292.	7.2	149

#	ARTICLE	IF	CITATIONS
127	New effective synthons for supramolecular self-assembly of meso-carboxyphenylporphyrins. Chemical Communications, 2000, , 585-586.	2.2	52
128	From porphyrin sponges to porphyrin sieves: a unique crystalline lattice of aquazinc tetra(4-carboxyphenyl)porphyrin with nanosized channels. Chemical Communications, 1999, , 1961-1962.	2.2	73
129	Solid-state supramolecular chemistry of porphyrins. Stacked and layered heterogeneous aggregation modes of tetraarylporphyrins with crown ethers. New Journal of Chemistry, 1999, 23, 885-890.	1.4	49
130	Chemical Modifications Suppress Anharmonic Effects in the Lattice Dynamics of Organic Semiconductors. ACS Materials Au, 0, , .	2.6	4