Andrea Rubbert-Roth

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6709996/publications.pdf

Version: 2024-02-01

38 papers 10,768 citations

236925 25 h-index 36 g-index

39 all docs 39 docs citations

39 times ranked 9642 citing authors

#	Article	IF	CITATIONS
1	Treatment of refractory subacute cuataneous lupus erythematosus with baricitinib. Clinical and Experimental Dermatology, 2022, 47, 748-750.	1.3	9
2	Anti-interleukin-23 directed therapy and the recurrence of severe allergic asthma. Rheumatology, 2022, , .	1.9	2
3	Combination therapies in rheumatoid arthritis—choose your partner carefully. Lancet Rheumatology, The, 2022, , .	3.9	0
4	Comparison of drug retention of TNF inhibitors, other biologics and JAK inhibitors in RA patients who discontinued JAK inhibitor therapy. Rheumatology, 2022, 62, 89-97.	1.9	13
5	Impact of the COVID-19 pandemic on the disease course of patients with inflammatory rheumatic diseases: results from the Swiss Clinical Quality Management cohort. Annals of the Rheumatic Diseases, 2021, 80, 238-241.	0.9	54
6	Effect of disease duration and other characteristics on efficacy outcomes in clinical trials of tocilizumab for rheumatoid arthritis. Rheumatology, 2021, 60, 682-691.	1.9	7
7	Associations between serum antibodies to periodontal pathogens and preclinical phases of rheumatoid arthritis. Rheumatology, 2021, 60, 4755-4764.	1.9	13
8	Rituximab plus leflunomide in rheumatoid arthritis: a randomized, placebo-controlled, investigator-initiated clinical trial (AMARA study). Rheumatology, 2021, 60, 5318-5328.	1.9	8
9	Identification of a Rule to Predict Response to Sarilumab in Patients with Rheumatoid Arthritis Using Machine Learning and Clinical Trial Data. Rheumatology and Therapy, 2021, 8, 1661-1675.	2.3	10
10	Canakinumab for Treatment of Adult-Onset Still's Disease to Achieve Reduction of Arthritic Manifestation (CONSIDER): phase II, randomised, double-blind, placebo-controlled, multicentre, investigator-initiated trial. Annals of the Rheumatic Diseases, 2020, 79, 1090-1097.	0.9	56
11	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2019 update. Annals of the Rheumatic Diseases, 2020, 79, 685-699.	0.9	1,860
12	Failure of anti-TNF treatment in patients with rheumatoid arthritis: The pros and cons of the early use of alternative biological agents. Autoimmunity Reviews, 2019, 18, 102398.	5.8	75
13	THU0561â€CANAKINUMAB FOR THE TREATMENT OF ADULT ONSET STILL S DISEASE TO ACHIEVE REDUCTION ARTHRITIC MANIFESTATION AT WEEK 12: AN INVESTIGATOR-INITIATED MULTI-CENTRE, PLACEBO-CONTROLLED STUDY (CONSIDER). , 2019, , .	N OF	1
14	Early and late responses in patients with rheumatoid arthritis who were conventional synthetic disease-modifying anti-rheumatic drug inadequate responders and were treated with tocilizumab or switched to rituximab: an open-label phase 3 trial (MIRAI). Clinical and Experimental Rheumatology, 2019, 37, 937-945.	0.8	1
15	A Review of Recent Advances Using Tocilizumab in the Treatment of Rheumatic Diseases. Rheumatology and Therapy, 2018, 5, 21-42.	2.3	97
16	TNF inhibitors in rheumatoid arthritis and spondyloarthritis: Are they the same?. Autoimmunity Reviews, 2018, 17, 24-28.	5.8	39
17	Safety and efficacy of upadacitinib in patients with active rheumatoid arthritis refractory to biologic disease-modifying anti-rheumatic drugs (SELECT-BEYOND): a double-blind, randomised controlled phase 3 trial. Lancet, The, 2018, 391, 2513-2524.	13.7	316
18	Effect of tocilizumab on neutrophils in adult patients with rheumatoid arthritis: pooled analysis of data from phase 3 and 4 clinical trials. Rheumatology, 2017, 56, kew370.	1.9	42

#	Article	IF	Citations
19	A randomised phase IIb study of mavrilimumab, a novel GM–CSF receptor alpha monoclonal antibody, in the treatment of rheumatoid arthritis. Annals of the Rheumatic Diseases, 2017, 76, 1020-1030.	0.9	117
20	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2016 update. Annals of the Rheumatic Diseases, 2017, 76, 960-977.	0.9	3,366
21	Tocilizumab in early progressive rheumatoid arthritis: FUNCTION, a randomised controlled trial. Annals of the Rheumatic Diseases, 2016, 75, 1081-1091.	0.9	152
22	Points to consider for reporting, screening for and preventing selected comorbidities in chronic inflammatory rheumatic diseases in daily practice: a EULAR initiative. Annals of the Rheumatic Diseases, 2016, 75, 965-973.	0.9	179
23	Malignancy rates in patients with rheumatoid arthritis treated with tocilizumab. RMD Open, 2016, 2, e000213.	3.8	47
24	Monotherapy with biologic disease-modifying anti-rheumatic drugs in rheumatoid arthritis: Table 1. Rheumatology, 2016, 56, kew271.	1.9	22
25	Efficacy and safety of subcutaneous tocilizumab versus intravenous tocilizumab in combination with traditional DMARDs in patients with RA at week 97 (SUMMACTA). Annals of the Rheumatic Diseases, 2016, 75, 68-74.	0.9	100
26	Rituximab versus an alternative TNF inhibitor in patients with rheumatoid arthritis who failed to respond to a single previous TNF inhibitor: SWITCH-RA, a global, observational, comparative effectiveness study. Annals of the Rheumatic Diseases, 2015, 74, 979-984.	0.9	119
27	Spectrum of Uveitis in A German Tertiary Center: Review of 474 Consecutive Patients. Ocular Immunology and Inflammation, 2015, 23, 346-352.	1.8	48
28	$94.\hat{a} \in f$ Tocilizumab in Patients with Rheumatoid Arthritis and Rates of Malignancy: Results from Long-Term Extension Clinical Trials. Rheumatology, 2014, 53, i91-i92.	1.9	3
29	A randomised, double-blind, parallel-group study of the safety and efficacy of subcutaneous tocilizumab versus intravenous tocilizumab in combination with traditional disease-modifying antirheumatic drugs in patients with moderate to severe rheumatoid arthritis (SUMMACTA study). Annals of the Rheumatic Diseases, 2014, 73, 69-74.	0.9	208
30	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2013 update. Annals of the Rheumatic Diseases, 2014, 73, 492-509.	0.9	1,688
31	Longterm Safety and Efficacy of Tocilizumab in Patients with Rheumatoid Arthritis: A Cumulative Analysis of Up to 4.6 Years of Exposure. Journal of Rheumatology, 2013, 40, 768-780.	2.0	108
32	Consensus statement on blocking the effects of interleukin-6 and in particular by interleukin-6 receptor inhibition in rheumatoid arthritis and other inflammatory conditions. Annals of the Rheumatic Diseases, 2013, 72, 482-492.	0.9	102
33	Updated consensus statement on biological agents for the treatment of rheumatic diseases, 2012: TableÂ1. Annals of the Rheumatic Diseases, 2013, 72, ii2-ii34.	0.9	114
34	Assessing the safety of biologic agents in patients with rheumatoid arthritis. Rheumatology, 2012, 51, ν 38- ν 47.	1.9	121
35	Efficacy and safety of various repeat treatment dosing regimens of rituximab in patients with active rheumatoid arthritis: results of a Phase III randomized study (MIRROR). Rheumatology, 2010, 49, 1683-1693.	1.9	170
36	Treatment options in patients with rheumatoid arthritis failing initial TNF inhibitor therapy: a critical review. Arthritis Research and Therapy, 2009, 11, S1.	3.5	227

#	Article	IF	CITATIONS
37	Effect of interleukin-6 receptor inhibition with tocilizumab in patients with rheumatoid arthritis (OPTION study): a double-blind, placebo-controlled, randomised trial. Lancet, The, 2008, 371, 987-997.	13.7	1,269
38	Canakinumab for Treatment of Adult Onset Still's Disease to Achieve Reduction of Arthritic Manifestation (CONSIDER): A Phase 2, Multi-Centre, Placebo-Controlled Study. SSRN Electronic Journal, 0, , .	0.4	1