

Patrice Rivard

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6711315/patrice-rivard-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69
papers

1,501
citations

24
h-index

37
g-index

75
ext. papers

1,801
ext. citations

5.2
avg, IF

4.76
L-index

#	Paper	IF	Citations
69	Fluvial Sediments as SCMs: Characterization, Pozzolan Performance, and Optimization of Equivalent Binder. <i>Journal of Materials in Civil Engineering</i> , 2022 , 34,	3	2
68	Field Assessment of ASR-Affected Structures. <i>RILEM State-of-the-Art Reports</i> , 2021 , 41-93	1.3	
67	Durability and transport properties of SCC incorporating dredged sediments. <i>Construction and Building Materials</i> , 2021 , 288, 123116	6.7	6
66	Rock mass properties and their suitability as a foundation for a rolled compacted concrete gravity dam: case study of Beni Haroun dam (Mila, NE Algeria). <i>Bulletin of Engineering Geology and the Environment</i> , 2021 , 80, 1729-1743	4	1
65	Influence of Material Strength on the Apparent Cohesion of Unbounded Gravity Dam Joints under Low Normal Stress. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2021 , 147, 06021034	3.4	1
64	Validation of complex electrical properties of concrete affected by accelerated alkali-silica reaction. <i>Cement and Concrete Composites</i> , 2020 , 113, 103660	8.6	2
63	Valorization of dredged sediments in self-consolidating concrete: Fresh, hardened, and microstructural properties. <i>Journal of Cleaner Production</i> , 2020 , 263, 121472	10.3	14
62	Influence of Roughness on the Apparent Cohesion of Rock Joints at Low Normal Stresses. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2020 , 146, 04020003	3.4	6
61	Non-destructive non-invasive assessment of the development of alkali-silica reaction in concrete by spectral induced polarization: Evaluation of the complex electrical properties. <i>Construction and Building Materials</i> , 2020 , 238, 117719	6.7	1
60	Durability study of concrete incorporating dredged sediments. <i>Case Studies in Construction Materials</i> , 2019 , 11, e00244	2.7	10
59	Roughness Effects on the Shear Strength of Concrete and Rock Joints in Dams Based on Experimental Data. <i>Rock Mechanics and Rock Engineering</i> , 2019 , 52, 3867-3888	5.7	12
58	Measuring electrical properties of mortar and concrete samples using the spectral induced polarization method: laboratory set-up. <i>Construction and Building Materials</i> , 2019 , 210, 1-12	6.7	7
57	Feasibility of using marine sediments in SCC pastes as supplementary cementitious materials. <i>Powder Technology</i> , 2019 , 344, 730-740	5.2	15
56	Development of self-compacting mortars based on treated marine sediments. <i>Journal of Building Engineering</i> , 2019 , 22, 252-261	5.2	17
55	Experimental Assessment of the Tensile Bond Strength of Mortar-Mortar Interfaces: Effects of Interface Roughness and Mortar Strength. <i>Geotechnical Testing Journal</i> , 2018 , 41, 20170173	1.3	2
54	The application of a new oxidation mortar bar test to mixtures containing different cementing systems. <i>Construction and Building Materials</i> , 2018 , 173, 775-785	6.7	3
53	Modeling the spatial variability of the shear strength of discontinuities of rock masses: Application to a dam rock mass. <i>Engineering Geology</i> , 2017 , 220, 133-143	6	15

52	The shape effect on the morphology of the fracture surface induced by the Brazilian test. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2017 , 93, 201-209	6	4
51	Impact of Acid Attack on the Shear Behaviour of a Carbonate Rock Joint. <i>Rock Mechanics and Rock Engineering</i> , 2017 , 50, 1439-1451	5.7	9
50	Assessment of Corroded Rock Bolts with Pulse Echo Tests. <i>Journal of Infrastructure Systems</i> , 2017 , 23, 04017007	2.9	6
49	Geometric Effect of Asperities on Shear Mechanism of Rock Joints. <i>Rock Mechanics and Rock Engineering</i> , 2016 , 49, 801-820	5.7	31
48	Shear mechanism of rock joints under pre-peak cyclic loading condition. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2016 , 83, 197-210	6	39
47	Direct shear tests on cemented paste backfill back wall and cemented paste backfill backfill interfaces. <i>Journal of Rock Mechanics and Geotechnical Engineering</i> , 2016 , 8, 472-479	5.3	65
46	Comparison of Joint Shearing Resistance Obtained with the Barton and Choubey Criterion and with Direct Shear Tests. <i>Rock Mechanics and Rock Engineering</i> , 2016 , 49, 3357-3361	5.7	15
45	Concrete Quality Designation based on Ultrasonic Pulse Velocity. <i>Construction and Building Materials</i> , 2016 , 125, 1022-1027	6.7	61
44	Characterization of discontinuities inside massive concrete structures with normal dc resistivity logging. <i>Journal of Applied Geophysics</i> , 2015 , 120, 69-80	1.7	2
43	Experimental Study of Crack Closure on Heterogeneous Quasi-Brittle Material. <i>Journal of Engineering Mechanics - ASCE</i> , 2015 , 141, 04015041	2.4	10
42	Combining nonlinear acoustics and physico-chemical analysis of aggregates to improve alkali-silica reaction monitoring. <i>Cement and Concrete Research</i> , 2015 , 67, 44-51	10.3	17
41	Characterization of rock discontinuity openings using acoustic wave amplitude [Application to a metamorphic rock mass. <i>Engineering Geology</i> , 2015 , 193, 402-411	6	11
40	Non-destructive evaluation of cracks in massive concrete using normal dc resistivity logging. <i>NDT and E International</i> , 2014 , 63, 11-20	4.1	23
39	Evaluating the damage in reinforced concrete slabs under bending test with the energy of ultrasonic waves. <i>Construction and Building Materials</i> , 2014 , 73, 663-673	6.7	31
38	Effect of the Temperature on the Nonlinear Acoustic Behavior of Reinforced Concrete Using Dynamic Acoustoelastic Method of Time Shift. <i>Journal of Nondestructive Evaluation</i> , 2014 , 33, 288-298	2.1	7
37	Valorization of unauthorized sea disposal dredged sediments as a road foundation material. <i>Environmental Technology (United Kingdom)</i> , 2014 , 35, 1997-2007	2.6	35
36	Nonlinear Acoustic Technique of Time Shift for Evaluation of Alkali-Silica Reaction Damage in Concrete Structures. <i>ACI Materials Journal</i> , 2014 , 111,	0.9	6
35	Evaluation of Concrete Distributed Cracks by Ultrasonic Travel Time Shift Under an External Mechanical Perturbation: Study of Indirect and Semi-direct Transmission Configurations. <i>Journal of Nondestructive Evaluation</i> , 2013 , 32, 25-36	2.1	34

34	A Case Study of the Self-Potential Method to Characterize Seepage and Earth Dam Materials 2013 , 943-948		2
33	Comparative Study of Nonlinear Resonance and Wave Interaction Techniques for Concrete Damage Assessment 2013 , 137-142		
32	Nondestructive Assessment of Alkali-Silica Reaction in Concrete: A Review 2013 , 317-322		1
31	Limitations of laser profilometry in measuring surface topography of polycrystalline rocks. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2012 , 52, 56-60	6	11
30	Mineralogical and chemical assessment of concrete damaged by the oxidation of sulfide-bearing aggregates: Importance of thaumasite formation on reaction mechanisms. <i>Cement and Concrete Research</i> , 2012 , 42, 1336-1347	10.3	29
29	Application of acoustic emission for monitoring shear behavior of bonded concrete block joints under direct shear test. <i>Canadian Journal of Civil Engineering</i> , 2012 , 39, 887-896	1.3	26
28	Correlating acoustic emission sources with damaged zones during direct shear test of rock joints. <i>Canadian Geotechnical Journal</i> , 2012 , 49, 710-718	3.2	30
27	Effects of freezing and thawing cycles on the shear resistance of concrete lift joints. <i>Canadian Journal of Civil Engineering</i> , 2012 , 39, 1089-1099	1.3	13
26	Application of the mechanical perturbation produced by traffic as a new approach of nonlinear acoustic technique for detecting microcracks in the concrete: A laboratory simulation 2012 ,		3
25	Assessment of bonding, delamination and interfaces 2012 , 227-262		
24	Impact of the alkali-silica reaction products on slow dynamics behavior of concrete. <i>Cement and Concrete Research</i> , 2011 , 41, 422-428	10.3	8
23	Influence of supplementary cementitious materials on engineering properties of high strength concrete. <i>Construction and Building Materials</i> , 2011 , 25, 2639-2648	6.7	243
22	Evaluating damage during shear tests of rock joints using acoustic emissions. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2010 , 47, 590-598	6	117
21	Monitoring of an hydraulic structure affected by ASR: A case study. <i>Cement and Concrete Research</i> , 2010 , 40, 676-680	10.3	28
20	Effectiveness of nondestructive testing for the evaluation of alkali-silica reaction in concrete. <i>Construction and Building Materials</i> , 2010 , 24, 1398-1403	6.7	48
19	Reduction of ASR-expansion using powders ground from various sources of reactive aggregates. <i>Cement and Concrete Composites</i> , 2009 , 31, 438-446	8.6	31
18	Assessing alkali-silica reaction damage to concrete with non-destructive methods: From the lab to the field. <i>Construction and Building Materials</i> , 2009 , 23, 902-909	6.7	38
17	Damage assessment for concrete structure using image processing techniques on acoustic borehole imagery. <i>Construction and Building Materials</i> , 2009 , 23, 3166-3174	6.7	27

16	Condition assessment of concrete in hydraulic structures by surface wave non-destructive testing. <i>Materials and Structures/Materiaux Et Constructions</i> , 2009 , 42, 251-261	3.4	8
15	Evaluation of damages due to alkali-silica reaction with nonlinear acoustics techniques 2009 ,		6
14	Neural-network-based damage classification of bridge infrastructure using texture analysis. <i>Canadian Journal of Civil Engineering</i> , 2008 , 35, 258-267	1.3	12
13	Influence of environmental parameters on application of standard ASTM C876-91: half cell potential measurements. <i>Corrosion Engineering Science and Technology</i> , 2008 , 43, 93-96	1.7	27
12	High-Pressure Device for Fluid Extraction from Porous Materials: Application to Cement-Based Materials. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 2653-2658	3.8	41
11	Measurement of alkali-silica reaction progression by ultrasonic waves attenuation. <i>Cement and Concrete Research</i> , 2007 , 37, 948-956	10.3	45
10	Decrease of pore solution alkalinity in concrete tested for alkali-silica reaction. <i>Materials and Structures/Materiaux Et Constructions</i> , 2007 , 40, 909-921	3.4	36
9	Damage classification of concrete structures based on grey level co-occurrence matrix using Haar discrete wavelet transform. <i>Computers and Concrete</i> , 2007 , 4, 243-257		4
8	Internal deterioration of concrete by the oxidation of pyrrhotitic aggregates. <i>Cement and Concrete Research</i> , 2005 , 35, 99-107	10.3	25
7	Assessment of the expansion related to alkali-silica reaction by the Damage Rating Index method. <i>Construction and Building Materials</i> , 2005 , 19, 83-90	6.7	37
6	Effect of drying and rewetting on the alkali concentration of the concrete pore solution. <i>Cement and Concrete Research</i> , 2003 , 33, 927-929	10.3	9
5	Alkali mass balance during the accelerated concrete prism test for alkali-aggregate reactivity. <i>Cement and Concrete Research</i> , 2003 , 33, 1147-1153	10.3	29
4	Characterization of the ASR rim: Application to the Potsdam sandstone. <i>Cement and Concrete Research</i> , 2002 , 32, 1259-1267	10.3	23
3	Damages to residential buildings related to pyritic rockfills: field results of an investigation on the south shore of Montreal, Quebec, Canada. <i>Canadian Journal of Civil Engineering</i> , 2002 , 29, 246-255	1.3	5
2	Quantitative Petrographic Technique for Concrete Damage Due to ASR: Experimental and Application. <i>Cement, Concrete and Aggregates</i> , 2000 , 22, 63		18
1	Performance of Rock Pins Galvanized Layers Assessed with Non-Destructive Method. <i>Experimental Techniques</i> , 1	1.4	