

Wendy Thomson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6712978/publications.pdf>

Version: 2024-02-01

211
papers

24,094
citations

20036

63
h-index

8878

150
g-index

215
all docs

215
docs citations

215
times ranked

31011
citing authors

#	ARTICLE	IF	CITATIONS
1	No evidence that genetic predictors of susceptibility predict changes in core outcomes in JIA. <i>Rheumatology</i> , 2022, , .	0.9	0
2	OA30â€fIdentification of causal genes and mechanisms by which genetic variation mediates juvenile idiopathic arthritis susceptibility using functional genomics and CRISPR-Cas9. <i>Rheumatology</i> , 2022, 61, .	0.9	0
3	Common Functional Ability Score for Young People With Juvenile Idiopathic Arthritis. <i>Arthritis Care and Research</i> , 2021, 73, 947-954.	1.5	2
4	Patient-reported wellbeing and clinical disease measures over time captured by multivariate trajectories of disease activity in individuals with juvenile idiopathic arthritis in the UK: a multicentre prospective longitudinal study. <i>Lancet Rheumatology</i> , The, 2021, 3, e111-e121.	2.2	23
5	Combined genetic analysis of juvenile idiopathic arthritis clinical subtypes identifies novel risk loci, target genes and key regulatory mechanisms. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 321-328.	0.5	31
6	OO1â€fGenetic risk factors associated with increased risk of uveitis in patients with juvenile idiopathic arthritis. <i>Rheumatology</i> , 2021, 60, .	0.9	0
7	â€œReluctant to Assess Painâ€ A Qualitative Study of Health Care Professionalsâ€™ Beliefs About the Role of Pain in Juvenile Idiopathic Arthritis. <i>Arthritis Care and Research</i> , 2020, 72, 69-77.	1.5	16
8	Comparing Proxy, Adolescent, and Adult Assessments of Functional Ability in Adolescents With Juvenile Idiopathic Arthritis. <i>Arthritis Care and Research</i> , 2020, 72, 517-524.	1.5	3
9	The risk of uveitis in patients with JIA receiving etanercept: the challenges of analysing real-world data. <i>Rheumatology</i> , 2020, 59, 1391-1397.	0.9	12
10	CAPTURE-JIA: a consensus-derived core dataset to improve clinical care for children and young people with juvenile idiopathic arthritis. <i>Rheumatology</i> , 2020, 59, 137-145.	0.9	11
11	Genetic feature engineering enables characterisation of shared risk factors in immune-mediated diseases. <i>Genome Medicine</i> , 2020, 12, 106.	3.6	12
12	Validation of novel patient-centred juvenile idiopathic arthritis-specific patient-reported outcome and experience measures (PROMs/PREMs). <i>Pediatric Rheumatology</i> , 2020, 18, 91.	0.9	10
13	O29â€fMethotrexate response clusters in JIA. <i>Rheumatology</i> , 2020, 59, .	0.9	0
14	Genomic risk scores for juvenile idiopathic arthritis and its subtypes. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1572-1579.	0.5	12
15	P18â€fInvestigating the role of rare genetic variants and susceptibility to juvenile idiopathic arthritis highlights the importance of monogenic disease genes. <i>Rheumatology</i> , 2020, 59, .	0.9	0
16	Frequency of biologic switching and the outcomes of switching in children and young people with juvenile idiopathic arthritis: a national cohort study. <i>Lancet Rheumatology</i> , The, 2020, 2, e217-e226.	2.2	25
17	Diversity of peripheral blood human NK cells identified by single-cell RNA sequencing. <i>Blood Advances</i> , 2020, 4, 1388-1406.	2.5	125
18	â€œAsking Too Much?â€ Randomized N-of-1 Trial Exploring Patient Preferences and Measurement Reactivity to Frequent Use of Remote Multidimensional Pain Assessments in Children and Young People With Juvenile Idiopathic Arthritis. <i>Journal of Medical Internet Research</i> , 2020, 22, e14503.	2.1	10

#	ARTICLE	IF	CITATIONS
19	Short-term outcomes in patients with systemic juvenile idiopathic arthritis treated with either tocilizumab or anakinra. <i>Rheumatology</i> , 2019, 58, 94-102.	0.9	20
20	O28â€fValidation of novel juvenile idiopathic arthritis specific patient-reported outcome and experience measures. <i>Rheumatology</i> , 2019, 58, .	0.9	0
21	P08â€fBeliefs about pain in juvenile idiopathic arthritis are significantly associated with higher reported pain and more negative affect in children and young people. <i>Rheumatology</i> , 2019, 58, .	0.9	0
22	Methotrexate persistence and adverse drug reactions in patients with juvenile idiopathic arthritis. <i>Rheumatology</i> , 2019, 58, 1453-1458.	0.9	11
23	Use and effectiveness of rituximab in children and young people with juvenile idiopathic arthritis in a cohort study in the United Kingdom. <i>Rheumatology</i> , 2019, 58, 331-335.	0.9	27
24	â€œSeeing Pain Differentlyâ€ A Qualitative Investigation Into the Differences and Similarities of Pain and Rheumatology Specialistsâ€™ Interpretation of Multidimensional Mobile Health Pain Data From Children and Young People With Juvenile Idiopathic Arthritis. <i>JMIR MHealth and UHealth</i> , 2019, 7, e12952.	1.8	8
25	<i>IL1RN</i> Variation Influences Both Disease Susceptibility and Response to Recombinant Human Interleukinâ€1 Receptor Antagonist Therapy in Systemic Juvenile Idiopathic Arthritis. <i>Arthritis and Rheumatology</i> , 2018, 70, 1319-1330.	2.9	40
26	Brief Report: The Genetic Profile of Rheumatoid Factorâ€Positive Polyarticular Juvenile Idiopathic Arthritis Resembles That of Adult Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2018, 70, 957-962.	2.9	53
27	Depressive symptoms, pain and disability for adolescent patients with juvenile idiopathic arthritis: results from the Childhood Arthritis Prospective Study. <i>Rheumatology</i> , 2018, 57, 1381-1389.	0.9	52
28	Development of a national audit tool for juvenile idiopathic arthritis: a BSPAR project funded by the Health Care Quality Improvement Partnership. <i>Rheumatology</i> , 2018, 57, 140-151.	0.9	16
29	The prioritization of symptom beliefs over illness beliefs: The development and validation of the Pain Perception Questionnaire for Young People. <i>British Journal of Health Psychology</i> , 2018, 23, 68-87.	1.9	14
30	Patterns of pain over time among children with juvenile idiopathic arthritis. <i>Archives of Disease in Childhood</i> , 2018, 103, 437-443.	1.0	45
31	Growth patterns in early juvenile idiopathic arthritis: Results from the Childhood Arthritis Prospective Study (CAPS). <i>Seminars in Arthritis and Rheumatism</i> , 2018, 48, 53-60.	1.6	26
32	P41â€fA UK study: vocational experiences of young adults with juvenile idiopathic arthritis. <i>Rheumatology</i> , 2018, 57, .	0.9	0
33	296â€fUK survey of young adults with juvenile idiopathic arthritis and their vocational experiences. <i>Rheumatology</i> , 2018, 57, .	0.9	0
34	Prevalence and course of lower limb disease activity and walking disability over the first 5 years of juvenile idiopathic arthritis: results from the childhood arthritis prospective study. <i>Rheumatology Advances in Practice</i> , 2018, 2, rky039.	0.3	11
35	What do young people with rheumatic conditions in the UK think about research involvement? A qualitative study. <i>Pediatric Rheumatology</i> , 2018, 16, 35.	0.9	13
36	O29â€fPredicting remission from one year following initial presentation in a multicentre inception cohort of patients with juvenile idiopathic arthritis. <i>Rheumatology</i> , 2018, 57, .	0.9	0

#	ARTICLE	IF	CITATIONS
37	How common is clinically inactive disease in a prospective cohort of patients with juvenile idiopathic arthritis? The importance of definition. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1381-1388.	0.5	42
38	How common is remission in juvenile idiopathic arthritis: A systematic review. <i>Seminars in Arthritis and Rheumatism</i> , 2017, 47, 331-337.	1.6	60
39	Fine-mapping the MHC locus in juvenile idiopathic arthritis (JIA) reveals genetic heterogeneity corresponding to distinct adult inflammatory arthritic diseases. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 765-772.	0.5	88
40	Mortality rates are increased in patients with systemic juvenile idiopathic arthritis. <i>Archives of Disease in Childhood</i> , 2017, 102, 206.2-207.	1.0	14
41	Genetic architecture distinguishes systemic juvenile idiopathic arthritis from other forms of juvenile idiopathic arthritis: clinical and therapeutic implications. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 906-913.	0.5	123
42	Autoantibodies in juvenile-onset myositis: Their diagnostic value and associated clinical phenotype in a large UK cohort. <i>Journal of Autoimmunity</i> , 2017, 84, 55-64.	3.0	121
43	A survey of national and multi-national registries and cohort studies in juvenile idiopathic arthritis: challenges and opportunities. <i>Pediatric Rheumatology</i> , 2017, 15, 31.	0.9	27
44	16. Clinical Factors Associated with Non-Response to Methotrexate in Children with Juvenile Idiopathic Arthritis: Results from the Childhood Arthritis Response to Treatment Consortium. <i>Rheumatology</i> , 2017, 56, .	0.9	0
45	9. Identification of novel susceptibility loci in a large UK cohort of Juvenile Idiopathic Arthritis (JIA) cases. <i>Rheumatology</i> , 2017, 56, .	0.9	0
46	Chronic Pain Assessments in Children and Adolescents: A Systematic Literature Review of the Selection, Administration, Interpretation, and Reporting of Unidimensional Pain Intensity Scales. <i>Pain Research and Management</i> , 2017, 2017, 1-17.	0.7	14
47	What do young people with rheumatic disease believe to be important to research about their condition? A UK-wide study. <i>Pediatric Rheumatology</i> , 2017, 15, 53.	0.9	30
48	Trends in paediatric rheumatology referral times and disease activity indices over a ten-year period among children and young people with Juvenile Idiopathic Arthritis: results from the childhood arthritis prospective Study. <i>Rheumatology</i> , 2016, 55, 1225-1234.	0.9	54
49	A Method to Exploit the Structure of Genetic Ancestry Space to Enhance Case-Control Studies. <i>American Journal of Human Genetics</i> , 2016, 98, 857-868.	2.6	21
50	Treatment prescribing patterns in patients with juvenile idiopathic arthritis (JIA): Analysis from the UK Childhood Arthritis Prospective Study (CAPS). <i>Seminars in Arthritis and Rheumatism</i> , 2016, 46, 190-195.	1.6	23
51	Factors associated with choice of biologic among children with Juvenile Idiopathic Arthritis: results from two UK paediatric biologic registers. <i>Rheumatology</i> , 2016, 55, 1556-1565.	0.9	38
52	Influence of past breast feeding on pattern and severity of presentation of juvenile idiopathic arthritis. <i>Archives of Disease in Childhood</i> , 2016, 101, 348-351.	1.0	26
53	Survival from breast, colon, lung, ovarian and rectal cancer by geographical remoteness in New South Wales, Australia, 2000-2008. <i>Australian Journal of Rural Health</i> , 2015, 23, 49-56.	0.7	18
54	PP23. Multicentre audit of disease activity assessment in JIA: JIA Topic Specific Group 2014. <i>Rheumatology</i> , 2015, 54, ii15-ii16.	0.9	0

#	ARTICLE	IF	CITATIONS
55	274. Factors Associated with Choice of First Biologic Among Children with Juvenile Idiopathic Arthritis: A Combined Analysis from Two UK Paediatric Biologic Registers. <i>Rheumatology</i> , 2015, , .	0.9	0
56	The Association Between Low Socioeconomic Status With High Physical Limitations and Low Illness Self-Perception in Patients With Juvenile Idiopathic Arthritis: Results From the Childhood Arthritis Prospective Study. <i>Arthritis Care and Research</i> , 2015, 67, 382-389.	1.5	23
57	<i>HLA-DRB1*11</i> and variants of the MHC class II locus are strong risk factors for systemic juvenile idiopathic arthritis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 15970-15975.	3.3	139
58	Association of HLA-DRB1 Haplotypes With Rheumatoid Arthritis Severity, Mortality, and Treatment Response. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 1645.	3.8	119
59	Apps and Adolescents: A Systematic Review of Adolescents'™ Use of Mobile Phone and Tablet Apps That Support Personal Management of Their Chronic or Long-Term Physical Conditions. <i>Journal of Medical Internet Research</i> , 2015, 17, e287.	2.1	242
60	Genome-wide data reveal novel genes for methotrexate response in a large cohort of juvenile idiopathic arthritis cases. <i>Pharmacogenomics Journal</i> , 2014, 14, 356-364.	0.9	52
61	HLA-DRB1 associations with rheumatoid arthritis-related pulmonary fibrosis. <i>Scandinavian Journal of Rheumatology</i> , 2014, 43, 75-76.	0.6	6
62	The genetics of juvenile idiopathic arthritis: current understanding and future prospects. <i>Rheumatology</i> , 2014, 53, 592-599.	0.9	31
63	Treatment prescribing patterns in a cohort of patients with juvenile idiopathic arthritis (JIA). Data from the childhood arthritis prospective study (CAPS). <i>Pediatric Rheumatology</i> , 2014, 12, .	0.9	0
64	Autoinflammatory gene polymorphisms and susceptibility to UK juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2013, 11, 14.	0.9	18
65	Genetic polymorphisms in key methotrexate pathway genes are associated with response to treatment in rheumatoid arthritis patients. <i>Pharmacogenomics Journal</i> , 2013, 13, 227-234.	0.9	91
66	MTHFR gene polymorphisms and outcome of methotrexate treatment in patients with rheumatoid arthritis: analysis of key polymorphisms and meta-analysis of C677T and A1298C polymorphisms. <i>Pharmacogenomics Journal</i> , 2013, 13, 137-147.	0.9	67
67	Dense genotyping of immune-related disease regions identifies 14 new susceptibility loci for juvenile idiopathic arthritis. <i>Nature Genetics</i> , 2013, 45, 664-669.	9.4	337
68	Investigating the role of pain-modulating pathway genes in musculoskeletal pain. <i>European Journal of Pain</i> , 2013, 17, 28-34.	1.4	4
69	Recent developments in disease activity indices and outcome measures for juvenile idiopathic arthritis. <i>Rheumatology</i> , 2013, 52, 1941-1951.	0.9	27
70	Validity of a three-variable Juvenile Arthritis Disease Activity Score in children with new-onset juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1983-1988.	0.5	126
71	Genome-wide association study meta-analysis of chronic widespread pain: evidence for involvement of the 5p15.2 region. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 427-436.	0.5	112
72	Investigation of rheumatoid arthritis susceptibility loci in juvenile idiopathic arthritis confirms high degree of overlap. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1117-1121.	0.5	40

#	ARTICLE	IF	CITATIONS
73	A genetic marker at the OLIG3/TNFAIP3 locus associates with methotrexate continuation in early inflammatory polyarthritis: results from the Norfolk Arthritis Register. <i>Pharmacogenomics Journal</i> , 2012, 12, 128-133.	0.9	14
74	Juvenile-onset inflammatory arthritis: a study of adolescents' beliefs about underlying cause. <i>Rheumatology</i> , 2012, 51, 2239-2245.	0.9	4
75	The Non-Synonymous SNP, R1150W, in <i>SCN9A</i> is Not Associated with Chronic Widespread Pain Susceptibility. <i>Molecular Pain</i> , 2012, 8, 1744-8069-8-72.	1.0	16
76	Long-term stability of anti-cyclic citrullinated peptide antibody status in patients with early inflammatory polyarthritis. <i>Arthritis Research and Therapy</i> , 2012, 14, R109.	1.6	18
77	Association of the IL-10 Gene Family Locus on Chromosome 1 with Juvenile Idiopathic Arthritis (JIA). <i>PLoS ONE</i> , 2012, 7, e47673.	1.1	26
78	Genome-wide association analysis of juvenile idiopathic arthritis identifies a new susceptibility locus at chromosomal region 3q13. <i>Arthritis and Rheumatism</i> , 2012, 64, 2781-2791.	6.7	62
79	The role of rheumatoid arthritis genetic susceptibility markers in the prediction of erosive disease in patients with early inflammatory polyarthritis: results from the Norfolk Arthritis Register. <i>Rheumatology</i> , 2011, 50, 78-84.	0.9	32
80	Subtype specific genetic associations for juvenile idiopathic arthritis: ERAP1 with the enthesitis related arthritis subtype and IL23R with juvenile psoriatic arthritis. <i>Arthritis Research and Therapy</i> , 2011, 13, R12.	1.6	60
81	Case Study on Rheumatoid Arthritis. , 2011, , 307-323.		0
82	Polymorphisms in Genes Involved in the NF- κ B Signalling Pathway Are Associated with Bone Mineral Density, Geometry and Turnover in Men. <i>PLoS ONE</i> , 2011, 6, e28031.	1.1	19
83	HLA-DPB1-COL11A2 and three additional xMHC loci are independently associated with RA in a UK cohort. <i>Genes and Immunity</i> , 2011, 12, 169-175.	2.2	15
84	Agreement between Proxy and Adolescent Assessment of Disability, Pain, and Well-Being in Juvenile Idiopathic Arthritis. <i>Journal of Pediatrics</i> , 2011, 158, 307-312.	0.9	33
85	Pernicious anemia " Genetic insights. <i>Autoimmunity Reviews</i> , 2011, 10, 455-459.	2.5	33
86	Influence of Polymorphisms in the RANKL/RANK/OPG Signaling Pathway on Volumetric Bone Mineral Density and Bone Geometry at the Forearm in Men. <i>Calcified Tissue International</i> , 2011, 89, 446-455.	1.5	16
87	A validation of the first genome-wide association study of calcaneus ultrasound parameters in the European Male Ageing Study. <i>BMC Medical Genetics</i> , 2011, 12, 19.	2.1	10
88	Association of HTR2A polymorphisms with chronic widespread pain and the extent of musculoskeletal pain: Results from two population-based cohorts. <i>Arthritis and Rheumatism</i> , 2011, 63, 810-818.	6.7	54
89	Examining the overlap between genome-wide rare variant association signals and linkage peaks in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2011, 63, 1522-1526.	6.7	7
90	Association of the 5-aminoimidazole-4-carboxamide ribonucleotide transformylase gene with response to methotrexate in juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1395-1400.	0.5	62

#	ARTICLE	IF	CITATIONS
91	The rheumatoid arthritis and juvenile idiopathic arthritis associated major (A) allele of rs2104286 is a loss of expression variant of IL2RA. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A6-A6.	0.5	0
92	Study of the common genetic background for rheumatoid arthritis and systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 463-468.	0.5	130
93	The ESR1 (6q25) Locus Is Associated with Calcaneal Ultrasound Parameters and Radial Volumetric Bone Mineral Density in European Men. <i>PLoS ONE</i> , 2011, 6, e22037.	1.1	9
94	Generation of novel pharmacogenomic candidates in response to methotrexate in juvenile idiopathic arthritis: correlation between gene expression and genotype. <i>Pharmacogenetics and Genomics</i> , 2010, 20, 665-676.	0.7	49
95	Confirmation of association of the REL locus with rheumatoid arthritis susceptibility in the UK population. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1572-1573.	0.5	32
96	Rare variation at the TNFAIP3 locus and susceptibility to rheumatoid arthritis. <i>Human Genetics</i> , 2010, 128, 627-633.	1.8	29
97	Genetic variation in the RANKL/RANK/OPG signaling pathway is associated with bone turnover and bone mineral density in men. <i>Journal of Bone and Mineral Research</i> , 2010, 25, 1830-1838.	3.1	55
98	Association of a rheumatoid arthritis susceptibility variant at the CCL21 locus with premature mortality in inflammatory polyarthritis patients. <i>Arthritis Care and Research</i> , 2010, 62, 676-682.	1.5	13
99	Biologic predictors of extension of oligoarticular juvenile idiopathic arthritis as determined from synovial fluid cellular composition and gene expression. <i>Arthritis and Rheumatism</i> , 2010, 62, 896-907.	6.7	71
100	Testing pharmacogenetic indices to predict efficacy and toxicity of methotrexate monotherapy in a rheumatoid arthritis patient cohort. <i>Arthritis and Rheumatism</i> , 2010, 62, 3827-3829.	6.7	9
101	Association of the AFF3 gene and IL2/IL21 gene region with juvenile idiopathic arthritis. <i>Genes and Immunity</i> , 2010, 11, 194-198.	2.2	54
102	Association of the CCR5 gene with juvenile idiopathic arthritis. <i>Genes and Immunity</i> , 2010, 11, 584-589.	2.2	24
103	Genome-wide association study of CNVs in 16,000 cases of eight common diseases and 3,000 shared controls. <i>Nature</i> , 2010, 464, 713-720.	13.7	737
104	Meta-analysis and imputation refines the association of 15q25 with smoking quantity. <i>Nature Genetics</i> , 2010, 42, 436-440.	9.4	581
105	Genome-wide association study meta-analysis identifies seven new rheumatoid arthritis risk loci. <i>Nature Genetics</i> , 2010, 42, 508-514.	9.4	1,132
106	Combined effects of three independent SNPs greatly increase the risk estimate for RA at 6q23. <i>Human Molecular Genetics</i> , 2010, 19, 4544-4544.	1.4	0
107	PADI4 genotype is not associated with rheumatoid arthritis in a large UK Caucasian population. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 666-670.	0.5	73
108	No evidence for association of the KLF12 gene with rheumatoid arthritis in a large UK cohort. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1407-1408.	0.5	9

#	ARTICLE	IF	CITATIONS
109	Overlap of disease susceptibility loci for rheumatoid arthritis and juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1049-1053.	0.5	61
110	Disease activity and disability in children with juvenile idiopathic arthritis one year following presentation to paediatric rheumatology. Results from the Childhood Arthritis Prospective Study. <i>Rheumatology</i> , 2010, 49, 116-122.	0.9	86
111	No evidence for a role of the catechol-O-methyltransferase pain sensitivity haplotypes in chronic widespread pain. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 2009-2012.	0.5	43
112	Investigation of type 1 diabetes and coeliac disease susceptibility loci for association with juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 2169-2172.	0.5	34
113	Genetic variation in the hypothalamic-pituitary-adrenal stress axis influences susceptibility to musculoskeletal pain: results from the EPIFUND study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 556-560.	0.5	58
114	Effect of Polymorphisms in Selected Genes Involved in Pituitary-Testicular Function on Reproductive Hormones and Phenotype in Aging Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1898-1908.	1.8	37
115	Association of CD40 with rheumatoid arthritis confirmed in a large UK case-control study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 813-816.	0.5	62
116	Genetic variation in neuroendocrine genes associates with somatic symptoms in the general population: Results from the EPIFUND study. <i>Journal of Psychosomatic Research</i> , 2010, 68, 469-474.	1.2	50
117	Overlapping genetic susceptibility variants between three autoimmune disorders: rheumatoid arthritis, type 1 diabetes and coeliac disease. <i>Arthritis Research and Therapy</i> , 2010, 12, R175.	1.6	92
118	TNF, LTA, HSPA1L and HLA-DR gene polymorphisms in HIV-positive patients with hypersensitivity to cotrimoxazole. <i>Pharmacogenomics</i> , 2009, 10, 531-540.	0.6	29
119	Identification of AF4/FMR2 family, member 3 (AFF3) as a novel rheumatoid arthritis susceptibility locus and confirmation of two further pan-autoimmune susceptibility genes. <i>Human Molecular Genetics</i> , 2009, 18, 2518-2522.	1.4	78
120	Increased Estrogen Rather Than Decreased Androgen Action Is Associated with Longer Androgen Receptor CAG Repeats. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 277-284.	1.8	125
121	Combined effects of three independent SNPs greatly increase the risk estimate for RA at 6q23. <i>Human Molecular Genetics</i> , 2009, 18, 2693-2699.	1.4	93
122	Association of rheumatoid factor and anti-cyclic citrullinated peptide positivity, but not carriage of shared epitope or PTPN22 susceptibility variants, with anti-tumour necrosis factor response in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 69-74.	0.5	240
123	Investigating the viability of genetic screening/testing for RA susceptibility using combinations of five confirmed risk loci. <i>Rheumatology</i> , 2009, 48, 1369-1374.	0.9	20
124	Identification of a novel susceptibility locus for juvenile idiopathic arthritis by genome-wide association analysis. <i>Arthritis and Rheumatism</i> , 2009, 60, 258-263.	6.7	72
125	Association of the IL2RA/CD25 gene with juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 251-257.	6.7	93
126	Quantitative heritability of anti-citrullinated protein antibody-positive and anti-citrullinated protein antibody-negative rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 916-923.	6.7	200

#	ARTICLE	IF	CITATIONS
127	Reevaluation of the interaction between HLAâ€“DRB1 shared epitope alleles, PTPN22, and smoking in determining susceptibility to autoantibodyâ€“positive and autoantibodyâ€“negative rheumatoid arthritis in a large UK Caucasian population. <i>Arthritis and Rheumatism</i> , 2009, 60, 2565-2576.	6.7	86
128	Genetic variants at CD28, PRDM1 and CD2/CD58 are associated with rheumatoid arthritis risk. <i>Nature Genetics</i> , 2009, 41, 1313-1318.	9.4	306
129	Genetic Variation in Sex Hormone Genes Influences Heel Ultrasound Parameters in Middle-Aged and Elderly Men: Results From the European Male Aging Study (EMAS). <i>Journal of Bone and Mineral Research</i> , 2009, 24, 314-323.	3.1	21
130	Do Genetic Predictors of Pain Sensitivity Associate with Persistent Widespread Pain?. <i>Molecular Pain</i> , 2009, 5, 1744-8069-5-56.	1.0	36
131	A re-evaluation of three putative functional single nucleotide polymorphisms in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 1373-1375.	0.5	13
132	Can clinical factors at presentation be used to predict outcome of treatment with methotrexate in patients with early inflammatory polyarthritis?. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 57-62.	0.5	77
133	Association of the HLAâ€“DRB1 gene with premature death, particularly from cardiovascular disease, in patients with rheumatoid arthritis and inflammatory polyarthritis. <i>Arthritis and Rheumatism</i> , 2008, 58, 359-369.	6.7	161
134	The shared epitope hypothesis in rheumatoid arthritis: Evaluation of alternative classification criteria in a large UK Caucasian cohort. <i>Arthritis and Rheumatism</i> , 2008, 58, 1275-1283.	6.7	40
135	Rheumatoid arthritis susceptibility loci at chromosomes 10p15, 12q13 and 22q13. <i>Nature Genetics</i> , 2008, 40, 1156-1159.	9.4	143
136	Positive association of HLAâ€“DRB1*15 with Dupuytrenâ€™s disease in Caucasians. <i>Tissue Antigens</i> , 2008, 72, 166-170.	1.0	27
137	The PTPN22*C1858T functional polymorphism is associated with susceptibility to inflammatory polyarthritis but neither this nor other variants spanning the gene is associated with disease outcome. <i>Annals of the Rheumatic Diseases</i> , 2008, 67, 251-255.	0.5	24
138	Re-evaluation of putative rheumatoid arthritis susceptibility genes in the post-genome wide association study era and hypothesis of a key pathway underlying susceptibility. <i>Human Molecular Genetics</i> , 2008, 17, 2274-2279.	1.4	131
139	Hardyâ€™Weinberg Expectations in Canine Breeds: Implications for Genetic Studies. <i>Journal of Heredity</i> , 2007, 98, 445-451.	1.0	15
140	HLA-Cw6 and HLA-DRB1*07 together are associated with less severe joint disease in psoriatic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 807-811.	0.5	64
141	Analysis of Candidate Susceptibility Genes in Canine Diabetes. <i>Journal of Heredity</i> , 2007, 98, 518-525.	1.0	39
142	Investigation of genetic variation across the protein tyrosine phosphatase gene in patients with rheumatoid arthritis in the UK. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 683-686.	0.5	30
143	Protective effect of noninherited maternal HLA-DR antigens on rheumatoid arthritis development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 19966-19970.	3.3	59
144	Investigating the role of the HLA-Cw*06 and HLA-DRB1 genes in susceptibility to psoriatic arthritis: comparison with psoriasis and undifferentiated inflammatory arthritis. <i>Annals of the Rheumatic Diseases</i> , 2007, 67, 677-682.	0.5	92

#	ARTICLE	IF	CITATIONS
145	No evidence for genetic association of interferon regulatory factor 1 in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2007, 56, 972-976.	6.7	8
146	Positive association of SLC26A2 gene polymorphisms with susceptibility to systemic-onset juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2007, 56, 1286-1291.	6.7	23
147	Association of DRB1 shared epitope genotypes with early mortality in rheumatoid arthritis: Results of eighteen years of followup from the early rheumatoid arthritis study. <i>Arthritis and Rheumatism</i> , 2007, 56, 1408-1416.	6.7	72
148	Association scan of 14,500 nonsynonymous SNPs in four diseases identifies autoimmunity variants. <i>Nature Genetics</i> , 2007, 39, 1329-1337.	9.4	1,298
149	Rheumatoid arthritis association at 6q23. <i>Nature Genetics</i> , 2007, 39, 1431-1433.	9.4	361
150	Genome-wide association study of 14,000 cases of seven common diseases and 3,000 shared controls. <i>Nature</i> , 2007, 447, 661-678.	13.7	8,895
151	Localization of type 1 diabetes susceptibility to the MHC class I genes HLA-B and HLA-A. <i>Nature</i> , 2007, 450, 887-892.	13.7	493
152	Novel IL10 gene family associations with systemic juvenile idiopathic arthritis. <i>Arthritis Research and Therapy</i> , 2006, 8, R148.	1.6	73
153	In adult onset myositis, the presence of interstitial lung disease and myositis specific/associated antibodies are governed by HLA class II haplotype, rather than by myositis subtype. <i>Arthritis Research and Therapy</i> , 2006, 8, R13.	1.6	110
154	TNF-alpha SNP haplotype frequencies in equidae. <i>Tissue Antigens</i> , 2006, 67, 377-382.	1.0	10
155	Association between the PTPN22 gene and rheumatoid arthritis and juvenile idiopathic arthritis in a UK population: Further support that PTPN22 is an autoimmunity gene. <i>Arthritis and Rheumatism</i> , 2005, 52, 1694-1699.	6.7	266
156	Wnt-1-inducible signaling pathway protein 3 and susceptibility to juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2005, 52, 3548-3553.	6.7	40
157	Canine DNA Subjected to Whole Genome Amplification is Suitable for a Wide Range of Molecular Applications. <i>Journal of Heredity</i> , 2005, 96, 829-835.	1.0	13
158	Toll-like receptor 4 gene polymorphisms and susceptibility to juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 767-769.	0.5	23
159	Polymorphisms of the equine major histocompatibility complex class II DRA locus. <i>Tissue Antigens</i> , 2004, 64, 173-179.	1.0	17
160	A functional promoter haplotype of macrophage migration inhibitory factor is linked and associated with juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2004, 50, 1604-1610.	6.7	124
161	Evidence for a novel rheumatoid arthritis susceptibility locus on chromosome 6p. <i>Arthritis and Rheumatism</i> , 2004, 50, 3823-3830.	6.7	18
162	Susceptibility to visceral leishmaniasis in the domestic dog is associated with MHC class II polymorphism. <i>Immunogenetics</i> , 2003, 55, 23-28.	1.2	100

#	ARTICLE	IF	CITATIONS
163	Functional and prognostic relevance of the ?173 polymorphism of the macrophage migration inhibitory factor gene in systemic-onset juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2003, 48, 1398-1407.	6.7	173
164	Macrophage migration inhibitory factor (MIF) gene polymorphism is associated with susceptibility to but not severity of inflammatory polyarthritis. <i>Genes and Immunity</i> , 2003, 4, 487-491.	2.2	76
165	Association of Symptomatic Acute Human Parvovirus B19 Infection with Human Leukocyte Antigen Class I and II Alleles. <i>Journal of Infectious Diseases</i> , 2002, 186, 447-452.	1.9	43
166	Juvenile idiopathic arthritis genetics - what's new? What's next?. <i>Arthritis Research</i> , 2002, 4, 302.	2.0	38
167	Azathioprine toxicity and thiopurine methyltransferase genotype in renal transplant patients. <i>Transplantation Proceedings</i> , 2002, 34, 1642-1645.	0.3	10
168	Mutation screening of the macrophage migration inhibitory factor gene: Positive association of a functional polymorphism of macrophage migration inhibitory factor with juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2002, 46, 2402-2409.	6.7	242
169	Relationship among the HLA-DRB1 shared epitope, smoking, and rheumatoid factor production in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2002, 47, 403-407.	6.7	69
170	Evidence for linkage of HLA loci in juvenile idiopathic oligoarthritis: Independent effects of HLA-A and HLA-DRB1. <i>Arthritis and Rheumatism</i> , 2002, 46, 2716-2720.	6.7	25
171	Linkage and association studies of single-nucleotide polymorphism-tagged tumor necrosis factor haplotypes in juvenile oligoarthritis. <i>Arthritis and Rheumatism</i> , 2002, 46, 3304-3311.	6.7	66
172	Sequence analysis of MHC DRB alleles in domestic cats from the United Kingdom. <i>Immunogenetics</i> , 2002, 54, 348-352.	1.2	65
173	Extensive interbreed, but minimal intrabreed, variation of DLA class II alleles and haplotypes in dogs. <i>Tissue Antigens</i> , 2002, 59, 194-204.	1.0	93
174	Evidence for extensive DLA polymorphism in different dog populations. <i>Tissue Antigens</i> , 2002, 60, 43-52.	1.0	56
175	Macrophage migration inhibitory factor gene polymorphism is associated with sarcoidosis in biopsy proven erythema nodosum. <i>Journal of Rheumatology</i> , 2002, 29, 1671-3.	1.0	44
176	Nodular disease in rheumatoid arthritis: association with cigarette smoking and HLA-DRB1/TNF gene interaction. <i>Journal of Rheumatology</i> , 2002, 29, 2313-8.	1.0	25
177	Dog MHC alleles containing the human RA shared epitope confer susceptibility to canine rheumatoid arthritis. <i>Immunogenetics</i> , 2001, 53, 669-673.	1.2	90
178	HLA-DRB1 and disease outcome in multiple sclerosis. <i>Journal of Neurology</i> , 2001, 248, 304-310.	1.8	56
179	Nomenclature for factors of the dog major histocompatibility system (DLA), 2000: second report of the ISAG DLA Nomenclature Committee. <i>Animal Genetics</i> , 2001, 32, 193-199.	0.6	26
180	Cytokine gene polymorphisms and susceptibility to juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2001, 44, 802-810.	6.7	67

#	ARTICLE	IF	CITATIONS
181	Independent association of rheumatoid factor and the HLA-DRB1 shared epitope with radiographic outcome in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2001, 44, 1529-1533.	6.7	62
182	A novel 5'-flanking region polymorphism of macrophage migration inhibitory factor is associated with systemic-onset juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2001, 44, 1782-1785.	6.7	201
183	Characterization of a prolactin gene polymorphism and its associations with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2001, 44, 2358-2366.	6.7	74
184	Mannose-binding Lectin Gene Polymorphisms as a Susceptibility Factor for Chronic Necrotizing Pulmonary Aspergillosis. <i>Journal of Infectious Diseases</i> , 2001, 184, 653-656.	1.9	145
185	Subtyping of juvenile idiopathic arthritis using latent class analysis. <i>Arthritis and Rheumatism</i> , 2000, 43, 1496-1503.	6.7	33
186	Association of giant cell arteritis and polymyalgia rheumatica with different tumor necrosis factor microsatellite polymorphisms. <i>Arthritis and Rheumatism</i> , 2000, 43, 1749-1755.	6.7	89
187	DLA-DQA1 polymorphisms in dogs defined by sequence-specific oligonucleotide probes (SSOP). <i>Tissue Antigens</i> , 2000, 55, 257-261.	1.0	9
188	Different gene loci within the HLA-DR and TNF regions are independently associated with susceptibility and severity in Spanish rheumatoid arthritis patients. <i>Tissue Antigens</i> , 2000, 55, 319-325.	1.0	64
189	Identification of further DLA-DRB1 and DQA1 alleles in the dog. <i>International Journal of Immunogenetics</i> , 2000, 27, 25-28.	1.2	19
190	Mannose binding lectin (MBL) genotype distributions with relation to serum levels in UK Caucasoids. <i>International Journal of Immunogenetics</i> , 2000, 27, 111-117.	1.2	85
191	DLA-DRB1 polymorphisms in dogs defined by sequence-specific oligonucleotide probes (SSOP). <i>Tissue Antigens</i> , 1999, 53, 184-189.	1.0	18
192	Nomenclature for factors of the dog major histocompatibility system (DLA), 1998. First report of the ISAG DLA Nomenclature Committee. <i>Tissue Antigens</i> , 1999, 54, 312-321.	1.0	53
193	The BglII polymorphism of the human prolactin gene lies within intron C and can be detected by PCR/RFLP. <i>International Journal of Immunogenetics</i> , 1999, 26, 261-263.	1.2	5
194	Quantifying the exact role of HLA-DRB1 alleles in susceptibility to inflammatory polyarthritis: Results from a large, population-based study. <i>Arthritis and Rheumatism</i> , 1999, 42, 757-762.	6.7	97
195	The influence of HLA-DRB1 alleles and rheumatoid factor on disease outcome in an inception cohort of patients with early inflammatory arthritis. <i>Arthritis and Rheumatism</i> , 1999, 42, 2174-2183.	6.7	76
196	Interbreed variation of DLA-DRB1, DQA1 alleles and haplotypes in the dog. <i>Veterinary Immunology and Immunopathology</i> , 1999, 69, 101-111.	0.5	35
197	Complement C4B null allele status confers risk for systemic lupus erythematosus in a Spanish population. <i>International Journal of Immunogenetics</i> , 1998, 25, 317-320.	1.2	39
198	Nine new dog DLA-DRB1 alleles identified by sequence-based typing. <i>Immunogenetics</i> , 1998, 48, 296-301.	1.2	38

#	ARTICLE	IF	CITATIONS
199	Susceptibility to Melanoma: Influence of Skin Type and Polymorphism in the Melanocyte Stimulating Hormone Receptor Gene. <i>Journal of Investigative Dermatology</i> , 1998, 111, 218-221.	0.3	60
200	HLA-DQ Alleles Associate with Cutaneous Features of Onchocerciasis. <i>Human Immunology</i> , 1997, 55, 46-52.	1.2	33
201	Allelic markers close to prolactin are associated with HLA-DRB1 susceptibility alleles among women with rheumatoid arthritis and systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1997, 40, 1383-1386.	6.7	58
202	Localization of Eight Additional Genes in the Human Major Histocompatibility Complex, Including the Gene Encoding the Casein Kinase II \hat{I}^2 Subunit (CSNK2B). <i>Genomics</i> , 1996, 36, 240-251.	1.3	32
203	Localisation of Eight Additional Genes in the Human Major Histocompatibility Complex, Including the Gene Encoding the Casein Kinase II Beta Subunit, and DNA Sequence Analysis of the Class III Region. <i>DNA Sequence</i> , 1996, 7, 9-12.	0.7	5
204	Mannose-binding protein gene polymorphism in systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1995, 38, 110-114.	6.7	145
205	Polymorphism at the glutathione S-transferase GSTM1 locus: A study of the frequencies of the GSTM1 A, B, A/B and null phenotypes in Nigerians. <i>Clinica Chimica Acta</i> , 1994, 225, 85-88.	0.5	24
206	RANTES role in rheumatoid arthritis. <i>Lancet</i> , The, 1994, 343, 547-548.	6.3	53
207	Absence of an association between HLA-DRB1*04 and rheumatoid arthritis in newly diagnosed cases from the community.. <i>Annals of the Rheumatic Diseases</i> , 1993, 52, 539-541.	0.5	47
208	Hlaallele Detection Using Molecular Techniques. <i>Disease Markers</i> , 1993, 11, 145-160.	0.6	6
209	POPULATION GENETICS OF RHEUMATOID ARTHRITIS. <i>Rheumatic Disease Clinics of North America</i> , 1992, 18, 741-759.	0.8	159
210	Complement c4bâ€™null alleles in felty's syndrome. <i>Arthritis and Rheumatism</i> , 1988, 31, 984-989.	6.7	18
211	Chromosome 14 markers in rheumatoid arthritis.. <i>Annals of the Rheumatic Diseases</i> , 1988, 47, 843-848.	0.5	16