

Adriana Borriello

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6715074/adriana-borriello-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65
papers

2,235
citations

28
h-index

46
g-index

71
ext. papers

2,467
ext. citations

5.9
avg, IF

4.28
L-index

#	Paper	IF	Citations
65	Effects of Magnetic Stimulation on Dental Implant Osseointegration: A Scoping Review. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 4496	2.6	2
64	A cancer-associated CDKN1B mutation induces p27 phosphorylation on a novel residue: a new mechanism for tumor suppressor loss-of-function. <i>Molecular Oncology</i> , 2021 , 15, 915-941	7.9	1
63	Effects of Germline VHL Deficiency on Growth, Metabolism, and Mitochondria. <i>New England Journal of Medicine</i> , 2020 , 382, 835-844	59.2	10
62	High Dosage Lithium Treatment Induces DNA Damage and p57 Decrease. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	7
61	Regulation of p27 and p57 Functions by Natural Polyphenols. <i>Biomolecules</i> , 2020 , 10,	5.9	5
60	Dendritic Cells and SARS-CoV-2 Infection: Still an Unclarified Connection. <i>Cells</i> , 2020 , 9,	7.9	29
59	Genetic and Epigenetic Control of CDKN1C Expression: Importance in Cell Commitment and Differentiation, Tissue Homeostasis and Human Diseases. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	30
58	Hereditary hypochromic microcytic anemia associated with loss-of-function DMT1 gene mutations and absence of liver iron overload. <i>American Journal of Hematology</i> , 2018 , 93, E58-E60	7.1	5
57	The new anticancer era: Tumor metabolism targeting. <i>Cell Cycle</i> , 2017 , 16, 310-311	4.7	12
56	Resveratrol in Cancer Prevention and Treatment: Focusing on Molecular Targets and Mechanism of Action. <i>Proceedings (mdpi)</i> , 2017 , 1, 976	0.3	5
55	p27 and human cancers: A reappraisal of a still enigmatic protein. <i>Cancer Letters</i> , 2017 , 403, 354-365	9.9	50
54	Multiple pathways of SIRT6 at the crossroads in the control of longevity, cancer, and cardiovascular diseases. <i>Ageing Research Reviews</i> , 2017 , 35, 301-311	12	62
53	Tyrosine kinase inhibitors and mesenchymal stromal cells: effects on self-renewal, commitment and functions. <i>Oncotarget</i> , 2017 , 8, 5540-5565	3.3	13
52	Iron overload enhances human mesenchymal stromal cell growth and hampers matrix calcification. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2016 , 1860, 1211-23	4	17
51	Histone Deacetylase Inhibitors Increase p27(Kip1) by Affecting Its Ubiquitin-Dependent Degradation through Skp2 Downregulation. <i>Oxidative Medicine and Cellular Longevity</i> , 2016 , 2016, 2481865	6.7	6
50	Early-onset central diabetes insipidus is associated with de novo arginine vasopressin-neurophysin II or Wolfram syndrome 1 gene mutations. <i>European Journal of Endocrinology</i> , 2015 , 172, 461-72	6.5	22
49	The unpredictable consequences of CDKN1B/p27Kip1 mutations in cancer. <i>Cell Cycle</i> , 2015 , 14, 2865-6	4.7	

48	Resveratrol mimics insulin activity in the adipogenic commitment of human bone marrow mesenchymal stromal cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2015 , 60, 60-72	5.6	17
47	Molecular analysis of Fanconi anemia: the experience of the Bone Marrow Failure Study Group of the Italian Association of Pediatric Onco-Hematology. <i>Haematologica</i> , 2014 , 99, 1022-31	6.6	33
46	P27Kip1 serine 10 phosphorylation determines its metabolism and interaction with cyclin-dependent kinases. <i>Cell Cycle</i> , 2014 , 13, 3768-82	4.7	13
45	Resveratrol: from basic studies to bedside. <i>Cancer Treatment and Research</i> , 2014 , 159, 167-84	3.5	50
44	Transferrin-immune complex disease: a potentially overlooked gammopathy mediated by IgM and IgG. <i>American Journal of Hematology</i> , 2013 , 88, 1045-9	7.1	5
43	Congenital erythrocytosis associated with gain-of-function HIF2A gene mutations and erythropoietin levels in the normal range. <i>Haematologica</i> , 2013 , 98, 1624-32	6.6	21
42	Resveratrol and cancer treatment: is hormesis a yet unsolved matter?. <i>Current Pharmaceutical Design</i> , 2013 , 19, 5384-93	3.3	28
41	Targeting p27Kip1 protein: its relevance in the therapy of human cancer. <i>Expert Opinion on Therapeutic Targets</i> , 2011 , 15, 677-93	6.4	49
40	The tyrosine kinase inhibitor dasatinib induces a marked adipogenic differentiation of human multipotent mesenchymal stromal cells. <i>PLoS ONE</i> , 2011 , 6, e28555	3.7	20
39	p57(Kip2) and cancer: time for a critical appraisal. <i>Molecular Cancer Research</i> , 2011 , 9, 1269-84	6.6	67
38	p57Kip2 is a downstream effector of BCR-ABL kinase inhibitors in chronic myelogenous leukemia cells. <i>Carcinogenesis</i> , 2011 , 32, 10-8	4.6	16
37	Assessment of the capacity to express informed consent for organ donation in patients with schizophrenia. <i>Journal of Forensic Sciences</i> , 2010 , 55, 669-76	1.8	4
36	Dietary polyphenols: focus on resveratrol, a promising agent in the prevention of cardiovascular diseases and control of glucose homeostasis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010 , 20, 618-25	4.5	91
35	EPO receptor gain-of-function causes hereditary polycythemia, alters CD34 cell differentiation and increases circulating endothelial precursors. <i>PLoS ONE</i> , 2010 , 5, e12015	3.7	18
34	Histone deacetylase inhibitors upregulate p57Kip2 level by enhancing its expression through Sp1 transcription factor. <i>Carcinogenesis</i> , 2008 , 29, 560-7	4.6	22
33	A novel Leu153Ser mutation of the Fanconi anemia FANCD2 gene is associated with severe chemotherapy toxicity in a pediatric T-cell acute lymphoblastic leukemia. <i>Leukemia</i> , 2007 , 21, 72-8	10.7	19
32	p27Kip1 metabolism: a fascinating labyrinth. <i>Cell Cycle</i> , 2007 , 6, 1053-61	4.7	87
31	Resveratrol: from basic science to the clinic. <i>Cell Cycle</i> , 2007 , 6, 2495-510	4.7	132

30	Erythropoietin receptors on cancer cells: a still open question. <i>Journal of Clinical Oncology</i> , 2007 , 25, 1812-3; author reply 1815	2.2	40
29	Retinoic acid induces p27Kip1 nuclear accumulation by modulating its phosphorylation. <i>Cancer Research</i> , 2006 , 66, 4240-8	10.1	37
28	Von Hippel-Lindau-dependent polycythemia is endemic on the island of Ischia: identification of a novel cluster. <i>Blood</i> , 2006 , 107, 514-9	2.2	78
27	The N-terminal 11 amino acids of human erythrocyte band 3 are critical for aldolase binding and protein phosphorylation: implications for band 3 function. <i>Blood</i> , 2005 , 106, 4359-66	2.2	66
26	Resveratrol Modulation of Gene Expression. <i>Oxidative Stress and Disease</i> , 2005 , 167-191		
25	Genes transcriptionally modulated by interferon alpha2a correlate with the cytokine activity. <i>Haematologica</i> , 2004 , 89, 1046-53	6.6	7
24	p21Cip1 gene expression is modulated by Egr1: a novel regulatory mechanism involved in the resveratrol antiproliferative effect. <i>Journal of Biological Chemistry</i> , 2003 , 278, 23360-8	5.4	71
23	Retinoic acid inhibits the growth of bone marrow mesenchymal stem cells and induces p27Kip1 and p16INK4A up-regulation. <i>Molecular and Cellular Biochemistry</i> , 2003 , 247, 55-60	4.2	17
22	Caspase 3 and 8 deficiency in human neuroblastoma. <i>Cancer Genetics and Cytogenetics</i> , 2003 , 146, 41-7		36
21	Spectrum of FANCA mutations in Italian Fanconi anemia patients: identification of six novel alleles and phenotypic characterization of the S858R variant. <i>Human Mutation</i> , 2003 , 22, 338-9	4.7	29
20	New established melanoma cell lines: genetic and biochemical characterization of cell division cycle. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2003 , 17, 37-41	4.6	4
19	Vitamin A and infancy. Biochemical, functional, and clinical aspects. <i>Vitamins and Hormones</i> , 2003 , 66, 457-591	2.5	15
18	T-lymphocyte populations and cytokines in childhood nephrotic syndrome. <i>American Journal of Kidney Diseases</i> , 2002 , 39, 958-65	7.4	96
17	In reply to Tsakok. <i>American Journal of Kidney Diseases</i> , 2002 , 40, 874	7.4	
16	Antioxidants induce different phenotypes by a distinct modulation of signal transduction. <i>FEBS Letters</i> , 2002 , 532, 289-94	3.8	35
15	Cell division cycle control in embryonal and alveolar rhabdomyosarcomas. <i>European Journal of Cancer</i> , 2002 , 38, 2290-9	7.5	9
14	Proliferate and survive: cell division cycle and apoptosis in human neuroblastoma. <i>Haematologica</i> , 2002 , 87, 196-214	6.6	21
13	Genes modulated by histone acetylation as new effectors of butyrate activity. <i>FEBS Letters</i> , 2001 , 499, 199-204	3.8	113

12	p27Kip1 accumulation is associated with retinoic-induced neuroblastoma differentiation: evidence of a decreased proteasome-dependent degradation. <i>Oncogene</i> , 2000 , 19, 51-60	9.2	61
11	Pyrrolidine dithiocarbamate induces apoptosis by a cytochrome c-dependent mechanism. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 268, 942-6	3.4	42
10	Hydroxytyrosol, a natural molecule occurring in olive oil, induces cytochrome c-dependent apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 278, 733-9	3.4	69
9	Reduced expression of transforming growth factor-beta receptor type III in high stage neuroblastomas. <i>British Journal of Cancer</i> , 2000 , 82, 1171-6	8.7	23
8	Effects of human immunodeficiency virus type 1 on CD4 lymphocyte subset activation. <i>European Journal of Immunology</i> , 1999 , 29, 1879-89	6.1	9
7	Biological effects of hydroxytyrosol, a polyphenol from olive oil endowed with antioxidant activity. <i>Advances in Experimental Medicine and Biology</i> , 1999 , 472, 115-30	3.6	50
6	Cell division cycle alterations and human tumors. <i>Advances in Experimental Medicine and Biology</i> , 1999 , 472, 73-88	3.6	8
5	Analysis of CDKN2A, CDKN2B, CDKN2C, and cyclin Ds gene status in hepatoblastoma. <i>Hepatology</i> , 1998 , 27, 989-95	11.2	34
4	Resveratrol arrests the cell division cycle at S/G2 phase transition. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 250, 53-8	3.4	231
3	Structural and functional analysis of cyclin-dependent kinase inhibitor genes (CDKN2A, CDKN2B, and CDKN2C) in neuroblastoma. <i>Pediatric Research</i> , 1998 , 43, 139-44	3.2	18
2	Expression of G1-phase cell cycle genes during hematopoietic lineage. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 231, 73-6	3.4	36
1	Purification and characterization of recombinant human 5'-methylthioadenosine phosphorylase: definite identification of coding cDNA. <i>Biochemical and Biophysical Research Communications</i> , 1996 , 223, 514-9	3.4	8