

# Javier Llanos

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/671835/publications.pdf>

Version: 2024-02-01

91  
papers

2,821  
citations

126708

33  
h-index

197535

49  
g-index

93  
all docs

93  
docs citations

93  
times ranked

2248  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Removal of Procion Red MX-5B dye from wastewater by conductive-diamond electrochemical oxidation. <i>Electrochimica Acta</i> , 2018, 263, 1-7.  | 2.6  | 124       |
| 2  | Electrochemical denitrification with chlorides using DSA and BDD anodes. <i>Chemical Engineering Journal</i> , 2012, 184, 66-71.  | 6.6  | 123       |
| 3  | Electrochemical jet-cell for the in-situ generation of hydrogen peroxide. <i>Electrochemistry Communications</i> , 2016, 71, 65-68.   | 2.3  | 104       |
| 4  | Electrolytic and electro-irradiated processes with diamond anodes for the oxidation of persistent pollutants and disinfection of urban treated wastewater. <i>Journal of Hazardous Materials</i> , 2016, 319, 93-101.                           | 6.5  | 91        |
| 5  | Optimization of an integrated electrodisinfection/electrocoagulation process with Al bipolar electrodes for urban wastewater reclamation. <i>Water Research</i> , 2013, 47, 1741-1750.  | 5.3  | 88        |
| 6  | Effect of the cathode material on the removal of nitrates by electrolysis in non-chloride media. <i>Journal of Hazardous Materials</i> , 2012, 213-214, 478-484.  | 6.5  | 80        |
| 7  | Improving the Efficiency of Carbon Cloth for the Electrogeneration of H <sub>2</sub> O <sub>2</sub> : Role of Polytetrafluoroethylene and Carbon Black Loading. <i>Industrial &amp; Engineering Chemistry Research</i> , 2017, 56, 12588-12595. | 1.8  | 80        |
| 8  | Use of carbon felt cathodes for the electrochemical reclamation of urban treated wastewaters. <i>Applied Catalysis B: Environmental</i> , 2015, 162, 252-259.   | 10.8 | 79        |
| 9  | Arsenic removal from drinking water through a hybrid ion exchange membrane "Coagulation process. <i>Separation and Purification Technology</i> , 2011, 83, 137-143.   | 3.9  | 66        |
| 10 | Effect of bipolar electrode material on the reclamation of urban wastewater by an integrated electrodisinfection/electrocoagulation process. <i>Water Research</i> , 2014, 53, 329-338.   | 5.3  | 64        |
| 11 | Treatment of copper (II)-loaded aqueous nitrate solutions by polymer enhanced ultrafiltration and electrodeposition. <i>Separation and Purification Technology</i> , 2010, 70, 320-328.   | 3.9  | 62        |
| 12 | Removal of nitrates by electrolysis in non-chloride media: Effect of the anode material. <i>Separation and Purification Technology</i> , 2011, 80, 592-599.   | 3.9  | 62        |
| 13 | Effect of pressure on the electrochemical generation of hydrogen peroxide in undivided cells on carbon felt electrodes. <i>Electrochimica Acta</i> , 2017, 248, 169-177.  | 2.6  | 59        |
| 14 | Development of an innovative approach for low-impact wastewater treatment: A microfluidic flow-through electrochemical reactor. <i>Chemical Engineering Journal</i> , 2018, 351, 766-772.   | 6.6  | 55        |
| 15 | On the applications of peroxodiphosphate produced by BDD-electrolyses. <i>Chemical Engineering Journal</i> , 2013, 233, 8-13.   | 6.6  | 54        |
| 16 | Treatment of real effluents from the pharmaceutical industry: A comparison between Fenton oxidation and conductive-diamond electro-oxidation. <i>Journal of Environmental Management</i> , 2017, 195, 216-223.                                  | 3.8  | 51        |
| 17 | Towards the scale up of a pressurized-jet microfluidic flow-through reactor for cost-effective electro-generation of H <sub>2</sub> O <sub>2</sub> . <i>Journal of Cleaner Production</i> , 2019, 211, 1259-1267.                               | 4.6  | 50        |
| 18 | Solar-powered electrokinetic remediation for the treatment of soil polluted with the herbicide 2,4-D. <i>Electrochimica Acta</i> , 2016, 190, 371-377.  | 2.6  | 49        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Irradiation-assisted electrochemical processes for the removal of persistent organic pollutants from wastewater. <i>Journal of Applied Electrochemistry</i> , 2015, 45, 799-808.         | 1.5  | 48        |
| 20 | Characterization of a ceramic ultrafiltration membrane in different operational states after its use in a heavy-metal ion removal process. <i>Water Research</i> , 2010, 44, 3522-3530.  | 5.3  | 47        |
| 21 | The jet aerator as oxygen supplier for the electrochemical generation of H <sub>2</sub> O <sub>2</sub> . <i>Electrochimica Acta</i> , 2017, 246, 466-474.                                | 2.6  | 47        |
| 22 | A wind-powered BDD electrochemical oxidation process for the removal of herbicides. <i>Journal of Environmental Management</i> , 2015, 158, 36-39.                                       | 3.8  | 46        |
| 23 | A microfluidic flow-through electrochemical reactor for wastewater treatment: A proof-of-concept. <i>Electrochemistry Communications</i> , 2017, 82, 85-88.                              | 2.3  | 43        |
| 24 | Synergistic integration of sonochemical and electrochemical disinfection with DSA anodes. <i>Chemosphere</i> , 2016, 163, 562-568.   | 4.2  | 42        |
| 25 | Copper recovery by polymer enhanced ultrafiltration (PEUF) and electrochemical regeneration. <i>Journal of Membrane Science</i> , 2008, 323, 28-36.                                      | 4.1  | 40        |
| 26 | Use of DiaCell modules for the electro-disinfection of secondary-treated wastewater with diamond anodes. <i>Chemical Engineering Journal</i> , 2016, 306, 433-440.                       | 6.6  | 40        |
| 27 | On the design of a jet-aerated microfluidic flow-through reactor for wastewater treatment by electro-Fenton. <i>Separation and Purification Technology</i> , 2019, 208, 123-129.         | 3.9  | 40        |
| 28 | Scaling-up an integrated electrodisinfection-electrocoagulation process for wastewater reclamation. <i>Chemical Engineering Journal</i> , 2020, 380, 122415.                             | 6.6  | 39        |
| 29 | Selective separation of Pb from hard water by a semi-continuous polymer-enhanced ultrafiltration process (PEUF). <i>Desalination</i> , 2007, 206, 602-613.                               | 4.0  | 38        |
| 30 | Novel integrated electrodialysis/electro-oxidation process for the efficient degradation of 2,4-dichlorophenoxyacetic acid. <i>Chemosphere</i> , 2017, 182, 85-89.                       | 4.2  | 37        |
| 31 | Effect of air pressure on the electro-Fenton process at carbon felt electrodes. <i>Electrochimica Acta</i> , 2018, 273, 447-453.   | 2.6  | 36        |
| 32 | The pressurized jet aerator: A new aeration system for high-performance H <sub>2</sub> O <sub>2</sub> electrolyzers. <i>Electrochemistry Communications</i> , 2018, 89, 19-22.           | 2.3  | 35        |
| 33 | Coupling UV irradiation and electrocoagulation for reclamation of urban wastewater. <i>Electrochimica Acta</i> , 2014, 140, 396-403.   | 2.6  | 34        |
| 34 | Hydrogen from electrochemical reforming of ethanol assisted by sulfuric acid addition. <i>Applied Catalysis B: Environmental</i> , 2018, 231, 310-316.                                   | 10.8 | 32        |
| 35 | Exploring the applicability of a combined electrodialysis/electro-oxidation cell for the degradation of 2,4-dichlorophenoxyacetic acid. <i>Electrochimica Acta</i> , 2018, 269, 415-421. | 2.6  | 30        |
| 36 | Can CabECOÂ® technology be used for the disinfection of highly faecal-polluted surface water?. <i>Chemosphere</i> , 2018, 209, 346-352.  | 4.2  | 30        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Operating the CabECO® membrane electrolytic technology in continuous mode for the direct disinfection of highly fecal-polluted water. Separation and Purification Technology, 2019, 208, 110-115.      | 3.9 | 30        |
| 38 | Remarkable hydrodechlorination activity over silica supported nickel/gold catalysts. Catalysis Communications, 2005, 6, 555-562.   | 1.6 | 29        |
| 39 | Preliminary design and optimisation of a PEUF process for Cr(VI) removal. Desalination, 2008, 223, 229-237.  | 4.0 | 29        |
| 40 | Novel electrodialysis-electrochlorination integrated process for the reclamation of treated wastewaters. Separation and Purification Technology, 2014, 132, 362-369.                                   | 3.9 | 29        |
| 41 | Polymer supported ultrafiltration as a technique for selective heavy metal separation and complex formation constants prediction. Separation and Purification Technology, 2010, 73, 126-134.           | 3.9 | 28        |
| 42 | Electro-disinfection with BDD-electrodes featuring PEM technology. Separation and Purification Technology, 2020, 248, 117081.  | 3.9 | 28        |
| 43 | New insights about the electrochemical production of ozone. Current Opinion in Electrochemistry, 2021, 27, 100697.   | 2.5 | 28        |
| 44 | Solar-powered CDEO for the treatment of wastewater polluted with the herbicide 2,4-D. Chemical Engineering Journal, 2015, 277, 64-69.  | 6.6 | 27        |
| 45 | Conductive diamond sono-electrochemical disinfection (CDSED) for municipal wastewater reclamation. Ultrasonics Sonochemistry, 2015, 22, 493-498.   | 3.8 | 27        |
| 46 | Understanding ozone generation in electrochemical cells at mild pHs. Electrochimica Acta, 2021, 376, 138033.   | 2.6 | 27        |
| 47 | Testing the use of cells equipped with solid polymer electrolytes for electro-disinfection. Science of the Total Environment, 2020, 725, 138379.   | 3.9 | 26        |
| 48 | Electrocoagulation as the Key for an Efficient Concentration and Removal of Oxyfluorfen from Liquid Wastes. Industrial & Engineering Chemistry Research, 2017, 56, 3091-3097.                          | 1.8 | 24        |
| 49 | Combined electrochemical processes for the efficient degradation of non-polar organochlorine pesticides. Journal of Environmental Management, 2019, 248, 109289.                                       | 3.8 | 21        |
| 50 | Electrochemical generation of ozone using a PEM electrolyzer at acidic pHs. Separation and Purification Technology, 2021, 267, 118672.   | 3.9 | 21        |
| 51 | Improved electrolysis of colloid-polluted wastes using ultrasounds and electrocoagulation. Separation and Purification Technology, 2020, 231, 115926.  | 3.9 | 20        |
| 52 | The Treatment of Actual Industrial Wastewaters Using Electrochemical Techniques. Electrocatalysis, 2013, 4, 252-258.   | 1.5 | 19        |
| 53 | Analysis of photocurrent and capacitance of TiO <sub>2</sub> nanotube-polyaniline hybrid composites synthesized through electroreduction of an aryldiazonium salt. RSC Advances, 2014, 4, 23957-23965. | 1.7 | 19        |
| 54 | Scale-up of electrolytic and photoelectrolytic processes for water reclaiming: a preliminary study. Environmental Science and Pollution Research, 2016, 23, 19713-19722.                               | 2.7 | 19        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Can the substrate of the diamond anodes influence on the performance of the electrosynthesis of oxidants?. <i>Journal of Electroanalytical Chemistry</i> , 2019, 850, 113416.                     | 1.9 | 19        |
| 56 | A comparison between flow-through cathode and mixed tank cells for the electro-Fenton process with conductive diamond anode. <i>Chemosphere</i> , 2020, 238, 124854.                              | 4.2 | 19        |
| 57 | A review on the electrochemical production of chlorine dioxide from chlorates and hydrogen peroxide. <i>Current Opinion in Electrochemistry</i> , 2021, 27, 100685.                               | 2.5 | 18        |
| 58 | Tannic acid removal from aqueous effluents using micellar enhanced ultrafiltration at pilot scale. <i>Desalination</i> , 2006, 200, 310-312.  | 4.0 | 17        |
| 59 | Water-soluble polymer ultrafiltration process at pilot scale: Study of hydrodynamics and factors limiting flux. <i>Journal of Membrane Science</i> , 2009, 341, 37-45.                            | 4.1 | 17        |
| 60 | Cationâ€exchange membranes: Comparison of homopolymer, block copolymer, and heterogeneous membranes. <i>Journal of Applied Polymer Science</i> , 2012, 124, E66.                                  | 1.3 | 16        |
| 61 | Performance of wind-powered soil electroremediation process for the removal of 2,4-D from soil. <i>Journal of Environmental Management</i> , 2016, 171, 128-132.                                  | 3.8 | 16        |
| 62 | Costs estimation of an integrated process for the treatment of heavy-metal loaded aqueous effluents. <i>Journal of Applied Electrochemistry</i> , 2011, 41, 1099-1107.                            | 1.5 | 13        |
| 63 | Integration of anodic and cathodic processes for the synergistic electrochemical production of peracetic acid. <i>Electrochemistry Communications</i> , 2016, 73, 1-4.                            | 2.3 | 13        |
| 64 | Performance of ultrafiltration as a pre-concentration stage for the treatment of oxyfluorfen by electrochemical BDD oxidation. <i>Separation and Purification Technology</i> , 2020, 237, 116366. | 3.9 | 13        |
| 65 | On the production of ozone, hydrogen peroxide and peroxone in pressurized undivided electrochemical cells. <i>Electrochimica Acta</i> , 2021, 390, 138878.  | 2.6 | 13        |
| 66 | Pre-disinfection columns to improve the performance of the direct electro-disinfection of highly faecal-polluted surface water. <i>Journal of Environmental Management</i> , 2018, 222, 135-140.  | 3.8 | 12        |
| 67 | Electrochemical regeneration of partially ethoxylated polyethylenimine used in the polymer-supported ultrafiltration of copper. <i>Journal of Hazardous Materials</i> , 2009, 168, 25-30.         | 6.5 | 11        |
| 68 | How to avoid the formation of hazardous chlorates and perchlorates during electro-disinfection with diamond anodes?. <i>Journal of Environmental Management</i> , 2020, 265, 110566.              | 3.8 | 11        |
| 69 | Electrocoagulation as a key technique in the integrated urban water cycle â€ A case study in the centre of Spain. <i>Urban Water Journal</i> , 2017, 14, 650-654.                                 | 1.0 | 10        |
| 70 | Is it worth using the coupled electrodialysis/electro-oxidation system for the removal of pesticides? Process modelling and role of the pollutant. <i>Chemosphere</i> , 2020, 246, 125781.        | 4.2 | 10        |
| 71 | Electrochemical production of perchlorate as an alternative for the valorization of brines. <i>Chemosphere</i> , 2019, 220, 637-643.  | 4.2 | 9         |
| 72 | Game-Based Learning and Just-in-Time Teaching to Address Misconceptions and Improve Safety and Learning in Laboratory Activities. <i>Journal of Chemical Education</i> , 2021, 98, 3118-3130.     | 1.1 | 9         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Use of process simulator to enhance the teaching&learning process of flow of fluids for engineering students. Computer Applications in Engineering Education, 2018, 26, 980-993.  | 2.2 | 8         |
| 74 | Toward real applicability of electro-ozonizers: Paying attention to the gas phase using actual commercial PEM electrolyzers technology. Chemosphere, 2022, 289, 133141.   | 4.2 | 8         |
| 75 | Neuro-evolutionary modelling of the electrodeposition stage of a polymer-supported ultrafiltration&electrodeposition process for the recovery of heavy metals. Environmental Modelling and Software, 2013, 42, 133-142. | 1.9 | 7         |
| 76 | Optimization of a cell for the electrochemical synergistic production of peroxyacetic acid. Electrochimica Acta, 2018, 260, 177-183.  | 2.6 | 7         |
| 77 | Development of a novel electrochemical coagulant dosing unit for water treatment. Journal of Chemical Technology and Biotechnology, 2019, 94, 216-221.  | 1.6 | 7         |
| 78 | Reactor design as a critical input in the electrochemical production of peroxyacetic acid. Journal of Chemical Technology and Biotechnology, 2019, 94, 2955-2960.   | 1.6 | 6         |
| 79 | Is ozone production able to explain the good performance of CabECO& technology in wastewater treatment?. Electrochimica Acta, 2021, 396, 139262.  | 2.6 | 6         |
| 80 | Physical&Chemical Characterization of Fruit Purees and Relationship with Sensory Analysis Carried out by Infants (12 to 24 mo). Journal of Food Science, 2015, 80, E1005-11.  | 1.5 | 5         |
| 81 | Electrochemically assisted dewatering for the removal of oxyfluorfen from a coagulation/flocculation sludge. Journal of Environmental Management, 2020, 258, 110015.  | 3.8 | 4         |
| 82 | Treatment of Cu/Zn wastes by combined PSU&electrodeposition processes. Journal of Environmental Management, 2013, 116, 181-185.   | 3.8 | 3         |
| 83 | An Old Technique with A Promising Future: Recent Advances in the Use of Electrodeposition for Metal Recovery. Molecules, 2021, 26, 5525.  | 1.7 | 3         |
| 84 | Valorization of high-salinity effluents for CO2 fixation and hypochlorite generation. Chemosphere, 2021, 285, 131359.   | 4.2 | 3         |
| 85 | Degradation of Neonicotinoids and Caffeine from Surface Water by Photolysis. Molecules, 2021, 26, 7277.   | 1.7 | 3         |
| 86 | Removal of polyether-polyols by means of ultrafiltration. Desalination, 2007, 206, 594-601.   | 4.0 | 2         |
| 87 | Enhancing the Teaching of Corrosion to Chemical-Engineering Students through Laboratory Experiments. Journal of Chemical Education, 2019, 96, 1029-1032.  | 1.1 | 2         |
| 88 | Adapting the low-cost pre-disinfection column PREDICO for simultaneous softening and disinfection of pore water. Chemosphere, 2022, 287, 132334.  | 4.2 | 1         |
| 89 | HOW DID WE FACE THE ACCREDITATION PROCESS FOR THE FIRST TIME AND WHAT DID WE LEARN? THE CHE PROGRAMS AT THE UCLM. , 2016, , .   |     | 0         |
| 90 | ECONOMIC FEASIBILITY STUDY AND ENVIRONMENTAL IMPACT ASSESSMENT OF PHASE CHANGE MATERIALS INCORPORATION IN BUILDINGS. , 2016, , .  |     | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 91 | ENHANCEMENT IN THE ACQUISITION OF THE SUSTAINABILITY KEY COMPETENCE THROUGHOUT THE WHOLE DEGREE OF CHEMICAL ENGINEERING. EDULEARN Proceedings, 2018, , . | 0.0 | 0         |