

Michael Thacker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6718475/publications.pdf>

Version: 2024-02-01

15
papers

484
citations

1478505

6
h-index

1058476

14
g-index

15
all docs

15
docs citations

15
times ranked

869
citing authors

#	ARTICLE	IF	CITATIONS
1	Cortical changes in chronic low back pain: Current state of the art and implications for clinical practice. <i>Manual Therapy</i> , 2011, 16, 15-20.	1.6	268
2	Alterations in resting-state regional cerebral blood flow demonstrate ongoing pain in osteoarthritis: An arterial spin-labeled magnetic resonance imaging study. <i>Arthritis and Rheumatism</i> , 2012, 64, 3936-3946.	6.7	64
3	Anatomical and functional correlates of persistent pain in Parkinson's disease. <i>Movement Disorders</i> , 2016, 31, 1854-1864.	3.9	57
4	Enhancing the neurologist's role in complex regional pain syndrome. <i>Annals of Neurology</i> , 2010, 67, 414-414.	5.3	31
5	The Moral Experience of the Patient with Chronic Pain: Bridging the Gap Between First and Third Person Ethics. <i>Pain Medicine</i> , 2014, 15, 364-378.	1.9	16
6	Sit-to-walk and sit-to-stand-and-walk task dynamics are maintained during rising at an elevated seat-height independent of lead-limb in healthy individuals. <i>Gait and Posture</i> , 2016, 48, 226-229.	1.4	13
7	Physical activity participation and the association with work-related upper quadrant disorders (WRUQDs): A systematic review. <i>Musculoskeletal Care</i> , 2018, 16, 178-187.	1.4	7
8	Parameters that remain consistent independent of pausing before gait-initiation during normal rise-to-walk behaviour delineated by sit-to-walk and sit-to-stand-and-walk. <i>PLoS ONE</i> , 2018, 13, e0205346.	2.5	7
9	Factors associated with physical activity participation in adults with chronic cervical spine pain: a systematic review. <i>Physiotherapy</i> , 2018, 104, 54-60.	0.4	6
10	Physical activity interventions are delivered consistently across hospitalized older adults but multimorbidity is associated with poorer rehabilitation outcomes: A population-based cohort study. <i>Journal of Evaluation in Clinical Practice</i> , 2017, 23, 1469-1477.	1.8	4
11	Sit-to-stand-and-walk from 120% Knee Height: A Novel Approach to Assess Dynamic Postural Control Independent of Lead-limb. <i>Journal of Visualized Experiments</i> , 2016, , .	0.3	3
12	Identifying consistent biomechanical parameters across rising-to-walk subtasks to inform rehabilitation in practice: A systematic literature review. <i>Gait and Posture</i> , 2021, 83, 67-82.	1.4	3
13	Management is more than pills. <i>BMJ: British Medical Journal</i> , 2009, 339, b3502-b3502.	2.3	3
14	Gait-initiation onset estimation during sit-to-walk: Recommended methods suitable for healthy individuals and ambulatory community-dwelling stroke survivors. <i>PLoS ONE</i> , 2019, 14, e0217563.	2.5	2
15	Keep your hands off!. <i>Physiotherapy Research International</i> , 1997, 2, 201-206.	1.5	0