

Jochen Kindler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6718561/publications.pdf>

Version: 2024-02-01

43
papers

1,556
citations

361296

20
h-index

315616

38
g-index

44
all docs

44
docs citations

44
times ranked

2432
citing authors

#	ARTICLE	IF	CITATIONS
1	Dysregulation of kynurenine metabolism is related to proinflammatory cytokines, attention, and prefrontal cortex volume in schizophrenia. <i>Molecular Psychiatry</i> , 2020, 25, 2860-2872.	4.1	155
2	Resting-state EEG in schizophrenia: Auditory verbal hallucinations are related to shortening of specific microstates. <i>Clinical Neurophysiology</i> , 2011, 122, 1179-1182.	0.7	143
3	Reduced Neuronal Activity in Language-Related Regions After Transcranial Magnetic Stimulation Therapy for Auditory Verbal Hallucinations. <i>Biological Psychiatry</i> , 2013, 73, 518-524.	0.7	93
4	Symptom Dimensions of the Psychotic Symptom Rating Scales in Psychosis: A Multisite Study. <i>Schizophrenia Bulletin</i> , 2014, 40, S265-S274.	2.3	92
5	Static and Dynamic Characteristics of Cerebral Blood Flow During the Resting State in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 41, 163-170.	2.3	83
6	Neurophysiological Studies of Auditory Verbal Hallucinations. <i>Schizophrenia Bulletin</i> , 2012, 38, 715-723.	2.3	78
7	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 753.	6.0	74
8	Muting the Voice: A Case of Arterial Spin Labeling-Monitored Transcranial Direct Current Stimulation Treatment of Auditory Verbal Hallucinations. <i>American Journal of Psychiatry</i> , 2011, 168, 853-854.	4.0	62
9	Cerebral blood flow identifies responders to transcranial magnetic stimulation in auditory verbal hallucinations. <i>Translational Psychiatry</i> , 2012, 2, e189-e189.	2.4	62
10	Revisiting the Basic Symptom Concept: Toward Translating Risk Symptoms for Psychosis into Neurobiological Targets. <i>Frontiers in Psychiatry</i> , 2016, 7, 9.	1.3	62
11	Theta Burst Stimulation Over the Right Broca's Homologue Induces Improvement of Naming in Aphasic Patients. <i>Stroke</i> , 2012, 43, 2175-2179.	1.0	58
12	Suicidality, Psychopathology, and Gender in Incarcerated Adolescents in Austria. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1593-1600.	1.1	55
13	Sex-specific predictors of criminal recidivism in a representative sample of incarcerated youth. <i>Comprehensive Psychiatry</i> , 2009, 50, 400-407.	1.5	54
14	Increased Striatal and Reduced Prefrontal Cerebral Blood Flow in Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2018, 44, 182-192.	2.3	49
15	Theta burst transcranial magnetic stimulation for the treatment of auditory verbal hallucinations: Results of a randomized controlled study. <i>Psychiatry Research</i> , 2013, 209, 114-117.	1.7	42
16	Repeated measurements of cerebral blood flow in the left superior temporal gyrus reveal tonic hyperactivity in patients with auditory verbal hallucinations: a possible trait marker. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 304.	1.0	37
17	Juvenile myoclonic epilepsy: A benign disorder? Personality traits and psychiatric symptoms. <i>Epilepsy and Behavior</i> , 2007, 10, 560-564.	0.9	35
18	Abnormal involuntary movements are linked to psychosis-risk in children and adolescents: Results of a population-based study. <i>Schizophrenia Research</i> , 2016, 174, 58-64.	1.1	33

#	ARTICLE	IF	CITATIONS
19	Selective Estrogen Receptor Modulation Increases Hippocampal Activity during Probabilistic Association Learning in Schizophrenia. <i>Neuropsychopharmacology</i> , 2015, 40, 2388-2397.	2.8	27
20	Elevated Bilirubin in Acute and Transient Psychotic Disorder. <i>Pharmacopsychiatry</i> , 2010, 43, 12-16.	1.7	22
21	Striatal cerebral blood flow, executive functioning, and fronto-striatal functional connectivity in clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2018, 201, 231-236.	1.1	21
22	Functional and structural correlates of abnormal involuntary movements in psychosis risk and first episode psychosis. <i>Schizophrenia Research</i> , 2019, 212, 196-203.	1.1	20
23	Excessive and pathological Internet use – Risk-behavior or psychopathology?. <i>Addictive Behaviors</i> , 2021, 123, 107045.	1.7	20
24	Auditory verbal hallucinations: imaging, analysis, and intervention. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 91-95.	1.8	19
25	Age effects on basic symptoms in the community: A route to gain new insight into the neurodevelopment of psychosis?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 311-324.	1.8	19
26	No association of the neuropeptide Y (Leu7Pro) and ghrelin gene (Arg51Gln, Leu72Met, Gln90Leu) single nucleotide polymorphisms with eating disorders. <i>Nordic Journal of Psychiatry</i> , 2011, 65, 203-207.	0.7	18
27	Raloxifene increases prefrontal activity during emotional inhibition in schizophrenia based on estrogen receptor genotype. <i>European Neuropsychopharmacology</i> , 2016, 26, 1930-1940.	0.3	15
28	The trait-state distinction between schizotypy and clinical high risk: results from a one-year follow-up. <i>World Psychiatry</i> , 2019, 18, 108-109.	4.8	15
29	Interaction between serotonin 5-HT2A receptor gene and dopamine transporter (DAT1) gene polymorphisms influences personality trait of persistence in Austrian Caucasians. <i>World Journal of Biological Psychiatry</i> , 2010, 11, 417-424.	1.3	14
30	Disturbances of Agency and Ownership in Schizophrenia: An Auditory Verbal Event Related Potentials Study. <i>Brain Topography</i> , 2016, 29, 716-727.	0.8	13
31	Validation of a Simplified Definition of Anger Attacks. <i>Psychotherapy and Psychosomatics</i> , 2006, 75, 103-106.	4.0	11
32	Agency and Ownership are Independent Components of “Sensing the Self” in the Auditory-Verbal Domain. <i>Brain Topography</i> , 2014, 27, 672-682.	0.8	11
33	The Bern Early Recognition and Intervention Centre for mental crisis (<sc>FETZ</sc> Bern) – An 8-year evaluation. <i>Microbial Biotechnology</i> , 2022, 16, 289-301.	0.9	9
34	Tourette's syndrome is not associated with interleukin-10 receptor 1 variants on chromosome 11q23.3. <i>Psychiatry Research</i> , 2008, 157, 235-239.	1.7	8
35	Traumatic experiences in childhood and the development of psychosis spectrum disorders. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 211-213.	2.8	6
36	Basic symptoms and gray matter volumes of patients at clinical high risk for psychosis. <i>Psychological Medicine</i> , 2021, 51, 2666-2674.	2.7	5

#	ARTICLE	IF	CITATIONS
37	Treatment outcome of an intensive psychiatric home treatment for children and adolescents: a non-randomized controlled pilot evaluation. <i>European Child and Adolescent Psychiatry</i> , 2021, , 1.	2.8	4
38	Positive psychotic symptoms in childhood and adolescence. <i>Current Opinion in Psychology</i> , 2022, 45, 101287.	2.5	4
39	Bipolar disorder susceptibility region on chromosome 3q29 not confirmed in a caseâ€“control association study. <i>World Journal of Biological Psychiatry</i> , 2011, 12, 309-315.	1.3	2
40	Trapped in a Glass Bell Jar: Neural Correlates of Depersonalization and Derealization in Subjects at Clinical High-Risk of Psychosis and Depersonalizationâ€“Derealization Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 535652.	1.3	2
41	Introducing a Group Therapy Program (PLAN D) for Young Outpatients with Derealization and Depersonalization: A Pilot Study. <i>Psychopathology</i> , 2021, , 1-7.	1.1	2
42	Speed, Accuracy, and Efficiency of Judgements of Coincidence between Speech Acts and Auditory Perception during a Delayed Auditory Feedback Paradigm: A Behavioral Study in Patients with Schizophrenia. <i>Timing and Time Perception</i> , 2020, 8, 177-191.	0.4	1
43	Editorial: Clinical High Risk for Psychosis: From Epidemiological Findings to Neurobiological Underpinnings of Treatment Response and Outcome. <i>Frontiers in Psychiatry</i> , 2021, 12, 790810.	1.3	0