

Min Yang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6718580/min-yang-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151
papers

4,252
citations

33
h-index

59
g-index

153
ext. papers

5,225
ext. citations

7.8
avg, IF

5.82
L-index

#	Paper	IF	Citations
151	Identification of visible colored dissolved organic matter in biological and tertiary municipal effluents using multiple approaches including PARAFAC analysis. <i>Journal of Environmental Sciences</i> , 2022 , 122, 174-174	6.4	0
150	Co-occurrence of odor-causing dioxanes and dioxolanes with bis(2-chloro-1-methylethyl) ether in Huangpu River source water and fates in O-BAC process.. <i>Journal of Hazardous Materials</i> , 2022 , 430, 128435	12.8	0
149	Long-term trends of fluorotelomer alcohols in a wastewater treatment plant impacted by textile manufacturing industry.. <i>Chemosphere</i> , 2022 , 134442	8.4	0
148	Characterization of non-volatile organic contaminants in coking wastewater using non-target screening: Dominance of nitrogen, sulfur, and oxygen-containing compounds in biological effluents.. <i>Science of the Total Environment</i> , 2022 , 837, 155768	10.2	1
147	Driving forces for the growth of MIB-producing <i>Planktothricoides raciborskii</i> in a low-latitude reservoir. <i>Water Research</i> , 2022 , 118670	12.5	1
146	Three-Year Consecutive Field Application of Erythromycin Fermentation Residue Following Hydrothermal Treatment: Cumulative Effect on Soil Antibiotic Resistance Genes. <i>Engineering</i> , 2022 ,	9.7	1
145	Characteristics of refractory organics in industrial wastewater treated using a Fenton-coagulation process. <i>Environmental Technology (United Kingdom)</i> , 2021 , 42, 3432-3440	2.6	2
144	Removal of denatured protein particles enhanced UASB treatment of oxytetracycline production wastewater. <i>Science of the Total Environment</i> , 2021 , 816, 151549	10.2	0
143	Data Analytics Determines Co-occurrence of Odorants in Raw Water and Evaluates Drinking Water Treatment Removal Strategies. <i>Environmental Science & Technology</i> , 2021 ,	10.3	3
142	Hydrothermal pretreatment of oxytetracycline fermentation residue: Removal of oxytetracycline and increasing the potential for anaerobic digestion. <i>Environmental Engineering Research</i> , 2021 , 26, 200258-0	3.6	3
141	Identification of MIB producers and odor risk assessment using routine data: A case study of an estuary drinking water reservoir. <i>Water Research</i> , 2021 , 192, 116848	12.5	3
140	Assessing the effect of treated erythromycin fermentation residue on antibiotic resistance in soybean planting soil: In situ field study. <i>Science of the Total Environment</i> , 2021 , 779, 146329	10.2	2
139	Oil/Water Interfacial Destabilization of Floated Oily Sludge Based on the Catalytic Decomposition of H ₂ O ₂ Induced by Interfacial-Active Complexes. <i>ACS ES&T Engineering</i> , 2021 , 1, 55-65		1
138	Profiles and risk assessment of legacy and current use pesticides in urban rivers in Beijing, China. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 39423-39431	5.1	3
137	Potential dissemination mechanism of the tetC gene in <i>Aeromonas</i> media from the aerobic biofilm reactor under oxytetracycline stresses. <i>Journal of Environmental Sciences</i> , 2021 , 105, 90-99	6.4	1
136	High-Throughput Single-Cell Technology Reveals the Contribution of Horizontal Gene Transfer to Typical Antibiotic Resistance Gene Dissemination in Wastewater Treatment Plants. <i>Environmental Science & Technology</i> , 2021 , 55, 11824-11834	10.3	3
135	Recovery of biological wastewater treatment system inhibited by oxytetracycline: Rebound of functional bacterial population and the impact of adsorbed oxytetracycline on antibiotic resistance. <i>Chemical Engineering Journal</i> , 2021 , 418, 129364	14.7	8

134	Removal efficacy of opportunistic pathogen gene markers in drinking water supply systems: an in situ and large-scale molecular investigation. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 54153-54160	5.1	10
133	Suspect and target screening of emerging pesticides and their transformation products in an urban river using LC-QTOF-MS. <i>Science of the Total Environment</i> , 2021 , 790, 147978	10.2	2
132	Occurrence, fates, and carcinogenic risks of substituted polycyclic aromatic hydrocarbons in two coking wastewater treatment systems. <i>Science of the Total Environment</i> , 2021 , 789, 147808	10.2	9
131	Disinfection by-product (DBP) research in China: Are we on the track?. <i>Journal of Environmental Sciences</i> , 2021 , 110, 99-110	6.4	6
130	Ecological niche and in-situ control of MIB producers in source water. <i>Journal of Environmental Sciences</i> , 2021 , 110, 119-128	6.4	1
129	Microbial community functional structure in an aerobic biofilm reactor: Impact of streptomycin and recovery. <i>Chemosphere</i> , 2020 , 255, 127032	8.4	12
128	Novel Transposon Tn Variants Accelerate the Dissemination of (E) in in an Aerobic Biofilm Reactor under Oxytetracycline Stresses. <i>Environmental Science & Technology</i> , 2020 , 54, 6781-6791	10.3	13
127	Degradation of kanamycin from production wastewater with high-concentration organic matrices by hydrothermal treatment. <i>Journal of Environmental Sciences</i> , 2020 , 97, 11-18	6.4	8
126	Dynamics of class 1 integrons in aerobic biofilm reactors spiked with antibiotics. <i>Environment International</i> , 2020 , 140, 105816	12.9	12
125	Pyrazines: A diverse class of earthy-musty odorants impacting drinking water quality and consumer satisfaction. <i>Water Research</i> , 2020 , 182, 115971	12.5	4
124	Emerging concerns of VOCs and SVOCs in coking wastewater treatment processes: Distribution profile, emission characteristics, and health risk assessment. <i>Environmental Pollution</i> , 2020 , 265, 114960	9.3	11
123	Antibiotic resistomes in drinking water sources across a large geographical scale: Multiple drivers and co-occurrence with opportunistic bacterial pathogens. <i>Water Research</i> , 2020 , 183, 116088	12.5	37
122	A systematic study on the odorants characterization and evaluation in a plain reservoir with wetlands ecosystem. <i>Journal of Hazardous Materials</i> , 2020 , 393, 122404	12.8	9
121	Projecting competition between 2-methylisoborneol and natural organic matter in adsorption onto activated carbon from ozonated source waters. <i>Water Research</i> , 2020 , 173, 115574	12.5	19
120	Minimum influent concentrations of oxytetracycline, streptomycin and spiramycin in selecting antibiotic resistance in biofilm type wastewater treatment systems. <i>Science of the Total Environment</i> , 2020 , 720, 137531	10.2	25
119	Screening of chemicals with binding activities of liver X receptors from reclaimed waters. <i>Science of the Total Environment</i> , 2020 , 713, 136570	10.2	1
118	Assessing the hidden social risk caused by odor in drinking water through population behavioral responses using economic burden. <i>Water Research</i> , 2020 , 172, 115507	12.5	9
117	Removal of hard COD from biological effluent of coking wastewater using synchronized oxidation-adsorption technology: Performance, mechanism, and full-scale application. <i>Water Research</i> , 2020 , 173, 115517	12.5	22

116	Enhanced hydrolysis of fermentative antibiotics in production wastewater: Hydrolysis potential prediction and engineering application. <i>Chemical Engineering Journal</i> , 2020 , 391, 123626	14.7	7
115	Factors influencing <i>Candidatus Microthrix parvicella</i> growth and specific filamentous bulking control: A review. <i>Chemosphere</i> , 2020 , 244, 125371	8.4	23
114	Assessing the impact of source water on tap water bacterial communities in 46 drinking water supply systems in China. <i>Water Research</i> , 2020 , 172, 115469	12.5	32
113	Impact of oxytetracycline on anaerobic wastewater treatment and mitigation using enhanced hydrolysis pretreatment. <i>Water Research</i> , 2020 , 187, 116408	12.5	20
112	The role of in situ Fenton coagulation on the removal of benzoic acid. <i>Chemosphere</i> , 2020 , 238, 124632	8.4	10
111	Simultaneous quantification of fifty-one odor-causing compounds in drinking water using gas chromatography-triple quadrupole tandem mass spectrometry. <i>Journal of Environmental Sciences</i> , 2019 , 79, 100-110	6.4	16
110	Thermophilic anaerobic digestion reduces ARGs in excess sludge even under high oxytetracycline concentrations. <i>Chemosphere</i> , 2019 , 222, 305-313	8.4	16
109	Changes of flooding reagents properties under simulated high temperature/pressure conditions in oil reservoirs and their impact on emulsion stability.. <i>RSC Advances</i> , 2019 , 9, 16044-16048	3.7	1
108	Effectively remediating spiramycin from production wastewater through hydrolyzing its functional groups using solid superacid TiO/SO. <i>Environmental Research</i> , 2019 , 175, 393-401	7.9	10
107	Degradation of SDBS in water solutions using plasma in gas-liquid interface discharge: Performance, byproduct formation and toxicity evaluation. <i>Chemosphere</i> , 2019 , 234, 471-477	8.4	8
106	ARGA, a pipeline for primer evaluation on antibiotic resistance genes. <i>Environment International</i> , 2019 , 128, 137-145	12.9	7
105	Contribution of phthalates and phthalate monoesters from drinking water to daily intakes for the general population. <i>Chemosphere</i> , 2019 , 229, 125-131	8.4	18
104	Monitoring, isolation and characterization of <i>Microthrix parvicella</i> strains from a Chinese wastewater treatment plant. <i>Water Science and Technology</i> , 2019 , 79, 1406-1416	2.2	3
103	Occurrence of swampy/septic odor and possible odorants in source and finished drinking water of major cities across China. <i>Environmental Pollution</i> , 2019 , 249, 305-310	9.3	17
102	Production and fate of fishy odorants produced by two freshwater chrysophyte species under different temperature and light conditions. <i>Water Research</i> , 2019 , 157, 529-534	12.5	14
101	Identification of fishy odor causing compounds produced by <i>Ochromonas</i> sp. and <i>Cryptomonas</i> ovate with gas chromatography-olfactometry and comprehensive two-dimensional gas chromatography. <i>Science of the Total Environment</i> , 2019 , 671, 149-156	10.2	17
100	Rapid thermal-acid hydrolysis of spiramycin by silicotungstic acid under microwave irradiation. <i>Environmental Pollution</i> , 2019 , 249, 36-44	9.3	5
99	Genetic characterization and potential molecular dissemination mechanism of tet(31) gene in <i>Aeromonas caviae</i> from an oxytetracycline wastewater treatment system. <i>Journal of Environmental Sciences</i> , 2019 , 76, 259-266	6.4	5

98	Enhanced hydrolysis of streptomycin from production wastewater using CaO/MgO solid base catalysts. <i>Chemical Engineering Journal</i> , 2019 , 355, 586-593	14.7	16
97	Enhanced anaerobic performance and SMD process in treatment of sulfate and organic S-rich TMBA manufacturing wastewater by micro-electric field-zero valent iron-UASB. <i>Journal of Hazardous Materials</i> , 2019 , 379, 120695	12.8	3
96	Extended Fenton's process: toward improving biodegradability of drilling wastewater. <i>Water Science and Technology</i> , 2019 , 79, 1790-1797	2.2	2
95	Succession and interaction of surface and subsurface cyanobacterial blooms in oligotrophic/mesotrophic reservoirs: A case study in Miyun Reservoir. <i>Science of the Total Environment</i> , 2019 , 649, 1553-1562	10.2	21
94	Occurrence and exposure assessment of bisphenol analogues in source water and drinking water in China. <i>Science of the Total Environment</i> , 2019 , 655, 607-613	10.2	87
93	Peroxymonosulfate improved photocatalytic degradation of atrazine by activated carbon/graphitic carbon nitride composite under visible light irradiation. <i>Chemosphere</i> , 2019 , 217, 833-842	8.4	57
92	Synergistic effect of musty odorants on septic odor: Verification in Huangpu River source water. <i>Science of the Total Environment</i> , 2019 , 653, 1186-1191	10.2	15
91	Modelling the fate and transport of Cryptosporidium, a zoonotic and waterborne pathogen, in the Daning River watershed of the Three Gorges Reservoir Region, China. <i>Journal of Environmental Management</i> , 2019 , 232, 462-474	7.9	6
90	Effect of ultrasound on oil recovery from crude oil containing sludge. <i>Environmental Technology (United Kingdom)</i> , 2019 , 40, 1401-1407	2.6	19
89	Chronic impacts of oxytetracycline on mesophilic anaerobic digestion of excess sludge: Inhibition of hydrolytic acidification and enrichment of antibiotic resistome. <i>Environmental Pollution</i> , 2018 , 238, 1017-1026	9.3	28
88	Characterization of brominated disinfection byproducts formed during chloramination of fulvic acid in the presence of bromide. <i>Science of the Total Environment</i> , 2018 , 627, 118-124	10.2	23
87	Rapid profiling of polymeric phenolic acids in <i>Salvia miltiorrhiza</i> by hybrid data-dependent/targeted multistage mass spectrometry acquisition based on expected compounds prediction and fragment ion searching. <i>Journal of Separation Science</i> , 2018 , 41, 1888-1895	3.4	6
86	Characteristics of ARG-carrying plasmidome in the cultivable microbial community from wastewater treatment system under high oxytetracycline concentration. <i>Applied Microbiology and Biotechnology</i> , 2018 , 102, 1847-1858	5.7	22
85	Molecular characterization of effluent organic matter in secondary effluent and reclaimed water: Comparison to natural organic matter in source water. <i>Journal of Environmental Sciences</i> , 2018 , 63, 140-148	6.4	23
84	Characteristics of microbial community functional structure of a biological coking wastewater treatment system. <i>Journal of Environmental Sciences</i> , 2018 , 63, 105-115	6.4	12
83	Functional recognition of structure-diverse odor molecules in drinking water based on QSOR study. <i>Chemosphere</i> , 2018 , 211, 371-378	8.4	
82	Control strategy for filamentous sludge bulking: Bench-scale test and full-scale application. <i>Chemosphere</i> , 2018 , 210, 709-716	8.4	25
81	Culture-based study on the development of antibiotic resistance in a biological wastewater system treating stepwise increasing doses of streptomycin. <i>AMB Express</i> , 2018 , 8, 12	4.1	11

80	Byproducts of aqueous chlorination of equol and their estrogenic potencies. <i>Chemosphere</i> , 2018 , 212, 393-399	8.4	0
79	Ultrasonic washing for oily sludge treatment in pilot scale. <i>Ultrasonics</i> , 2018 , 90, 1-4	3.5	34
78	Pilot Performance of Chemical Demulsifier on the Demulsification of Produced Water from Polymer/Surfactant Flooding in the Xinjiang Oilfield. <i>Water (Switzerland)</i> , 2018 , 10, 1874	3	9
77	Pretreatment of spiramycin fermentation residue using hyperthermophilic digestion: quick startup and performance. <i>Water Science and Technology</i> , 2018 , 78, 1823-1832	2.2	4
76	Characterization and discrimination of steroidal saponins in Tribulus terrestris L. and its three different aerial parts by chemical profiling with chemometrics analysis. <i>Journal of Separation Science</i> , 2018 , 41, 4212-4221	3.4	6
75	Feasibility assessment of up-flow anaerobic sludge blanket treatment of sulfamethoxazole pharmaceutical wastewater. <i>Frontiers of Environmental Science and Engineering</i> , 2018 , 12, 1	5.8	8
74	New Insights into Trihalomethane and Haloacetic Acid Formation Potentials: Correlation with the Molecular Composition of Natural Organic Matter in Source Water. <i>Environmental Science & Technology</i> , 2017 , 51, 2015-2021	10.3	36
73	An enhanced targeted identification strategy for the selective identification of flavonoid O-glycosides from Carthamus tinctorius by integrating offline two-dimensional liquid chromatography/linear ion-trap-Orbitrap mass spectrometry, high-resolution diagnostic product ion (HPLC-ESI-MS/MS) and high-resolution mass spectrometry (HRMS). <i>Journal of Chromatography A</i> , 2017 , 1517, 1-11	4.5	51
72	Abundance and distribution of antibiotic resistance genes in a full-scale anaerobic-aerobic system alternately treating ribostamycin, spiramycin and paromomycin production wastewater. <i>Environmental Geochemistry and Health</i> , 2017 , 39, 1595-1605	4.7	11
71	A Strategy Combining Higher Energy C-Trap Dissociation with Neutral Loss- and Product Ion-Based MS Acquisition for Global Profiling and Structure Annotation of Fatty Acids Conjugates. <i>Journal of the American Society for Mass Spectrometry</i> , 2017 , 28, 443-451	3.5	6
70	An in-source multiple collision-neutral loss filtering based nontargeted metabolomics approach for the comprehensive analysis of malonyl-ginsenosides from Panax ginseng, P. quinquefolius, and P. notoginseng. <i>Analytica Chimica Acta</i> , 2017 , 952, 59-70	6.6	63
69	Electro-Fenton oxidation of coking wastewater: optimization using the combination of central composite design and convex optimization method. <i>Environmental Technology (United Kingdom)</i> , 2017 , 38, 2456-2464	2.6	6
68	Comparative Analysis of Ultrafine Granular Powder and Decoction Pieces of Salvia miltiorrhiza by UPLC-UV-MSn Combined with Statistical Analysis. <i>Planta Medica</i> , 2017 , 83, 557-564	3.1	7
67	Anaerobic treatment of antibiotic production wastewater pretreated with enhanced hydrolysis: Simultaneous reduction of COD and ARGs. <i>Water Research</i> , 2017 , 110, 211-217	12.5	62
66	Cleavage of the main carbon chain backbone of high molecular weight polyacrylamide by aerobic and anaerobic biological treatment. <i>Chemosphere</i> , 2017 , 189, 277-283	8.4	8
65	Performance and Yeast Tracking in A Full-Scale Oil-Containing Paromomycin Production Wastewater Treatment System Using Yeast. <i>Water (Switzerland)</i> , 2017 , 9, 295	3	1
64	Degradation of 4-Chlorophenol by Means of Fenton Oxidation Processes: Mechanism and Kinetics. <i>Water, Air, and Soil Pollution</i> , 2017 , 228, 1	2.6	5
63	Detection, Occurrence, and Fate of Fluorotelomer Alcohols in Municipal Wastewater Treatment Plants. <i>Environmental Science & Technology</i> , 2017 , 51, 8953-8961	10.3	28

62	Phage-host associations in a full-scale activated sludge plant during sludge bulking. <i>Applied Microbiology and Biotechnology</i> , 2017 , 101, 6495-6504	5.7	8
61	Factors affecting the growth of <i>Microthrix parvicella</i> : Batch tests using bulking sludge as seed sludge. <i>Science of the Total Environment</i> , 2017 , 609, 1192-1199	10.2	20
60	Reducing production of taste and odor by deep-living cyanobacteria in drinking water reservoirs by regulation of water level. <i>Science of the Total Environment</i> , 2017 , 574, 1477-1483	10.2	18
59	The profiling of the metabolites of hirsutine in rat by ultra-high performance liquid chromatography coupled with linear ion trap Orbitrap mass spectrometry: An improved strategy for the systematic screening and identification of metabolites in multi-samples in vivo. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1021, 149-157	3.5	6
58	Colon-derived uremic biomarkers induced by the acute toxicity of Kansui radix: A metabolomics study of rat plasma and intestinal contents by UPLC-QTOF-MS(E). <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1026, 193-203	3.2	17
57	Profiling and identification of metabolites of isorhynchophylline in rats by ultra high performance liquid chromatography and linear ion trap Orbitrap mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1033-1034, 147-156	3.2	9
56	Source-water odor during winter in the Yellow River area of China: Occurrence and diagnosis. <i>Environmental Pollution</i> , 2016 , 218, 252-258	9.3	20
55	Performance and microbial community composition in a long-term sequential anaerobic-aerobic bioreactor operation treating coking wastewater. <i>Applied Microbiology and Biotechnology</i> , 2016 , 100, 8191-202	5.7	31
54	Neutral Loss Ion Mapping Experiment Combined with Precursor Mass List and Dynamic Exclusion for Screening Unstable Malonyl Glucoside Conjugates. <i>Journal of the American Society for Mass Spectrometry</i> , 2016 , 27, 99-107	3.5	9
53	Identification of complex septic odorants in Huangpu River source water by combining the data from gas chromatography-olfactometry and comprehensive two-dimensional gas chromatography using retention indices. <i>Science of the Total Environment</i> , 2016 , 556, 36-44	10.2	20
52	Characterization of unknown iodinated disinfection byproducts during chlorination/chloramination using ultrahigh resolution mass spectrometry. <i>Science of the Total Environment</i> , 2016 , 554-555, 83-8	10.2	15
51	Selective and comprehensive characterization of the quinochalcone C-glycoside homologs in <i>Carthamus tinctorius</i> L. by offline comprehensive two-dimensional liquid chromatography/LTQ-Orbitrap MS coupled with versatile data mining strategies. <i>RSC Advances</i> , 2016 , 6, 107-115	3.7	24
50	Pharmacokinetic Studies of Ganoderic Acids from the Lingzhi or Reishi Medicinal Mushroom, <i>Ganoderma lucidum</i> (Agaricomycetes), by LC-MS/MS. <i>International Journal of Medicinal Mushrooms</i> , 2016 , 18, 405-12	1.3	6
49	Prediction of powdered activated carbon doses for 2-MIB removal in drinking water treatment using a simplified HSDM approach. <i>Chemosphere</i> , 2016 , 156, 374-382	8.4	21
48	Synthetic lepidocrocite for phosphorous removal from reclaimed water: optimization using convex optimization method and successive adsorption in fixed bed column. <i>Environmental Technology (United Kingdom)</i> , 2016 , 37, 2750-9	2.6	4
47	An intelligentized strategy for endogenous small molecules characterization and quality evaluation of earthworm from two geographic origins by ultra-high performance HILIC/QTOF MS(E) and Progenesis Q1. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 3881-90	4.4	56
46	Changes of resistome, mobilome and potential hosts of antibiotic resistance genes during the transformation of anaerobic digestion from mesophilic to thermophilic. <i>Water Research</i> , 2016 , 98, 261-9	12.5	128
45	Simultaneous removal of multiple odorants from source water suffering from septic and musty odors: Verification in a full-scale water treatment plant with ozonation. <i>Water Research</i> , 2016 , 100, 1-6	12.5	39

44	Comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometry for the screening of potent swampy/septic odor-causing compounds in two drinking water sources in China. <i>Analytical Methods</i> , 2015 , 7, 2458-2468	3.2	32
43	An efficient and target-oriented sample enrichment method for preparative separation of minor alkaloids by pH-zone-refining counter-current chromatography. <i>Journal of Chromatography A</i> , 2015 , 1409, 159-65	4.5	15
42	High Concentrations of the Antibiotic Spiramycin in Wastewater Lead to High Abundance of Ammonia-Oxidizing Archaea in Nitrifying Populations. <i>Environmental Science & Technology</i> , 2015 , 49, 9124-32	10.3	43
41	Simultaneous determination and assignment of 13 major flavonoids and glycyrrhizic acid in licorices by HPLC-DAD and Orbitrap mass spectrometry analyses. <i>Chinese Journal of Natural Medicines</i> , 2015 , 13, 232-40	2.8	17
40	Occurrences and behaviors of naphthenic acids in a petroleum refinery wastewater treatment plant. <i>Environmental Science & Technology</i> , 2015 , 49, 5796-804	10.3	30
39	Evaluation of residual antibacterial potency in antibiotic production wastewater using a real-time quantitative method. <i>Environmental Sciences: Processes and Impacts</i> , 2015 , 17, 1923-9	4.3	14
38	A strategy for fast screening and identification of sulfur derivatives in medicinal Pueraria species based on the fine isotopic pattern filtering method using ultra-high-resolution mass spectrometry. <i>Analytica Chimica Acta</i> , 2015 , 894, 44-53	6.6	26
37	Impacts of produced water origin on bacterial community structures of activated sludge. <i>Journal of Environmental Sciences</i> , 2015 , 37, 192-9	6.4	7
36	A green protocol for efficient discovery of novel natural compounds: characterization of new ginsenosides from the stems and leaves of Panax ginseng as a case study. <i>Analytica Chimica Acta</i> , 2015 , 893, 65-76	6.6	81
35	Rapid establishment of thermophilic anaerobic microbial community during the one-step startup of thermophilic anaerobic digestion from a mesophilic digester. <i>Water Research</i> , 2015 , 69, 9-19	12.5	89
34	MIB-producing cyanobacteria (<i>Planktothrix</i> sp.) in a drinking water reservoir: distribution and odor producing potential. <i>Water Research</i> , 2015 , 68, 444-53	12.5	68
33	Discriminatory components retracing strategy for monitoring the preparation procedure of Chinese patent medicines by fingerprint and chemometric analysis. <i>PLoS ONE</i> , 2015 , 10, e0121366	3.7	11
32	Improved Chromatographic Fingerprinting Combined with Multi-components Quantitative Analysis for Quality Evaluation of <i>Penthorum chinense</i> by UHPLC-DAD. <i>Natural Product Communications</i> , 2015 , 10, 1934578X1501000	0.9	1
31	Simultaneous quantitation of five Panax notoginseng saponins by multi heart-cutting two-dimensional liquid chromatography: Method development and application to the quality control of eight Notoginseng containing Chinese patent medicines. <i>Journal of Chromatography A</i> , 2015 , 1409, 71-81	4.5	48
30	Elucidation of the fragmentation pathways of a complex 3,7-O-glycosyl flavonol by CID, HCD, and PQD on an LTQ-Orbitrap Velos Pro hybrid mass spectrometer. <i>Chinese Journal of Natural Medicines</i> , 2015 , 13, 867-872	2.8	8
29	Treatment of 3,4,5-trimethoxybenzaldehyde and Di-bromo-aldehyde manufacturing wastewater by the coupled Fenton pretreatment and UASB reactor with emphasis on optimization and chemicals analysis. <i>Separation and Purification Technology</i> , 2015 , 142, 40-47	8.3	12
28	Occurrence of odor problems in drinking water of major cities across China. <i>Frontiers of Environmental Science and Engineering</i> , 2014 , 8, 411-416	5.8	33
27	New triterpenic acids from <i>Uncaria rhynchophylla</i> : chemistry, NO-inhibitory activity, and tandem mass spectrometric analysis. <i>Phytotherapy</i> , 2014 , 96, 39-47	3.2	21

26	Importance of underwater light field in selecting phytoplankton morphology in a eutrophic reservoir. <i>Hydrobiologia</i> , 2014 , 724, 203-216	2.4	6
25	Quantitative method to determine the regional drinking water odorant regulation goals based on odor sensitivity distribution: illustrated using 2-MIB. <i>Journal of Environmental Sciences</i> , 2014 , 26, 1389-94	6.4	13
24	Characterization of unknown brominated disinfection byproducts during chlorination using ultrahigh resolution mass spectrometry. <i>Environmental Science & Technology</i> , 2014 , 48, 3112-9	10.3	70
23	HPLC/qTOF-MS-oriented characteristic components data set and chemometric analysis for the holistic quality control of complex TCM preparations: Niu Huang Shangqing pill as an example. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 89, 130-41	3.5	39
22	Abundance and distribution of Macrolide-Lincosamide-Streptogramin resistance genes in an anaerobic-aerobic system treating spiramycin production wastewater. <i>Water Research</i> , 2014 , 63, 33-41	12.5	52
21	Quick Response to 2-MIB Episodes Based on Native Population Odor Sensitivity Evaluation. <i>Clean - Soil, Air, Water</i> , 2014 , 42, 1179-1184	1.6	3
20	Sludge bulking impact on relevant bacterial populations in a full-scale municipal wastewater treatment plant. <i>Process Biochemistry</i> , 2014 , 49, 2258-2265	4.8	46
19	Response of activated sludge to the treatment of oxytetracycline production waste stream. <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 8805-12	5.7	18
18	A fishy odor episode in a north China reservoir: occurrence, origin, and possible odor causing compounds. <i>Journal of Environmental Sciences</i> , 2013 , 25, 2361-6	6.4	24
17	Detection and occurrence of chlorinated byproducts of bisphenol a, nonylphenol, and estrogens in drinking water of china: comparison to the parent compounds. <i>Environmental Science & Technology</i> , 2013 , 47, 10841-50	10.3	148
16	Microbial community functional structure in response to antibiotics in pharmaceutical wastewater treatment systems. <i>Water Research</i> , 2013 , 47, 6298-308	12.5	82
15	Abundance and distribution of tetracycline resistance genes and mobile elements in an oxytetracycline production wastewater treatment system. <i>Environmental Science & Technology</i> , 2012 , 46, 7551-7	10.3	172
14	Earthy odor compounds production and loss in three cyanobacterial cultures. <i>Water Research</i> , 2012 , 46, 5165-73	12.5	56
13	Characterization of low molecular weight dissolved natural organic matter along the treatment trait of a waterworks using Fourier transform ion cyclotron resonance mass spectrometry. <i>Water Research</i> , 2012 , 46, 5197-204	12.5	104
12	Microbial community compositional analysis for series reactors treating high level antibiotic wastewater. <i>Environmental Science & Technology</i> , 2012 , 46, 795-801	10.3	98
11	Study on transformation of natural organic matter in source water during chlorination and its chlorinated products using ultrahigh resolution mass spectrometry. <i>Environmental Science & Technology</i> , 2012 , 46, 4396-402	10.3	118
10	Highly efficient Suzuki cross-coupling reaction within an open channel plastic microreactor immobilized with palladium complexes. <i>Microfluidics and Nanofluidics</i> , 2012 , 12, 981-989	2.8	9
9	Bacterial community characteristics under long-term antibiotic selection pressures. <i>Water Research</i> , 2011 , 45, 6063-73	12.5	102

8	Antibiotic resistance characteristics of environmental bacteria from an oxytetracycline production wastewater treatment plant and the receiving river. <i>Applied and Environmental Microbiology</i> , 2010 , 76, 3444-51	4.8	201
7	Cyanobacterial population and harmful metabolites dynamics during a bloom in Yanghe Reservoir, North China. <i>Harmful Algae</i> , 2010 , 9, 481-488	5.3	64
6	Characterization of hydrolyzed Fe(III) species produced in Fenton's reaction. <i>Environmental Technology (United Kingdom)</i> , 2009 , 30, 1585-91	2.6	5
5	Antibiotic-resistance profile in environmental bacteria isolated from penicillin production wastewater treatment plant and the receiving river. <i>Environmental Microbiology</i> , 2009 , 11, 1506-17	5.2	129
4	Taihu Lake not to blame for Wuxi's woes. <i>Science</i> , 2008 , 319, 158	33.3	263
3	Determination and fate of oxytetracycline and related compounds in oxytetracycline production wastewater and the receiving river. <i>Environmental Toxicology and Chemistry</i> , 2008 , 27, 80-6	3.8	208
2	Fenton's process for simultaneous removal of TOC and Fe ²⁺ from acidic waste liquor. <i>Desalination</i> , 2004 , 160, 123-130	10.3	20
1	Preparation and adsorption mechanism of rare earth-doped adsorbent for arsenic(V) removal from groundwater. <i>Science in China Series B: Chemistry</i> , 2003 , 46, 252-258		13