

Anunciacin Espinosa-Mansilla

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6719341/anunciacion-espinoza-mansilla-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109
papers

3,090
citations

34
h-index

50
g-index

109
ext. papers

3,246
ext. citations

4.9
avg, IF

4.76
L-index

#	Paper	IF	Citations
109	Comparative quantification of chlorophyll and polyphenol levels in grapevine leaves sampled from different geographical locations. <i>Scientific Reports</i> , 2020 , 10, 6246	4.9	12
108	A novel analytical methodology for the determination of hydroxy polycyclic aromatic hydrocarbons in breast and cow milk samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020 , 1136, 121912	3.2	5
107	Optimization of the thiobarbituric acid-malonaldehyde reaction in non-aqueous medium. Direct analysis of malonaldehyde in oil samples by HPLC with fluorimetric detection. <i>Microchemical Journal</i> , 2020 , 159, 105318	4.8	0
106	Phenylalanine Photoinduced Fluorescence and Characterization of the Photoproducts by LC-MS. <i>Journal of Fluorescence</i> , 2019 , 29, 1445-1455	2.4	3
105	Phenanthrene metabolites determination in human breast and cow milk by combining elution time-emission fluorescence data with multiway calibration. <i>Talanta</i> , 2018 , 188, 299-307	6.2	6
104	HPLC-fast scanning fluorimetric detection determination of risk exposure to polycyclic aromatics hydrocarbons biomarkers in human urine. <i>Bioanalysis</i> , 2017 , 9, 265-278	2.1	3
103	High-performance liquid chromatography with fast-scanning fluorescence detection and post-column on-line photoderivatization for the analysis of folic acid and its metabolites in vegetables. <i>Microchemical Journal</i> , 2017 , 133, 333-345	4.8	12
102	Pteridine determination in human serum with special emphasis on HPLC methods with fluorimetric detection. <i>Pteridines</i> , 2017 , 28, 67-81	0.6	0
101	Development of an HPLC-MS method for the determination of natural pteridines in tomato samples. <i>Analytical Methods</i> , 2016 , 8, 6404-6414	3.2	2
100	Rapid ultrasensitive chemometrics-fluorescence methodology to quantify fluoroquinolones antibiotics residues in surface water. <i>Journal of Water Chemistry and Technology</i> , 2016 , 38, 280-286	0.4	3
99	Influence of the presence of natural monosaccharides in the quantification of α -dicarbonyl compounds in high content sugar samples. A comparative study by ultra-high performance liquid chromatography-single quadrupole mass spectrometry using different derivatization reactions. <i>Journal of Chromatography B</i> , 2017 , 1492, 117-127	4.5	11
98	Evaluation of liquid chromatographic behavior of lumazinic derivatives, from α -dicarbonyl compounds, in different C18 columns: application to wine samples using a fused-core column and fluorescence detection. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 97-106	5.7	10
97	HPLC determination of serum pteridine pattern as biomarkers. <i>Talanta</i> , 2014 , 128, 319-26	6.2	12
96	Four-way multivariate calibration using ultra-fast high-performance liquid chromatography with fluorescence excitation-emission detection. Application to the direct analysis of chlorophylls a and b and pheophytins a and b in olive oils. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2013 , 125, 121-131	3.8	38
95	In-vitro evaluation of the availability of ω -3 and ω -6 fatty acids and tocopherols from microencapsulated walnut oil. <i>Food Research International</i> , 2012 , 48, 316-321	7	36
94	Development of a method for the determination of advanced glycation end products precursors by liquid chromatography and its application in human urine samples. <i>Journal of Separation Science</i> , 2012 , 35, 2575-84	3.4	26
93	A simple HPLC-ESI-MS method for the direct determination of ten pteridinic biomarkers in human urine. <i>Talanta</i> , 2012 , 101, 465-72	6.2	15

92	Simultaneous determination of the residues of fourteen quinolones and fluoroquinolones in fish samples using liquid chromatography with photometric and fluorescence detection. <i>Czech Journal of Food Sciences</i> , 2012 , 30, 74-82	1.3	12
91	Enhanced MCR-ALS modeling of HPLC with fast scan fluorimetric detection second-order data for quantitation of metabolic disorder marker pteridines in urine. <i>Talanta</i> , 2011 , 85, 2368-74	6.2	30
90	Determination of marker pteridines in urine by HPLC with fluorimetric detection and second-order multivariate calibration using MCR-ALS. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 399, 2123-35	4.4	37
89	Separation and determination of 11 marker pteridines in human urine by liquid chromatography and fluorimetric detection. <i>Journal of Separation Science</i> , 2011 , 34, 1283-92	3.4	16
88	Analysis of antibiotics in fish samples. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 395, 987-1008	4.4	92
87	Determination of danofloxacin in milk combining second-order calibration and standard addition method using excitation-emission fluorescence data. <i>Food Chemistry</i> , 2009 , 113, 1260-1265	8.5	22
86	Second-order multivariate calibration procedures applied to high-performance liquid chromatography coupled to fast-scanning fluorescence detection for the determination of fluoroquinolones. <i>Journal of Chromatography A</i> , 2009 , 1216, 4868-76	4.5	52
85	Determination of marker pteridins and biopterin reduced forms, tetrahydrobiopterin and dihydrobiopterin, in human urine, using a post-column photoinduced fluorescence liquid chromatographic derivatization method. <i>Analytica Chimica Acta</i> , 2009 , 648, 113-22	6.6	31
84	LC determination of biopterin reduced forms by UV-photogeneration of biopterin and fluorimetric detection. <i>Talanta</i> , 2008 , 77, 844-851	6.2	18
83	Adsorptive stripping square wave voltammetry (Ad-SSWV) accomplished with second-order multivariate calibration determination of fenitrothion and its metabolites in river water samples. <i>Analytica Chimica Acta</i> , 2008 , 618, 131-9	6.6	40
82	Photoinduced fluorimetric determination of folic acid and 5-methyltetrahydrofolic acid in serum using the kinetic evolution of the emission spectra accomplished with multivariate second-order calibration methods. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 391, 827-35	4.4	17
81	On line photochemically induced excitation-emission-kinetic four-way data: analytical application for the determination of folic acid and its two main metabolites in serum by U-PLS and N-PLS/residual trilinearization (RTL) calibration. <i>Analytica Chimica Acta</i> , 2008 , 622, 94-103	6.6	29
80	Separation of fifteen quinolones by high performance liquid chromatography: application to pharmaceuticals and ofloxacin determination in urine. <i>Journal of Separation Science</i> , 2007 , 30, 1242-9	3.4	33
79	High-performance liquid chromatographic determination of glyoxal and methylglyoxal in urine by prederivatization to lumazinic rings using in serial fast scan fluorimetric and diode array detectors. <i>Analytical Biochemistry</i> , 2007 , 371, 82-91	3.1	35
78	Complexation study of cinalukast and montelukast with cyclodextrines. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 43, 1025-32	3.5	13
77	HPLC determination of ciprofloxacin, cloxacillin, and ibuprofen drugs in human urine samples. <i>Journal of Separation Science</i> , 2006 , 29, 1969-76	3.4	25
76	Second-order calibration of excitation-emission matrix fluorescence spectra for the determination of N-phenylanthranilic acid derivatives. <i>Applied Spectroscopy</i> , 2006 , 60, 330-8	3.1	22
75	Determination of fluoroquinolones in urine and serum by using high performance liquid chromatography and multiemission scan fluorimetric detection. <i>Talanta</i> , 2006 , 68, 1215-21	6.2	47

74	Trilinear least-squares and unfolded-PLS coupled to residual trilinearization: New chemometric tools for the analysis of four-way instrumental data. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2006 , 80, 77-86	3.8	82
73	Strategies for solving matrix effects in the analysis of sulfathiazole in honey samples using three-way photochemically induced fluorescence data. <i>Talanta</i> , 2005 , 65, 806-13	6.2	27
72	Capillary electrophoretic determination of methotrexate, leucovorin and folic acid in human urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005 , 819, 141-142	7.2	55
71	HPLC determination of enoxacin, ciprofloxacin, norfloxacin and ofloxacin with photoinduced fluorimetric (PIF) detection and multiemission scanning: application to urine and serum. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005 , 822, 185-93	3.2	79
70	Determination of methotrexate, several pteridines, and creatinine in human urine, previous oxidation with potassium permanganate, using HPLC with photometric and fluorimetric serial detection. <i>Analytical Biochemistry</i> , 2005 , 346, 201-9	3.1	51
69	Determinations of fluoroquinolones and nonsteroidal anti-inflammatory drugs in urine by extractive spectrophotometry and photoinduced spectrofluorimetry using multivariate calibration. <i>Analytical Biochemistry</i> , 2005 , 347, 275-86	3.1	36
68	Determination of triamterene in pharmaceutical formulations and of triamterene and its main metabolite hydroxytriamterene sulfate in urine using solid-phase and aqueous solution luminescence. <i>Analytica Chimica Acta</i> , 2005 , 538, 77-84	6.6	20
67	Photoinduced spectrofluorimetric determination of fluoroquinolones in human urine by using three- and two-way spectroscopic data and multivariate calibration. <i>Analytica Chimica Acta</i> , 2005 , 531, 257-266	6.6	42
66	Adsorption of Pb ²⁺ in aqueous solution by SO ₂ -treated activated carbon. <i>Carbon</i> , 2004 , 42, 1755-1764	10.4	45
65	Determination of carbamazepine in serum and pharmaceutical preparations using immobilization on a nylon support and fluorescence detection. <i>Analytica Chimica Acta</i> , 2004 , 506, 161-170	6.6	72
64	Second-order advantage achieved with four-way fluorescence excitation-emission-kinetic data processed by parallel factor analysis and trilinear least-squares. Determination of methotrexate and leucovorin in human urine. <i>Analytical Chemistry</i> , 2004 , 76, 5657-66	7.8	99
63	Partial least squares multicomponent fluorimetric determination of fluoroquinolones in human urine samples. <i>Talanta</i> , 2004 , 62, 853-60	6.2	48
62	Two multivariate strategies applied to three-way kinetic spectrophotometric data for the determination of mixtures of the pesticides carbaryl and chlorpyrifos. <i>Applied Spectroscopy</i> , 2004 , 58, 83-90	3.1	41
61	Voltammetric Behavior and Determination of Nordihydroguaiaretic Acid in Presence of Other Antioxidants Using PLS Calibration. <i>Electroanalysis</i> , 2003 , 15, 646-651	3	7
60	Interference-free analysis using three-way fluorescence data and the parallel factor model. Determination of fluoroquinolone antibiotics in human serum. <i>Analytical Chemistry</i> , 2003 , 75, 2640-6	7.8	88
59	Determination of carbendazim, thiabendazole and fuberidazole using a net analyte signal-based method. <i>Talanta</i> , 2003 , 59, 1107-16	6.2	36
58	Comparison of UV derivative-spectrophotometry and partial least-squares (PLS-1) calibration for determination of methotrexate and leucovorin in biological fluids. <i>Analytical and Bioanalytical Chemistry</i> , 2002 , 373, 251-8	4.4	11
57	Determination of antitubercular drugs by micellar electrokinetic capillary chromatography (MEKC). <i>Analytical and Bioanalytical Chemistry</i> , 2002 , 374, 432-6	4.4	24

56	Determination of triamterene and leucovorin in biological fluids by UV derivative-spectrophotometry and partial least-squares (PLS-1) calibration. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2002 , 27, 81-90	3.5	18
55	Kinetic fluorimetric determination of the antineoplastic methotrexate (MTX) in human serum. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2002 , 29, 851-8	3.5	23
54	Comparative study of net analyte signal-based methods and partial least squares for the simultaneous determination of amoxicillin and clavulanic acid by stopped-flow kinetic analysis. <i>Analytica Chimica Acta</i> , 2002 , 463, 75-88	6.6	43
53	Stopped-flow fluorimetric determination of amoxicillin and clavulanic acid by partial least-squares multivariate calibration. <i>Talanta</i> , 2002 , 56, 635-42	6.2	14
52	Determination of antitubercular drugs in urine and pharmaceuticals by LC using a gradient flow combined with programmed diode array photometric detection. <i>Talanta</i> , 2002 , 58, 273-80	6.2	30
51	Selection of the wavelength range and spectrophotometric determination of leucovorin and methotrexate in human serum by a net analyte signal based method. <i>Talanta</i> , 2002 , 58, 255-63	6.2	25
50	Analysis of pteridines and creatinine in urine by HPLC with serial fluorimetric and photometric detectors. <i>Chromatographia</i> , 2001 , 53, 510-514	2.1	29
49	Comparative study of partial least squares and a modification of hybrid linear analysis calibration in the simultaneous spectrophotometric determination of rifampicin, pyrazinamide and isoniazid. <i>Analytica Chimica Acta</i> , 2001 , 427, 129-136	6.6	40
48	Simultaneous Fluorimetric Determination of Pteridin Derivatives: Comparison between Synchronous, Partial Least-Squares, and Hybrid Linear Analysis Methods. <i>Applied Spectroscopy</i> , 2001 , 55, 701-707	3.1	6
47	Kinetic fluorimetric study of the oxidation reaction of folic acid (leucovorin) with potassium permanganate. Determination in human urine. <i>Talanta</i> , 2001 , 55, 623-30	6.2	8
46	Rapid Kinetic Spectrophotometric Determination of Phosalone (Zolone) in a Commercial Formulation. <i>Journal of AOAC INTERNATIONAL</i> , 2000 , 83, 1-7	1.7	
45	Room temperature phosphorescence of 1-naphtalenacetamide included in beta-cyclodextrin in presence of 1,3-dibromopropane. <i>Talanta</i> , 1999 , 48, 15-21	6.2	10
44	Stopped-flow determination of dipyridamole in pharmaceutical preparations by micellar-stabilized room temperature phosphorescence. <i>Talanta</i> , 1999 , 48, 1061-73	6.2	22
43	Use of a stopped-flow pneumatic mixing module to analyze dinitrophenol pesticides. Simultaneous determination of dinoseb and dinobuton. <i>Journal of Agricultural and Food Chemistry</i> , 1999 , 47, 1976-80	5.7	5
42	Kinetic determination of ansamicins in pharmaceutical formulations and human urine. Manual and semiautomatic (stopped-flow) procedures. <i>Analytica Chimica Acta</i> , 1998 , 376, 365-375	6.6	26
41	High-performance liquid chromatographic-fluorometric determination of glyoxal, methylglyoxal, and diacetyl in urine by prederivatization to pteridinic rings. <i>Analytical Biochemistry</i> , 1998 , 255, 263-73	3.1	43
40	Simultaneous determination of pteridines in multicomponent mixtures using derivative spectrophotometry and partial least-squares calibration. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1998 , 17, 1325-34	3.5	19
39	ADSORPTION OF MERCURY, CADMIUM AND LEAD FROM AQUEOUS SOLUTION ON HEAT-TREATED AND SULPHURIZED ACTIVATED CARBON. <i>Water Research</i> , 1998 , 32, 1-4	12.5	147

38	Determination of nafronyl in pharmaceutical preparations by means of stopped-flow micellar-stabilized room temperature phosphorescence. <i>Analyst, The</i> , 1998 , 123, 2285-90	5	14
37	Simultaneous determination of nafcillin and methicillin by different fluorimetric techniques using partial least-squares calibration. <i>Analyst, The</i> , 1998 , 123, 1073-7	5	15
36	Kinetic Fluorometric Determination of Malonaldehyde Based on the Hantzsch Reaction: Application to Olive Oil Analysis. <i>Journal of Agricultural and Food Chemistry</i> , 1997 , 45, 172-177	5.7	3
35	Kinetic Determination of 2-Furfuraldehyde Based in a Modified Winkler's Method. <i>Journal of Agricultural and Food Chemistry</i> , 1996 , 44, 2962-2965	5.7	6
34	Determination of Synthetic Food Antioxidants in Multicomponent Mixtures Using UV-Visible Spectrophotometry and Partial Least-Squares Calibration. <i>Applied Spectroscopy</i> , 1996 , 50, 449-453	3.1	22
33	Abilities of partial least squares (PLS) multivariate calibration in the analysis of a quaternary mixture of sulfonamides. <i>Fresenius Journal of Analytical Chemistry</i> , 1996 , 354, 245-249		5
32	Kinetic behaviour of the malonaldehyde-thiobarbituric acid reaction. kinetic-fluorimetric determination of malonaldehyde in human serum. <i>Analytica Chimica Acta</i> , 1996 , 320, 125-132	6.6	6
31	pH-Induced Difference Spectrophotometry in the Analysis of Binary Mixtures.. <i>Analytical Letters</i> , 1996 , 29, 2525-2540	2.2	6
30	Multivariate Prediction by Using Conventional and Derivative Partial Least Squares Statistics in a Complex Chemical System. Ternary Metals Mixture Resolution. <i>Analytical Letters</i> , 1995 , 28, 193-205	2.2	8
29	Simultaneous Determination of Carbaryl, Chlorpyrifos, and Its Metabolite 3,5,6-Trichloro-2-pyridinol (TCP) by Derivative Spectrophotometry. Direct Determination of the Degradation Grade of a Pesticide Formulation by Measurement of TCP. <i>Journal of Agricultural and Food Chemistry</i> , 1995 , 43, 146-150	5.7	6
28	Simultaneous kinetic spectrophotometric determination of 2-furfuraldehyde and 5-hydroxymethyl-2-furfuraldehyde by application of a modified Winkler's method and partial least squares calibration. <i>Analyst, The</i> , 1995 , 120, 2567-2571	5	19
27	Extraction Spectrophotometric determination of silver in ores, electronics flow-solders and white metals with 2-carboxybenzaldehyde thiosemicarbazone. <i>Analyst, The</i> , 1995 , 120, 2857-2860	5	5
26	Abilities of differentiation and partial least squares methods in the analysis by differential pulse polarography Simultaneous determination of furazolidone and furaltadone. <i>Analytica Chimica Acta</i> , 1995 , 302, 9-19	6.6	44
25	Simultaneous determination of sulfadiazine, doxycycline, furaltadone and trimethoprim by partial least squares multivariate calibration. <i>Analytica Chimica Acta</i> , 1995 , 313, 103-112	6.6	68
24	Polarographic behavior of 2-carboxybenzaldehyde thiosemicarbazone and the indirect trace determination of palladium(II) ions in catalysts. <i>Electroanalysis</i> , 1995 , 7, 488-491	3	
23	Simultaneous kinetic determination of chlorpyrifos and carbaryl based on differential degradation processes in alkaline oxidative medium. <i>Mikrochimica Acta</i> , 1994 , 113, 9-17	5.8	6
22	Kinetic study of the malonaldehyde-azulene reaction determination of malonaldehyde in human plasma. <i>Analytical Biochemistry</i> , 1994 , 222, 396-403	3.1	4
21	Resolution of ternary mixtures of nitrofurantoin, furazolidone and furaltadone by application of Partial Least Squares analysis to the differential pulse polarographic signals. <i>Talanta</i> , 1994 , 41, 1821-32	6.2	25

20	Kinetic study of the degradation of chlorpyrifos by using a stopped-flow fia system. Semiautomatic determination in commercial formulations. <i>Talanta</i> , 1994 , 41, 651-7	6.2	5
19	Simultaneous determination of chlorpyrifos and carbaryl by differential degradation using diode-array spectrophotometry optimized by partial least squares. <i>Analyst, The</i> , 1994 , 119, 1183	5	19
18	Determination of malonaldehyde in human plasma: elimination of spectral interferences in the 2-thiobarbituric acid reaction. <i>Analyst, The</i> , 1993 , 118, 89-95	5	17
17	Multicomponent determination of flavour enhancers in food preparations by partial least squares and principal component regression modelling of spectrophotometric data. <i>Analyst, The</i> , 1993 , 118, 807-513	5.13	55
16	Simultaneous determination of 2-furfuraldehyde, 5-hydroxymethylfurfuraldehyde and malonaldehyde in mixtures by derivative spectrophotometry and partial least-squares analysis. <i>Analytica Chimica Acta</i> , 1993 , 276, 141-149	6.6	48
15	Adsorption of Pb ²⁺ by heat-treated and sulfurized activated carbon. <i>Carbon</i> , 1993 , 31, 1249-1255	10.4	58
14	Elimination of spectral interferences in the reaction of 2-thiobarbituric acid with malonaldehyde, 2-furfuraldehyde and 5-hydroxymethyl-2-furfuraldehyde by partial least squares multivariate calibration (PLS). <i>Fresenius Journal of Analytical Chemistry</i> , 1993 , 347, 371-375		4
13	Simultaneous determination of 2-furfuraldehyde and 5-(hydroxymethyl)-2-furfuraldehyde by derivative spectrophotometry. <i>Journal of Agricultural and Food Chemistry</i> , 1992 , 40, 1022-1025	5.7	28
12	Simultaneous determination of pesticides by multivariate spectral analysis and derivative spectrophotometry. <i>Analytica Chimica Acta</i> , 1992 , 258, 47-53	6.6	37
11	Flow-injection determination of HMF in honey by the Winkler method. <i>Fresenius Journal of Analytical Chemistry</i> , 1991 , 340, 250-252		10
10	Simultaneous determination of sulfathiazole and oxytetracycline in honey by derivative spectrophotometry. <i>Microchemical Journal</i> , 1991 , 43, 244-252	4.8	12
9	Derivative spectrophotometric determination of sulphonamides by the Bratton-Marshall reaction. <i>Analytica Chimica Acta</i> , 1990 , 233, 289-294	6.6	36
8	A new spectrophotometric method for quantitative multicomponent analysis resolution of mixtures of salicylic and salicylic acids. <i>Talanta</i> , 1990 , 37, 347-51	6.2	284
7	Determination of oxytetracycline and doxycycline in pharmaceutical compounds, urine and honey by derivative spectrophotometry. <i>Analyst, The</i> , 1989 , 114, 1141-5	5	47
6	Spectrophotometric Determination of Cobalt in Vitamin Preparations, Steel and Iron Using 2-Hydroxy- 1-Naphthaldehyde Guanylhydrazone. <i>Analytical Letters</i> , 1988 , 21, 2011-2016	2.2	1
5	Spectrophotometric and polarographic studies of pyridin-2-aldehyde guanylhydrazone-Fe(II) system. <i>Microchemical Journal</i> , 1984 , 30, 186-193	4.8	2
4	Salicylaldehyde guanylhydrazone as an analytical reagent for spectrophotometric estimation of iron. <i>Microchemical Journal</i> , 1984 , 30, 380-388	4.8	8
3	Kinetic-spectrophotometric determination of Cu(II) and pyridine by use of the aerial oxidation of dimedone bisguanylhydrazone. <i>Talanta</i> , 1984 , 31, 325-30	6.2	9

2	Spectrophotometric and polarographic study of pyridine-2-aldehyde guanylhydrazone-Cu(II) complex. <i>Microchemical Journal</i> , 1983 , 28, 69-76	4.8	2
1	Analytical properties of pyridine-2-aldehyde guanylhydrazone. <i>Talanta</i> , 1981 , 28, 134-6	6.2	10