

# Marek Hus

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6719719/publications.pdf>

Version: 2024-02-01

91  
papers

726  
citations

623734

14  
h-index

642732

23  
g-index

94  
all docs

94  
docs citations

94  
times ranked

1374  
citing authors

#	ARTICLE	IF	CITATIONS
1	Circulating Serum MiRNA-8074 as a Novel Prognostic Biomarker for Multiple Myeloma. <i>Cells</i> , 2022, 11, 752.	4.1	4
2	SARS-CoV-2 Seroprevalence in Healthcare Workers before the Vaccination in Poland: Evolution from the First to the Second Pandemic Outbreak. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2319.	2.6	5
3	Programmed Cell Death-1 and Its Ligands as Targets for Therapy of Multiple Myeloma Patients. <i>Cancer Management and Research</i> , 2022, Volume 14, 1267-1281.	1.9	0
4	Momelotinib reduces transfusion requirements in patients with myelofibrosis. <i>Leukemia and Lymphoma</i> , 2022, 63, 1718-1722.	1.3	8
5	Predictive significance of selected gene mutations in relapsed and refractory chronic lymphocytic leukemia patients treated with ibrutinib. <i>European Journal of Haematology</i> , 2021, 106, 320-326.	2.2	2
6	Stem cell mobilization in multiple myeloma patients relapsing after previous autologous hematopoietic stem cell transplantation: A multicenter report by the Polish Myeloma Study Group. <i>Journal of Clinical Apheresis</i> , 2021, 36, 443-453.	1.3	6
7	In vivo, ex vivo and in vitro dasatinib activity in chronic lymphocytic leukemia. <i>Oncology Letters</i> , 2021, 21, 285.	1.8	4
8	Efficacy of ixazomib-lenalidomide-dexamethasone in high-molecular-risk relapsed/refractory multiple myeloma – case series and literature review. <i>Annals of Agricultural and Environmental Medicine</i> , 2021, 29, 103-109.	1.0	0
9	microRNAs as the biomarkers of chemotherapy-induced peripheral neuropathy in patients with multiple myeloma. <i>Leukemia and Lymphoma</i> , 2021, 62, 1-9.	1.3	5
10	Efficacy of siltuximab in the treatment of idiopathic multicentric castlemann disease, the first Polish, real-world experience with long-term observation. <i>Leukemia and Lymphoma</i> , 2021, 62, 3031-3034.	1.3	4
11	Cladribine Combined with Low-Dose Cytarabine as Frontline Treatment for Unfit Elderly Acute Myeloid Leukemia Patients: Results from a Prospective Multicenter Study of Polish Adult Leukemia Group (PALG). <i>Cancers</i> , 2021, 13, 4189.	3.7	6
12	Salvage autologous hematopoietic stem cell transplantation for multiple myeloma performed with stem cells procured after previous high dose therapy – a multicenter report by the Polish Myeloma Study Group. <i>Leukemia and Lymphoma</i> , 2021, 62, 3226-3234.	1.3	0
13	Description of invariant NKT cells.. <i>Journal of Education, Health and Sport</i> , 2021, 11, 417-422.	0.1	0
14	RAEB II type of myelodysplastic syndrome associated with axillary abscesses – Case Report. <i>Annals of Agricultural and Environmental Medicine</i> , 2021, 28, 733-736.	1.0	1
15	Therapeutic Potential of Innate Lymphoid Cells for Multiple Myeloma Therapy. <i>Cancers</i> , 2021, 13, 4806.	3.7	5
16	An epileptic seizure and haemorrhage into the ventricular system of the brain as the first manifestations of acquired haemophilia A – Case report. <i>Annals of Agricultural and Environmental Medicine</i> , 2021, 28, 531-533.	1.0	0
17	Chemotherapy-Related Differences in Cognitive Functioning and Their Biological Predictors in Patients with Multiple Myeloma. <i>Brain Sciences</i> , 2021, 11, 1166.	2.3	5
18	Early induction intensification with cladribine, cytarabine, and mitoxantrone (CLAM) in AML patients treated with the DAC induction regimen: a prospective, non-randomized, phase II study of the Polish Adult Leukemia Group (PALG). <i>Leukemia and Lymphoma</i> , 2020, 61, 588-603.	1.3	1

#	ARTICLE	IF	CITATIONS
19	A Case Report of a Female Patient With Hodgkin Lymphoma Localized in the Central Nervous System and With Concomitant Pulmonary Lymphomatoid Granulomatosis. <i>Frontiers in Neurology</i> , 2020, 11, 963.	2.4	1
20	Long-term Efficacy of Ibrutinib in Relapsed or Refractory Chronic Lymphocytic Leukemia: Results of the Polish Adult Leukemia Study Group Observational Study. <i>Anticancer Research</i> , 2020, 40, 4059-4066.	1.1	8
21	Efficacy of high-dose corticosteroid-based treatment for chronic lymphocytic leukemia patients with p53 abnormalities in the era of B-cell receptor inhibitors. <i>Advances in Medical Sciences</i> , 2020, 65, 371-377.	2.1	2
22	Expression and Clinical Significance of Neuropilin-1 in Patients With Multiple Myeloma. <i>Anticancer Research</i> , 2020, 40, 5437-5443.	1.1	2
23	Cofilin-1 Maintains Prosurvival Signaling in Chronic Lymphocytic Leukemia Cells. <i>Anticancer Research</i> , 2020, 40, 6327-6335.	1.1	0
24	&lt;p&gt;Mean Platelet Volume Has Prognostic Value in Chronic Lymphocytic Leukemia&lt;/p&gt;. <i>Cancer Management and Research</i> , 2020, Volume 12, 9977-9985.	1.9	8
25	Prognostic value of pretreatment neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios in multiple myeloma patients treated with thalidomide-based regimen. <i>Annals of Hematology</i> , 2020, 99, 2881-2891.	1.8	18
26	Serum brainâ€derived neurotrophic factor (BDNF) concentration predicts polyneuropathy and overall survival in multiple myeloma patients. <i>British Journal of Haematology</i> , 2020, 191, 77-89.	2.5	16
27	The Impact of the <i>NOD2/CARD15</i> Variant (3020insC) and <i>PSMA6</i> Polymorphism (-8C&gt;G) on the Development and Outcome of Multiple Myeloma. <i>BioMed Research International</i> , 2020, 2020, 1-15.	1.9	9
28	Infectious Complications in Patients With Multiple Myeloma After High-Dose Chemotherapy Followed by Autologous Stem Cell Transplant: Nationwide Study of the Infectious Complications Study Group of the Polish Adult Leukemia Group. <i>Transplantation Proceedings</i> , 2020, 52, 2178-2185.	0.6	12
29	Differentiation of metastatic lesions to the bones and multiple myeloma â€a case study. <i>Journal of Education, Health and Sport</i> , 2020, 10, 28.	0.1	0
30	Rare case of Richterâ€™s syndrome localization in liver and thyroid of a patient with a chronic lymphocytic leukemia (CLL) â€Case report and literature. <i>Annals of Agricultural and Environmental Medicine</i> , 2020, 27, 160-164.	1.0	0
31	A Polish Acute Leukemia Group Prospective Multicenter Clinical Trial to Compare the Efficacy of Two Standard Induction Therapies (DA-90 vs DAC) and Two Standard Salvage Regimens (FLAG-IDA vs FLAG-M) in Acute Myeloid Leukemia (AML) Patients â‰‰ 60 Years Old (PALG-AML1/2016). <i>Blood</i> , 2020, 136, 3-4.	1.4	0
32	Age-dependent determinants of infectious complications profile in children and adults after hematopoietic cell transplantation: lesson from the nationwide study. <i>Annals of Hematology</i> , 2019, 98, 2197-2211.	1.8	25
33	The Association of GSTT1, GSTM1, and TNF-Î± Polymorphisms With the Risk and Outcome in Multiple Myeloma. <i>Frontiers in Oncology</i> , 2019, 9, 1056.	2.8	20
34	&lt;p&gt;Assessment of microRNA expression in leukemic cells as predictors of sensitivity to purine nucleoside analogs, fludarabine and cladribine, in chronic lymphocytic leukemia patients&lt;/p&gt;. <i>Cancer Management and Research</i> , 2019, Volume 11, 5021-5031.	1.9	6
35	Polymorphisms in the promotor region of the <i>CRBN</i> gene as a predictive factor for peripheral neuropathy in the course of thalidomideâ€based chemotherapy in multiple myeloma patients. <i>British Journal of Haematology</i> , 2019, 186, 695-705.	2.5	7
36	ACE Insertion/Deletion Polymorphism (rs4646994) Is Associated With the Increased Risk of Multiple Myeloma. <i>Frontiers in Oncology</i> , 2019, 9, 44.	2.8	24

#	ARTICLE	IF	CITATIONS
37	TLR2 Expression on Leukemic B Cells from Patients with Chronic Lymphocytic Leukemia. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2019, 67, 55-65.	2.3	5
38	Improved Treatment Outcomes for Patients with Hodgkin Lymphoma Relapsing after Autologous Hematopoietic Stem Cell Transplantation in the Brentuximab Vedotin Era - the Real-Life Report from the Polish Lymphoma Research Group. <i>Blood</i> , 2019, 134, 5276-5276.	1.4	1
39	Ibrutinib discontinuation in patients with relapsed or refractory chronic lymphocytic leukemia treated in a compassionate use program: A report from the Polish Adult Leukemia Study Group (PALG). <i>Advances in Clinical and Experimental Medicine</i> , 2019, 28, 1051-1057.	1.4	7
40	The role of immune checkpoint inhibitors in prostate cancer. <i>Annals of Agricultural and Environmental Medicine</i> , 2019, 26, 120-124.	1.0	3
41	Predictive Significance of Selected Gene Mutations Identified Using Next Generation Sequencing in Relapsed and Refractory Chronic Lymphocytic Leukemia Patients Treated with Ibrutinib. <i>Blood</i> , 2019, 134, 5456-5456.	1.4	0
42	Intracellular IL-4 and IFN- $\gamma$ expression in iNKT cells from patients with chronic lymphocytic leukemia. <i>Oncology Letters</i> , 2018, 15, 1580-1590.	1.8	12
43	Hodgkin's variant of Richter's transformation during ibrutinib therapy in a series of CLL patients; the Polish Adult Leukemia Group report (PALG). <i>European Journal of Haematology</i> , 2018, 100, 389-391.	2.2	7
44	Intraventricular treatment of secondary central nervous system lymphoma - Case study and literature overview. <i>Neurologia i Neurochirurgia Polska</i> , 2018, 52, 410-414.	1.2	1
45	Central nervous involvement by chronic lymphocytic leukaemia. <i>Neurologia i Neurochirurgia Polska</i> , 2018, 52, 228-234.	1.2	3
46	Assessment of the efficacy of ofatumumab in patients with chronic lymphocytic leukaemia treated in the Department of Haematology and Bone Marrow Transplantation of the Medical University in Lublin - Preliminary results. <i>Annals of Agricultural and Environmental Medicine</i> , 2018, 25, 56-59.	1.0	3
47	Health-Related Quality of Life Among Patients with Relapsed or Refractory Multiple Myeloma Who Received Pomalidomide, Bortezomib, and Low-Dose Dexamethasone Versus Bortezomib and Low-Dose Dexamethasone - Results from the Phase 3 Optimism Study. <i>Blood</i> , 2018, 132, 1960-1960.	1.4	1
48	Richter syndrome: A rare complication of chronic lymphocytic leukemia or small lymphocytic lymphoma. <i>Advances in Clinical and Experimental Medicine</i> , 2018, 27, 1683-1689.	1.4	4
49	Assessment of micro RNAs expression in leukemic cells as prognostic markers in chronic lymphocytic leukemia: micro RNAs can predict survival in a course of the disease. <i>Oncotarget</i> , 2018, 9, 19136-19146.	1.8	5
50	Polymorphisms in the promoter region of the CRBN gene as a predictive factor for the first-line CTD therapy in multiple myeloma patients. <i>Oncotarget</i> , 2018, 9, 24054-24068.	1.8	6
51	TP53 polymorphism in plasma cell myeloma. <i>Folia Histochemica Et Cytobiologica</i> , 2018, 55, 203-211.	1.5	3
52	Analysis of Risk Factors Determining Incidence and Outcome of Infections in Children and Adults after Hematopoietic Cell Transplantation. <i>Blood</i> , 2018, 132, 3364-3364.	1.4	0
53	Skuteczne leczenie ibrutinibem chorego na przewlekłą, biaczkę limfocytową z obecnością delecji 17p - opis przypadku. <i>Acta Haematologica Polonica</i> , 2018, 49, 251-256.	0.3	0
54	Chromosome 1 amplification has similar prognostic value to del(17p13) and t(4;14)(p16;q32) in multiple myeloma patients: analysis of real-life data from the Polish Myeloma Study Group. <i>Leukemia and Lymphoma</i> , 2017, 58, 2089-2100.	1.3	12

#	ARTICLE	IF	CITATIONS
55	Efficacy and toxicity of compassionate ibrutinib use in relapsed/refractory chronic lymphocytic leukemia in Poland: analysis of the Polish Adult Leukemia Group (PALG). <i>Leukemia and Lymphoma</i> , 2017, 58, 2485-2488.	1.3	34
56	Analiza skuteczności ibrutynibu w podgrupie chorych na przewlekłą, białaczkę limfocytową z delecją 17p: badanie obserwacyjne Polskiej Grupy ds. Leczenia Białaczek u Dorosłych (PALG). <i>Acta Haematologica Polonica</i> , 2017, 48, 330-337.	0.3	1
57	Changes in T-cell subpopulations and cytokine network during early period of ibrutinib therapy in chronic lymphocytic leukemia patients: the significant decrease in T regulatory cells number. <i>Oncotarget</i> , 2017, 8, 34661-34669.	1.8	28
58	Diagnosis and treatment options of acquired hemophilia - a single center experience. <i>Polish Archives of Internal Medicine</i> , 2017, 127, 796-799.	0.4	2
59	Skuteczność i bezpieczeństwo stosowania nilotynibu w leczeniu przewlekłej białaczki szpikowej współistniejącej z cukrzycą typu 2. <i>Hematologia</i> , 2017, 8, 11-13.	0.0	0
60	Specific cytotoxic T cell immune responses against autoantigens recognized by chronic lymphocytic leukaemia cells. <i>British Journal of Haematology</i> , 2016, 174, 582-590.	2.5	3
61	Profile of serum biomarkers in eosinophilic disorders. <i>European Journal of Internal Medicine</i> , 2016, 29, e19-e20.	2.2	0
62	Danazol induces apoptosis and cytotoxicity of leukemic cells alone and in combination with purine nucleoside analogs in chronic lymphocytic leukemia. <i>Annals of Hematology</i> , 2016, 95, 425-435.	1.8	7
63	Imatinib discontinuation for hypereosinophilic syndrome harboring the <i>FIP1L1-PDGFR<math>\alpha</math></i> transcript. <i>Leukemia and Lymphoma</i> , 2016, 57, 708-710.	1.3	9
64	Assessment of red blood cell distribution width as a prognostic marker in chronic lymphocytic leukemia. <i>Oncotarget</i> , 2016, 7, 32846-32853.	1.8	44
65	New prognostic biomarkers in multiple myeloma. <i>Postepy Higieny i Medycyny Doswiadczalnej</i> , 2016, 70, 811-819.	0.1	5
66	Advances in hematology – research that revolutionized patient care. <i>Zdrowie Publiczne</i> , 2015, 125, 32-35.	0.1	0
67	Thalidomide can promote erythropoiesis by induction of STAT5 and repression of external pathway of apoptosis resulting in increased expression of GATA-1 transcription factor. <i>Pharmacological Reports</i> , 2015, 67, 1193-1200.	3.3	3
68	The rate of in vitro fludarabine-induced peripheral blood and bone marrow cell apoptosis may predict the chemotherapy outcome in patients with chronic lymphocytic leukemia. <i>European Journal of Clinical Pharmacology</i> , 2015, 71, 1121-1127.	1.9	2
69	Therapy-related peripheral neuropathy in multiple myeloma patients. <i>Hematological Oncology</i> , 2015, 33, 113-119.	1.7	63
70	Optimizing the Treatment of Patients With Multiple Myeloma and Renal Impairment. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, 187-198.	0.4	20
71	Cytotoxic Activity of Valproic Acid on Primary Chronic Lymphocytic Leukemia Cells. <i>Advances in Clinical and Experimental Medicine</i> , 2015, 24, 55-62.	1.4	6
72	Cardiovascular dysfunction as a common cause of mortality in hypereosinophilic syndromes. <i>Polish Archives of Internal Medicine</i> , 2015, 125, 692-694.	0.4	1

#	ARTICLE	IF	CITATIONS
73	Review New drugs in multiple myeloma – role of carfilzomib and pomalidomide. <i>Wspolczesna Onkologia</i> , 2014, 1, 17-21.	1.4	3
74	Characteristics and clinical outcome of patients with hypereosinophilia of undetermined significance. <i>Medical Oncology</i> , 2014, 31, 815.	2.5	16
75	Oral mucositis in patients with leukaemia following high-dose chemotherapy and autologous haematopoietic stem cells transplantation. <i>Acta Haematologica Polonica</i> , 2014, 45, 258-263.	0.3	1
76	Additional genetic abnormalities significantly worsen poor prognosis associated with 1q21 amplification in multiple myeloma patients. <i>Hematological Oncology</i> , 2013, 31, 41-48.	1.7	39
77	Minimally invasive, endovenous laser treatment of varicose veins in patients with von Willebrand disease. <i>Annals of Agricultural and Environmental Medicine</i> , 2013, 20, 880-3.	1.0	0
78	1q21 amplification with additional genetic abnormalities but not isolated 1q21 gain is a negative prognostic factor in newly diagnosed patients with multiple myeloma treated with thalidomide-based regimens. <i>Leukemia and Lymphoma</i> , 2012, 53, 2500-2503.	1.3	10
79	Imatinib mesylate may induce long-term clinical response in FIP1L1-PDGFR $\pm$ -negative hypereosinophilic syndrome. <i>Medical Oncology</i> , 2012, 29, 1073-1076.	2.5	22
80	Thalidomide, dexamethasone and lovastatin with autologous stem cell transplantation as a salvage immunomodulatory therapy in patients with relapsed and refractory multiple myeloma. <i>Annals of Hematology</i> , 2011, 90, 1161-1166.	1.8	46
81	Durable remission after treatment with very low doses of imatinib for FIP1L1-PDGFR $\pm$ -positive chronic eosinophilic leukaemia. <i>Cancer Chemotherapy and Pharmacology</i> , 2011, 67, 967-969.	2.3	24
82	Rapid reversal of quadraparesis in chronic eosinophilic leukaemia expressing the FIP1L1-PDGFR $\alpha$ transcript after therapy with imatinib. <i>Leukemia Research</i> , 2011, 35, e15-e17.	0.8	2
83	Impact of 1q21 Amplification Alone and in Combination with Other Genetic Abnormalities on Outcome in Multiple Myeloma Patients Treated with Thalidomide-Based Regimens. <i>Blood</i> , 2011, 118, 2874-2874.	1.4	1
84	Treatment of multiple myeloma patients with autologous stem cell transplantation – a fresh analysis. <i>Folia Histochemica Et Cytobiologica</i> , 2011, 49, 248-254.	1.5	2
85	Clinical characteristics of patients with chronic eosinophilic leukaemia (CEL) harbouring FIP1L1-PDGFR $\alpha$ fusion transcript – results of Polish multicentre study. <i>Hematological Oncology</i> , 2010, 28, 93-97.	1.7	19
86	Heterogeneity among characteristics of hypereosinophilic syndromes. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 1399-1401.e2.	2.9	10
87	Long-Term Remission Maintenance on Weekly Imatinib Dosage In Patients with FIP1L1-PDGFR $\alpha$ -Positive Chronic Eosinophilic Leukaemia. <i>Blood</i> , 2010, 116, 4097-4097.	1.4	0
88	Acute T Cell Lymphoblastic Leukemia in the Recipient of a Renal Transplant from a Donor with Malignant Lymphoma. <i>Acta Haematologica</i> , 2008, 119, 187-189.	1.4	3
89	Stimulation of erythropoiesis by thalidomide in multiple myeloma patients: its influence on FasL, TRAIL and their receptors on erythroblasts. <i>Haematologica</i> , 2006, 91, 386-9.	3.5	7
90	Stimulation of Erythropoiesis by Thalidomide in Multiple Myeloma Patients: Its Influence on FasL, TRAIL and Their Receptors on Erythroblasts and Plasma Cells.. <i>Blood</i> , 2005, 106, 5120-5120.	1.4	0

#	ARTICLE	IF	CITATIONS
91	Production of Proangiogenic Cytokines During Thalidomide Treatment of Multiple Myeloma. Leukemia and Lymphoma, 2002, 43, 401-406.	1.3	6