Cecilia Linde

List of Publications by Citations

Source: https://exaly.com/author-pdf/6721168/cecilia-linde-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

148 23,592 153 39 h-index g-index citations papers 28,907 6.23 170 5.9 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 148 | 2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure: The Task Force for the diagnosis and treatment of acute and chronic heart failure of the European Society of Cardiology (ESC)Developed with the special contribution of the Heart Failure Association (HFA) of | 9.5 | 7751 |
| 147 | 2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure: The Task Force for the diagnosis and treatment of acute and chronic heart failure of the European Society of Cardiology (ESC). Developed with the special contribution of the Heart Failure Association (HFA) of | 12.3 | 4036 |
| 146 | the ESC. European Journal of Heart Failure, 2016 , 18, 891-975 Effects of multisite biventricular pacing in patients with heart failure and intraventricular conduction delay. New England Journal of Medicine, 2001 , 344, 873-80 | 59.2 | 2212 |
| 145 | Guidelines for the diagnosis and treatment of chronic heart failure: executive summary (update 2005): The Task Force for the Diagnosis and Treatment of Chronic Heart Failure of the European Society of Cardiology. <i>European Heart Journal</i> , 2005 , 26, 1115-40 | 9.5 | 1642 |
| 144 | 2013 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy: the Task Force on cardiac pacing and resynchronization therapy of the European Society of Cardiology (ESC). Developed in collaboration with the European Heart Rhythm Association (EHRA). European Heart | 9.5 | 1491 |
| 143 | Randomized trial of cardiac resynchronization in mildly symptomatic heart failure patients and in asymptomatic patients with left ventricular dysfunction and previous heart failure symptoms. Journal of the American College of Cardiology, 2008 , 52, 1834-1843 | 15.1 | 851 |
| 142 | 2013 ESC guidelines on cardiac pacing and cardiac resynchronization therapy: the task force on cardiac pacing and resynchronization therapy of the European Society of Cardiology (ESC). Developed in collaboration with the European Heart Rhythm Association (EHRA). Europace, 2013, | 3.9 | 731 |
| 141 | Long-term benefits of biventricular pacing in congestive heart failure: results from the MUltisite STimulation in cardiomyopathy (MUSTIC) study. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 111-8 | 15.1 | 721 |
| 140 | An individual patient meta-analysis of five randomized trials assessing the effects of cardiac resynchronization therapy on morbidity and mortality in patients with symptomatic heart failure. <i>European Heart Journal</i> , 2013 , 34, 3547-56 | 9.5 | 297 |
| 139 | Prevention of disease progression by cardiac resynchronization therapy in patients with asymptomatic or mildly symptomatic left ventricular dysfunction: insights from the European cohort of the REVERSE (Resynchronization Reverses Remodeling in Systolic Left Ventricular | 15.1 | 260 |
| 138 | Effect of QRS duration and morphology on cardiac resynchronization therapy outcomes in mild heart failure: results from the Resynchronization Reverses Remodeling in Systolic Left Ventricular Dysfunction (REVERSE) study. Circulation, 2012, 126, 822-9 | 16.7 | 215 |
| 137 | 2012 EHRA/HRS expert consensus statement on cardiac resynchronization therapy in heart failure: implant and follow-up recommendations and management. <i>Europace</i> , 2012 , 14, 1236-86 | 3.9 | 195 |
| 136 | The European cardiac resynchronization therapy survey. <i>European Heart Journal</i> , 2009 , 30, 2450-60 | 9.5 | 178 |
| 135 | Device-detected subclinical atrial tachyarrhythmias: definition, implications and management-an European Heart Rhythm Association (EHRA) consensus document, endorsed by Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS) and Sociedad Latinoamericana de | 3.9 | 137 |
| 134 | Estimulacifi Cardfica y Electrofisiologfi (SOLEACE). Europace, 2017, 19, 1556-1578 2021 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. European Heart Journal, 2021, 42, 3427-3520 | 9.5 | 134 |
| 133 | Placebo effect of pacemaker implantation in obstructive hypertrophic cardiomyopathy. PIC Study Group. Pacing In Cardiomyopathy. <i>American Journal of Cardiology</i> , 1999 , 83, 903-7 | 3 | 129 |
| 132 | Long-term impact of cardiac resynchronization therapy in mild heart failure: 5-year results from the REsynchronization reVErses Remodeling in Systolic left vEntricular dysfunction (REVERSE) study. <i>European Heart Journal</i> , 2013 , 34, 2592-9 | 9.5 | 110 |

| 131 | Sex differences in cardiac arrhythmia: a consensus document of the European Heart Rhythm Association, endorsed by the Heart Rhythm Society and Asia Pacific Heart Rhythm Society. <i>Europace</i> , 2018 , 20, 1565-1565ao | 3.9 | 108 |
|-----|---|--------------------|-----|
| 130 | Long-term improvements in quality of life by biventricular pacing in patients with chronic heart failure: results from the Multisite Stimulation in Cardiomyopathy study (MUSTIC). <i>American Journal of Cardiology</i> , 2003 , 91, 1090-5 | 3 | 103 |
| 129 | Prevalence, correlates, and prognostic significance of QRS prolongation in heart failure with reduced and preserved ejection fraction. <i>European Heart Journal</i> , 2013 , 34, 529-39 | 9.5 | 98 |
| 128 | Association between cardiovascular vs. non-cardiovascular co-morbidities and outcomes in heart failure with preserved ejection fraction. <i>European Journal of Heart Failure</i> , 2014 , 16, 992-1001 | 12.3 | 93 |
| 127 | Cardiac resynchronization therapy in asymptomatic or mildly symptomatic heart failure patients in relation to etiology: results from the REVERSE (REsynchronization reVErses Remodeling in Systolic Left vEntricular Dysfunction) study. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 1826-31 | 15.1 | 72 |
| 126 | Current use of implantable electrical devices in Sweden: data from the Swedish pacemaker and implantable cardioverter-defibrillator registry. <i>Europace</i> , 2015 , 17, 69-77 | 3.9 | 71 |
| 125 | Cardiac resynchronization therapy (CRT): clinical trials, guidelines, and target populations. <i>Heart Rhythm</i> , 2012 , 9, S3-S13 | 6.7 | 69 |
| 124 | Rationale and design of a randomized controlled trial to assess the safety and efficacy of cardiac resynchronization therapy in patients with asymptomatic left ventricular dysfunction with previous symptoms or mild heart failurethe REsynchronization reVErses Remodeling in Systolic left | 4.9 | 68 |
| 123 | The effect of reverse remodeling on long-term survival in mildly symptomatic patients with heart failure receiving cardiac resynchronization therapy: results of the REVERSE study. <i>Heart Rhythm</i> , 2015 , 12, 524-530 | 6.7 | 66 |
| 122 | CRT Survey II: a European Society of Cardiology survey of cardiac resynchronisation therapy in 11 088 patients-who is doing what to whom and how?. <i>European Journal of Heart Failure</i> , 2018 , 20, 1039-1 | 0 51 .3 | 65 |
| 121 | Determining the Feasibility of Spinal Cord Neuromodulation for the Treatment of Chronic Systolic Heart Failure: The DEFEAT-HF Study. <i>JACC: Heart Failure</i> , 2016 , 4, 129-136 | 7.9 | 60 |
| 120 | Inflammatory Biomarkers Predict Heart Failure Severity and Prognosis in Patients With Heart Failure With Preserved Ejection Fraction: A Holistic Proteomic Approach. <i>Circulation: Cardiovascular Genetics</i> , 2017 , 10, | | 56 |
| 119 | New echocardiographic predictors of clinical outcome in patients presenting with heart failure and a preserved left ventricular ejection fraction: a subanalysis of the Ka (Karolinska) Ren (Rennes) Study. European Journal of Heart Failure, 2015, 17, 680-8 | 12.3 | 56 |
| 118 | Association between demographic, organizational, clinical, and socio-economic characteristics and underutilization of cardiac resynchronization therapy: results from the Swedish Heart Failure Registry. European Journal of Heart Failure, 2017 , 19, 1270-1279 | 12.3 | 54 |
| 117 | The interaction of sex, height, and QRS duration on the effects of cardiac resynchronization therapy on morbidity and mortality: an individual-patient data meta-analysis. <i>European Journal of Heart Failure</i> , 2018 , 20, 780-791 | 12.3 | 47 |
| 116 | Indications for Cardiac´Resynchronization´Therapy: A Comparison of the Major International Guidelines. <i>JACC: Heart Failure</i> , 2018 , 6, 308-316 | 7.9 | 47 |
| 115 | Implantable defibrillators improve survival in patients with mildly symptomatic heart failure receiving cardiac resynchronization therapy: analysis of the long-term follow-up of remodeling in systolic left ventricular dysfunction (REVERSE). Circulation: Arrhythmia and Electrophysiology, 2013, | 6.4 | 43 |
| 114 | Association Between Use of Primary-Prevention Implantable Cardioverter-Defibrillators and Mortality in Patients With Heart Failure: A Prospective Propensity Score-Matched Analysis From the Swedish Heart Failure Registry. <i>Circulation</i> 2019 140, 1530-1539 | 16.7 | 41 |

| 113 | Reduction of hospital days by biventricular pacing. European Journal of Heart Failure, 2000, 2, 399-406 | 12.3 | 40 |
|-----|--|------|----|
| 112 | Reduced appropriate implantable cardioverter-defibrillator therapy after cardiac resynchronization therapy-induced left ventricular function recovery: a meta-analysis and systematic review. <i>European Heart Journal</i> , 2015 , 36, 2780-9 | 9.5 | 39 |
| 111 | Gender, underutilization of cardiac resynchronization therapy, and prognostic impact of QRS prolongation and left bundle branch block in heart failure. <i>Europace</i> , 2015 , 17, 424-31 | 3.9 | 39 |
| 110 | Rationale and design of the Karolinska-Rennes (KaRen) prospective study of dyssynchrony in heart failure with preserved ejection fraction. <i>European Journal of Heart Failure</i> , 2009 , 11, 198-204 | 12.3 | 39 |
| 109 | Optimized implementation of cardiac resynchronization therapy: a call for action for referral and optimization of care: A joint position statement from the Heart Failure Association (HFA), European Heart Rhythm Association (EHRA), and European Association of Cardiovascular Imaging (EACVI) of | 12.3 | 38 |
| 108 | the European Society of Cardiology. European Journal of Heart Failure, 2020, 22, 2349-2369 Spatial detection of fetal marker genes expressed at low level in adult human heart tissue. Scientific Reports, 2017, 7, 12941 | 4.9 | 36 |
| 107 | Baseline characteristics of patients with heart failure and preserved ejection fraction included in the Karolinska Rennes (KaRen) study. <i>Archives of Cardiovascular Diseases</i> , 2014 , 107, 112-21 | 2.7 | 34 |
| 106 | Age, prognostic impact of QRS prolongation and left bundle branch block, and utilization of cardiac resynchronization therapy: findings from 14,713 patients in the Swedish Heart Failure Registry. <i>European Journal of Heart Failure</i> , 2014 , 16, 1073-81 | 12.3 | 32 |
| 105 | Current challenges for clinical trials of cardiovascular medical devices. <i>International Journal of Cardiology</i> , 2014 , 175, 30-7 | 3.2 | 31 |
| 104 | Serum potassium and clinical outcomes in heart failure patients: results of risk calculations in 21 334 patients in the UK. <i>ESC Heart Failure</i> , 2019 , 6, 280-290 | 3.7 | 30 |
| 103 | Prediction of New-Onset and Recurrent Atrial Fibrillation by Complete Blood Count Tests: A Comprehensive Systematic Review with Meta-Analysis. <i>Medical Science Monitor Basic Research</i> , 2017 , 23, 179-222 | 3.2 | 30 |
| 102 | Haematological indices as predictors of atrial fibrillation following isolated coronary artery bypass grafting, valvular surgery, or combined procedures: a systematic review with meta-analysis. <i>Kardiologia Polska</i> , 2018 , 76, 107-118 | 0.9 | 30 |
| 101 | HFpEF and HFrEF exhibit different phenotypes as assessed by leptin and adiponectin. <i>International Journal of Cardiology</i> , 2017 , 228, 709-716 | 3.2 | 27 |
| 100 | Trials of implantable monitoring devices in heart failure: which design is optimal?. <i>Nature Reviews Cardiology</i> , 2014 , 11, 576-85 | 14.8 | 27 |
| 99 | Meta-analysis of symptomatic response attributable to the pacing component of cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , 2013 , 15, 1419-28 | 12.3 | 26 |
| 98 | Impact of ejection fraction on the clinical response to cardiac resynchronization therapy in mild heart failure. <i>Circulation: Heart Failure</i> , 2013 , 6, 1180-9 | 7.6 | 25 |
| 97 | ST2 in heart failure with preserved and reduced ejection fraction. <i>Scandinavian Cardiovascular Journal</i> , 2019 , 53, 21-27 | 2 | 25 |
| 96 | Serum potassium as a predictor of adverse clinical outcomes in patients with chronic kidney disease: new risk equations using the UK clinical practice research datalink. <i>BMC Nephrology</i> , 2018 , 19, 211 | 2.7 | 24 |

| 95 | The burden of proof: The current state of atrial fibrillation prevention and treatment trials. <i>Heart Rhythm</i> , 2017 , 14, 763-782 | 6.7 | 23 |
|----|---|------|----|
| 94 | Baseline characteristics of patients randomized in The Resynchronization Reverses Remodeling In Systolic Left Ventricular Dysfunction (REVERSE) study. <i>Congestive Heart Failure</i> , 2008 , 14, 66-74 | | 23 |
| 93 | Left Ventricular Architecture, Long-Term Reverse Remodeling, and Clinical Outcome in Mild Heart Failure With Cardiac Resynchronization: Results From the REVERSE Trial. <i>JACC: Heart Failure</i> , 2017 , 5, 169-178 | 7.9 | 22 |
| 92 | Transcriptomics of cardiac biopsies reveals differences in patients with or without diagnostic parameters for heart failure with preserved ejection fraction. <i>Scientific Reports</i> , 2019 , 9, 3179 | 4.9 | 22 |
| 91 | New York Heart Association functional class, QRS duration, and survival in heart failure with reduced ejection fraction: implications for cardiac resychronization therapy. <i>European Journal of Heart Failure</i> , 2017 , 19, 366-376 | 12.3 | 21 |
| 90 | Opportunity to increase life span in narrow QRS cardiac resynchronization therapy recipients by deactivating ventricular pacing: evidence from randomized controlled trials. <i>JACC: Heart Failure</i> , 2015 , 3, 327-36 | 7.9 | 21 |
| 89 | HFpEF and HFrEF Display Different Phenotypes as Assessed by IGF-1 and IGFBP-1. <i>Journal of Cardiac Failure</i> , 2017 , 23, 293-303 | 3.3 | 21 |
| 88 | Effects of Cardiac Resynchronization Therapy on Cardiac Remodeling and Contractile Function: Results From Resynchronization Reverses Remodeling in Systolic Left Ventricular Dysfunction (REVERSE). <i>Journal of the American Heart Association</i> , 2015 , 4, e002054 | 6 | 21 |
| 87 | Pacing for hypertrophic obstructive cardiomyopathy: an update and future directions. <i>Europace</i> , 2018 , 20, 908-920 | 3.9 | 20 |
| 86 | Cardiac resynchronization therapy in chronic heart failure with moderately reduced left ventricular ejection fraction: Lessons from the Multicenter InSync Randomized Clinical Evaluation MIRACLE EF study. <i>International Journal of Cardiology</i> , 2016 , 202, 349-55 | 3.2 | 20 |
| 85 | Imaging predictors of response to cardiac resynchronization therapy: left ventricular work asymmetry by echocardiography and septal viability by cardiac magnetic resonance. <i>European Heart Journal</i> , 2020 , 41, 3813-3823 | 9.5 | 20 |
| 84 | European cardiac resynchronization therapy survey II: rationale and design. <i>Europace</i> , 2015 , 17, 137-41 | 3.9 | 19 |
| 83 | History of electrical therapy for the heart. Country Review Ukraine, 2007, 9, 13-110 | | 19 |
| 82 | Patient reported outcome in HFpEF: Sex-specific differences in quality of life and association with outcome. <i>International Journal of Cardiology</i> , 2018 , 267, 128-132 | 3.2 | 19 |
| 81 | Predictors of short-term clinical response to cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , 2017 , 19, 1056-1063 | 12.3 | 18 |
| 80 | Real-World Associations of Renin-Angiotensin-Aldosterone System Inhibitor Dose, Hyperkalemia, and Adverse Clinical Outcomes in a Cohort of Patients With New-Onset Chronic Kidney Disease or Heart Failure in the United Kingdom. <i>Journal of the American Heart Association</i> , 2019 , 8, e012655 | 6 | 18 |
| 79 | The effect of duration of follow-up and presence of competing risk on lifespan-gain from implantable cardioverter defibrillator therapy: who benefits the most?. <i>European Heart Journal</i> , 2015 , 36, 1676-88 | 9.5 | 16 |
| 78 | Cardiac resynchronization therapy in heart failure patients with less severe left ventricular dysfunction. <i>European Journal of Heart Failure</i> , 2015 , 17, 135-43 | 12.3 | 15 |

| 77 | Cardiac resynchronization therapy in patients with New York Heart Association class I and II heart failure: an approach to 2010. <i>Circulation</i> , 2010 , 122, 1037-43 | 16.7 | 15 |
|----|--|------|----|
| 76 | The value of maintaining normokalaemia and enabling RAASi therapy in chronic kidney disease. <i>BMC Nephrology</i> , 2019 , 20, 31 | 2.7 | 14 |
| 75 | Adaptive cardiovascular hormones in a spectrum of heart failure phenotypes. <i>International Journal of Cardiology</i> , 2015 , 189, 6-11 | 3.2 | 14 |
| 74 | Copeptin in patients with heart failure and preserved ejection fraction: a report from the prospective KaRen-study. <i>Open Heart</i> , 2015 , 2, e000260 | 3 | 13 |
| 73 | The transition from hypertension to hypertensive heart disease and heart failure: the PREFERS Hypertension study. <i>ESC Heart Failure</i> , 2020 , 7, 737-746 | 3.7 | 13 |
| 72 | Rationale and design of the PREFERS (Preserved and Reduced Ejection Fraction Epidemiological Regional Study) Stockholm heart failure study: an epidemiological regional study in Stockholm county of 2.1 million inhabitants. <i>European Journal of Heart Failure</i> , 2016 , 18, 1287-1297 | 12.3 | 11 |
| 71 | Metabolomic Profile in HFpEF vs HFrEF Patients. <i>Journal of Cardiac Failure</i> , 2020 , 26, 1050-1059 | 3.3 | 11 |
| 70 | Women and arrhythmias. PACE - Pacing and Clinical Electrophysiology, 2000, 23, 1550-60 | 1.6 | 10 |
| 69 | Effects of Spinal Cord Stimulation on Cardiac Sympathetic Nerve Activity in Patients with Heart Failure. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017 , 40, 504-513 | 1.6 | 9 |
| 68 | Myeloperoxidase and related biomarkers are suggestive footprints of endothelial microvascular inflammation in HFpEF patients. <i>ESC Heart Failure</i> , 2020 , 7, 1534-1546 | 3.7 | 9 |
| 67 | N-terminal pro-B-type natriuretic peptide in chronic heart failure: The impact of sex across the ejection fraction spectrum. <i>International Journal of Cardiology</i> , 2019 , 287, 66-72 | 3.2 | 8 |
| 66 | Comparison of Prognostic Usefulness of Serum Insulin-Like Growth Factor-Binding Protein 7 in Patients With Heart Failure and Preserved Versus Reduced Left Ventricular Ejection Fraction. American Journal of Cardiology, 2018 , 121, 1558-1566 | 3 | 8 |
| 65 | Importance of structural heart disease and diastolic dysfunction in heart failure with preserved ejection fraction assessed according to the ESC guidelines - A substudy in the Ka (Karolinska) Ren (Rennes) study. <i>International Journal of Cardiology</i> , 2019 , 274, 202-207 | 3.2 | 8 |
| 64 | Sex-Related Procedural Aspects and Complications in CRT Survey II: A Multicenter European Experience in 11,088 Patients. <i>JACC: Clinical Electrophysiology</i> , 2019 , 5, 1048-1058 | 4.6 | 7 |
| 63 | Future research prioritization in cardiac resynchronization therapy. <i>American Heart Journal</i> , 2020 , 223, 48-58 | 4.9 | 7 |
| 62 | Cardiac resynchronization therapy: clinical results and evolution of candidate selection. <i>Country Review Ukraine</i> , 2007 , 9, 194-1106 | | 7 |
| 61 | Risk stratification with echocardiographic biomarkers in heart failure with preserved ejection fraction: the media echo score. <i>ESC Heart Failure</i> , 2021 , 8, 1827-1839 | 3.7 | 7 |
| 60 | Prognostic impact of Framingham heart failure criteria in heart failure with preserved ejection fraction. <i>ESC Heart Failure</i> , 2019 , 6, 830-839 | 3.7 | 6 |

(2018-2019)

| 59 | Cardiac resynchronization therapy pacemaker or cardiac resynchronization therapy defibrillator: what determines the choice?-findings from the ESC CRT Survey II. <i>Europace</i> , 2019 , 21, 918-927 | 3.9 | 6 |
|----|--|------|---|
| 58 | Cardiac Resynchronization Therapy Follow-up: Role of Remote Monitoring. <i>Cardiac Electrophysiology Clinics</i> , 2015 , 7, 797-807 | 1.4 | 6 |
| 57 | A systematic review and meta-analysis of beta-blockers and renin-angiotensin system inhibitors for preventing left ventricular dysfunction due to anthracyclines or trastuzumab in patients with breast cancer European Heart Journal, 2021, | 9.5 | 6 |
| 56 | Cost effectiveness of implementing ESC guidelines for treatment of iron deficiency in heart failure in the Nordic countries. <i>Scandinavian Cardiovascular Journal</i> , 2018 , 52, 348-355 | 2 | 6 |
| 55 | Spinal cord stimulation in heart failure: effect on disease-associated biomarkers. <i>European Journal of Heart Failure</i> , 2017 , 19, 283-286 | 12.3 | 5 |
| 54 | The prognostic significance of atrial fibrillation in heart failure with preserved ejection function: insights from KaRen, a prospective and multicenter study. <i>Heart and Vessels</i> , 2017 , 32, 735-749 | 2.1 | 5 |
| 53 | Increase in paced heart rate reduces muscle sympathetic nerve activity in heart failure patients treated with cardiac resynchronization therapy. <i>Europace</i> , 2015 , 17, 439-46 | 3.9 | 5 |
| 52 | Circulating neuregulin1-lin heart failure with preserved and reduced left ventricular ejection fraction. <i>ESC Heart Failure</i> , 2020 , 7, 445-455 | 3.7 | 5 |
| 51 | Cardiac resynchronization therapy in mild heart failure. <i>Europace</i> , 2009 , 11 Suppl 5, v72-6 | 3.9 | 5 |
| 50 | Implantable cardioverter-defibrillator treatment and resynchronisation in heart failure. <i>British Heart Journal</i> , 2004 , 90, 231-4 | | 5 |
| 49 | Electrical management of heart failure: from pathophysiology to treatment <i>European Heart Journal</i> , 2022 , | 9.5 | 5 |
| 48 | Quality-of-life in pacemaker and implantable cardioverter defibrillator recipients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2000 , 23, 931-3 | 1.6 | 4 |
| 47 | Optimized implementation of cardiac resynchronization therapy: a call for action for referral and optimization of care. <i>Europace</i> , 2021 , 23, 1324-1342 | 3.9 | 4 |
| 46 | Redefining the Classifications of Response to Cardiac Resynchronization Therapy: Results From the REVERSE Study. <i>JACC: Clinical Electrophysiology</i> , 2021 , 7, 871-880 | 4.6 | 4 |
| 45 | The Impact of the PR Interval in Patients Receiving Cardiac Resynchronization Therapy: Results From the REVERSE Study. <i>JACC: Clinical Electrophysiology</i> , 2017 , 3, 818-826 | 4.6 | 3 |
| 44 | Cardiac Resynchronization Therapy Follow-up: Role of Remote Monitoring. <i>Heart Failure Clinics</i> , 2017 , 13, 241-251 | 3.3 | 3 |
| | | | |
| 43 | Myocardial micro-biopsy procedure for molecular characterization with increased precision and reduced trauma. <i>Scientific Reports</i> , 2020 , 10, 8029 | 4.9 | 3 |

| 41 | Changes in natriuretic peptides after acute hospital presentation for heart failure with preserved ejection fraction: A feasible surrogate trial endpoint? A report from the prospective Karen study. <i>International Journal of Cardiology</i> , 2017 , 226, 65-70 | 3.2 | 3 |
|----|--|-----------------|---|
| 40 | Cardiac resynchronization therapy: results, challenges and perspectives for the future. <i>Scandinavian Cardiovascular Journal</i> , 2016 , 50, 282-292 | 2 | 3 |
| 39 | Increased iron absorption in patients with chronic heart failure and iron deficiency. <i>Journal of Cardiac Failure</i> , 2020 , 26, 440-443 | 3.3 | 2 |
| 38 | Do we differ in terms of indications and demographics in cardiac resynchronisation recipients in Poland? Insights from the European CRT Survey II Registry. <i>Kardiologia Polska</i> , 2019 , 77, 40-46 | 0.9 | 2 |
| 37 | Comparison of current German and European practice in cardiac resynchronization therapy: lessons from the ESC/EHRA/HFA CRT Survey II. <i>Clinical Research in Cardiology</i> , 2020 , 109, 832-844 | 6.1 | 2 |
| 36 | The European Heart Journal: leading the fight to reduce the global burden of cardiovascular disease. <i>European Heart Journal</i> , 2020 , 41, 3113-3116 | 9.5 | 2 |
| 35 | Do Patients With Acute Heart Failure and Preserved Ejection Fraction Have Heart Failure at Follow-Up: Implications of the Framingham Criteria. <i>Journal of Cardiac Failure</i> , 2020 , 26, 673-684 | 3.3 | 2 |
| 34 | Reorganization of heart failure management and improved outcome - the 4D HF Project. <i>Scandinavian Cardiovascular Journal</i> , 2021 , 55, 1-8 | 2 | 2 |
| 33 | Pace and ablate better than drugs in patients with heart failure and atrial fibrillation: lessons from the APAF-CRT mortality trial. <i>European Heart Journal</i> , 2021 , 42, 4740-4742 | 9.5 | 2 |
| 32 | Development of a health economic model to evaluate the potential benefits of optimal serum potassium management in patients with heart failure. <i>Journal of Medical Economics</i> , 2018 , 21, 1172-118 | 2 ^{.4} | 2 |
| 31 | European Society of Cardiology Quality Indicators for the care and outcomes of cardiac pacing: developed by the Working Group for Cardiac Pacing Quality Indicators in collaboration with the European Heart Rhythm Association of the European Society of Cardiology. <i>Europace</i> , 2021 , | 3.9 | 2 |
| 30 | Response by Schrage et al to Letter Regarding Article, "Association Between Use of Primary-Prevention Implantable Cardioverter-Defibrillators and Mortality in Patients With Heart Failure: A Prospective Propensity Score-Matched Analysis From the Swedish Heart Failure | 16.7 | 1 |
| 29 | Celebrating 50 years of electrical therapies for the heart. <i>Country Review Ukraine</i> , 2007 , 9, I1-I2 | | 1 |
| 28 | Combipolar sensing in dual chamber pacing: is there still a need for bipolar leads in the atrium?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001 , 24, 1664-71 | 1.6 | 1 |
| 27 | Eligibility of patients with heart failure with preserved ejection fraction for sacubitril/valsartan according to the PARAGON-HF trial. <i>ESC Heart Failure</i> , 2021 , 9, 164 | 3.7 | 1 |
| 26 | Cardiac resynchronization therapy in Romania Iresults from the European Society of Cardiology CRT Survey II. <i>Revista Romana De Cardiologie</i> , 2020 , 30, 48-55 | 0.1 | 1 |
| 25 | Cardiac Resynchronisation Therapy (CRT) Survey II: CRT implantation in Europe and in Switzerland. Swiss Medical Weekly, 2018 , 148, w14643 | 3.1 | 1 |
| 24 | Current clinical practice of cardiac resynchronization therapy in Turkey: Reflections from Cardiac Resynchronization Therapy Survey-II. <i>Anatolian Journal of Cardiology</i> , 2020 , 24, 382-396 | 0.8 | 1 |

(2020-2021)

| 23 | Ambulatory blood pressure monitoring and blood pressure control in patients with coronary artery disease-A randomized controlled trial. <i>International Journal of Cardiology: Hypertension</i> , 2021 , 8, 100074 | 4 ^{1.6} | 1 |
|----|---|------------------|---|
| 22 | Importance of Systematic Right Ventricular Assessment in Cardiac Resynchronization Therapy Candidates: A Machine Learning Approach. <i>Journal of the American Society of Echocardiography</i> , 2021 , 34, 494-502 | 5.8 | 1 |
| 21 | Improvement of blood pressure control and physiciansRmanagement over time in patients with coronary artery disease. <i>Blood Pressure</i> , 2016 , 25, 286-91 | 1.7 | 1 |
| 20 | Contemporary practice of CRT implantation in scandinavia compared to Europe. <i>Scandinavian Cardiovascular Journal</i> , 2019 , 53, 9-13 | 2 | 1 |
| 19 | Outcome and presentation of heart failure in breast cancer patients: findings from a Swedish register-based study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2020 , 6, 147-155 | 4.6 | 1 |
| 18 | Croatian National Data and Comparison with European Practice: Data from the Cardiac Resynchronization Therapy Survey II Multicenter Registry. <i>Cardiology Research and Practice</i> , 2018 , 2018, 3479846 | 1.9 | 1 |
| 17 | Predictors of long-term outcome in heart failure with preserved ejection fraction: a follow-up from the KaRen study. <i>ESC Heart Failure</i> , 2021 , 8, 4243-4254 | 3.7 | 1 |
| 16 | Cardiac resynchronization therapy with or without defibrillator in patients with heart failure. <i>Europace</i> , 2021 , | 3.9 | 1 |
| 15 | Patient profile and outcomes associated with follow-up in specialty vs. primary care in heart failure <i>ESC Heart Failure</i> , 2022 , | 3.7 | 1 |
| 14 | Adherence to ESC cardiac resynchronization therapy guidelines: findings from the ESC CRT Survey II. <i>Europace</i> , 2020 , 22, 932-938 | 3.9 | O |
| 13 | Second European Society of Cardiology Cardiac Resynchronization Therapy Survey: the Italian cohort. <i>Journal of Cardiovascular Medicine</i> , 2020 , 21, 634-640 | 1.9 | O |
| 12 | Prognostic utility of the assessment of diastolic function in patients undergoing cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2021 , 331, 144-151 | 3.2 | О |
| 11 | FP337RELATIONSHIP BETWEEN HYPERKALAEMIA AND DOWN-TITRATION OR DISCONTINUATION OF RENIN-ANGIOTENSIN-ALDOSTERONE SYSTEM INHIBITORS IN UK PATIENTS WITH CKD. Nephrology Dialysis Transplantation, 2018 , 33, i145-i145 | 4.3 | 0 |
| 10 | The Membership Committee of the ESC. Cardiovascular Research, 2019, 115, e130-e132 | 9.9 | |
| 9 | Spanish Results of the Second European Cardiac Resynchronization Therapy Survey (CRT-Survey II). <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019 , 72, 1020-1030 | 0.7 | |
| 8 | The European Society of Cardiology Cardiac Resynchronization Therapy Survey II: A comparison of cardiac resynchronization therapy implantation practice in Europe and France. <i>Archives of Cardiovascular Diseases</i> , 2019 , 112, 713-722 | 2.7 | |
| 7 | Future directions in cardiac resynchronization therapy. Current Heart Failure Reports, 2008, 5, 51-5 | 2.8 | |
| 6 | Second European Cardiac Resynchronisation Therapy Survey (Crt Survey Ii): Latvian Data Compared to Europe. <i>Proceedings of the Latvian Academy of Sciences</i> , 2020 , 74, 358-365 | 0.3 | |

5 Quality of life with implanted devices **2020**, 893-900

| 4 | Cardiac resynchronization in Poland - comparable procedural routines? Insights from CRT Survey II. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019 , 15, 477-484 | 0.4 |
|---|--|-----|
| 3 | Benchmarking Belgian CRT practice against the rest of Europe: insights from the ESC-CRT survey II. <i>Acta Cardiologica</i> , 2020 , 75, 492-496 | 0.9 |
| 2 | FP371RECURRENT HYPERKALAEMIA AND ASSOCIATION WITH LENGTH-OF-STAY AND MORTALITY FOLLOWING HOSPITALISATION: REAL-WORLD EVIDENCE FROM UK PATIENTS WITH CKD. Nephrology Dialysis Transplantation, 2018 , 33, i157-i157 | 4.3 |
| 1 | Upgrades from Previous Cardiac Implantable Electronic Devices Compared to De Novo Cardiac Resynchronization Therapy Implantations: Results from CRT Survey-II in the Turkish Population <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2022 , 50, 182-191 | 0.3 |