

# Ilaria D'Acquarica

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6721176/publications.pdf>

Version: 2024-02-01

62  
papers

1,913  
citations

236612

25  
h-index

276539

41  
g-index

62  
all docs

62  
docs citations

62  
times ranked

2221  
citing authors

#	ARTICLE	IF	CITATIONS
1	Chiral switches of chloroquine and hydroxychloroquine: potential drugs to treat COVID-19. <i>Drug Discovery Today</i> , 2020, 25, 1121-1123.	3.2	30
2	Chemical, computational and functional insights into the chemical stability of the Hedgehog pathway inhibitor GANT61. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2018, 33, 349-358.	2.5	45
3	The market of chiral drugs: Chiral switches versus de novo enantiomerically pure compounds. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 147, 323-340.	1.4	328
4	Naturally occurring Diels-Alder-type adducts from <i>Morus nigra</i> as potent inhibitors of <i>Mycobacterium tuberculosis</i> protein tyrosine phosphatase B. <i>European Journal of Medicinal Chemistry</i> , 2018, 144, 277-288.	2.6	29
5	A promising natural product, pristimerin, results in cytotoxicity against breast cancer stem cells in vitro and xenografts in vivo through apoptosis and an incomplete autophagy in breast cancer. <i>Pharmacological Research</i> , 2018, 129, 500-514.	3.1	62
6	Synthesis of Bromoundecyl Resorc[4]arenes and Applications of the Cone Stereoisomer as Selector for Liquid Chromatography. <i>Journal of Organic Chemistry</i> , 2018, 83, 7683-7693.	1.7	5
7	Front Cover: First Detection of a Ruthenium-Carbene-Resorc[4]arene Complex During the Progress of a Metathesis Reaction ( <i>Eur. J. Org. Chem.</i> 17/2017). <i>European Journal of Organic Chemistry</i> , 2017, 2017, 2385-2385.	1.2	0
8	First Detection of a Ruthenium-Carbene-Resorc[4]arene Complex During the Progress of a Metathesis Reaction. <i>European Journal of Organic Chemistry</i> , 2017, 2017, 2407-2415.	1.2	5
9	<i>Cannabis</i> through the looking glass: chemo- and enantio-selective separation of phytocannabinoids by enantioselective ultra high performance supercritical fluid chromatography. <i>Chemical Communications</i> , 2017, 53, 12262-12265.	2.2	52
10	Green Routes for the Production of Enantiopure Benzylisoquinoline Alkaloids. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2464.	1.8	12
11	The Pictet-Spengler Reaction Still on Stage. <i>Current Pharmaceutical Design</i> , 2016, 22, 1808-1850.	0.9	28
12	Inhibition of Hedgehog-dependent tumors and cancer stem cells by a newly identified naturally occurring chemotype. <i>Cell Death and Disease</i> , 2016, 7, e2376-e2376.	2.7	49
13	A Novel Enzymatic Strategy for the Synthesis of Substituted Tetrahydroisoquinolines. <i>ChemistrySelect</i> , 2016, 1, 1525-1528.	0.7	21
14	Total Synthesis of (±)-Kuwanol E. <i>Journal of Natural Products</i> , 2016, 79, 2495-2503.	1.5	18
15	Occurrence of Enantioselectivity in Nature: The Case of (S)-Norcoclaurine. <i>Chirality</i> , 2016, 28, 169-180.	1.3	19
16	Molecular Recognition of Natural Products by Resorc[4]arene Receptors. <i>Current Pharmaceutical Design</i> , 2016, 22, 1715-1729.	0.9	4
17	Synthesis of a Double-Spanned Resorc[4]arene via Ring-Closing Metathesis and Calculation of Aggregation Propensity. <i>Journal of Organic Chemistry</i> , 2014, 79, 11051-11060.	1.7	7
18	Enantioseparation by ultra-high-performance liquid chromatography. <i>TrAC - Trends in Analytical Chemistry</i> , 2014, 63, 95-103.	5.8	48

#	ARTICLE	IF	CITATIONS
19	Reaction of Nitrosonium Cation with Resorc[4]arenes Activated by Supramolecular Control: Covalent Bond Formation. <i>Journal of Organic Chemistry</i> , 2013, 78, 6935-6946.	1.7	8
20	Undecenyl resorc[4]arene in the chair conformation as preorganized synthon for olefin metathesis. <i>RSC Advances</i> , 2013, 3, 17567.	1.7	9
21	Stereochemical Preference of 2'-Deoxycytidine for Chiral Bis(diamido)-bridged Basket Resorcin[4]arenes. <i>Chirality</i> , 2013, 25, 840-851.	1.3	6
22	Enantioselective ultra-high and high performance liquid chromatography: A comparative study of columns based on the Whelk-O1 selector. <i>Journal of Chromatography A</i> , 2012, 1269, 226-241.	1.8	40
23	Introducing Enantioselective Ultrahigh-Pressure Liquid Chromatography (eUHPLC): Theoretical Inspections and Ultrafast Separations on a New Sub-2- $\mu$ m Whelk-O1 Stationary Phase. <i>Analytical Chemistry</i> , 2012, 84, 6805-6813.	3.2	83
24	Chirality Effects on the IRMPD Spectra of Basket Resorcinarene/Nucleoside Complexes. <i>Chemistry - A European Journal</i> , 2012, 18, 8320-8328.	1.7	29
25	Design and evaluation of hydrolytically stable bidentate urea-type stationary phases for hydrophilic interaction chromatography. <i>Journal of Chromatography A</i> , 2012, 1232, 196-211.	1.8	31
26	Stereolability of Dihydroartemisinin, an Antimalarial Drug: A Comprehensive Kinetic Investigation. Part 2. <i>Journal of Organic Chemistry</i> , 2011, 76, 4831-4840.	1.7	17
27	Stereolability of Dihydroartemisinin, an Antimalarial Drug: A Comprehensive Thermodynamic Investigation. Part 1. <i>Journal of Organic Chemistry</i> , 2011, 76, 1751-1758.	1.7	19
28	Unprecedented gas-phase chiroselective logic gates. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 1717.	1.5	9
29	N-Linked Peptidoresorc[4]arene-Based Receptors as Noncompetitive Inhibitors for $\hat{\pm}$ -Chymotrypsin. <i>Journal of Organic Chemistry</i> , 2011, 76, 4396-4407.	1.7	19
30	Efficient organic monoliths prepared by $\hat{\beta}$ -radiation induced polymerization in the evaluation of histone deacetylase inhibitors by capillary(nano)-high performance liquid chromatography and ion trap mass spectrometry. <i>Journal of Chromatography A</i> , 2011, 1218, 3862-3875.	1.8	16
31	Synthesis of Sugar-Based Silica Gels by Copper-Catalysed Azide-Alkyne Cycloaddition via a Single-Step Azido-Activated Silica Intermediate and the Use of the Gels in Hydrophilic Interaction Chromatography. <i>Chemistry - A European Journal</i> , 2010, 16, 5712-5722.	1.7	63
32	Diastereoselective gas-phase ion/molecule reactions of ethanolamine neurotransmitter/amido[4]resorcinarene adducts. <i>International Journal of Mass Spectrometry</i> , 2010, 291, 84-89.	0.7	6
33	Transition from enantioselective high performance to ultra-high performance liquid chromatography: A case study of a brush-type chiral stationary phase based on sub-5-micron to sub-2-micron silica particles. <i>Journal of Chromatography A</i> , 2010, 1217, 990-999.	1.8	64
34	Extending the use of Inverted Chirality Columns Approach for enantiomeric excess determination in absence of reference samples: Application to a water-soluble camptothecin derivative. <i>Journal of Chromatography A</i> , 2010, 1217, 1024-1032.	1.8	30
35	Stereodynamic Investigation of Labile Stereogenic Centres in Dihydroartemisinin. <i>Molecules</i> , 2010, 15, 1309-1323.	1.7	20
36	Gas-Phase Enantioselectivity of Chiral N-Linked Peptidoresorc[4]arene Isomers toward Dipeptides. <i>Journal of Physical Chemistry A</i> , 2009, 113, 14625-14629.	1.1	11

#	ARTICLE	IF	CITATIONS
37	Modelling Amphetamine/Receptor Interactions: A Gas-Phase Study of Complexes Formed between Amphetamine and Some Chiral Amido[4]resorcinares. <i>Chemistry - A European Journal</i> , 2008, 14, 3585-3595.	1.7	11
38	On-column epimerization of dihydroartemisinin: An effective analytical approach to overcome the shortcomings of the International Pharmacopoeia monograph. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008, 875, 180-191.	1.2	23
39	New chiral and restricted-access materials containing glycopeptides as selectors for the high-performance liquid chromatographic determination of chiral drugs in biological matrices. <i>Journal of Chromatography A</i> , 2008, 1191, 205-213.	1.8	22
40	Synthesis and Host-Guest Studies of Chiral N-Linked Peptidoresorc[4]arenes. <i>Journal of Organic Chemistry</i> , 2007, 72, 9283-9290.	1.7	13
41	Nitrosonium Complexes of Resorc[4]arenes: Spectral, Kinetic, and Theoretical Studies. <i>Journal of the American Chemical Society</i> , 2007, 129, 11202-11212.	6.6	23
42	Bis(diamido)-Bridged Basket Resorc[4]arenes as Enantioselective Receptors for Amino Acids and Amines. <i>European Journal of Organic Chemistry</i> , 2007, 2007, 5995-6002.	1.2	20
43	Synthesis and characterization of novel internal surface reversed-phase silica supports for high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2007, 1176, 79-88.	1.8	15
44	A General Procedure for the Synthesis of Stereochemically Pure Conduiritol Derivatives Practical also for Solid-Phase Chemistry. <i>ACS Combinatorial Science</i> , 2006, 8, 74-78.	3.3	8
45	Gas-Phase Enantioselectivity of Chiral Amido[4]resorcinares Receptors. <i>Chemistry - A European Journal</i> , 2006, 12, 8096-8105.	1.7	21
46	Cyanoresorc[5]arenes: Isolation, Conformation and Crystal Structure. <i>European Journal of Organic Chemistry</i> , 2006, 2006, 3652-3660.	1.2	7
47	3,5,3-Triiodo-L-thyronine enhances the differentiation of a human pancreatic duct cell line (hPANC-1) towards a $\beta$ -cell-Like phenotype. <i>Journal of Cellular Physiology</i> , 2005, 204, 286-296.	2.0	36
48	Resorcarenes: Hollow Building Blocks for the Host-Guest Chemistry. <i>Current Organic Chemistry</i> , 2005, 9, 1167-1202.	0.9	34
49	Enantio- and chemo-selective HPLC separations by chiral-achiral tandem-columns approach: the combination of CHIROBIOTIC TAG <sub>2</sub> and SCX columns for the analysis of propionyl carnitine and related impurities. <i>Journal of Chromatography A</i> , 2004, 1061, 167-173.	1.8	23
50	Evaluation of teicoplanin chiral stationary phases of 3.5 and 5 $\mu$ m inside diameter silica microparticles by polar-organic mode capillary electrochromatography. <i>Electrophoresis</i> , 2003, 24, 3000-3005.	1.3	26
51	Enantioselective liquid chromatographic-electrospray mass spectrometric assay of $\beta$ -adrenergic blockers: application to a pharmacokinetic study of sotalol in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003, 796, 45-54.	1.2	32
52	Natural and totally synthetic receptors in the innovative design of HPLC chiral stationary phases. <i>Pure and Applied Chemistry</i> , 2003, 75, 407-412.	0.9	16
53	Enantioselective semi-preparative HPLC of two 2-arylpropionic acids on glycopeptides containing chiral stationary phases. <i>Tetrahedron: Asymmetry</i> , 2002, 13, 69-75.	1.8	10
54	Isolation and structure elucidation of four new triterpenoid estersaponins from fruits of <i>Pittosporum tobira</i> ait.. <i>Tetrahedron</i> , 2002, 58, 10127-10136.	1.0	34

#	ARTICLE	IF	CITATIONS
55	Evaluation of the macrocyclic glycopeptide A-40,926 as a high-performance liquid chromatographic chiral selector and comparison with teicoplanin chiral stationary phase. <i>Journal of Chromatography A</i> , 2000, 897, 113-129.	1.8	55
56	Application of a new chiral stationary phase containing the glycopeptide antibiotic A-40,926 in the direct chromatographic resolution of $\beta^2$ -amino acids. <i>Tetrahedron: Asymmetry</i> , 2000, 11, 2375-2385.	1.8	61
57	Efficient enantiorecognition of ruthenium(II) complexes by silica-bound teicoplanin. <i>Tetrahedron: Asymmetry</i> , 2000, 11, 3535-3541.	1.8	27
58	New synthetic strategies for the preparation of novel chiral stationary phases for high-performance liquid chromatography containing natural pool selectors. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2000, 23, 3-13.	1.4	38
59	Direct chromatographic resolution of carnitine and O-acylcarnitine enantiomers on a teicoplanin-bonded chiral stationary phase. <i>Journal of Chromatography A</i> , 1999, 857, 145-155.	1.8	63
60	High yield and optical purity in biocatalysed acylation of trans-2-phenyl-1-cyclohexanol with <i>Candida rugosa</i> lipase in non-conventional media. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 1999, 6, 495-503.	1.8	19
61	Synthesis and applications of novel, highly efficient HPLC chiral stationary phases: a chiral dimension in drug research analysis. <i>Pharmaceutical Science &amp; Technology Today</i> , 1999, 2, 484-492.	0.7	24
62	Enantioselective separations of chiral molecules by $\mu$ -HPLC and SFC on microbore and packed microcapillary columns. <i>Journal of High Resolution Chromatography</i> , 1997, 20, 261-264.	2.0	10