

Anne C Staubitz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6721528/publications.pdf>

Version: 2024-02-01

71
papers

5,113
citations

201575

27
h-index

102432

66
g-index

82
all docs

82
docs citations

82
times ranked

4313
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis of a Series of 12-Membered Azobenzene Macrocycles and Tuning of the Half-Life of the Thermal <i>Z</i> → <i>E</i> Isomerization. <i>Journal of Organic Chemistry</i> , 2023, 88, 3372-3377.	1.7	6
2	BN-Substitution in Dithienylpyrenes Prevents Excimer Formation in Solution and in the Solid State. <i>Journal of Physical Chemistry C</i> , 2022, 126, 4563-4576.	1.5	5
3	A Co-Polymerizable Linker for the Covalent Attachment of Fibronectin Makes pHEMA Hydrogels Cell-Adhesive. <i>Gels</i> , 2022, 8, 258.	2.1	3
4	A new photo switchable azobenzene macrocycle without thermal relaxation at ambient temperature. <i>Journal of Materials Chemistry C</i> , 2021, 9, 82-87.	2.7	13
5	From a 1,2-azaborinine to large BN-PAHs via electrophilic cyclization: synthesis, characterization and promising optical properties. <i>Organic Chemistry Frontiers</i> , 2021, 8, 10-17.	2.3	14
6	The influence of the formal replacement of thiophenes by stannoles in terthiophene and sexithiophene on the optoelectronic properties and electrochemical behavior. <i>Dalton Transactions</i> , 2021, 50, 6213-6221.	1.6	3
7	Modification of Azobenzenes by Cross-Coupling Reactions. <i>Synthesis</i> , 2021, 53, 1213-1228.	1.2	12
8	Active Ester Functionalized Azobenzenes as Versatile Building Blocks. <i>Molecules</i> , 2021, 26, 3916.	1.7	3
9	BN-Substituted coronene diimide donor-acceptor-donor triads: photophysical, (spectro)-electrochemical studies and Lewis behavior. <i>Journal of Materials Chemistry C</i> , 2021, 9, 13926-13934.	2.7	10
10	Ï€-Conjugated stannole copolymers synthesised by a tin-selective Stille cross-coupling reaction. <i>Materials Advances</i> , 2021, 2, 3282-3293.	2.6	2
11	Tuning the aggregation behaviour of BN-coronene diimides with imide substituents and their performance in devices (OLEDs and OFETs). <i>Journal of Materials Chemistry C</i> , 2021, 9, 14720-14729.	2.7	25
12	The bis(Biphenyl)phosphorus Fragment in Trivalent and Tetravalent P-Environments. <i>Inorganics</i> , 2021, 9, 82.	1.2	1
13	Self-reporting mechanochromic coating: a glassfiber reinforced polymer composite that predicts impact induced damage. <i>Materials Horizons</i> , 2020, 7, 598-604.	6.4	27
14	Efficient reversible photoisomerisation with large solvodynamic size-switching of a main chain poly(azobenzene- <i>alt</i> -trisiloxane). <i>Journal of Materials Chemistry C</i> , 2020, 8, 1835-1845.	2.7	9
15	Aggregation induced emission emissive stannoles in the solid state. <i>Chemical Communications</i> , 2020, 56, 9775-9778.	2.2	10
16	Sila-Ibuprofen. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 12614-12622.	2.9	14
17	Experimental and Theoretical Studies of a Spirostannole and Formation of a Pentaorganostannate. <i>Molecules</i> , 2020, 25, 4993.	1.7	2
18	Mechanochromic Microfibers Stabilized by Polymer Blending. <i>ACS Applied Polymer Materials</i> , 2020, 2, 2055-2062.	2.0	8

#	ARTICLE	IF	CITATIONS
19	Cross-Coupling Strategy for the Synthesis of Diazocines. <i>Organic Letters</i> , 2020, 22, 1624-1627.	2.4	29
20	Synthesis and Thermal Investigations of Eleven-Membered Ring Systems Containing One of the Heavier Group 14 Element Atoms Si, Ge, and Sn. <i>Molecules</i> , 2020, 25, 283.	1.7	2
21	Thermochromic Behavior of Yttrium-Substituted Bismuth Oxides. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 33147-33156.	4.0	17
22	Negishi's Reagent Versus Rosenthal's Reagent in the Formation of Zirconacyclopentadienes. <i>Chemistry - A European Journal</i> , 2019, 25, 13318-13328.	1.7	24
23	Living Materials Herald a New Era in Soft Robotics. <i>Advanced Materials</i> , 2019, 31, e1807747.	11.1	78
24	Synthesis, Structure, Thermal Behavior and cis/trans Isomerization of 2,2-(E)Me ₂ (E = C, Si, Ge, Sn) Substituted Azobenzenes. <i>Molecules</i> , 2019, 24, 303.	1.7	6
25	Conjugated oligomers with alternating heterocycles from a single monomer: synthesis and demonstration of electroluminescence. <i>Organic Chemistry Frontiers</i> , 2019, 6, 3636-3643.	2.3	1
26	Synthesis and crystal structure of (<i>E</i>)-1,2-bis[2-(methylsulfanyl)phenyl]diazene. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 1808-1811.	0.2	0
27	Frontispiece: Syntheses and Properties of Tin-Containing Conjugated Heterocycles. <i>Chemistry - A European Journal</i> , 2018, 24, .	1.7	0
28	Hochmolekulare Polymere mit diversen Substituenten durch eine ungewöhnliche, metallfreie Synthese von Poly(aminoboranen). <i>Angewandte Chemie</i> , 2018, 130, 6096-6098.	1.6	1
29	Generation of High-Molecular-Weight Polymers with Diverse Substituents: An Unusual Metal-Free Synthesis of Poly(aminoborane)s. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 5990-5992.	7.2	9
30	Syntheses and Properties of Tin-Containing Conjugated Heterocycles. <i>Chemistry - A European Journal</i> , 2018, 24, 5680-5696.	1.7	17
31	Tuning the Optoelectronic Properties of Stannoles by the Judicious Choice of the Organic Substituents. <i>Inorganic Chemistry</i> , 2018, 57, 12562-12575.	1.9	20
32	Yttrium-substituted bismuth oxides as high-temperature thermochromic materials. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2018, 74, e414-e414.	0.0	0
33	Bioinspired photocontrollable microstructured transport device. <i>Science Robotics</i> , 2017, 2, .	9.9	116
34	High molecular weight poly(N-methyl-B-vinylazaborine) – a semi-inorganic B-N polystyrene analogue. <i>Chemical Communications</i> , 2017, 53, 7258-7261.	2.2	56
35	Light, Force, and Heat: A Multi-Stimuli Composite that Reveals its Violent Past. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 38000-38007.	4.0	37
36	Wie Licht Klebrigkeit steuert. <i>Nachrichten Aus Der Chemie</i> , 2017, 65, 1194-1196.	0.0	0

#	ARTICLE	IF	CITATIONS
37	Diversely halogenated spiopyrans - Useful synthetic building blocks for a versatile class of molecular switches. <i>Dyes and Pigments</i> , 2017, 136, 292-301.	2.0	39
38	Influence of the porosity on the photoresponse of a liquid crystal elastomer. <i>Royal Society Open Science</i> , 2016, 3, 150700.	1.1	12
39	Crystal structures of 3,3'-bis(hydroxydimethylsilyl)azobenzene and 4,4'-bis(hydroxydimethylsilyl)azobenzene. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2016, 72, 1590-1594.	0.2	2
40	High-Yield Lithiation of Azobenzenes by Tin-Lithium Exchange. <i>Chemistry - A European Journal</i> , 2015, 21, 11165-11173.	1.7	17
41	Synthesis of poly(thiophene-alt-pyrrole) from a difunctionalized thienylpyrrole by Kumada polycondensation. <i>Tetrahedron</i> , 2015, 71, 5399-5406.	1.0	7
42	Nucleophile-Selective Cross-Coupling Reactions with Vinyl and Alkynyl Bromides on a Dinucleophilic Aromatic Substrate. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 2498-2502.	1.2	13
43	Crystal structure of 1,3-bis(4-hexyl-5-iodothiophen-2-yl)-4,5,6,7-tetrahydro-2-benzothiophene. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o1133-o1134.	0.2	0
44	Reduction of <i>N</i> -Allylamides by LiAlH ₄ : Unexpected Attack of the Double Bond with Mechanistic Studies of Product and Byproduct Formation. <i>Journal of Organic Chemistry</i> , 2014, 79, 10284-10295.	1.7	15
45	Highly Tin-Selective Stille Coupling: Synthesis of a Polymer Containing a Stannole in the Main Chain. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 12916-12920.	7.2	59
46	Challenges and Solutions for Joining Polymer Materials. <i>Macromolecular Rapid Communications</i> , 2014, 35, 1551-1570.	2.0	34
47	Tin-Functionalized Azobenzenes as Nucleophiles in Stille Cross-Coupling Reactions. <i>Journal of Organic Chemistry</i> , 2014, 79, 1719-1728.	1.7	20
48	Hoch Zinn-selektive Stille-Kupplung: Polymersynthese mit einem Stannol in der Hauptkette. <i>Angewandte Chemie</i> , 2014, 126, 13130-13134.	1.6	26
49	Dual Selectivity: Electrophile and Nucleophile Selective Cross-Coupling Reactions on a Single Aromatic Substrate. <i>Organic Letters</i> , 2013, 15, 4666-4669.	2.4	36
50	Experimental and Theoretical Study of the Living Polymerization of <i>N</i> -Silylphosphoranimines. Synthesis of New Block Copolyphosphazenes. <i>Organometallics</i> , 2012, 31, 2571-2581.	1.1	30
51	Joining the Unjoinable: Adhesion Between Low Surface Energy Polymers Using Tetrapodal ZnO Linkers. <i>Advanced Materials</i> , 2012, 24, 5676-5680.	11.1	88
52	Chemoselective Cross-Coupling Reactions with Differentiation between Two Nucleophilic Sites on a Single Aromatic Substrate. <i>Organic Letters</i> , 2012, 14, 5644-5647.	2.4	50
53	A Cooperative Role for the Counteranion in the PCl ₅ -Initiated Living, Cationic Chain Growth Polycondensation of the Phosphoranimine Cl ₃ P-NSiMe ₃ . <i>Journal of the American Chemical Society</i> , 2012, 134, 15293-15296.	6.6	34
54	Spontaneous Ambient Temperature Dehydrocoupling of Aromatic Amine-Boranes. <i>Chemistry - A European Journal</i> , 2012, 18, 4665-4680.	1.7	54

#	ARTICLE	IF	CITATIONS
55	Experimental and Theoretical Studies of the Potential Interconversion of the Amine-Borane $\text{Pr}_2\text{NH}\cdot\text{BH}(\text{C}_6\text{F}_5)_2$ and the Aminoborane $\text{Pr}_2\text{N}=\text{B}(\text{C}_6\text{F}_5)_2$ Involving Hydrogen Loss and Uptake. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 5279-5287.	1.0	18
56	Scope and Selectivity of Heterogeneous Rh^0 -Catalyzed Tandem Dehydrocoupling/Hydrogenation Using $\text{Me}_2\text{NH}\cdot\text{BH}_3$ as a Stoichiometric H_2 Source. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 672-675.	1.2	48
57	Catalytic Dehydrocoupling/Dehydrogenation of <i>N</i> -Methylamine-Borane and Ammonia-Borane: Synthesis and Characterization of High Molecular Weight Polyaminoboranes. <i>Journal of the American Chemical Society</i> , 2010, 132, 13332-13345.	6.6	280
58	Amine and Phosphine-Borane Adducts: New Interest in Old Molecules. <i>Chemical Reviews</i> , 2010, 110, 4023-4078.	23.0	602
59	Ring-Opening Polymerization of a Galla[1]ferrocenophane: A Gallium-Bridged Polyferrocene with Observable Tacticity. <i>Journal of the American Chemical Society</i> , 2010, 132, 1794-1795.	6.6	64
60	Strain-Induced Cleavage of Carbon-Carbon Bonds: Bridge Rupture Reactions of Group 8 Dicarba[2]metallocenophanes. <i>Journal of the American Chemical Society</i> , 2010, 132, 1988-1998.	6.6	33
61	Ammonia-Borane and Related Compounds as Dihydrogen Sources. <i>Chemical Reviews</i> , 2010, 110, 4079-4124.	23.0	1,106
62	Homogeneous Catalytic Dehydrocoupling/Dehydrogenation of Amine-Borane Adducts by Early Transition Metal, Group 4 Metallocene Complexes. <i>Journal of the American Chemical Society</i> , 2010, 132, 3831-3841.	6.6	204
63	Redox-Active Metallomacrocycles and Cyclic Metallopolymers: Photocontrolled Ring-Opening Oligomerization and Polymerization of Silicon-Bridged [1]Ferrocenophanes Using Substitutionally-Labile Lewis Bases as Initiators. <i>Journal of the American Chemical Society</i> , 2009, 131, 14958-14968.	6.6	89
64	B-N compounds for chemical hydrogen storage. <i>Chemical Society Reviews</i> , 2009, 38, 279-293.	18.7	1,001
65	Iridium-Catalyzed Dehydrocoupling of Primary Amine-Borane Adducts: A Route to High Molecular Weight Polyaminoboranes, Boron-Nitrogen Analogues of Polyolefins. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 6212-6215.	7.2	253
66	Computational Analysis of Amine-Borane Adducts as Potential Hydrogen Storage Materials with Reversible Hydrogen Uptake. <i>Inorganic Chemistry</i> , 2008, 47, 5910-5918.	1.9	91
67	Optimization of the Mizoroki-Heck Reaction Using Design of Experiment (DoE). <i>Organic Process Research and Development</i> , 2006, 10, 64-69.	1.3	40
68	Mild Synthesis of Polyfunctional Benzimidazoles and Indoles by the Reduction of Functionalized Nitroarenes with Phenylmagnesium Chloride.. <i>ChemInform</i> , 2004, 35, no.	0.1	0
69	Expeditious Functionalization of Quinolines in Positions 2 and 8 via Polyfunctional Aryl- and Heteroarylmagnesium Intermediates. <i>ChemInform</i> , 2003, 34, no.	0.1	0
70	Mild Synthesis of Polyfunctional Benzimidazoles and Indoles by the Reduction of Functionalized Nitroarenes with Phenylmagnesium Chloride. <i>Chemistry - A European Journal</i> , 2003, 9, 5323-5331.	1.7	55
71	Expeditious Functionalization of Quinolines in Positions 2 and 8 via Polyfunctional Aryl- and Heteroarylmagnesium Intermediates. <i>Synthesis</i> , 2003, 2003, 0233-0242.	1.2	2