

# Lyle L Moldawer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6722310/publications.pdf>

Version: 2024-02-01

416  
papers

33,678  
citations

2963

93  
h-index

5101

166  
g-index

426  
all docs

426  
docs citations

426  
times ranked

32108  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genomic responses in mouse models poorly mimic human inflammatory diseases. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 3507-3512.	3.3	2,518
2	A network-based analysis of systemic inflammation in humans. Nature, 2005, 437, 1032-1037.	13.7	1,419
3	A genomic storm in critically injured humans. Journal of Experimental Medicine, 2011, 208, 2581-2590.	4.2	1,040
4	Sepsis and septic shock. Nature Reviews Disease Primers, 2016, 2, 16045.	18.1	978
5	Tumor necrosis factor soluble receptors circulate during experimental and clinical inflammation and can protect against excessive tumor necrosis factor alpha in vitro and in vivo.. Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 4845-4849.	3.3	809
6	Antibodies to cachectin/tumor necrosis factor reduce interleukin 1 beta and interleukin 6 appearance during lethal bacteremia.. Journal of Experimental Medicine, 1989, 170, 1627-1633.	4.2	678
7	Persistent inflammation and immunosuppression. Journal of Trauma and Acute Care Surgery, 2012, 72, 1491-1501.	1.1	602
8	MyD88-dependent expansion of an immature GR-1+CD11b+ population induces T cell suppression and Th2 polarization in sepsis. Journal of Experimental Medicine, 2007, 204, 1463-1474.	4.2	581
9	Macrophages secrete a novel heparin-binding protein with inflammatory and neutrophil chemokinetic properties.. Journal of Experimental Medicine, 1988, 167, 570-581.	4.2	545
10	Anti-TNF- $\alpha$ therapies: the next generation. Nature Reviews Drug Discovery, 2003, 2, 736-746.	21.5	521
11	SEPSIS SYNDROMES: UNDERSTANDING THE ROLE OF INNATE AND ACQUIRED IMMUNITY. Shock, 2001, 16, 83-96.	1.0	422
12	A mouse model for investigating the molecular pathogenesis of adenovirus pneumonia.. Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 1651-1655.	3.3	362
13	The acute splanchnic and peripheral tissue metabolic response to endotoxin in humans.. Journal of Clinical Investigation, 1990, 85, 1896-1904.	3.9	354
14	Sepsis Pathophysiology, Chronic Critical Illness, and Persistent Inflammation-Immunosuppression and Catabolism Syndrome. Critical Care Medicine, 2017, 45, 253-262.	0.4	346
15	Structural Basis for the Proinflammatory Cytokine Activity of High Mobility Group Box 1. Molecular Medicine, 2003, 9, 37-45.	1.9	295
16	A Paradoxical Role for Myeloid-Derived Suppressor Cells in Sepsis and Trauma. Molecular Medicine, 2011, 17, 281-292.	1.9	292
17	Cost and Mortality Associated With Postoperative Acute Kidney Injury. Annals of Surgery, 2015, 261, 1207-1214.	2.1	282
18	Nuclear factor- $\kappa$ B is upregulated in colorectal cancer. Surgery, 2001, 130, 363-369.	1.0	261

#	ARTICLE	IF	CITATIONS
19	Total Parenteral Nutrition and Bowel Rest Modify the Metabolic Response to Endotoxin in Humans. <i>Annals of Surgery</i> , 1989, 210, 449-457.	2.1	251
20	Interleukin-10: A complex role in the pathogenesis of sepsis syndromes and its potential as an anti-inflammatory drug. <i>Critical Care Medicine</i> , 2002, 30, S58-S63.	0.4	247
21	Apoptosis in sepsis: a new target for therapeutic exploration. <i>FASEB Journal</i> , 2001, 15, 879-892.	0.2	245
22	Application of genome-wide expression analysis to human health and disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 4801-4806.	3.3	238
23	Cytokine signaling-regulation of the immune response in normal and critically ill states. <i>Critical Care Medicine</i> , 2000, 28, N3-N12.	0.4	216
24	Cachectin/tumor necrosis factor- $\alpha$ alters red blood cell kinetics and induces anemia in vivo. <i>FASEB Journal</i> , 1989, 3, 1637-1643.	0.2	213
25	Molecular Characterization of the Acute Inflammatory Response to Infections with Gram-Negative versus Gram-Positive Bacteria. <i>Infection and Immunity</i> , 2003, 71, 5803-5813.	1.0	213
26	Biological measures for the formulation of a hospital prognostic index. <i>American Journal of Clinical Nutrition</i> , 1981, 34, 2013-2022.	2.2	212
27	Anticachectin/tumor necrosis factor- $\alpha$ antibodies attenuate development of cachexia in tumor models. <i>FASEB Journal</i> , 1989, 3, 1956-1962.	0.2	205
28	ROLE OF TOLL-LIKE RECEPTORS IN THE DEVELOPMENT OF SEPSIS. <i>Shock</i> , 2008, 29, 315-321.	1.0	204
29	Interleukin 1 receptor blockade attenuates the host inflammatory response.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 4966-4970.	3.3	197
30	MySurgeryRisk: Development and Validation of a Machine-learning Risk Algorithm for Major Complications and Death After Surgery. <i>Annals of Surgery</i> , 2019, 269, 652-662.	2.1	197
31	Human Myeloid-derived Suppressor Cells are Associated With Chronic Immune Suppression After Severe Sepsis/Septic Shock. <i>Annals of Surgery</i> , 2017, 265, 827-834.	2.1	196
32	Whole blood and leukocyte RNA isolation for gene expression analyses. <i>Physiological Genomics</i> , 2004, 19, 247-254.	1.0	186
33	Proinflammatory cytokines, nutritional support, and the cachexia syndrome. <i>Cancer</i> , 1997, 79, 1828-1839.	2.0	179
34	A community approach to mortality prediction in sepsis via gene expression analysis. <i>Nature Communications</i> , 2018, 9, 694.	5.8	178
35	Biology of tumor necrosis factor-alpha- implications for psoriasis. <i>Experimental Dermatology</i> , 2004, 13, 193-222.	1.4	175
36	Impaired autophagy: A mechanism of mitochondrial dysfunction in anoxic rat hepatocytes. <i>Hepatology</i> , 2008, 47, 1725-1736.	3.6	175

#	ARTICLE	IF	CITATIONS
37	Direct Evidence for Cytokine Involvement in Neointimal Hyperplasia. <i>Circulation</i> , 2000, 102, 1697-1702.	1.6	170
38	Clinical microfluidics for neutrophil genomics and proteomics. <i>Nature Medicine</i> , 2010, 16, 1042-1047.	15.2	168
39	Chronic Critical Illness and the Persistent Inflammation, Immunosuppression, and Catabolism Syndrome. <i>Frontiers in Immunology</i> , 2018, 9, 1511.	2.2	167
40	The Origins of Cachexia in Acute and Chronic Inflammatory Diseases*. <i>Nutrition in Clinical Practice</i> , 2006, 21, 68-81.	1.1	163
41	Parallels between Cancer and Infectious Disease. <i>New England Journal of Medicine</i> , 2014, 371, 380-383.	13.9	160
42	Defective innate immunity predisposes murine neonates to poor sepsis outcome but is reversed by TLR agonists. <i>Blood</i> , 2008, 112, 1750-1758.	0.6	158
43	Quantitative Proteome Analysis of Human Plasma following in Vivo Lipopolysaccharide Administration Using 16O/18O Labeling and the Accurate Mass and Time Tag Approach. <i>Molecular and Cellular Proteomics</i> , 2005, 4, 700-709.	2.5	156
44	The Effect of Lipid Emulsions on Reticuloendothelial System Function in the Injured Animal. <i>Journal of Parenteral and Enteral Nutrition</i> , 1985, 9, 559-565.	1.3	155
45	The relationship between visceral ischemia, proinflammatory cytokines, and organ injury in patients undergoing thoracoabdominal aortic aneurysm repair. <i>Critical Care Medicine</i> , 2000, 28, 3191-3197.	0.4	151
46	BLOCKADE OF TUMOR NECROSIS FACTOR REDUCES LIPOPOLYSACCHARIDE LETHALITY, BUT NOT THE LETHALITY OF CECAL LIGATION AND PUNCTURE. <i>Shock</i> , 1995, 4, 89-95.	1.0	150
47	LPS-induced liver injury in galactosamine-sensitized mice requires secreted TNF- $\alpha$ and the TNF-p55 receptor. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2000, 278, R1202-R1209.	0.9	149
48	Immune Checkpoint Inhibition in Sepsis: A Phase 1b Randomized, Placebo-Controlled, Single Ascending Dose Study of Antiprogrammed Cell Death-Ligand 1 Antibody (BMS-936559)*. <i>Critical Care Medicine</i> , 2019, 47, 632-642.	0.4	149
49	Cachexia and the acute-phase protein response in inflammation are regulated by interleukin-6. <i>European Journal of Immunology</i> , 1993, 23, 1889-1894.	1.6	148
50	Structural basis for the proinflammatory cytokine activity of high mobility group box 1. <i>Molecular Medicine</i> , 2003, 9, 37-45.	1.9	148
51	Persistent Inflammation, Immunosuppression and Catabolism Syndrome. <i>Critical Care Clinics</i> , 2017, 33, 245-258.	1.0	146
52	Persistent inflammation, immunosuppression, and catabolism syndrome after severe blunt trauma. <i>Journal of Trauma and Acute Care Surgery</i> , 2014, 76, 21-30.	1.1	145
53	INTERLEUKIN-1 AND INTERLEUKIN-1 ANTAGONISM IN SEPSIS, SYSTEMIC INFLAMMATORY RESPONSE SYNDROME, AND SEPTIC SHOCK. <i>Shock</i> , 1995, 3, 235-251.	1.0	144
54	B cells enhance early innate immune responses during bacterial sepsis. <i>Journal of Experimental Medicine</i> , 2011, 208, 1673-1682.	4.2	144

#	ARTICLE	IF	CITATIONS
55	Direct Evidence for Tumor Necrosis Factor- $\alpha$ Signaling in Arteriogenesis. <i>Circulation</i> , 2002, 105, 1639-1641.	1.6	142
56	High Dynamic Range Characterization of the Trauma Patient Plasma Proteome. <i>Molecular and Cellular Proteomics</i> , 2006, 5, 1899-1913.	2.5	142
57	Enhanced Collagen Accumulation Following Direct Transfection of the Inducible Nitric Oxide Synthase Gene in Cutaneous Wounds. <i>Biochemical and Biophysical Research Communications</i> , 1998, 246, 654-659.	1.0	141
58	Minimum Quality Threshold in Pre-Clinical Sepsis Studies (MQTiPSS): An International Expert Consensus Initiative for Improvement of Animal Modeling in Sepsis. <i>Shock</i> , 2018, 50, 377-380.	1.0	141
59	The changing pattern and implications of multiple organ failure after blunt injury with hemorrhagic shock*. <i>Critical Care Medicine</i> , 2012, 40, 1129-1135.	0.4	139
60	Sepsis Induces Early Alterations in Innate Immunity That Impact Mortality to Secondary Infection. <i>Journal of Immunology</i> , 2011, 186, 195-202.	0.4	137
61	Plasma cytokine measurements augment prognostic scores as indicators of outcome in patients with severe sepsis. <i>Shock</i> , 2005, 23, 488-93.	1.0	137
62	Redefining critical illness. <i>Nature Medicine</i> , 2022, 28, 1141-1148.	15.2	136
63	Role of Innate Immunity in Neonatal Infection. <i>American Journal of Perinatology</i> , 2013, 30, 105-112.	0.6	128
64	Lipid emulsions and reticuloendothelial system function in healthy and burned guinea pigs. <i>American Journal of Clinical Nutrition</i> , 1985, 42, 855-863.	2.2	127
65	INCREASED MORTALITY AND ALTERED IMMUNITY IN NEONATAL SEPSIS PRODUCED BY GENERALIZED PERITONITIS. <i>Shock</i> , 2007, 28, 675-683.	1.0	127
66	Comparative proteome analyses of human plasma following in vivo lipopolysaccharide administration using multidimensional separations coupled with tandem mass spectrometry. <i>Proteomics</i> , 2005, 5, 572-584.	1.3	125
67	Incidence, Clinical Predictors, Genomics, and Outcome of Acute Kidney Injury Among Trauma Patients. <i>Annals of Surgery</i> , 2010, 252, 158-165.	2.1	122
68	Human transcriptome array for high-throughput clinical studies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 3707-3712.	3.3	122
69	Interleukin 1, tumour necrosis factor- $\alpha$ (cachectin) and the pathogenesis of cancer cachexia. <i>Clinical Physiology</i> , 1987, 7, 263-274.	0.7	121
70	Biology of interleukin-10 and its regulatory roles in sepsis syndromes. <i>Critical Care Medicine</i> , 2005, 33, S468-S471.	0.4	121
71	Increased Natural CD4+CD25+ Regulatory T Cells and Their Suppressor Activity Do Not Contribute to Mortality in Murine Polymicrobial Sepsis. <i>Journal of Immunology</i> , 2006, 177, 7943-7949.	0.4	121
72	Characterization of the Systemic Loss of Dendritic Cells in Murine Lymph Nodes During Polymicrobial Sepsis. <i>Journal of Immunology</i> , 2004, 173, 3035-3043.	0.4	119

#	ARTICLE	IF	CITATIONS
73	Murine Models of Sepsis and Trauma: Can We Bridge the Gap?. ILAR Journal, 2017, 58, 90-105.	1.8	119
74	Innate Immunity in the Persistent Inflammation, Immunosuppression, and Catabolism Syndrome and Its Implications for Therapy. Frontiers in Immunology, 2018, 9, 595.	2.2	119
75	Neutrophil Mobilization from the Bone Marrow during Polymicrobial Sepsis Is Dependent on CXCL12 Signaling. Journal of Immunology, 2011, 187, 911-918.	0.4	117
76	Immune checkpoint inhibition in sepsis: a Phase 1b randomized study to evaluate the safety, tolerability, pharmacokinetics, and pharmacodynamics of nivolumab. Intensive Care Medicine, 2019, 45, 1360-1371.	3.9	117
77	Type I interferon signaling in hematopoietic cells is required for survival in mouse polymicrobial sepsis by regulating CXCL10. Journal of Experimental Medicine, 2010, 207, 319-326.	4.2	116
78	Human tumor necrosis factor receptor (p55) and interleukin 10 gene transfer in the mouse reduces mortality to lethal endotoxemia and also attenuates local inflammatory responses.. Journal of Experimental Medicine, 1995, 181, 2289-2293.	4.2	115
79	Cytokines and Wound Healing: The Role of Cytokine and Anticytokine Therapy in the Repair Response. Journal of Burn Care and Research, 2004, 25, 149-160.	1.7	114
80	Structured medium-chain and long-chain triglyceride emulsions are superior to physical mixtures in sparing body protein in the burned rat. Metabolism: Clinical and Experimental, 1984, 33, 910-915.	1.5	112
81	Targeted adenovirus-induced expression of IL-10 decreases thymic apoptosis and improves survival in murine sepsis. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 11503-11508.	3.3	112
82	Continuous Flow Microfluidic Device for Rapid Erythrocyte Lysis. Analytical Chemistry, 2004, 76, 6247-6253.	3.2	112
83	Cutting Edge: Bacterial Infection Induces Hematopoietic Stem and Progenitor Cell Expansion in the Absence of TLR Signaling. Journal of Immunology, 2010, 184, 2247-2251.	0.4	112
84	Immunotherapies for COVID-19: lessons learned from sepsis. Lancet Respiratory Medicine, the, 2020, 8, 946-949.	5.2	111
85	A Novel Type I IFN-Producing Cell Subset in Murine Lupus. Journal of Immunology, 2008, 180, 5101-5108.	0.4	110
86	Cell-specific expression and pathway analyses reveal alterations in trauma-related human T cell and monocyte pathways. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 15564-15569.	3.3	106
87	What Are the Causes and Consequences of the Chronic Inflammatory State in Chronic Dialysis Patients?. Seminars in Dialysis, 2001, 13, 163-164.	0.7	105
88	A Genomic Score Prognostic of Outcome in Trauma Patients. Molecular Medicine, 2009, 15, 220-227.	1.9	104
89	Improved protein kinetics and albumin synthesis by branched chain amino acid-enriched total parenteral nutrition in cancer cachexia: A prospective randomized crossover trial. Cancer, 1986, 58, 147-157.	2.0	103
90	Metalloproteinase inhibitors and wound healing: A novel enhancer of wound strength. Surgery, 1998, 124, 464-470.	1.0	103

#	ARTICLE	IF	CITATIONS
91	PRECLINICAL MODELS OF SHOCK AND SEPSIS: WHAT CAN THEY TELL US?. Shock, 2005, 24, 1-6.	1.0	102
92	Mice are not men. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E345.	3.3	102
93	Microbial recognition and danger signals in sepsis and trauma. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2017, 1863, 2564-2573.	1.8	100
94	CD11c+ Dendritic Cells Are Required for Survival in Murine Polymicrobial Sepsis. Journal of Immunology, 2005, 175, 3282-3286.	0.4	98
95	Evidence for Persistent Immune Suppression in Patients Who Develop Chronic Critical Illness After Sepsis. Shock, 2018, 49, 249-258.	1.0	98
96	Lipopolysaccharide and D-galactosamine-induced hepatic injury is mediated by TNF- $\alpha$ and not by Fas ligand. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2000, 278, R1196-R1201.	0.9	97
97	NEUTROPHIL ELASTASE, MIP-2, AND TLR-4 EXPRESSION DURING HUMAN AND EXPERIMENTAL SEPSIS. Shock, 2005, 23, 39-44.	1.0	95
98	Benchmarking Outcomes in the Critically Injured Trauma Patient and the Effect of Implementing Standard Operating Procedures. Annals of Surgery, 2012, 255, 993-999.	2.1	92
99	Tumor Cell Nitric Oxide Inhibits Cell Growth in Vitro, but Stimulates Tumorigenesis and Experimental Lung Metastasis in Vivo. Journal of Surgical Research, 1996, 63, 49-52.	0.8	91
100	Interleukin-18: A novel prognostic cytokine in bacteria-induced sepsis. Critical Care Medicine, 2006, 34, 1225-1233.	0.4	91
101	Benchmarking clinical outcomes and the immunocatabolic phenotype of chronic critical illness after sepsis in surgical intensive care unit patients. Journal of Trauma and Acute Care Surgery, 2018, 84, 342-349.	1.1	91
102	In vivo demonstration of nitrogen-sparing mechanisms for glucose and amino acids in the injured rat. Metabolism: Clinical and Experimental, 1980, 29, 173-180.	1.5	89
103	The future of murine sepsis and trauma research models. Journal of Leukocyte Biology, 2015, 98, 945-952.	1.5	89
104	Development of a Genomic Metric That Can Be Rapidly Used to Predict Clinical Outcome in Severely Injured Trauma Patients*. Critical Care Medicine, 2013, 41, 1175-1185.	0.4	88
105	The Epidemiology of Chronic Critical Illness After Severe Traumatic Injury at Two Level 1 Trauma Centers*. Critical Care Medicine, 2017, 45, 1989-1996.	0.4	87
106	Glutamine or Fiber Supplementation of a Defined Formula Diet: Impact on Bacterial Translocation, Tissue Composition, and Response to Endotoxin. Journal of Parenteral and Enteral Nutrition, 1990, 14, 335-343.	1.3	86
107	Superoxide Production by Macrophages and T Cells Is Critical for the Induction of Autoreactivity and Type 1 Diabetes. Diabetes, 2011, 60, 2144-2151.	0.3	85
108	A Review of GM-CSF Therapy in Sepsis. Medicine (United States), 2015, 94, e2044.	0.4	83

#	ARTICLE	IF	CITATIONS
109	Targeting IL-17A attenuates neonatal sepsis mortality induced by IL-18. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E2627-35.	3.3	83
110	The Role of Cytokines in Cancer Cachexia. Journal of Parenteral and Enteral Nutrition, 1992, 16, 43S-49S.	1.3	82
111	Cytokine-mediated alterations in host metabolism prevent nutritional repletion in cachectic cancer patients. Journal of Surgical Oncology, 1995, 58, 77-82.	0.8	80
112	Sepsis and the Dendritic Cell. Shock, 2003, 20, 386-401.	1.0	80
113	The Induction of EAE Is Only Partially Dependent on TNF Receptor Signaling but Requires the IL-1 Type I Receptor. Clinical Immunology, 2000, 95, 117-123.	1.4	79
114	The influence of intravenous nutrition on protein dynamics following surgery. Metabolism: Clinical and Experimental, 1981, 30, 1150-1158.	1.5	78
115	Xylitol, an Energy Source for Intravenous Nutrition after Trauma. Journal of Parenteral and Enteral Nutrition, 1985, 9, 199-209.	1.3	78
116	Flagellin enhances NK cell proliferation and activation directly and through dendritic cell-NK cell interactions. Journal of Leukocyte Biology, 2005, 78, 888-897.	1.5	77
117	A MATRIX METALLOPROTEINASE INHIBITOR PREVENTS PROCESSING OF TUMOR NECROSIS FACTOR $\hat{\pm}$ (TNF $\hat{\pm}$ ) AND ABROGATES ENDOTOXIN-INDUCED LETHALITY. Shock, 1997, 7, 427-431.	1.0	76
118	Leptin and ciliary neurotropic factor (CNTF) inhibit fasting-induced suppression of luteinizing hormone release in rats: role of neuropeptide Y. Neuroscience Letters, 1998, 240, 45-49.	1.0	76
119	Persistent inflammation, immunosuppression, and catabolism and the development of chronic critical illness after surgery. Surgery, 2018, 164, 178-184.	1.0	75
120	A Locus on Mouse Chromosome 6 That Determines Resistance to Herpes Simplex Virus Also Influences Reactivation, While an Unlinked Locus Augments Resistance of Female Mice. Journal of Virology, 2003, 77, 11661-11673.	1.5	74
121	Report of a Research Workshop: Branched-Chain Amino Acids in Stress and Injury. Journal of Parenteral and Enteral Nutrition, 1986, 10, 446-452.	1.3	73
122	Longitudinal studies of inter-alpha inhibitor proteins in severely septic patients: A potential clinical marker and mediator of severe sepsis*. Critical Care Medicine, 2007, 35, 387-392.	0.4	73
123	A Novel Drug for Treatment of Necrotizing Soft-Tissue Infections. JAMA Surgery, 2014, 149, 528.	2.2	73
124	Microfluidic Isolation of Leukocytes from Whole Blood for Phenotype and Gene Expression Analysis. Analytical Chemistry, 2006, 78, 5453-5461.	3.2	71
125	Treatment with GITR agonistic antibody corrects adaptive immune dysfunction in sepsis. Blood, 2007, 110, 3673-3681.	0.6	71
126	Protein metabolism during total parenteral nutrition (TPN) in injured rats using medium-chain triglycerides. Metabolism: Clinical and Experimental, 1984, 33, 901-909.	1.5	70

#	ARTICLE	IF	CITATIONS
127	Stimulatory effect of interleukin-1 upon hepatic metabolism. <i>Metabolism: Clinical and Experimental</i> , 1986, 35, 419-424.	1.5	70
128	TNF- $\alpha$ Receptor Signaling and IL-10 Gene Therapy Regulate the Innate and Humoral Immune Responses to Recombinant Adenovirus in the Lung. <i>Journal of Immunology</i> , 2000, 164, 443-451.	0.4	70
129	Glucocorticoid-induced, caspase-dependent organ apoptosis early after burn injury. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2000, 278, R1005-R1018.	0.9	69
130	CD14 receptor occupancy in severe sepsis: Results of a phase I clinical trial with a recombinant chimeric CD14 monoclonal antibody (IC14)*. <i>Critical Care Medicine</i> , 2004, 32, 1100-1108.	0.4	68
131	Increased Leptin Expression in Mice with Bacterial Peritonitis is Partially Regulated by Tumor Necrosis Factor Alpha. <i>Infection and Immunity</i> , 1998, 66, 1800-1802.	1.0	68
132	Autoregulation of Human Monocyte-Derived Dendritic Cell Maturation and IL-12 Production by Cyclooxygenase-2-Mediated Prostanoid Production. <i>Journal of Immunology</i> , 2000, 165, 4298-4304.	0.4	67
133	Inducible nuclear factor- $\kappa$ B activation contributes to chemotherapy resistance in gastric cancer <sup>1</sup> , *1. <i>Journal of the American College of Surgeons</i> , 2004, 199, 249-258.	0.2	65
134	Advanced age is associated with worsened outcomes and a unique genomic response in severely injured patients with hemorrhagic shock. <i>Critical Care</i> , 2015, 19, 77.	2.5	65
135	Sepsis and Critical Illness Research Center investigators: protocols and standard operating procedures for a prospective cohort study of sepsis in critically ill surgical patients. <i>BMJ Open</i> , 2017, 7, e015136.	0.8	65
136	Immunological Defects in Neonatal Sepsis and Potential Therapeutic Approaches. <i>Frontiers in Pediatrics</i> , 2017, 5, 14.	0.9	65
137	Granulocyte Colony-Stimulating Factor to Prevent the Progression of Systemic Nonresponsiveness in Systemic Inflammatory Response Syndrome and Sepsis. <i>Blood</i> , 1999, 93, 425-439.	0.6	64
138	Protective Immunity and Defects in the Neonatal and Elderly Immune Response to Sepsis. <i>Journal of Immunology</i> , 2014, 192, 3156-3165.	0.4	64
139	Myeloid-derived suppressor cell function and epigenetic expression evolves over time after surgical sepsis. <i>Critical Care</i> , 2019, 23, 355.	2.5	64
140	Leukocyte endogenous mediator alters protein dynamics in rats. <i>Metabolism: Clinical and Experimental</i> , 1983, 32, 654-660.	1.5	63
141	ANTICYTOKINE THERAPIES FOR ACUTE INFLAMMATION AND THE SYSTEMIC INFLAMMATORY RESPONSE SYNDROME: IL-10 AND ISCHEMIA/REPERFUSION INJURY AS A NEW PARADIGM. <i>Shock</i> , 2000, 13, 425-434.	1.0	63
142	Stored Packed Red Blood Cell Transfusion Up-regulates Inflammatory Gene Expression in Circulating Leukocytes. <i>Annals of Surgery</i> , 2007, 246, 129-134.	2.1	63
143	Analysis of factorial time-course microarrays with application to a clinical study of burn injury. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 9923-9928.	3.3	62
144	DAMPs, PAMPs, and the Origins of SIRS in Bacterial Sepsis. <i>Shock</i> , 2013, 39, 113-114.	1.0	62

#	ARTICLE	IF	CITATIONS
145	Attenuation of skeletal muscle ischemia/reperfusion injury by inhibition of tumor necrosis factor. <i>Journal of Vascular Surgery</i> , 1999, 29, 370-376.	0.6	61
146	Genomic and Proteomic Determinants of Outcome in Patients Undergoing Thoracoabdominal Aortic Aneurysm Repair. <i>Journal of Immunology</i> , 2004, 172, 7103-7109.	0.4	61
147	Cytokine Profile After Lung Transplantation: Correlation With Allograft Injury. <i>Annals of Thoracic Surgery</i> , 2006, 81, 1844-1850.	0.7	61
148	A Detailed Characterization of the Dysfunctional Immunity and Abnormal Myelopoiesis Induced by Severe Shock and Trauma in the Aged. <i>Journal of Immunology</i> , 2015, 195, 2396-2407.	0.4	61
149	Minimum quality threshold in pre-clinical sepsis studies (MQTiPSS): an international expert consensus initiative for improvement of animal modeling in sepsis. <i>Intensive Care Medicine Experimental</i> , 2018, 6, 26.	0.9	61
150	Visceral Ischemia and Organ Dysfunction After Thoracoabdominal Aortic Aneurysm Repair. <i>Annals of Surgery</i> , 1996, 223, 729-736.	2.1	61
151	Inhibition of tumor necrosis factor-alpha attenuates wound breaking strength in rats. <i>Wound Repair and Regeneration</i> , 2000, 8, 547-553.	1.5	60
152	Effects of megestrol acetate on weight gain, body composition, and pulmonary function in patients with cystic fibrosis. <i>Journal of Pediatrics</i> , 2002, 140, 439-444.	0.9	60
153	Current Epidemiology of Surgical Sepsis. <i>Annals of Surgery</i> , 2019, 270, 502-510.	2.1	60
154	Caspase-3-Dependent Organ Apoptosis Early After Burn Injury. <i>Annals of Surgery</i> , 1999, 229, 851.	2.1	60
155	Inhibition of NF-Kappa B augments sensitivity to 5-Fluorouracil/Folinic acid in colon cancer1. <i>Journal of Surgical Research</i> , 2004, 120, 178-188.	0.8	59
156	Large-Scale Multiplexed Quantitative Discovery Proteomics Enabled by the Use of an 18O-Labeled "Universal" Reference Sample. <i>Journal of Proteome Research</i> , 2009, 8, 290-299.	1.8	59
157	Principles of wound healing. , 2011, , 423-450.		59
158	Novel Role for Tumor-Induced Expansion of Myeloid-Derived Cells in Cancer Cachexia. <i>Journal of Immunology</i> , 2014, 192, 6111-6119.	0.4	57
159	Part I: Minimum Quality Threshold in Preclinical Sepsis Studies (MQTiPSS) for Study Design and Humane Modeling Endpoints. <i>Shock</i> , 2019, 51, 10-22.	1.0	57
160	Evidence that brief stress may induce the acute phase response in rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1997, 273, R1998-R2004.	0.9	56
161	Differences in outcome between obese and nonobese patients following severe blunt trauma are not consistent with an early inflammatory genomic response. <i>Critical Care Medicine</i> , 2010, 38, 51-58.	0.4	55
162	Determination of Burn Patient Outcome by Large-Scale Quantitative Discovery Proteomics. <i>Critical Care Medicine</i> , 2013, 41, 1421-1434.	0.4	55

#	ARTICLE	IF	CITATIONS
163	Exogenously administered interleukin-10 decreases pulmonary neutrophil infiltration in a tumor necrosis factor- $\alpha$ dependent murine model of acute visceral ischemia. <i>Journal of Vascular Surgery</i> , 1997, 26, 113-118.	0.6	54
164	Apoptosis in sepsis: a new target for therapeutic exploration. <i>FASEB Journal</i> , 2001, 15, 879-892.	0.2	54
165	Plasma Proteome Response to Severe Burn Injury Revealed by <sup>18</sup> O-Labeled $\alpha$ -Universal $\alpha$ Reference-Based Quantitative Proteomics. <i>Journal of Proteome Research</i> , 2010, 9, 4779-4789.	1.8	54
166	Use of recombinant human soluble TNF receptor in anorectic tumor-bearing rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1999, 277, R850-R855.	0.9	53
167	Increased Survival in Sepsis by In Vivo Adenovirus-Induced Expression of IL-10 in Dendritic Cells. <i>Journal of Immunology</i> , 2002, 168, 3412-3418.	0.4	53
168	Pleiotropic IFN-Dependent and -Independent Effects of IRF5 on the Pathogenesis of Experimental Lupus. <i>Journal of Immunology</i> , 2012, 188, 4113-4121.	0.4	53
169	Postnatal Age Is a Critical Determinant of the Neonatal Host Response to Sepsis. <i>Molecular Medicine</i> , 2015, 21, 496-504.	1.9	53
170	Is there value in plasma cytokine measurements in patients with severe trauma and sepsis?. <i>Methods</i> , 2013, 61, 3-9.	1.9	52
171	HMGB1 as a therapeutic target for sepsis: it's all in the timing!. <i>Expert Opinion on Therapeutic Targets</i> , 2014, 18, 243-245.	1.5	52
172	Exogenous Human Recombinant Interleukin-10 Attenuates Hindlimb Ischemia- $\alpha$ Reperfusion Injury. <i>Journal of Surgical Research</i> , 1997, 69, 425-428.	0.8	51
173	Pro- and antiinflammatory cytokine production after radiofrequency ablation of unresectable hepatic tumors. <i>Journal of the American College of Surgeons</i> , 2002, 195, 774-781.	0.2	50
174	Roles of Vaccinia Virus Genes E3L and K3L and Host Genes PKR and RNase L during Intratracheal Infection of C57BL/6 Mice. <i>Journal of Virology</i> , 2011, 85, 550-567.	1.5	49
175	Acute kidney injury is associated with early cytokine changes after trauma. <i>Journal of Trauma and Acute Care Surgery</i> , 2013, 74, 1005-1013.	1.1	49
176	Dysregulated myelopoiesis and hematopoietic function following acute physiologic insult. <i>Current Opinion in Hematology</i> , 2018, 25, 37-43.	1.2	49
177	VISCERAL ISCHEMIA-REPERFUSION INJURY PROMOTES TUMOR NECROSIS FACTOR (TNF) AND INTERLEUKIN-1 (IL-1) DEPENDENT ORGAN INJURY IN THE MOUSE. <i>Shock</i> , 1996, 6, 171-176.	1.0	49
178	Products of Cyclooxygenase-2 Catalysis Regulate Postoperative Bowel Motility. <i>Journal of Surgical Research</i> , 1999, 86, 50-54.	0.8	48
179	Tumor necrosis factor- $\alpha$ and interleukin- $1\beta$ production in cachectic, tumor-bearing mice. <i>International Journal of Cancer</i> , 1990, 46, 889-896.	2.3	47
180	Glucocorticoid and Fas Ligand Induced Mucosal Lymphocyte Apoptosis after Burn Injury. <i>Journal of Trauma</i> , 2000, 49, 710-716.	2.3	47

#	ARTICLE	IF	CITATIONS
181	Cecal Ligation and Puncture. <i>Current Protocols in Immunology</i> , 2010, 91, Unit 19.13.	3.6	47
182	β-Blockade use for Traumatic Injuries and Immunomodulation. <i>Shock</i> , 2016, 46, 341-351.	1.0	46
183	ROLE OF ENDOGENOUS INTERLEUKIN-10 IN LOCAL AND DISTANT ORGAN INJURY AFTER VISCERAL ISCHEMIA-REPERFUSION. <i>Shock</i> , 2003, 20, 35-40.	1.0	45
184	Aged Mice Are Unable To Mount an Effective Myeloid Response to Sepsis. <i>Journal of Immunology</i> , 2014, 192, 612-622.	0.4	45
185	Pathogenesis of Diffuse Alveolar Hemorrhage in Murine Lupus. <i>Arthritis and Rheumatology</i> , 2017, 69, 1280-1293.	2.9	45
186	Differential toll-like receptor expression after ex vivo lipopolysaccharide exposure in patients with sepsis and following surgical stress. <i>Clinical Immunology</i> , 2006, 119, 180-187.	1.4	44
187	The impact of age on the innate immune response and outcomes after severe sepsis/septic shock in trauma and surgical intensive care unit patients. <i>Journal of Trauma and Acute Care Surgery</i> , 2018, 85, 247-255.	1.1	44
188	Human leukocyte antigen expression in sepsis: What have we learned?*. <i>Critical Care Medicine</i> , 2005, 33, 236.	0.4	43
189	Interleukin-6 and STAT3 protect the liver from hepatic ischemia and reperfusion injury during ischemic preconditioning. <i>Surgery</i> , 2006, 140, 793-802.	1.0	43
190	A Better Understanding of Why Murine Models of Trauma Do Not Recapitulate the Human Syndrome*. <i>Critical Care Medicine</i> , 2014, 42, 1406-1413.	0.4	41
191	Neutrophil chemotaxis and transcriptomics in term and preterm neonates. <i>Translational Research</i> , 2017, 190, 4-15.	2.2	41
192	Premise for Standardized Sepsis Models. <i>Shock</i> , 2019, 51, 4-9.	1.0	41
193	Nitric Oxide Contributes to Adriamycin's Antitumor Effect. <i>Journal of Surgical Research</i> , 1997, 69, 283-287.	0.8	40
194	Adenoviral Delivery of Human and Viral IL-10 in Murine Sepsis. <i>Journal of Immunology</i> , 2001, 167, 1053-1059.	0.4	40
195	Critical Role for CXC Ligand 10/CXC Receptor 3 Signaling in the Murine Neonatal Response to Sepsis. <i>Infection and Immunity</i> , 2011, 79, 2746-2754.	1.0	40
196	Unique transcriptomic response to sepsis is observed among patients of different age groups. <i>PLoS ONE</i> , 2017, 12, e0184159.	1.1	40
197	HDL inflammatory index correlates with and predicts severity of organ failure in patients with sepsis and septic shock. <i>PLoS ONE</i> , 2018, 13, e0203813.	1.1	40
198	Myeloid-derived suppressor cells in sepsis: friend or foe?. <i>Intensive Care Medicine</i> , 2012, 38, 928-930.	3.9	39

#	ARTICLE	IF	CITATIONS
199	Host Responses to Sepsis Vary in Different Low-Lethality Murine Models. <i>PLoS ONE</i> , 2014, 9, e94404.	1.1	39
200	CD64 surface expression on neutrophils is transiently upregulated in patients with septic shock. <i>Intensive Care Medicine</i> , 2001, 27, 1848-1852.	3.9	38
201	GENOME-WIDE MONOCYTIC mRNA EXPRESSION IN POLYTRAUMA PATIENTS FOR IDENTIFICATION OF CLINICAL OUTCOME. <i>Shock</i> , 2005, 24, 11-19.	1.0	38
202	The impact of sarcopenia and acute muscle mass loss on long-term outcomes in critically ill patients with intra-abdominal sepsis. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021, 12, 1203-1213.	2.9	38
203	Interleukin-1 TNF $\alpha$ and Their Naturally Occurring Antagonists in Sepsis. <i>Blood Purification</i> , 1993, 11, 128-133.	0.9	37
204	Anti-Endotoxin Therapy in Primate Bacteremia with HA-1A and BPI. <i>Annals of Surgery</i> , 1994, 220, 77-85.	2.1	37
205	INCREASED LYMPHOID TISSUE APOPTOSIS IN BABOONS WITH BACTEREMIC SHOCK. <i>Shock</i> , 2004, 21, 566-571.	1.0	37
206	Anti-cytokine and anti-inflammatory therapies for the treatment of severe sepsis: progress and pitfalls. <i>Proceedings of the Nutrition Society</i> , 2004, 63, 437-441.	0.4	37
207	The inflammatory milieu within the pancreatic cancer microenvironment correlates with clinicopathologic parameters, chemoresistance and survival. <i>BMC Cancer</i> , 2015, 15, 783.	1.1	37
208	Hypocaloric Lipid Emulsions and Amino Acid Metabolism in Injured Rats. <i>Journal of Parenteral and Enteral Nutrition</i> , 1984, 8, 361-366.	1.3	36
209	Appearance of hybridoma growth factor/interleukin-6 in the serum of mice bearing a methylcholanthrene-induced sarcoma. <i>Biochemical and Biophysical Research Communications</i> , 1988, 157, 575-579.	1.0	36
210	A critical role of CpG motifs in a murine peritonitis model by their binding to highly expressed toll-like receptor-9 on liver NKT cells. <i>Journal of Hepatology</i> , 2006, 45, 836-843.	1.8	36
211	A dynamic network of transcription in LPS-treated human subjects. <i>BMC Systems Biology</i> , 2009, 3, 78.	3.0	36
212	Older Sepsis Survivors Suffer Persistent Disability Burden and Poor Long-Term Survival. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 1962-1969.	1.3	36
213	Temporal patterns of gene expression in murine cutaneous burn wound healing. <i>Physiological Genomics</i> , 2004, 16, 341-348.	1.0	36
214	Dysregulated Immunity and Immunotherapy after Sepsis. <i>Journal of Clinical Medicine</i> , 2021, 10, 1742.	1.0	35
215	Hepatic tumor necrosis factors production and distant organ dysfunction in a murine model of obstructive jaundice. <i>American Journal of Surgery</i> , 1996, 171, 202-206.	0.9	34
216	Improved emergency myelopoiesis and survival in neonatal sepsis by caspase-1/11 ablation. <i>Immunology</i> , 2015, 145, 300-311.	2.0	34

#	ARTICLE	IF	CITATIONS
217	Pharmacokinetics, immunogenicity, and efficacy of dimeric TNFR binding proteins in healthy and bacteremic baboon. <i>Journal of Applied Physiology</i> , 1998, 84, 1119-1130.	1.2	33
218	A Role for Tumor Necrosis Factor- $\hat{\pm}$ in the Increased Mortality Associated with <i>Vibrio Vulnificus</i> Infection in the Presence of Hepatic Dysfunction. <i>Annals of Surgery</i> , 1996, 223, 428-433.	2.1	33
219	HYPOTHERMIA INDUCES INTERLEUKIN-10 AND ATTENUATES INJURY IN THE LUNGS OF ENDOTOXEMIC RATS. <i>Shock</i> , 2003, 20, 41-45.	1.0	32
220	The Postinjury Inflammatory State and the Bone Marrow Response to Anemia. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018, 198, 629-638.	2.5	32
221	Lipid and Lipoprotein Dysregulation in Sepsis: Clinical and Mechanistic Insights into Chronic Critical Illness. <i>Journal of Clinical Medicine</i> , 2021, 10, 1693.	1.0	32
222	Single-Cell RNA-seq of Human Myeloid-Derived Suppressor Cells in Late Sepsis Reveals Multiple Subsets With Unique Transcriptional Responses: A Pilot Study. <i>Shock</i> , 2021, 55, 587-595.	1.0	32
223	Interleukin 1 binding to its type I, but not type II receptor, modulates the in vivo acute phase response. <i>Cytokine</i> , 1995, 7, 510-516.	1.4	31
224	Reduced Susceptibility of Nonobese Diabetic Mice to TNF- $\hat{\pm}$ and $\alpha$ -Galactosamine-Mediated Hepatocellular Apoptosis and Lethality. <i>Journal of Immunology</i> , 2000, 165, 6559-6567.	0.4	31
225	Functional Genomics and Gene Expression Profiling in Sepsis: Beyond Class Prediction. <i>Clinical Infectious Diseases</i> , 2005, 41, S427-S435.	2.9	31
226	Soluble human p55 and p75 tumor necrosis factor receptors reverse spontaneous arthritis in transgenic mice expressing transmembrane tumor necrosis factor $\hat{\pm}$ . <i>Arthritis and Rheumatism</i> , 2006, 54, 2872-2885.	6.7	31
227	The Potential Influence of Common Viral Infections Diagnosed during Hospitalization among Critically Ill Patients in the United States. <i>PLoS ONE</i> , 2011, 6, e18890.	1.1	31
228	Comparison of Peripheral Blood Leukocyte Kinetics After Live <i>Escherichia coli</i> , Endotoxin, or Interleukin-1 $\hat{\pm}$ Administration Studies Using a Novel Interleukin-1 Receptor Antagonist. <i>Annals of Surgery</i> , 1993, 218, 79-90.	2.1	30
229	Histological chorioamnionitis shapes the neonatal transcriptomic immune response. <i>Early Human Development</i> , 2016, 98, 1-6.	0.8	30
230	Persistently Elevated Glucagon-Like Peptide-1 Levels among Critically Ill Surgical Patients after Sepsis and Development of Chronic Critical Illness and Dismal Long-Term Outcomes. <i>Journal of the American College of Surgeons</i> , 2019, 229, 58-67e1.	0.2	30
231	Discordant tumor necrosis factor- $\hat{\pm}$ superfamily gene expression in bacterial peritonitis and endotoxemic shock. <i>Surgery</i> , 1999, 126, 349-357.	1.0	29
232	Modulation of the acute phase response by altered expression of the IL-1 type 1 receptor or IL-1ra. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2000, 278, R824-R830.	0.9	29
233	PEAKS OF ENDOGENOUS G-CSF SERUM CONCENTRATIONS ARE FOLLOWED BY AN INCREASE IN RESPIRATORY BURST ACTIVITY OF GRANULOCYTES IN PATIENTS WITH SEPTIC SHOCK. <i>Cytokine</i> , 2002, 17, 275-284.	1.4	29
234	Obese Patients Show a Depressed Cytokine Profile Following Severe Blunt Injury. <i>Shock</i> , 2012, 37, 253-256.	1.0	29

#	ARTICLE	IF	CITATIONS
235	Age and Sex Influence the Hippocampal Response and Recovery Following Sepsis. <i>Molecular Neurobiology</i> , 2019, 56, 8557-8572.	1.9	29
236	Phenotypic heterogeneity by site of infection in surgical sepsis: a prospective longitudinal study. <i>Critical Care</i> , 2020, 24, 203.	2.5	29
237	A road map from single-cell transcriptome to patient classification for the immune response to trauma. <i>JCI Insight</i> , 2021, 6, .	2.3	29
238	Abnormal phenylalanine hydroxylation and tyrosine oxidation in a patient with acute fulminant liver disease with correction by liver transplantation. <i>Gastroenterology</i> , 1985, 89, 659-663.	0.6	28
239	The role of bactericidal/permeability-increasing protein in the treatment of primate bacteremia and septic shock. <i>Journal of Clinical Immunology</i> , 1994, 14, 120-133.	2.0	28
240	Analysis of Gene Expression Patterns in Human Postburn Hypertrophic Scars. <i>Journal of Burn Care and Research</i> , 2003, 24, 371-377.	1.7	28
241	Minimum Quality Threshold in Pre-Clinical Sepsis Studies (MQTiPSS): an international expert consensus initiative for improvement of animal modeling in sepsis. <i>Infection</i> , 2018, 46, 687-691.	2.3	28
242	Alterations in Tyrosine and Protein Kinetics Produced by Injury and Branched Chain Amino Acid Administration in Rats. <i>Clinical Science</i> , 1983, 64, 321-331.	1.8	27
243	Colon Cancer Cells That Are Not Growth Inhibited by TGF- $\beta$ 2 Lack Functional Type I and Type II TGF- $\beta$ 2 Receptors. <i>Annals of Surgery</i> , 1995, 221, 767-777.	2.1	27
244	Considering immunomodulatory therapies in the septic patient: should apoptosis be a potential therapeutic target?. <i>Immunology Letters</i> , 2001, 75, 221-224.	1.1	27
245	Traditional Resuscitative Practices Fail to Resolve Metabolic Acidosis in Morbidly Obese Patients After Severe Blunt Trauma. <i>Journal of Trauma</i> , 2010, 68, 317-330.	2.3	27
246	Sex-based differences in the genomic response, innate immunity, organ dysfunction, and clinical outcomes after severe blunt traumatic injury and hemorrhagic shock. <i>Journal of Trauma and Acute Care Surgery</i> , 2016, 81, 478-485.	1.1	27
247	Old Mice Demonstrate Organ Dysfunction as well as Prolonged Inflammation, Immunosuppression, and Weight Loss in a Modified Surgical Sepsis Model*. <i>Critical Care Medicine</i> , 2019, 47, e919-e929.	0.4	27
248	Granulocyte Colony-Stimulating Factor to Prevent the Progression of Systemic Nonresponsiveness in Systemic Inflammatory Response Syndrome and Sepsis. <i>Blood</i> , 1999, 93, 425-439.	0.6	27
249	Neither Fas Ligand nor Endotoxin Is Responsible for Inducible Peritoneal Phagocyte Apoptosis during Sepsis/Peritonitis. <i>Journal of Surgical Research</i> , 2000, 91, 147-153.	0.8	26
250	Microfluidic Leukocyte Isolation for Gene Expression Analysis in Critically Ill Hospitalized Patients. <i>Clinical Chemistry</i> , 2008, 54, 891-900.	1.5	26
251	Prospective Validation of a Transcriptomic Metric in Severe Trauma. <i>Annals of Surgery</i> , 2020, 271, 802-810.	2.1	26
252	Selective Activation of Peripheral Blood T Cell Subsets by Endotoxin Infusion in Healthy Human Subjects Corresponds to Differential Chemokine Activation. <i>Journal of Immunology</i> , 2005, 175, 6155-6162.	0.4	25

#	ARTICLE	IF	CITATIONS
253	Downstream mediators of the intratumoral interferon response suppress antitumor immunity, induce gemcitabine resistance and associate with poor survival in human pancreatic cancer. <i>Cancer Immunology, Immunotherapy</i> , 2015, 64, 1553-1563.	2.0	25
254	Impact of Early-Life Exposures to Infections, Antibiotics, and Vaccines on Perinatal and Long-term Health and Disease. <i>Frontiers in Immunology</i> , 2017, 8, 729.	2.2	25
255	TRIF-Dependent Innate Immune Activation Is Critical for Survival to Neonatal Gram-Negative Sepsis. <i>Journal of Immunology</i> , 2015, 194, 1169-1177.	0.4	24
256	Human Pancreatic Cancer Cells Induce a MyD88-Dependent Stromal Response to Promote a Tumor-Tolerant Immune Microenvironment. <i>Cancer Research</i> , 2017, 77, 672-683.	0.4	24
257	HDL Cholesterol Efflux is Impaired in Older Patients with Early Sepsis: A Subanalysis of a Prospective Pilot Study. <i>Shock</i> , 2018, 50, 66-70.	1.0	24
258	Transient Human Gene Therapy. <i>Annals of Surgery</i> , 1998, 227, 812-820.	2.1	24
259	Complications associated with the overfeeding of infected animals. <i>Journal of Surgical Research</i> , 1986, 40, 152-158.	0.8	23
260	Local thymic caspase-9 inhibition improves survival during polymicrobial sepsis in mice. <i>Journal of Molecular Medicine</i> , 2006, 84, 389-395.	1.7	23
261	Microfluidics-based capture of human neutrophils for expression analysis in blood and bronchoalveolar lavage. <i>Laboratory Investigation</i> , 2011, 91, 1787-1795.	1.7	23
262	Cell-free nuclear, but not mitochondrial, DNA concentrations correlate with the early host inflammatory response after severe trauma. <i>Scientific Reports</i> , 2019, 9, 13648.	1.6	23
263	Transfection of the Type II TGF- $\beta$ Receptor Into Colon Cancer Cells Increases Receptor Expression, Inhibits Cell Growth, and Reduces the Malignant Phenotype. <i>Annals of Surgery</i> , 1998, 227, 781-789.	2.1	23
264	Impact of exogenous growth hormone on host preservation and tumor cell-cycle distribution in a rat sarcoma model. <i>Journal of Surgical Research</i> , 1991, 51, 99-105.	0.8	22
265	Maturation of murine bone marrow-derived dendritic cells with poly(I:C) produces altered TLR-9 expression and response to CpG DNA. <i>Immunology Letters</i> , 2006, 107, 155-162.	1.1	22
266	Monocyte Chemoattractant Protein-1/CCR2 Axis Promotes Vein Graft Neointimal Hyperplasia Through Its Signaling in Graft-Extrinsic Cell Populations. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 2418-2426.	1.1	22
267	Starvation leads to decreased levels of mRNA for myofibrillar proteins. <i>Journal of Surgical Research</i> , 1989, 46, 457-461.	0.8	21
268	Pretranslational regulation of albumin synthesis in tumor-bearing mice. <i>Gastroenterology</i> , 1991, 100, 938-945.	0.6	21
269	Maintenance of Anti-Sm/RNP Autoantibody Production by Plasma Cells Residing in Ectopic Lymphoid Tissue and Bone Marrow Memory B Cells. <i>Journal of Immunology</i> , 2013, 190, 3916-3927.	0.4	21
270	Biomarker Evidence of the Persistent Inflammation, Immunosuppression and Catabolism Syndrome (PICS) in Chronic Critical Illness (CCI) After Surgical Sepsis. <i>Annals of Surgery</i> , 2021, 274, 664-673.	2.1	21

#	ARTICLE	IF	CITATIONS
271	Protein Dynamics during Refeeding of Protein-Depleted Rats: Effects of Increasing Amino Acid Intake by TPN or Enteral Continuous Feeding. <i>Journal of Nutrition</i> , 1984, 114, 75-88.	1.3	20
272	The effects of high intensity exercise on muscle and plasma levels of alpha-ketoisocaproic acid. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1986, 55, 482-485.	1.2	20
273	Effect of prostaglandin E in multiple experimental models. IV. Effect on resistance to endotoxin and tumor necrosis factor shock. <i>Journal of Surgical Research</i> , 1990, 49, 328-332.	0.8	20
274	The Role of the Adrenals in the Acute Phase Response to Interleukin-1 and Tumor Necrosis Factor- $\alpha$ . <i>Journal of Surgical Research</i> , 1993, 54, 70-78.	0.8	20
275	Bioglass Attenuates a Proinflammatory Response in Mouse Peritoneal Endotoxicosis. <i>Shock</i> , 2002, 17, 135-138.	1.0	20
276	Differential maturation of murine bone-marrow derived dendritic cells with lipopolysaccharide and tumor necrosis factor- $\alpha$ . <i>Journal of Endotoxin Research</i> , 2005, 11, 145-160.	2.5	20
277	Delayed emergency myelopoiesis following polymicrobial sepsis in neonates. <i>Innate Immunity</i> , 2015, 21, 386-391.	1.1	20
278	Integrating "big data" into surgical practice. <i>Surgery</i> , 2016, 159, 371-374.	1.0	20
279	Exploring the Predictive Ability of Dysfunctional High-Density Lipoprotein for Adverse Outcomes in Emergency Department Patients with Sepsis: A Preliminary Investigation. <i>Shock</i> , 2017, 48, 539-544.	1.0	20
280	Persistent inflammation and anemia among critically ill septic patients. <i>Journal of Trauma and Acute Care Surgery</i> , 2019, 86, 260-267.	1.1	20
281	A Whole Blood Enzyme-Linked Immunospot Assay for Functional Immune Endotyping of Septic Patients. <i>Journal of Immunology</i> , 2021, 206, 23-36.	0.4	20
282	Severe Acute Respiratory Syndrome "Associated Coronavirus 2 Infection and Organ Dysfunction in the ICU: Opportunities for Translational Research. , 2021, 3, e0374.		20
283	Organ apoptosis in the septic patient. <i>Critical Care Medicine</i> , 1999, 27, 1381-1382.	0.4	20
284	VISCERAL ISCHEMIA-REPERFUSION INJURY PROMOTES TUMOR NECROSIS FACTOR (TNF) AND INTERLEUKIN-1 (IL-1) DEPENDENT ORGAN INJURY IN THE MOUSE. <i>Shock</i> , 1996, 6, 171-176.	1.0	19
285	LPS Stimulation of Cord Blood Reveals a Newborn-Specific Neutrophil Transcriptomic Response and Cytokine Production. <i>Shock</i> , 2017, 47, 606-614.	1.0	19
286	Effect of leukocyte endogenous mediator(s) on insulin and substrate profiles in the fasted rat. <i>Journal of Surgical Research</i> , 1982, 33, 151-157.	0.8	18
287	INTERLEUKIN 6, BUT NOT CILIARY NEUROTROPHIC FACTOR OR LEUKAEMIA INHIBITORY FACTOR, IS RESPONSIBLE FOR THE ACUTE PHASE RESPONSE TO TURPENTINE-INDUCED MYOSITIS. <i>Cytokine</i> , 1998, 10, 452-456.	1.4	18
288	In vivo adjuvant activity of the RNA component of the Sm/RNP lupus autoantigen. <i>Arthritis and Rheumatism</i> , 2007, 56, 3379-3386.	6.7	18

#	ARTICLE	IF	CITATIONS
289	Myeloid-Derived Suppressor Cells in Cancer Cachexia Syndrome: A New Explanation for an Old Problem. <i>Journal of Parenteral and Enteral Nutrition</i> , 2008, 32, 651-655.	1.3	18
290	Cancer-induced Expansion and Activation of CD11b+Gr-1+ Cells Predispose Mice to Adenoviral-triggered Anaphylactoid-type Reactions. <i>Molecular Therapy</i> , 2009, 17, 508-515.	3.7	18
291	Mopeds and Scooters: Crash Outcomes in a High Traffic State. <i>Journal of Trauma</i> , 2011, 71, 217-222.	2.3	18
292	LIPid Intensive Drug therapy for Sepsis Pilot (LIPIDS-P): Phase I/II clinical trial protocol of lipid emulsion therapy for stabilising cholesterol levels in sepsis and septic shock. <i>BMJ Open</i> , 2019, 9, e029348.	0.8	18
293	Immunological Endotyping of Chronic Critical Illness After Severe Sepsis. <i>Frontiers in Medicine</i> , 2020, 7, 616694.	1.2	18
294	Overlapping but Disparate Inflammatory and Immunosuppressive Responses to SARS-CoV-2 and Bacterial Sepsis: An Immunological Time Course Analysis. <i>Frontiers in Immunology</i> , 2021, 12, 792448.	2.2	18
295	APPLICATION OF GENE THERAPY TO ACUTE INFLAMMATORY DISEASES. <i>Shock</i> , 1999, 12, 83-101.	1.0	17
296	Prognostic value of NT-proBNP levels in the acute phase of sepsis on lower long-term physical function and muscle strength in sepsis survivors. <i>Critical Care</i> , 2019, 23, 230.	2.5	17
297	Abdominal sepsis patients have a high incidence of chronic critical illness with dismal long-term outcomes. <i>American Journal of Surgery</i> , 2020, 220, 1467-1474.	0.9	17
298	Older Adults Demonstrate Biomarker Evidence of the Persistent Inflammation, Immunosuppression, and Catabolism Syndrome (PICS) After Sepsis. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 188-196.	1.7	17
299	A Novel Single Cell RNA-seq Analysis of Non-Myeloid Circulating Cells in Late Sepsis. <i>Frontiers in Immunology</i> , 2021, 12, 696536.	2.2	17
300	A hypolipoprotein sepsis phenotype indicates reduced lipoprotein antioxidant capacity, increased endothelial dysfunction and organ failure, and worse clinical outcomes. <i>Critical Care</i> , 2021, 25, 341.	2.5	17
301	A Transcriptomic Severity Metric That Predicts Clinical Outcomes in Critically Ill Surgical Sepsis Patients. , 2021, 3, e0554.		17
302	Increased degradation of albumin in cancer is not due to conformational or chemical modifications in the albumin molecule. <i>Journal of Surgical Research</i> , 1990, 49, 23-29.	0.8	16
303	Development of a novel, nonimmunogenic, soluble human TNF receptor type I (sTNFR-I) construct in the baboon. <i>Journal of Applied Physiology</i> , 2001, 91, 2213-2223.	1.2	16
304	Immediate postoperative inflammatory response predicts long-term outcome in lung-transplant recipients. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2012, 15, 603-607.	0.5	16
305	Patterns of gene expression among murine models of hemorrhagic shock/trauma and sepsis. <i>Physiological Genomics</i> , 2016, 48, 135-144.	1.0	16
306	Plasma Amino Acid Concentrations during Branched-chain Amino Acid Infusions In Stressed Patients. <i>Journal of Trauma</i> , 1982, 22, 747-752.	2.3	15

#	ARTICLE	IF	CITATIONS
307	Short-term administration of parenteral glucose-lipid mixtures improves protein kinetics in portacaval shunted rats. <i>Gastroenterology</i> , 1986, 91, 305-312.	0.6	15
308	Cachectin/tumor necrosis factor production by fetal and newborn rat hepatic macrophages. <i>Journal of Pediatric Surgery</i> , 1989, 24, 34-38.	0.8	15
309	Synthesis of a novel family of diterpenes and their evaluation as anti-inflammatory agents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 3217-3221.	1.0	15
310	Clinical Trajectories of Acute Kidney Injury in Surgical Sepsis. <i>Annals of Surgery</i> , 2022, 275, 1184-1193.	2.1	15
311	Antineoplastic therapy in colorectal cancer through proteasome inhibition. <i>American Surgeon</i> , 2003, 69, 15-23.	0.4	15
312	Factors Determining the Preservation of Protein Status during Dietary Protein Deprivation. <i>Journal of Nutrition</i> , 1981, 111, 1287-1296.	1.3	14
313	Evaluation of the Protein Quality of Diets Containing Medium- and Long-Chain Triglyceride in Healthy Rats. <i>Journal of Nutrition</i> , 1986, 116, 343-349.	1.3	14
314	Short-term effects of an intravenous infusion of a nutrient solution containing amino acids, glucose and insulin on leucine turnover and amino acid metabolism in patients with liver failure. <i>Journal of Hepatology</i> , 1988, 6, 101-108.	1.8	14
315	Thermogenesis secondary to transdermal water loss causes growth retardation in essential fatty acid-deficient rats. <i>Metabolism: Clinical and Experimental</i> , 1993, 42, 1022-1026.	1.5	14
316	Interleukin-10 Fails to Modulate Low Shear Stress-Induced Neointimal Hyperplasia. <i>Journal of Surgical Research</i> , 2002, 102, 110-118.	0.8	14
317	Delayed neutralization of interferon- $\gamma$ prevents lethality in primate Gram-negative bacteremic shock. <i>Critical Care Medicine</i> , 2005, 33, 797-805.	0.4	14
318	Interleukin-7 Reverses Lymphopenia and Improves T-Cell Function in Coronavirus Disease 2019 Patient With Inborn Error of Toll-Like Receptor 3: A Case Report. , 2021, 3, e0500.		14
319	Distinct immunologic endotypes are associated with clinical trajectory after severe blunt trauma and hemorrhagic shock. <i>Journal of Trauma and Acute Care Surgery</i> , 2021, 90, 257-267.	1.1	14
320	Interleukin-10: A complex role in the pathogenesis of sepsis syndromes and its potential as an anti-inflammatory drug. <i>Critical Care Medicine</i> , 2002, 30, S58-S63.	0.4	14
321	Functional modification of dendritic cells with recombinant adenovirus encoding interleukin 10 for the treatment of sepsis. <i>Shock</i> , 2005, 23, 507-15.	1.0	14
322	Aberrant signaling in the TNF $\alpha$ /TNF receptor 1 pathway of the NZM2410 lupus-prone mouse. <i>Clinical Immunology</i> , 2004, 110, 124-133.	1.4	13
323	Magic bullets and surrogate biomarkers circa 2009*. <i>Critical Care Medicine</i> , 2009, 37, 1796-1798.	0.4	13
324	Identification and Interpretation of Longitudinal Gene Expression Changes in Trauma. <i>PLoS ONE</i> , 2010, 5, e14380.	1.1	13

#	ARTICLE	IF	CITATIONS
325	Systemic inflammation as a predictor of clinical outcomes after lower extremity angioplasty/stenting. <i>Journal of Vascular Surgery</i> , 2016, 64, 766-778.e5.	0.6	13
326	Mouse Injury Model of Polytrauma and Shock. <i>Methods in Molecular Biology</i> , 2018, 1717, 1-15.	0.4	13
327	Adenoviral gene transfer of an NF- $\kappa$ B super-repressor increases collagen deposition in rodent cutaneous wound healing. <i>Surgery</i> , 2005, 138, 940-946.	1.0	12
328	A New Family of Synthetic Diterpenes that Regulates Cytokine Synthesis by Inhibiting I $\kappa$ B $\beta$ Phosphorylation. <i>ChemBioChem</i> , 2005, 6, 133-144.	1.3	12
329	Early Blood Biomarkers Predict Organ Injury and Resource Utilization Following Complex Cardiac Surgery. <i>Journal of Surgical Research</i> , 2011, 168, 168-172.	0.8	12
330	The role of NIGMS P50 sponsored team science in our understanding of multiple organ failure. <i>Journal of Trauma and Acute Care Surgery</i> , 2017, 83, 520-531.	1.1	12
331	Sepsis is associated with reduced spontaneous neutrophil migration velocity in human adults. <i>PLoS ONE</i> , 2018, 13, e0205327.	1.1	12
332	Impact of toll-like receptor 4 stimulation on human neonatal neutrophil spontaneous migration, transcriptomics, and cytokine production. <i>Journal of Molecular Medicine</i> , 2018, 96, 673-684.	1.7	12
333	Septic Stability? Gut Microbiota in Young Adult Mice Maintains Overall Stability After Sepsis Compared to Old Adult Mice. <i>Shock</i> , 2021, 55, 519-525.	1.0	12
334	Hepatocellular membrane function during chronic burn injury. <i>Journal of Surgical Research</i> , 1989, 46, 311-316.	0.8	11
335	A protein sparing model in the rat during hypocaloric feeding: Factors determining preservation of visceral protein function. <i>Journal of Surgical Research</i> , 1978, 25, 424-432.	0.8	10
336	Amino Acid and Protein Metabolism in Hospitalized Patients as Measured by l-[U-14C]Tyrosine and l-[1-14C]Leucine. <i>Clinical Science</i> , 1983, 65, 499-505.	1.8	10
337	LAPAROTOMY PREVENTS LETHAL ENDOTOXEMIA IN A MURINE SEQUENTIAL INSULT MODEL BY AN IL-10-DEPENDENT MECHANISM. <i>Shock</i> , 2000, 14, 157-162.	1.0	10
338	Major Hepatectomy Induces Phenotypic Changes in Circulating Dendritic Cells and Monocytes. <i>Journal of Clinical Immunology</i> , 2009, 29, 568-581.	2.0	10
339	Cecal Slurry Injection in Neonatal and Adult Mice. <i>Methods in Molecular Biology</i> , 2021, 2321, 27-41.	0.4	10
340	Variable Requirement of Dendritic Cells for Recruitment of NK and T Cells to Different TLR Agonists. <i>Journal of Immunology</i> , 2007, 178, 3886-3892.	0.4	9
341	Genomic and proteomic determinants of lower extremity revascularization failure: Rationale and study design. <i>Journal of Vascular Surgery</i> , 2007, 45, A82-A91.	0.6	9
342	A checkpoint on innate myeloid cells in pulmonary arterial hypertension. <i>Pulmonary Circulation</i> , 2019, 9, 1-5.	0.8	9

#	ARTICLE	IF	CITATIONS
343	Persistently increased cell-free DNA concentrations only modestly contribute to outcome and host response in sepsis survivors with chronic critical illness. <i>Surgery</i> , 2020, 167, 646-652.	1.0	9
344	Discovery and Validation of Urinary Molecular Signature of Early Sepsis. , 2020, 2, e0195.		9
345	The Effect of Aging Physiology on Critical Care. <i>Critical Care Clinics</i> , 2021, 37, 135-150.	1.0	9
346	Lipid and lipoprotein predictors of functional outcomes and long-term mortality after surgical sepsis. <i>Annals of Intensive Care</i> , 2021, 11, 82.	2.2	9
347	Influence of age and sex on microRNA response and recovery in the hippocampus following sepsis. <i>Aging</i> , 2022, 14, 728-746.	1.4	9
348	Evaluation of a Multivalent Transcriptomic Metric for Diagnosing Surgical Sepsis and Estimating Mortality Among Critically Ill Patients. <i>JAMA Network Open</i> , 2022, 5, e2221520.	2.8	9
349	Interleukin-1, interleukin-1 receptor, and interleukin-1 receptor antagonist. <i>Proceedings of the Nutrition Society</i> , 1994, 53, 393-400.	0.4	8
350	Leptin produces anorexia and weight loss without inducing an acute phase response or protein wasting. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1998, 274, R1518-R1525.	0.9	8
351	URINARY CYTOKINES FOR ASSESSING INFLAMMATION IN HIV-ASSOCIATED WASTING. <i>Cytokine</i> , 2001, 13, 305-313.	1.4	8
352	Influence of recombinant adenovirus on liver injury in endotoxemia and its modulation by IL-10 expression. <i>Journal of Endotoxin Research</i> , 2004, 10, 393-401.	2.5	8
353	Splenic transposition is superior to caudal shunt as a model of murine total hepatic ischemia. <i>Laboratory Investigation</i> , 2005, 85, 90-98.	1.7	8
354	Effect of Beta-Blockade on the Expression of Regulatory MicroRNA after Severe Trauma and Chronic Stress. <i>Journal of the American College of Surgeons</i> , 2020, 230, 121-129.	0.2	8
355	Inhibition of transforming growth factor alpha stimulation of human squamous cell carcinoma of the head and neck with anti-TGF- $\alpha$ antibodies and tyrphostin. <i>Annals of Surgical Oncology</i> , 1997, 4, 670-684.	0.7	7
356	Using innate immunity to characterize the host response to microbial invasion in severe sepsis. <i>Future Microbiology</i> , 2008, 3, 177-189.	1.0	7
357	What Is the Role for the Inflammasome in Burn Injury and Sepsis?. <i>Shock</i> , 2012, 37, 124-125.	1.0	7
358	ICU-Acquired Weakness, Chronic Critical Illness, and the Persistent Inflammation-Immunosuppression and Catabolism Syndrome. <i>Critical Care Medicine</i> , 2017, 45, e1184.	0.4	7
359	Lipid intensive drug therapy for sepsis pilot: A Bayesian phase I clinical trial. <i>Journal of the American College of Emergency Physicians Open</i> , 2020, 1, 1332-1340.	0.4	7
360	Role of cytokines in the metabolic response to stress. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 1998, 1, 187-190.	1.3	7

#	ARTICLE	IF	CITATIONS
361	Varying Blood Monocyte and Dendritic Cell Responses after Laparoscopic Versus Open Gastric Bypass Surgery. <i>Obesity Surgery</i> , 2005, 15, 1424-1431.	1.1	6
362	Interleukin-6: Still crazy after all these years*. <i>Critical Care Medicine</i> , 2006, 34, 2690-2691.	0.4	6
363	Immunotherapy: It is not just for cancer anymore. <i>Journal of Leukocyte Biology</i> , 2018, 103, 9-11.	1.5	6
364	Chronic Critical Illness in Patients With Sepsis is Associated With Persistent Anemia, Inflammation, and Impaired Functional Outcomes. <i>American Surgeon</i> , 2023, 89, 2563-2571.	0.4	6
365	Cationic liposome-mediated gene transfer during acute pancreatitis: tissue specificity, duration, and effects of acute inflammation,. <i>Journal of Gastrointestinal Surgery</i> , 1998, 2, 95-101.	0.9	5
366	Characterization in Vitro and in Vivo of Hammerhead Ribozymes Directed against Murine Tumor Necrosis Factor $\alpha$ . <i>Biochemical and Biophysical Research Communications</i> , 1999, 260, 390-397.	1.0	5
367	Gene expression patterns in peripheral blood leukocytes in patients with recurrent ciguatera fish poisoning: Preliminary studies. <i>Harmful Algae</i> , 2016, 57, 35-38.	2.2	5
368	Myeloid-Derived Suppressor Cells and Pulmonary Hypertension. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2277.	1.8	5
369	Transcriptomic responses from improved murine sepsis models can better mimic human surgical sepsis. <i>FASEB Journal</i> , 2021, 35, e21156.	0.2	5
370	Chronic Critical Illness Elicits a Unique Circulating Leukocyte Transcriptome in Sepsis Survivors. <i>Journal of Clinical Medicine</i> , 2021, 10, 3211.	1.0	5
371	Proinflammatory cytokines, nutritional support, and the cachexia syndrome. <i>Cancer</i> , 1997, 79, 1828-1839.	2.0	5
372	Aluminum Adjuvant Improves Survival Via NLRP3 Inflammasome and Myeloid Non-Granulocytic Cells in a Murine Model of Neonatal Sepsis. <i>Shock</i> , 2021, 55, 274-282.	1.0	5
373	A rationale for administering leukocyte endogenous mediator to protein malnourished, hospitalized patients. <i>Journal of Theoretical Biology</i> , 1984, 106, 119-133.	0.8	4
374	Branched chain amino acid enriched elemental diets support hepatic protein synthesis in injured rats. <i>Nutrition Research</i> , 1985, 5, 737-748.	1.3	4
375	Improvements in Host Immunity by Partially Purified Interleukin 1 in Rats with Portacaval Anastomosis and Splenectomy. <i>Journal of Parenteral and Enteral Nutrition</i> , 1986, 10, 146-150.	1.3	4
376	Modulation of Cytokine Responses in Sepsis. <i>Annals of the New York Academy of Sciences</i> , 1993, 685, 471-482.	1.8	4
377	Genetic Polymorphisms, Functional Genomics and the Host Inflammatory Response to Injury and Inflammation. , 2003, 8, 15-37.		4
378	Interleukin $\alpha$ 1 and Interleukin $\alpha$ 6 Synergize to Increase Plasma Amyloid P and C3 Concentrations in the Mouse<sup>a</sup>. <i>Annals of the New York Academy of Sciences</i> , 1989, 557, 528-531.	1.8	4

#	ARTICLE	IF	CITATIONS
379	Hyperacute Monocyte Gene Response Patterns Are Associated With Lower Extremity Vein Bypass Graft Failure. <i>Circulation Genomic and Precision Medicine</i> , 2018, 11, e001970.	1.6	4
380	Ineffective Erythropoietin Response to Anemia in Sepsis. <i>Surgical Infections</i> , 2022, 23, 142-149.	0.7	4
381	In Vitro Leukocyte Endogenous Mediator Production Is Not Impaired following Surgical Stress in Moderately Malnourished Patients. <i>Journal of Parenteral and Enteral Nutrition</i> , 1984, 8, 174-177.	1.3	3
382	Effect of DL-3-Hydroxybutyrate Infusions on Leucine and Glucose Kinetics in Burned Rats Receiving TPN. <i>Journal of Nutrition</i> , 1986, 116, 149-156.	1.3	3
383	Review: Experimental and Clinical Applications of Molecular Cell Biology in Nutrition and Metabolism. <i>Journal of Parenteral and Enteral Nutrition</i> , 1992, 16, 477-486.	1.3	3
384	The metabolic effects of pokeweed mitogen in mice. <i>Metabolism: Clinical and Experimental</i> , 1998, 47, 75-82.	1.5	3
385	Tumor necrosis factor- $\alpha$ and the development of multiple organ failure. <i>Critical Care Medicine</i> , 2000, 28, 2158.	0.4	2
386	WHAT'S NEW IN Shock, January 2006?. <i>Shock</i> , 2006, 25, 1-3.	1.0	2
387	Do Tregs link sepsis to tumor growth?. <i>Blood</i> , 2010, 115, 4324-4325.	0.6	2
388	A regionalised strategy for improving motor vehicle-related highway driver deaths using a weighted averages method. <i>Injury Prevention</i> , 2012, 18, 16-21.	1.2	2
389	What's New in Shock? February 2013. <i>Shock</i> , 2013, 39, 117-120.	1.0	2
390	Tumor Necrosis Factor as a Mediator of Sepsis. , 1993, , 3-17.		2
391	Nutrition and Immunology: Challenge for the 1990s. <i>Nutrition in Clinical Practice</i> , 1990, 5, 187-188.	1.1	1
392	What Are the Causes and Consequences of the Chronic Inflammatory State in Chronic Dialysis Patients?. <i>Seminars in Dialysis</i> , 2001, 13, 171-173.	0.7	1
393	WHAT'S NEW IN SHOCK, AUGUST 2006. <i>Shock</i> , 2006, 26, 111-114.	1.0	1
394	Opening the Window on Genome-wide Expression Analyses in Sepsis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007, 176, 631-632.	2.5	1
395	CXCR3 blockade: a novel anti-sepsis approach?. <i>Critical Care</i> , 2012, 16, 176.	2.5	1
396	What's New in Shock, September 2016?. <i>Shock</i> , 2016, 46, 227-229.	1.0	1

#	ARTICLE	IF	CITATIONS
397	What's New in Shock, January 2016?. Shock, 2016, 45, 1-3.	1.0	1
398	Sepsis Diagnostics. Critical Care Medicine, 2017, 45, 129-130.	0.4	1
399	Chronic critical illness after hypothermia in trauma patients. Trauma Surgery and Acute Care Open, 2021, 6, e000747.	0.8	1
400	Emerging Evidence of a More Complex Role for Proinflammatory and Antiinflammatory Cytokines in the Sepsis Response. , 2000, , 145-154.		1
401	Reply to "Do Not Blame the Rodent for the Failure of Developing Sepsis Therapies" Shock, 2021, 56, 152-153.	1.0	1
402	Terminal transferase in patients hospitalized for malnutrition. Nutrition Research, 1984, 4, 237-244.	1.3	0
403	Blocking interleukin-18: A tumor necrosis factor- $\alpha$ lesson already learned *. Critical Care Medicine, 2003, 31, 2241-2242.	0.4	0
404	WHAT'S NEW IN SHOCK, JUNE 2006?. Shock, 2006, 25, 555-556.	1.0	0
405	What's New in Shock, October 2014?. Shock, 2014, 42, 283-285.	1.0	0
406	The authors reply. Critical Care Medicine, 2017, 45, e740-e741.	0.4	0
407	The authors reply. Critical Care Medicine, 2019, 47, e788-e789.	0.4	0
408	What's New in Shock, February 2019?. Shock, 2019, 51, 143-146.	1.0	0
409	Identification of unique microRNA expression patterns in bone marrow hematopoietic stem and progenitor cells after hemorrhagic shock and multiple injuries in young and old adult mice. Journal of Trauma and Acute Care Surgery, 2021, 91, 692-699.	1.1	0
410	Gene Therapy Applications for the Treatment of Acute Inflammatory Conditions. , 2001, , 225-246.		0
411	Cytokine Biology. , 2001, , 933-947.		0
412	Humoral products from tumor necrosis factor- $\alpha$ -stimulated neutrophils suppress neutrophil function: Shedding new light on paracrine signaling*. Critical Care Medicine, 2002, 30, 716-717.	0.4	0
413	Activation of the Innate Immune Response in Critical Illness. , 2003, , 19-39.		0
414	Gene Therapy for the Critically Ill Mouse. Basic Science for the Cardiologist, 2004, , 363-381.	0.1	0

#	ARTICLE	IF	CITATIONS
415	dsRNA, but not other TLR agonists, induces both IL-8 and FN- $\alpha$ 2 in human intestinal epithelial cells. FASEB Journal, 2006, 20, A200.	0.2	0
416	Abstract TMP91: Pre-Sepsis P-wave Terminal Force in Lead V1 (PTFV1) as a Predictor of Atrial Fibrillation, In-Hospital Mortality, and Cognition in Sepsis Patients. Stroke, 2020, 51, .	1.0	0