

Kirti Kain

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6722920/publications.pdf>

Version: 2024-02-01

36
papers

640
citations

643344

15
h-index

651938

25
g-index

37
all docs

37
docs citations

37
times ranked

1171
citing authors

#	ARTICLE	IF	CITATIONS
1	Inter-ankle Systolic Blood Pressure Difference Is a Marker of Increased Fasting Blood-Glucose in Asian Pregnant Women. <i>Frontiers in Endocrinology</i> , 2022, 13, .	1.5	0
2	Disparity in association of obesity measures with ankle and brachial systolic blood pressures in Europeans and South Asians. <i>Scientific Reports</i> , 2022, 12, .	1.6	1
3	Differential associations of ankle and brachial blood pressures with diabetes and cardiovascular diseases: cross-sectional study. <i>Scientific Reports</i> , 2021, 11, 9406.	1.6	2
4	Investigation of large artery calcification in non-contrast computed tomography with small vessel disease, large artery atherosclerosis and stroke subtype in ischaemic stroke patients. <i>Clinical Medicine</i> , 2019, 19, 22-22.	0.8	0
5	Investigation of large artery calcification in non-contrast computed tomography with small vessel disease, large artery atherosclerosis and stroke subtype in ischaemic stroke patients. <i>Clinical Medicine</i> , 2019, 19, s22-s22.	0.8	0
6	Incidence of first stroke and ethnic differences in stroke pattern in Bradford, UK: Bradford Stroke Study. <i>International Journal of Stroke</i> , 2018, 13, 374-378.	2.9	5
7	South Asian ethnicity is associated with a lower prevalence of atrial fibrillation despite greater prevalence of established risk factors: a population-based study in Bradford Metropolitan District. <i>Europace</i> , 2017, 19, euw010.	0.7	37
8	Primary Prevention With Statins or Increased Physical Activity. <i>Journal of the American College of Cardiology</i> , 2016, 67, 1973-1974.	1.2	0
9	Blood pressure lowering for cardiovascular disease. <i>Lancet, The</i> , 2016, 388, 126.	6.3	4
10	The NHS lacks cardiovascular screening tools suitable for patients of South Asian descent. <i>BMJ, The</i> , 2015, 350, h52-h52.	3.0	2
11	Some clinical trials are driven by fashion, not science. <i>BMJ, The</i> , 2015, 350, h288-h288.	3.0	1
12	Letter by Kain Regarding Article, "Vitamin D Promotes Vascular Regeneration". <i>Circulation</i> , 2015, 131, e514.	1.6	0
13	Absolute Systolic Ankle Blood Pressure Versus Ankle-Brachial Index. <i>Annals of Internal Medicine</i> , 2014, 160, 140-141.	2.0	2
14	Ferritin levels and risk of type 2 diabetes mellitus: an updated systematic review and meta-analysis of prospective evidence. <i>Diabetes/Metabolism Research and Reviews</i> , 2013, 29, 308-318.	1.7	111
15	Ankle pressures in UK South Asians with diabetes mellitus: a case control study. <i>Heart</i> , 2013, 99, 614-619.	1.2	12
16	Getting research into practice: primary care management of noncommunicable diseases in low- and middle-income countries. <i>Bulletin of the World Health Organization</i> , 2012, 90, 402-402.	1.5	14
17	Alanine aminotransferase is associated with atherothrombotic risk factors in a British South Asian population. <i>Journal of Thrombosis and Haemostasis</i> , 2008, 6, 737-741.	1.9	16
18	Ethnic differences in cardiovascular risk factors in healthy Caucasian and South Asian individuals with the metabolic syndrome. <i>Journal of Thrombosis and Haemostasis</i> , 2007, 5, 754-760.	1.9	57

#	ARTICLE	IF	CITATIONS
19	Complement C3 and C-Reactive Protein Are Elevated in South Asians Independent of a Family History of Stroke. <i>Stroke</i> , 2006, 37, 2001-2006.	1.0	25
20	Postscripts to letter to God: Some cosmetic changes would be helpful. <i>BMJ: British Medical Journal</i> , 2006, 332, 1454.3.	2.4	0
21	Factor XIII-circulating levels and Val34Leu polymorphism in relatives of South Asian patients with ischemic stroke. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 171-173.	1.9	4
22	Coagulation factor XIII B subunit antigen, FXIIIVal34Leu genotype and ischaemic stroke in South Asians. <i>Thrombosis and Haemostasis</i> , 2005, 93, 394-395.	1.8	5
23	Gender differences in coagulation and fibrinolysis in white subjects with acute ischemic stroke. <i>Journal of Thrombosis and Haemostasis</i> , 2003, 1, 390-392.	1.9	34
24	Associations between insulin resistance and thrombotic risk factors in high-risk South Asian subjects. <i>Diabetic Medicine</i> , 2003, 20, 651-655.	1.2	42
25	Association between the risk of coronary artery disease in South Asians and a deletion polymorphism in glutathioneS-transferase M1. <i>Biomarkers</i> , 2003, 8, 43-50.	0.9	51
26	Increased Fibrinogen Levels among South Asians versus Whites in the United Kingdom Are Not Explained by Common Polymorphisms. <i>American Journal of Epidemiology</i> , 2002, 156, 174-179.	1.6	19
27	Increased fibrinogen, von Willebrand factor and tissue plasminogen activator levels in insulin resistant South Asian patients with ischaemic stroke. <i>Atherosclerosis</i> , 2002, 163, 371-376.	0.4	13
28	Coagulation Factor VII Activity, Arg/Gln353 Polymorphism and Features of Insulin Resistance in First-Degree-Relatives of South Asian Patients with Stroke. <i>Thrombosis and Haemostasis</i> , 2002, 88, 9540-9560.	1.8	0
29	Determinants of Plasminogen Activator Inhibitor-1 in South Asians with Ischaemic Stroke. <i>Cerebrovascular Diseases</i> , 2002, 14, 77-83.	0.8	17
30	Clustering of Thrombotic Factors with Insulin Resistance in South Asian Patients with Ischaemic Stroke. <i>Thrombosis and Haemostasis</i> , 2002, 88, 950-953.	1.8	17
31	Clustering of thrombotic factors with insulin resistance in South Asian patients with ischaemic stroke. <i>Thrombosis and Haemostasis</i> , 2002, 88, 950-3.	1.8	5
32	Coagulation factor VII activity, Arg/Gln353 polymorphism and features of insulin resistance in first-degree-relatives of South Asian patients with stroke. <i>Thrombosis and Haemostasis</i> , 2002, 88, 954-60.	1.8	3
33	Impaired fibrinolysis and increased fibrinogen levels in South Asian subjects. <i>Atherosclerosis</i> , 2001, 156, 457-461.	0.4	46
34	Insulin Resistance and Elevated Levels of Tissue Plasminogen Activator in First-Degree Relatives of South Asian Patients With Ischemic Cerebrovascular Disease. <i>Stroke</i> , 2001, 32, 1069-1073.	1.0	23
35	Decreased fibrinolytic potential in South Asian women with ischaemic cerebrovascular disease. <i>British Journal of Haematology</i> , 2001, 114, 155-161.	1.2	25
36	Prevalence of FXIII V34L in Populations with Different Cardiovascular Risk. <i>Thrombosis and Haemostasis</i> , 1998, 80, 523-524.	1.8	46