

João Seródio

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6724798/joao-serodio-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115 papers	3,169 citations	30 h-index	52 g-index
122 ext. papers	3,840 ext. citations	3.5 avg, IF	5.32 L-index

#	Paper	IF	Citations
115	Photoinhibition: Fundamentals and Implications for Primary Productivity. <i>Encyclopedia of the UN Sustainable Development Goals</i> , 2022 , 809-822	0.1	
114	Diatoms and Their Ecological Importance. <i>Encyclopedia of the UN Sustainable Development Goals</i> , 2022 , 304-312	0.1	
113	Role of Microphytobenthos in the Functioning of Estuarine and Coastal Ecosystems. <i>Encyclopedia of the UN Sustainable Development Goals</i> , 2022 , 894-906	0.1	
112	Photoinhibition in optically thick samples: Effects of light attenuation on chlorophyll fluorescence-based parameters. <i>Journal of Theoretical Biology</i> , 2021 , 513, 110580	2.3	7
111	The complete mitochondrial genome of the photosymbiotic sea slug (Valdš, 2005) (Gastropoda, Nudibranchia). <i>Mitochondrial DNA Part B: Resources</i> , 2021 , 6, 2281-2284	0.5	0
110	Diatom Motility: Mechanisms, Control and Adaptive Value 2021 , 159-183		0
109	Use of hyperspectral reflectance to non-destructively estimate seagrass <i>Zostera noltei</i> biomass. <i>Ecological Indicators</i> , 2021 , 121, 107018	5.8	3
108	Temporal physiological response of pine to <i>Fusarium circinatum</i> infection is dependent on host susceptibility level: the role of ABA catabolism. <i>Tree Physiology</i> , 2021 , 41, 801-816	4.2	4
107	Kleptoplasts are continuously digested during feeding in the plastid-bearing sea slug <i>Elysia viridis</i> . <i>Journal of Molluscan Studies</i> , 2021 , 87,	1.1	1
106	Potential Impact of Photoinhibition on Microphytobenthic Primary Production on a Large Intertidal Mudflat. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2021 , 126, e2021JG006443	3.7	
105	Identification of scavenger receptors and thrombospondin-type-1 repeat proteins potentially relevant for plastid recognition in <i>Sacoglossa</i> . <i>Ecology and Evolution</i> , 2020 , 10, 12348-12363	2.8	6
104	Glyphosate-dependent effects on photosynthesis of <i>Solanum lycopersicum</i> L.-An ecophysiological, ultrastructural and molecular approach. <i>Journal of Hazardous Materials</i> , 2020 , 398, 122871	12.8	12
103	Symbiolite formation: a powerful in vitro model to untangle the role of bacterial communities in the photosynthesis-induced formation of microbialites. <i>ISME Journal</i> , 2020 , 14, 1533-1546	11.9	4
102	Effect of temperature on the phytotoxicity and cytotoxicity of <i>Botryosphaeriaceae</i> fungi. <i>Fungal Biology</i> , 2020 , 124, 571-578	2.8	3
101	Synoptic Spatio-Temporal Variability of the Photosynthetic Productivity of Microphytobenthos and Phytoplankton in a Tidal Estuary. <i>Frontiers in Marine Science</i> , 2020 , 7,	4.5	10
100	Toxicity of Recombinant Necrosis and Ethylene-Inducing Proteins (NLPs) from. <i>Toxins</i> , 2020 , 12,	4.9	2
99	Description of <i>Freudenthalidium</i> gen. nov. and <i>Halluxium</i> gen. nov. to Formally Recognize Clades Fr3 and H as Genera in the Family Symbiodiniaceae (Dinophyceae). <i>Journal of Phycology</i> , 2020 , 56, 923-940	2.0	29

98	Photoinhibition of Photosystem II in Phytoplankton: Processes and Patterns. <i>Advances in Photosynthesis and Respiration</i> , 2020 , 329-365	1.7	12
97	Evaluation of physiological changes induced by the fluoroquinolone antibiotic ciprofloxacin in the freshwater macrophyte species <i>Lemna minor</i> and <i>Lemna gibba</i> . <i>Environmental Toxicology and Pharmacology</i> , 2019 , 72, 103242	5.8	17
96	A modeling study of light extinction due to cohesive sediments in a shallow coastal lagoon under well mixed conditions. <i>Science of the Total Environment</i> , 2019 , 694, 133707	10.2	5
95	Functional resilience of PSII, vertical distribution and ecosystem-level estimates of subsurface microphytobenthos in estuarine tidal flats. <i>Continental Shelf Research</i> , 2019 , 182, 46-56	2.4	4
94	Influence of Foliar Kaolin Application and Irrigation on Photosynthetic Activity of Grape Berries. <i>Agronomy</i> , 2019 , 9, 685	3.6	8
93	New insights about the primary production dependence on abiotic factors: Ria de Aveiro case study. <i>Ecological Indicators</i> , 2019 , 106, 105555	5.8	5
92	Evaluation of pharmaceutical toxic effects of non-standard endpoints on the macrophyte species <i>Lemna minor</i> and <i>Lemna gibba</i> . <i>Science of the Total Environment</i> , 2019 , 657, 926-937	10.2	37
91	The ability to incorporate functional plastids by the sea slug <i>Elysia viridis</i> is governed by its food source. <i>Marine Biology</i> , 2018 , 165, 1	2.5	12
90	Trophic web structure and ecosystem attributes of a temperate coastal lagoon (Ria de Aveiro, Portugal). <i>Ecological Modelling</i> , 2018 , 378, 13-25	3	14
89	Effect of tidal environment on the trophic balance of mixotrophic hexacorals using biochemical profile and photochemical performance as indicators. <i>Marine Environmental Research</i> , 2018 , 135, 55-62	3.3	5
88	Cell Cycle Dynamics of Cultured Coral Endosymbiotic Microalgae (Symbiodinium) Across Different Types (Species) Under Alternate Light and Temperature Conditions. <i>Journal of Eukaryotic Microbiology</i> , 2018 , 65, 505-517	3.6	14
87	Impact of the Light Microclimate on Photosynthetic Activity of Grape Berry (<i>Vitis vinifera</i>): Insights for Radiation Absorption Mitigations Measures. <i>Climate Change Management</i> , 2018 , 419-441	0.6	1
86	-Induced Formation of Microbialites: Mechanistic Insights From Experiments and the Prospect of Its Occurrence in Nature. <i>Frontiers in Microbiology</i> , 2018 , 9, 998	5.7	3
85	Physiological performance of drought-stressed olive plants when exposed to a combined heat-UV-B shock and after stress relief. <i>Functional Plant Biology</i> , 2018 , 45, 1233-1240	2.7	10
84	Modulation of the light field related to valve optical properties of raphid diatoms: implications for niche differentiation in the microphytobenthos. <i>Marine Ecology - Progress Series</i> , 2018 , 588, 29-42	2.6	13
83	Photoinactivation, repair and the motility-physiology trade-off in microphytobenthos. <i>Marine Ecology - Progress Series</i> , 2018 , 601, 41-57	2.6	10
82	An LED-based multi-actinic illumination system for the high throughput study of photosynthetic light responses. <i>PeerJ</i> , 2018 , 6, e5589	3.1	8
81	Chlorophyll fluorescence and oxidative stress endpoints to discriminate olive cultivars tolerance to drought and heat episodes. <i>Scientia Horticulturae</i> , 2018 , 231, 31-35	4.1	33

80	Photoprotective Non-photochemical Quenching Does Not Prevent Kleptoplasts From Net Photoinactivation. <i>Frontiers in Ecology and Evolution</i> , 2018 , 6,	3.7	7
79	Searching for antigenotoxic properties of marine macroalgae dietary supplementation against endogenous and exogenous challenges. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2018 , 81, 939-956	3.2	6
78	Polymorphic adaptations in metazoans to establish and maintain photosymbioses. <i>Biological Reviews</i> , 2018 , 93, 2006-2020	13.5	26
77	A chlorophyll fluorescence-based method for the integrated characterization of the photophysiological response to light stress. <i>Journal of Experimental Botany</i> , 2017 , 68, 1123-1135	7	14
76	Photoprotection in a monophyletic branch of chlorophyte algae is independent of energy-dependent quenching (qE). <i>New Phytologist</i> , 2017 , 214, 1132-1144	9.8	30
75	One pulse, one light curve: Fast characterization of the light response of microphytobenthos biofilms using chlorophyll fluorescence. <i>Limnology and Oceanography: Methods</i> , 2017 , 15, 554-566	2.6	6
74	Effects of the Inoculant Strain <i>Pseudomonas</i> sp. SPN31 nah and of 2-Methylnaphthalene Contamination on the Rhizosphere and Endosphere Bacterial Communities of <i>Halimione portulacoides</i> . <i>Current Microbiology</i> , 2017 , 74, 575-583	2.4	1
73	Effect of spatio-temporal shifts in salinity combined with other environmental variables on the ecological processes provided by <i>Zostera noltei</i> meadows. <i>Scientific Reports</i> , 2017 , 7, 1336	4.9	9
72	Ulvophyceae photophysiology and research opportunities. <i>Perspectives in Phycology</i> , 2017 , 4, 83-92	3.1	3
71	Impact of climate change on the ontogenetic development of solar-powered sea slugs. <i>Marine Ecology - Progress Series</i> , 2017 , 578, 87-97	2.6	2
70	Photobiology of the zoanthid <i>Zoanthus sociatus</i> in intertidal and subtidal habitats. <i>Marine and Freshwater Research</i> , 2016 , 67, 1991	2.2	7
69	The effect of mixotrophy in the ex situ culture of the soft coral <i>Sarcophyton</i> cf. <i>glaucom</i> . <i>Aquaculture</i> , 2016 , 452, 151-159	4.4	6
68	Primary production of the benthic microalgae in the bottom sediments of Ria de Aveiro lagoon. <i>Journal of Coastal Research</i> , 2016 , 75, 178-182	0.6	5
67	The importance of being fast: comparative kinetics of vertical migration and non-photochemical quenching of benthic diatoms under light stress. <i>Marine Biology</i> , 2016 , 163, 1	2.5	22
66	Impact of air exposure on the photobiology and biochemical profile of an aggressive intertidal competitor, the zoanthid <i>Palythoa caribaeorum</i> . <i>Marine Biology</i> , 2016 , 163, 1	2.5	5
65	White but not bleached: photophysiological evidence from white <i>Montastraea cavernosa</i> reveals potential overestimation of coral bleaching. <i>Marine Biology</i> , 2015 , 162, 889-899	2.5	7
64	Coral symbiotic algae calcify ex hospite in partnership with bacteria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 6158-63	11.5	23
63	Photoacclimation state determines the photobehaviour of motile microalgae: The case of a benthic diatom. <i>Journal of Experimental Marine Biology and Ecology</i> , 2015 , 468, 11-20	2.1	30

62	The Brine Brine Sampler: A new high-resolution method for the fast vertical sampling of intertidal fine sediments. <i>Journal of Experimental Marine Biology and Ecology</i> , 2015 , 468, 37-44	2.1	10
61	Photoprotection in sequestered plastids of sea slugs and respective algal sources. <i>Scientific Reports</i> , 2015 , 5, 7904	4.9	29
60	Development of a Standardized Modular System for Experimental Coral Culture. <i>Journal of the World Aquaculture Society</i> , 2015 , 46, 235-251	2.5	20
59	Response of intertidal benthic microalgal biofilms to a coupled light-temperature stress: evidence for latitudinal adaptation along the Atlantic coast of Southern Europe. <i>Environmental Microbiology</i> , 2015 , 17, 3662-77	5.2	41
58	Concurrent imaging of chlorophyll fluorescence, Chlorophyll a content and green fluorescent proteins-like proteins of symbiotic cnidarians. <i>Marine Ecology</i> , 2015 , 36, 572-584	1.4	17
57	Neptunomonas phycophila sp. nov. isolated from a culture of Symbiodinium sp., a dinoflagellate symbiont of the sea anemone Aiptasia tagetes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 915-919	2.2	10
56	Photophysiology of kleptoplasts: photosynthetic use of light by chloroplasts living in animal cells. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2014 , 369, 20130242	5.8	61
55	Pigment profile in the photosynthetic sea slug Elysia viridis (Montagu, 1804). <i>Journal of Molluscan Studies</i> , 2014 , 80, 475-481	1.1	14
54	Frequently asked questions about in vivo chlorophyll fluorescence: practical issues. <i>Photosynthesis Research</i> , 2014 , 122, 121-58	3.7	435
53	Ecology of intertidal microbial biofilms: Mechanisms, patterns and future research needs. <i>Journal of Sea Research</i> , 2014 , 92, 2-5	1.9	51
52	Evidence for gravitactic behaviour in benthic diatoms. <i>European Journal of Phycology</i> , 2014 , 49, 429-435	2.2	17
51	Photobiology and growth of leather coral Sarcophyton cf. glaucum fragments stocked under low light in a recirculated system. <i>Aquaculture</i> , 2013 , 414-415, 235-242	4.4	19
50	A method for the rapid generation of nonsequential light-response curves of chlorophyll fluorescence. <i>Plant Physiology</i> , 2013 , 163, 1089-102	6.6	22
49	Effect of light, temperature and diet on the fatty acid profile of the tropical sea anemone Aiptasia pallida. <i>Aquaculture Nutrition</i> , 2013 , 19, 818-826	3.2	14
48	Crawling leaves: photosynthesis in sacoglossan sea slugs. <i>Journal of Experimental Botany</i> , 2013 , 64, 3999-4009	4.09	43
47	Replying to Domingues et al., Ecological Indicators, 24, 245-255, http://dx.doi.org/10.1016/j.ecolind.2012.06.020 . <i>Ecological Indicators</i> , 2013 , 27, 123-124	5.8	
46	Preliminary evaluation of the toxic effects of the antifouling biocide Sea-Nine 211 in the soft coral Sarcophyton cf. glaucum (Octocorallia, Alcyonacea) based on PAM fluorometry and biomarkers. <i>Marine Environmental Research</i> , 2013 , 83, 16-22	3.3	16
45	Comparative performance of light emitting plasma (LEP) and light emitting diode (LED) in ex situ aquaculture of scleractinian corals. <i>Aquaculture</i> , 2013 , 402-403, 38-45	4.4	29

44	Effect of light intensity on post-fragmentation photobiological performance of the soft coral <i>Sinularia flexibilis</i> . <i>Aquaculture</i> , 2013 , 388-391, 24-29	4.4	25
43	Beauties and beasts: A portrait of sea slugs aquaculture. <i>Aquaculture</i> , 2013 , 408-409, 1-14	4.4	20
42	Photosynthetic activity and ecology of benthic diatom communities from streams affected by Acid Mine Drainage (AMD) in pyritic mines. <i>Fundamental and Applied Limnology</i> , 2013 , 182, 47-59	1.9	14
41	Photoinhibition in benthic diatom assemblages under light stress. <i>Aquatic Microbial Ecology</i> , 2013 , 70, 87-92	1.1	24
40	Efficiency of photoprotection in microphytobenthos: role of vertical migration and the xanthophyll cycle against photoinhibition. <i>Aquatic Microbial Ecology</i> , 2012 , 67, 161-175	1.1	43
39	Defining phytoplankton class boundaries in Portuguese transitional waters: An evaluation of the ecological quality status according to the Water Framework Directive. <i>Ecological Indicators</i> , 2012 , 19, 5-14	5.8	34
38	Repeated cycles of immersion and emersion amplify the crawling rhythm of the intertidal gastropod <i>Hydrobia ulvae</i> . <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012 , 92, 565-570	1.1	2
37	Trends in the discovery of new marine natural products from invertebrates over the last two decades--where and what are we bioprospecting?. <i>PLoS ONE</i> , 2012 , 7, e30580	3.7	167
36	Chloroplast functionality assessment by flow cytometry: Case study with pea plants under Paraquat stress. <i>Photosynthetica</i> , 2012 , 50, 197-205	2.2	4
35	Anesthetizing solar-powered sea slugs for photobiological studies. <i>Biological Bulletin</i> , 2012 , 223, 328-361	1.5	12
34	Physiological versus behavioral photoprotection in intertidal epipelagic and epipsammic benthic diatom communities. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011 , 405, 120-127	2.1	73
33	Endogenous versus environmental control of vertical migration by intertidal benthic microalgae. <i>European Journal of Phycology</i> , 2011 , 46, 271-281	2.2	34
32	Fatty acid profiles indicate the habitat of mud snails <i>Hydrobia ulvae</i> within the same estuary: Mudflats vs. seagrass meadows. <i>Estuarine, Coastal and Shelf Science</i> , 2011 , 92, 181-187	2.9	17
31	A model for describing the light response of the nonphotochemical quenching of chlorophyll fluorescence. <i>Photosynthesis Research</i> , 2011 , 108, 61-76	3.7	64
30	Photobiology of the symbiotic acoel flatworm <i>Symsagittifera roscoffensis</i> : algal symbiont photoacclimation and host photobehaviour. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2011 , 91, 163-171	1.1	16
29	Pheophorbide a in <i>Hydrobia ulvae</i> faecal pellets as a measure of microphytobenthos ingestion: variation over season and period of day. <i>Aquatic Biology</i> , 2011 , 13, 119-126	2	5
28	The circatidal rhythm of the estuarine gastropod <i>Hydrobia ulvae</i> (Gastropoda: Hydrobiidae). <i>Biological Journal of the Linnean Society</i> , 2010 , 100, 439-450	1.9	8
27	In vivo quantification of kleptoplastic chlorophyll a content in the "solar-powered" sea slug <i>Elysia viridis</i> using optical methods: spectral reflectance analysis and PAM fluorometry. <i>Photochemical and Photobiological Sciences</i> , 2010 , 9, 68-77	4.2	13

26	Vertical cell movement is a primary response of intertidal benthic biofilms to increasing light dose. <i>Marine Ecology - Progress Series</i> , 2010 , 416, 93-103	2.6	74
25	The Application of Variable Chlorophyll Fluorescence to Microphytobenthic Biofilms 2010 , 237-275		19
24	Nondestructive quantification of phytoplankton gut content of brachyuran crab megalopae using in vivo chlorophyll a fluorescence. <i>Journal of Plankton Research</i> , 2009 , 31, 577-581	2.2	8
23	Effects of desiccation on the photosynthetic activity of intertidal microphytobenthos biofilms as studied by optical methods. <i>Journal of Experimental Marine Biology and Ecology</i> , 2009 , 381, 98-104	2.1	34
22	Effects of light exposure on the retention of kleptoplastic photosynthetic activity in the sacoglossan mollusc <i>Elysia viridis</i> . <i>Marine Biology</i> , 2009 , 156, 1007-1020	2.5	44
21	Effects of chlorophyll fluorescence on the estimation of microphytobenthos biomass using spectral reflectance indices. <i>Remote Sensing of Environment</i> , 2009 , 113, 1760-1768	13.2	32
20	EFFECTS OF TWO MOTILITY INHIBITORS ON THE PHOTOSYNTHETIC ACTIVITY OF THE DIATOMS CYLINDROTHECA CLOSTERIUM AND PLEUROSIGMA ANGULATUM. <i>Diatom Research</i> , 2008 , 23, 65-74	0.9	14
19	Relationship of rapid light curves of variable fluorescence to photoacclimation and non-photochemical quenching in a benthic diatom. <i>Aquatic Botany</i> , 2008 , 88, 256-264	1.8	58
18	Photosynthetic activity, photoprotection and photoinhibition in intertidal microphytobenthos as studied in situ using variable chlorophyll fluorescence. <i>Continental Shelf Research</i> , 2008 , 28, 1363-1375	2.4	67
17	Inhibiting diatom motility: a new tool for the study of the photophysiology of intertidal microphytobenthic biofilms. <i>Limnology and Oceanography: Methods</i> , 2008 , 6, 466-476	2.6	29
16	Relationship of variable chlorophyll fluorescence indices to photosynthetic rates in microphytobenthos. <i>Aquatic Microbial Ecology</i> , 2007 , 49, 71-85	1.1	18
15	Rapid light-response curves of chlorophyll fluorescence in microalgae: relationship to steady-state light curves and non-photochemical quenching in benthic diatom-dominated assemblages. <i>Photosynthesis Research</i> , 2006 , 90, 29-43	3.7	80
14	Microphytobenthos vertical migratory photoresponse as characterised by light-response curves of surface biomass. <i>Estuarine, Coastal and Shelf Science</i> , 2006 , 68, 547-556	2.9	66
13	Non-photochemical quenching of chlorophyll fluorescence and operation of the xanthophyll cycle in estuarine microphytobenthos. <i>Journal of Experimental Marine Biology and Ecology</i> , 2005 , 326, 157-169 ^{2.1}		82
12	Short-term variability in the photosynthetic activity of microphytobenthos as detected by measuring rapid light curves using variable fluorescence. <i>Marine Biology</i> , 2005 , 146, 903-914	2.5	71
11	Analysis of variable chlorophyll fluorescence in microphytobenthos assemblages: implications of the use of depth-integrated measurements. <i>Aquatic Microbial Ecology</i> , 2004 , 36, 137-152	1.1	56
10	A CHLOROPHYLL FLUORESCENCE INDEX TO ESTIMATE SHORT-TERM RATES OF PHOTOSYNTHESIS BY INTERTIDAL MICROPHYTOBENTHOS ¹ . <i>Journal of Phycology</i> , 2003 , 39, 33-46	3	25
9	In situ measurements of photosynthetic activity and respiration of intertidal benthic microalgal communities undergoing vertical migration. <i>Ophelia</i> , 2003 , 57, 13-26		30

8	Use of in vivo chlorophyll a fluorescence to quantify short-term variations in the productive biomass of intertidal microphytobenthos. <i>Marine Ecology - Progress Series</i> , 2001 , 218, 45-61	2.6	76
7	Modelling the primary productivity of intertidal microphytobenthos: time scales of variability and effects of migratory rhythms. <i>Marine Ecology - Progress Series</i> , 2000 , 192, 13-30	2.6	65
6	Fortnightly light and temperature variability in estuarine intertidal sediments and implications for microphytobenthos primary productivity. <i>Aquatic Ecology</i> , 1999 , 33, 235-241	1.9	36
5	Light response curves for <i>Gelidium sesquipedale</i> from different depths, determined by two methods: O ₂ evolution and chlorophyll fluorescence. <i>Journal of Applied Phycology</i> , 1998 , 10, 295-301	3.2	27
4	Relationship Between Chlorophyll Fluorescence Quenching and O ₂ Evolution in Microalgae 1998 , 4109-4112		3
3	NONDESTRUCTIVE TRACING OF MIGRATORY RHYTHMS OF INTERTIDAL BENTHIC MICROALGAE USING IN VIVO CHLOROPHYLL A FLUORESCENCE ^{1,2} . <i>Journal of Phycology</i> , 1997 , 33, 542-553	3	158
2	A mathematical model for the vertical distribution of chlorophylla in estuarine intertidal sediments. <i>Netherlands Journal of Aquatic Ecology</i> , 1995 , 29, 315-321		8
1	Spatio-temporal distribution of the microphytobenthic biomass in intertidal flats of Tagus Estuary (Portugal). <i>Hydrobiologia</i> , 1995 , 300-301, 93-104	2.4	63