

# Tatiana Novikova

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6725638/publications.pdf>

Version: 2024-02-01

93  
papers

2,339  
citations

218677

26  
h-index

214800

47  
g-index

98  
all docs

98  
docs citations

98  
times ranked

1128  
citing authors

#	ARTICLE	IF	CITATIONS
1	Polarization-Based Histopathology Classification of Ex Vivo Colon Samples Supported by Machine Learning. <i>Frontiers in Physics</i> , 2022, 9, .	2.1	21
2	Machine learning powered Mueller matrix microscope for collagen and elastin visualization in the mouse cervix. , 2022, , .		3
3	Polarimetric techniques for the structural studies and diagnosis of brain. <i>Advanced Optical Technologies</i> , 2022, 11, 157-171.	1.7	11
4	Assessment of Preterm Birth Risk by Collagen Scoring with Polarized Light in Mice Model of Pregnancy. , 2022, , .		0
5	Evolution of raw meat polarization-based properties by means of Mueller matrix imaging. <i>Journal of Biophotonics</i> , 2021, 14, e202000376.	2.3	12
6	Methods and Means of Polarization Correlation of Fields of Laser Radiation Scattered by Biological Tissues. <i>SpringerBriefs in Applied Sciences and Technology</i> , 2021, , 1-15.	0.4	0
7	Multifunctional Stokes Correlometry of Biological Layers. <i>SpringerBriefs in Applied Sciences and Technology</i> , 2021, , 75-96.	0.4	0
8	Shedding the Polarized Light on Biological Tissues. <i>SpringerBriefs in Applied Sciences and Technology</i> , 2021, , .	0.4	12
9	Wide-field imaging of brain white matter fiber tracts with Mueller polarimetry in backscattering configuration. , 2021, , .		0
10	Experimental validation of depolarizing Mueller matrix model via ex vivo colon samples. <i>Journal of Physics: Conference Series</i> , 2021, 1859, 012042.	0.4	1
11	Symmetric decomposition of Mueller matrices reveals a new parametric space for polarimetric assistance in colon cancer histopathology. , 2021, , .		3
12	Welcome and Introduction to SPIE Conference 11646. , 2021, , .		0
13	A unified framework for simulation of the total angular momentum of light scattered in turbid media. , 2021, , .		0
14	Inverse problem of Mueller polarimetry for metrological applications. <i>Journal of Inverse and Ill-Posed Problems</i> , 2021, 29, 759-774.	1.0	6
15	Polarization and depolarization metrics as optical markers in support to histopathology of ex vivo colon tissue. <i>Biomedical Optics Express</i> , 2021, 12, 4560.	2.9	27
16	Role of H <sup>3+</sup> ions in deposition of silicon thin films from SiH <sub>4</sub> /H <sub>2</sub> discharges: modeling and experiments. <i>Plasma Sources Science and Technology</i> , 2021, 30, 075024.	3.1	4
17	Introduction of a 3-4 Mueller matrix decomposition method. <i>Journal Physics D: Applied Physics</i> , 2021, 54, 424005.	2.8	14
18	Mueller matrix imaging for collagen scoring in mice model of pregnancy. <i>Scientific Reports</i> , 2021, 11, 15621.	3.3	22

#	ARTICLE	IF	CITATIONS
19	Polarization and Orbital Angular Momentum of Light in Biomedical Applications: feature issue introduction. Biomedical Optics Express, 2021, 12, 6255.	2.9	14
20	Polarimetric visualization of healthy brain fiber tracts under adverse conditions: ex vivo studies. Biomedical Optics Express, 2021, 12, 6674.	2.9	21
21	Retardance map of brain white matter: a potential game changer for the intra-operative navigation during brain tumor surgery. , 2021, , .		3
22	Automated analysis of polarimetric images for the diagnostics of gastric biopsies. , 2021, , .		0
23	Maskless and contactless patterned silicon deposition using a localized PECVD process. Plasma Sources Science and Technology, 2020, 29, 025023.	3.1	6
24	Visualization of White Matter Fiber Tracts of Brain Tissue Sections With Wide-Field Imaging Mueller Polarimetry. IEEE Transactions on Medical Imaging, 2020, 39, 4376-4382.	8.9	52
25	Colon cancer detection by using Poincaré sphere and $\langle \text{scp} \rangle 2D \langle / \text{scp} \rangle$ polarimetric mapping of ex vivo colon samples. Journal of Biophotonics, 2020, 13, e202000082.	2.3	41
26	Analysis of tissue microstructure with Mueller microscopy: logarithmic decomposition and Monte Carlo modeling. Journal of Biomedical Optics, 2020, 25, 1.	2.6	24
27	GPU-accelerated online Monte Carlo (MC) application for imitation of twisted light propagation in turbid tissue-like scattering media (Conference Presentation). , 2020, , .		2
28	Evaluating $\beta^2$ -amyloidosis progression in Alzheimer's disease with Mueller polarimetry. Biomedical Optics Express, 2020, 11, 4509.	2.9	43
29	Digital histology of tissue with Mueller polarimetric microscopy (Conference Presentation). , 2020, , .		0
30	Post-processing of multimodal microscopic images of tissue histological cuts for biomedical diagnostic (Conference Presentation). , 2020, , .		0
31	Biomedical diagnostics with multi-wavelength wide-field imaging Mueller polarimetry. , 2020, , .		0
32	Cloud-based online application for imitation of polarized light propagation in turbid scattering media. , 2020, , .		0
33	The use of Stokes-Mueller polarimetry for assessment of amyloid- $\beta^2$ progression in a mouse model of Alzheimer's disease. , 2020, , .		2
34	Impact of charged species transport coefficients on self-bias voltage in an electrically asymmetric RF discharge. Plasma Sources Science and Technology, 2019, 28, 055003.	3.1	4
35	Optical phantoms for biomedical polarimetry: a review. Journal of Biomedical Optics, 2019, 24, 1.	2.6	35
36	Digital histology with Mueller microscopy: how to mitigate an impact of tissue cut thickness fluctuations. Journal of Biomedical Optics, 2019, 24, 1.	2.6	35

#	ARTICLE	IF	CITATIONS
37	Perspectives of optical diagnosis with vector light beams (Conference Presentation). , 2019, , .		2
38	Tissue polarimetric study I: In search of reference parameters and depolarizing Mueller matrix model of ex vivo colon samples. , 2019, , .		1
39	Diagnostics of high grade cervical intraepithelial neoplasia with Mueller matrix polarimetry. , 2019, , .		2
40	Polarimetric Information for Pre-Cancer Detection from Uterine Cervix Specimens. , 2019, , .		1
41	Mueller microscopy of full thickness skin models combined with image segmentation. , 2019, , .		1
42	Kinetic theory of two-temperature polyatomic plasmas. Physica A: Statistical Mechanics and Its Applications, 2018, 494, 503-546.	2.6	6
43	Complementary analysis of Mueller-matrix images of optically anisotropic highly scattering biological tissues. Journal of the European Optical Society-Rapid Publications, 2018, 14, .	1.9	45
44	Mueller polarimetry as a tool for optical biopsy of tissue. , 2018, , .		3
45	Mueller microscopy of anisotropic scattering media: theory and experiments. , 2018, , .		11
46	Polarimetric measurement utility for pre-cancer detection from uterine cervix specimens. Biomedical Optics Express, 2018, 9, 5691.	2.9	56
47	Polarized light histology of tissue and differential Mueller matrix formalism (Conference) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 503		0
48	Optical biopsy of tissue with Mueller polarimetry: theory and experiments (Conference Presentation). , 2017, , .		1
49	Optical techniques for cervical neoplasia detection. Beilstein Journal of Nanotechnology, 2017, 8, 1844-1862.	2.8	42
50	Tasked-based quantification of measurement utility for ex vivo multi-spectral Mueller polarimetry of the uterine cervix. , 2017, , .		5
51	Hybrid kinetic/fluid modeling of silicon nanoparticles dynamics in silane plasma discharges. AIP Conference Proceedings, 2016, , .	0.4	2
52	Special Section Guest Editorial: Polarized Light for Biomedical Applications. Journal of Biomedical Optics, 2016, 21, 071001.	2.6	35
53	<i>Ex vivo</i> Mueller polarimetric imaging of the uterine cervix: a first statistical evaluation. Journal of Biomedical Optics, 2016, 21, 071113.	2.6	72
54	Special Section Guest Editorial: Antonello De Martino (1954â€“2014): in memoriam. Journal of Biomedical Optics, 2016, 21, 071101.	2.6	4

#	ARTICLE	IF	CITATIONS
55	Multi-spectral Mueller Matrix Imaging Polarimetry for Studies of Human Tissues. , 2016, , .		16
56	Polarization sensitive optical biopsy with diffusely reflected polarized light. , 2016, , .		0
57	Spatial evolution of depolarization in homogeneous turbid media within the differential Mueller matrix formalism. Optics Letters, 2015, 40, 5634.	3.3	45
58	Control and optimization of the slope asymmetry effect in tailored voltage waveforms for capacitively coupled plasmas. Plasma Sources Science and Technology, 2015, 24, 015021.	3.1	28
59	Ion flux asymmetry in radiofrequency capacitively-coupled plasmas excited by sawtooth-like waveforms. Plasma Sources Science and Technology, 2014, 23, 065010.	3.1	54
60	Polarimetric imaging of uterine cervix: a case study. Optics Express, 2013, 21, 14120.	3.4	216
61	Multispectral Mueller polarimetric imaging detecting residual cancer and cancer regression after neoadjuvant treatment for colorectal carcinomas. Journal of Biomedical Optics, 2013, 18, 046014.	2.6	160
62	The origins of polarimetric image contrast between healthy and cancerous human colon tissue. Applied Physics Letters, 2013, 102, .	3.3	92
63	Ex vivo photometric and polarimetric multilayer characterization of human healthy colon by multispectral Mueller imaging. Journal of Biomedical Optics, 2012, 17, 066009.	2.6	49
64	Polarimetric Imaging for Cancer Diagnosis and Staging. Optics and Photonics News, 2012, 23, 26.	0.5	87
65	Impact of model parameters on Monte Carlo simulations of backscattering Mueller matrix images of colon tissue. Biomedical Optics Express, 2011, 2, 1836.	2.9	34
66	Ex-vivo characterization of human colon cancer by Mueller polarimetric imaging. Optics Express, 2011, 19, 1582.	3.4	253
67	Overlay measurements by Mueller polarimetry in the back focal plane. , 2011, , .		0
68	Towards a realistic numerical modeling of polarimetric response of healthy and pathological colon tissue. Proceedings of SPIE, 2011, , .	0.8	2
69	Analysis of textured films and periodic grating structures with Mueller matrices: A new challenge in instrumentation with the generation of angle-resolved SE polarimeters. Thin Solid Films, 2011, 519, 2608-2612.	1.8	2
70	Use of Mueller polarimetric imaging for the staging of human colon cancer. Proceedings of SPIE, 2011, , .	0.8	17
71	Mueller polarimetry as a tool for detecting asymmetry in diffraction grating profiles. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2011, 29, .	1.2	17
72	Overlay measurements by Mueller polarimetry in back focal plane. Journal of Micro/ Nanolithography, MEMS, and MOEMS, 2011, 10, 033017.	0.9	34

#	ARTICLE	IF	CITATIONS
73	Overlay measurement by angle resolved Mueller polarimetry. Proceedings of SPIE, 2011, , .	0.8	0
74	Towards a realistic numerical modeling of polarimetric response of healthy and pathological colon tissue. , 2011, , .		0
75	Applications of Mueller polarimetry in the Fourier space for overlay characterization in microelectronics. Proceedings of SPIE, 2010, , .	0.8	2
76	Contrast evaluation of the polarimetric images of different targets in turbid medium: possible sources of systematic errors. , 2010, , .		3
77	Mueller matrix imaging of human colon tissue for cancer diagnostics: how Monte Carlo modeling can help in the interpretation of experimental data. Optics Express, 2010, 18, 10200.	3.4	170
78	Capillary jet injection of SiH <sub>4</sub> in the high density plasma chemical vapor deposition of SiO <sub>2</sub> . Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2009, 27, 849-854.	2.1	1
79	Sources of possible artefacts in the contrast evaluation for the backscattering polarimetric images of different targets in turbid medium. Optics Express, 2009, 17, 23851.	3.4	10
80	Comparison of spectroscopic Mueller polarimetry, standard scatterometry, and real space imaging techniques (SEM and 3D-AFM) for dimensional characterization of periodic structures. Proceedings of SPIE, 2008, , .	0.8	8
81	Metrology of replicated diffractive optics with Mueller polarimetry in conical diffraction. , 2007, , .		1
82	Metrology of replicated diffractive optics with Mueller polarimetry in conical diffraction. Optics Express, 2007, 15, 2033.	3.4	62
83	Growth dynamics of hydrogenated silicon nanoparticles under realistic conditions of a plasma reactor. Computational Materials Science, 2006, 35, 216-222.	3.0	21
84	Application of Mueller polarimetry in conical diffraction for critical dimension measurements in microelectronics. Applied Optics, 2006, 45, 3688.	2.1	88
85	Decorrelation of fitting parameters by Mueller polarimetry in conical diffraction. , 2006, 6152, 530.		3
86	Characterization of gratings by Mueller polarimetry in conical diffraction. , 2005, , .		0
87	Metrological applications of Mueller polarimetry in conical diffraction for overlay characterization in microelectronics. EPJ Applied Physics, 2005, 31, 63-69.	0.7	26
88	Investigation of coupling between chemistry and discharge dynamics in radio frequency hydrogen plasmas in the Torr regime. Journal Physics D: Applied Physics, 2004, 37, 1765-1773.	2.8	40
89	Characterization of bidimensional gratings by spectroscopic ellipsometry and angle-resolved Mueller polarimetry. Applied Optics, 2004, 43, 1233.	2.1	24
90	Numerical modeling of capacitively coupled hydrogen plasmas: Effects of frequency and pressure. Journal of Applied Physics, 2003, 93, 3198-3206.	2.5	60

#	ARTICLE	IF	CITATIONS
91	<title>Numerical simulation of plasma implosion due to radiation heating of the inlet hole walls of hohlraum target</title>. , 2001, , .		0
92	Numerical simulation of plasma implosion due to radiation heating of the inlet-hole walls of a hohlraum target. Journal of Russian Laser Research, 2000, 21, 465-472.	0.6	2
93	Hypervelocity impact fusion of heavy clusters. International Journal of Impact Engineering, 1995, 17, 323-328.	5.0	4