

Tung-Ping Su

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6726064/publications.pdf>

Version: 2024-02-01

148
papers

4,986
citations

81743

39
h-index

114278

63
g-index

162
all docs

162
docs citations

162
times ranked

7063
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of psychiatric morbidity and psychological adaptation of the nurses in a structured SARS caring unit during outbreak: A prospective and periodic assessment study in Taiwan. <i>Journal of Psychiatric Research</i> , 2007, 41, 119-130.	1.5	394
2	Efficacy of prefrontal theta-burst stimulation in refractory depression: a randomized sham-controlled study. <i>Brain</i> , 2014, 137, 2088-2098.	3.7	235
3	Comorbidity of Depressive and Anxiety Disorders in Chronic Daily Headache and Its Subtypes. <i>Headache</i> , 2000, 40, 818-823.	1.8	225
4	Inflammatory bowel disease is associated with higher dementia risk: a nationwide longitudinal study. <i>Gut</i> , 2021, 70, 85-91.	6.1	171
5	Risk of developing major depression and anxiety disorders among women with endometriosis: A longitudinal follow-up study. <i>Journal of Affective Disorders</i> , 2016, 190, 282-285.	2.0	133
6	Proton Pump Inhibitors Increase Risk for Hepatic Encephalopathy in Patients With Cirrhosis in A Population Study. <i>Gastroenterology</i> , 2017, 152, 134-141.	0.6	133
7	Risk of Developing Type 2 Diabetes in Adolescents and Young Adults With Autism Spectrum Disorder: A Nationwide Longitudinal Study. <i>Diabetes Care</i> , 2016, 39, 788-793.	4.3	122
8	The effects of low-dose ketamine on the prefrontal cortex and amygdala in treatment-resistant depression: A randomized controlled study. <i>Human Brain Mapping</i> , 2016, 37, 1080-1090.	1.9	107
9	Risk of stroke among patients with post-traumatic stress disorder: nationwide longitudinal study. <i>British Journal of Psychiatry</i> , 2015, 206, 302-307.	1.7	100
10	Rapid inflammation modulation and antidepressant efficacy of a low-dose ketamine infusion in treatment-resistant depression: A randomized, double-blind control study. <i>Psychiatry Research</i> , 2018, 269, 207-211.	1.7	100
11	Comparison of inflammatory cytokine levels among type I/type II and manic/hypomanic/euthymic/depressive states of bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 166, 187-192.	2.0	98
12	Risk of developing major depressive disorder and anxiety disorders among adolescents and adults with atopic dermatitis: A nationwide longitudinal study. <i>Journal of Affective Disorders</i> , 2015, 178, 60-65.	2.0	95
13	Prevalence and Risk Factors of Insomnia in Community-Dwelling Chinese Elderly: A Taiwanese Urban Area Survey. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004, 38, 706-713.	1.3	94
14	Bidirectional Association Between Depression and Fibromyalgia Syndrome: A Nationwide Longitudinal Study. <i>Journal of Pain</i> , 2015, 16, 895-902.	0.7	93
15	Is atopy in early childhood a risk factor for ADHD and ASD? A longitudinal study. <i>Journal of Psychosomatic Research</i> , 2014, 77, 316-321.	1.2	87
16	Add-On rTMS for Medication-Resistant Depression. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 930-937.	1.1	83
17	Comorbidity of Allergic and Autoimmune Diseases Among Patients With ADHD. <i>Journal of Attention Disorders</i> , 2017, 21, 219-227.	1.5	80
18	Risk of Suicide Attempts Among Adolescents and Young Adults With Autism Spectrum Disorder. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e1174-e1179.	1.1	78

#	ARTICLE	IF	CITATIONS
19	Sexually Transmitted Infection Among Adolescents and Young Adults With Attention-Deficit/Hyperactivity Disorder: A Nationwide Longitudinal Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 48-53.	0.3	74
20	Antidepressant Efficacy of Prolonged Intermittent Theta Burst Stimulation Monotherapy for Recurrent Depression and Comparison of Methods for Coil Positioning: A Randomized, Double-Blind, Sham-Controlled Study. <i>Biological Psychiatry</i> , 2020, 87, 443-450.	0.7	68
21	Knowledge-based identification of sleep stages based on two forehead electroencephalogram channels. <i>Frontiers in Neuroscience</i> , 2014, 8, 263.	1.4	63
22	Pro-inflammatory cytokine associated with somatic and pain symptoms in depression. <i>Journal of Affective Disorders</i> , 2014, 155, 28-34.	2.0	63
23	Higher risk of developing major depression and bipolar disorder in later life among adolescents with asthma: A nationwide prospective study. <i>Journal of Psychiatric Research</i> , 2014, 49, 25-30.	1.5	61
24	Altered Resting-State Functional Connectivity of Striatal-Thalamic Circuit in Bipolar Disorder. <i>PLoS ONE</i> , 2014, 9, e96422.	1.1	59
25	Cognitive function of patients with treatment-resistant depression after a single low dose of ketamine infusion. <i>Journal of Affective Disorders</i> , 2018, 241, 1-7.	2.0	57
26	Risk of Dementia Among Patients With Asthma: A Nationwide Longitudinal Study. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 763-767.	1.2	54
27	Prefrontal glucose metabolism in medication-resistant major depression. <i>British Journal of Psychiatry</i> , 2015, 206, 316-323.	1.7	54
28	Antidepressant and antisuicidal effects of ketamine on the functional connectivity of prefrontal cortex-related circuits in treatment-resistant depression: A double-blind, placebo-controlled, randomized, longitudinal resting fMRI study. <i>Journal of Affective Disorders</i> , 2019, 259, 15-20.	2.0	54
29	Critical role of glutamatergic and GABAergic neurotransmission in the central mechanisms of theta burst stimulation. <i>Human Brain Mapping</i> , 2019, 40, 2001-2009.	1.9	53
30	Neural Network of Body Representation Differs between Transsexuals and Cissexuals. <i>PLoS ONE</i> , 2014, 9, e85914.	1.1	49
31	Risk of Subsequent Dementia Among Patients With Bipolar Disorder or Major Depression: A Nationwide Longitudinal Study in Taiwan. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 504-508.	1.2	49
32	Different forms of prefrontal theta burst stimulation for executive function of medication-resistant depression: Evidence from a randomized sham-controlled study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 66, 35-40.	2.5	49
33	Risk and coaggregation of major psychiatric disorders among first-degree relatives of patients with bipolar disorder: a nationwide population-based study. <i>Psychological Medicine</i> , 2019, 49, 2397-2404.	2.7	49
34	Antisuicidal effect, BDNF Val66Met polymorphism, and low-dose ketamine infusion: Reanalysis of adjunctive ketamine study of Taiwanese patients with treatment-resistant depression (AKSTP-TRD). <i>Journal of Affective Disorders</i> , 2019, 251, 162-169.	2.0	47
35	Comorbidity of ADHD and suicide attempts among adolescents and young adults with bipolar disorder: A nationwide longitudinal study. <i>Journal of Affective Disorders</i> , 2015, 176, 171-175.	2.0	46
36	Persistent antidepressant effect of low-dose ketamine and activation in the supplementary motor area and anterior cingulate cortex in treatment-resistant depression: A randomized control study. <i>Journal of Affective Disorders</i> , 2018, 225, 709-714.	2.0	45

#	ARTICLE	IF	CITATIONS
37	Increased Proinflammatory Cytokines, Executive Dysfunction, and Reduced Gray Matter Volumes In First-Episode Bipolar Disorder and Major Depressive Disorder. <i>Journal of Affective Disorders</i> , 2020, 274, 825-831.	2.0	45
38	Identification of Common Thalamocortical Dysconnectivity in Four Major Psychiatric Disorders. <i>Schizophrenia Bulletin</i> , 2019, 45, 1143-1151.	2.3	44
39	Risk of developing obstructive sleep apnea among women with polycystic ovarian syndrome: a nationwide longitudinal follow-up study. <i>Sleep Medicine</i> , 2017, 36, 165-169.	0.8	43
40	Risk of suicide attempts in adolescents and young adults with attention-deficit hyperactivity disorder: a nationwide longitudinal study. <i>British Journal of Psychiatry</i> , 2018, 212, 234-238.	1.7	43
41	Effects of prefrontal theta-burst stimulation on brain function in treatment-resistant depression: A randomized sham-controlled neuroimaging study. <i>Brain Stimulation</i> , 2018, 11, 1054-1062.	0.7	43
42	Metabolic syndrome and adverse clinical outcomes in patients with bipolar disorder. <i>BMC Psychiatry</i> , 2016, 16, 448.	1.1	41
43	Post-traumatic Stress Disorder and Risk of Parkinson Disease: A Nationwide Longitudinal Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 917-923.	0.6	41
44	Influence of Relative Age on Diagnosis and Treatment of Attention-Deficit Hyperactivity Disorder in Taiwanese Children. <i>Journal of Pediatrics</i> , 2016, 172, 162-167.e1.	0.9	38
45	Risk for developing dementia among patients with posttraumatic stress disorder: A nationwide longitudinal study. <i>Journal of Affective Disorders</i> , 2016, 205, 306-310.	2.0	37
46	Functional disconnection in the prefrontal-amygdala circuitry in unaffected siblings of patients with bipolar I disorder. <i>Bipolar Disorders</i> , 2015, 17, 626-635.	1.1	36
47	Correlation of proinflammatory cytokines levels and reduced gray matter volumes between patients with bipolar disorder and unipolar depression. <i>Journal of Affective Disorders</i> , 2019, 245, 8-15.	2.0	36
48	Risk of Traumatic Brain Injury Among Children, Adolescents, and Young Adults With Attention-Deficit Hyperactivity Disorder in Taiwan. <i>Journal of Adolescent Health</i> , 2018, 63, 233-238.	1.2	34
49	Risk of Type 2 Diabetes in Adolescents and Young Adults With Attention-Deficit/Hyperactivity Disorder. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	1.1	33
50	Attention-deficit hyperactivity disorder comorbidity and antidepressant resistance among patients with major depression: A nationwide longitudinal study. <i>European Neuropsychopharmacology</i> , 2016, 26, 1760-1767.	0.3	32
51	Treatment-Resistant depression enhances risks of dementia and alzheimer's disease: A nationwide longitudinal study. <i>Journal of Affective Disorders</i> , 2020, 274, 806-812.	2.0	31
52	Higher risk of mood disorders among adolescents with ADHD and asthma: A nationwide prospective study. <i>Journal of Affective Disorders</i> , 2014, 156, 232-235.	2.0	30
53	Network-specific cortico-thalamic dysconnection in schizophrenia revealed by intrinsic functional connectivity analyses. <i>Schizophrenia Research</i> , 2015, 166, 137-143.	1.1	30
54	Structural and functional correlates of serum soluble IL-6 receptor level in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 219, 172-177.	2.0	29

#	ARTICLE	IF	CITATIONS
55	Association of parental depression with offspring attention deficit hyperactivity disorder and autism spectrum disorder: A nationwide birth cohort study. <i>Journal of Affective Disorders</i> , 2020, 277, 109-114.	2.0	28
56	Prenatal Exposure to Acetaminophen and the Risk of Attention-Deficit/Hyperactivity Disorder. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	1.1	24
57	Bipolar disorder and risk of Parkinson disease. <i>Neurology</i> , 2019, 92, e2735-e2742.	1.5	22
58	Treatment response to low-dose ketamine infusion for treatment-resistant depression: A gene-based genome-wide association study. <i>Genomics</i> , 2021, 113, 507-514.	1.3	22
59	Geriatric Suicide Attempt and Risk of Subsequent Dementia: A Nationwide Longitudinal Follow-up Study in Taiwan. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 1211-1218.	0.6	21
60	Elevated tumor necrosis factor-alpha receptor subtype 1 and the association with abnormal brain function in treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2018, 235, 250-256.	2.0	20
61	Early Pregnancy Risk Among Adolescents With ADHD: A Nationwide Longitudinal Study. <i>Journal of Attention Disorders</i> , 2021, 25, 1199-1206.	1.5	20
62	Familial coaggregation of major psychiatric disorders among first-degree relatives of patients with obsessive-compulsive disorder: a nationwide study. <i>Psychological Medicine</i> , 2021, 51, 680-687.	2.7	20
63	Risk of Depressive Disorder following Non-Alcoholic Cirrhosis: A Nationwide Population-Based Study. <i>PLoS ONE</i> , 2014, 9, e88721.	1.1	19
64	Post-traumatic stress disorder and risk of osteoporosis: A nationwide longitudinal study. <i>Stress and Health</i> , 2018, 34, 440-445.	1.4	19
65	Post-traumatic stress disorder and asthma risk: A nationwide longitudinal study. <i>Psychiatry Research</i> , 2019, 276, 25-30.	1.7	19
66	High Dosage of Hypnotics Predicts Subsequent Sleep-Related Breathing Disorders and Is Associated with Worse Outcomes for Depression. <i>Sleep</i> , 2014, 37, 803-809.	0.6	18
67	Risk of developing major depression and bipolar disorder among adolescents with atopic diseases: A nationwide longitudinal study in Taiwan. <i>Journal of Affective Disorders</i> , 2016, 203, 221-226.	2.0	17
68	Atopic dermatitis and dementia risk. <i>Annals of Allergy, Asthma and Immunology</i> , 2021, 127, 200-205.	0.5	17
69	Cortical inhibitory and excitatory function in drug-naive generalized anxiety disorder. <i>Brain Stimulation</i> , 2017, 10, 604-608.	0.7	16
70	Risk of obstructive sleep apnea among patients with Cushing's syndrome: a nationwide longitudinal study. <i>Sleep Medicine</i> , 2017, 36, 44-47.	0.8	16
71	Peripheral and central glucose utilizations modulated by mitochondrial DNA 10398A in bipolar disorder. <i>Psychoneuroendocrinology</i> , 2015, 55, 72-80.	1.3	15
72	Reduced synchronized brain activity in schizophrenia during viewing of comedy movies. <i>Scientific Reports</i> , 2019, 9, 12738.	1.6	15

#	ARTICLE	IF	CITATIONS
73	Coaggregation of Major Psychiatric Disorders in First-Degree Relatives of Individuals With Attention-Deficit/Hyperactivity Disorder. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	1.1	15
74	Functional Dysconnectivity of Frontal Cortex to Striatum Predicts Ketamine Infusion Response in Treatment-Resistant Depression. <i>International Journal of Neuropsychopharmacology</i> , 2020, 23, 791-798.	1.0	14
75	Schizophrenia and risk of new-onset inflammatory bowel disease: a nationwide longitudinal study. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 1192-1201.	1.9	14
76	Antidepressant-resistant depression is characterized by reduced short- and long-interval cortical inhibition. <i>Psychological Medicine</i> , 2020, 50, 1285-1291.	2.7	13
77	Role of obesity in systemic low-grade inflammation and cognitive function in patients with bipolar I disorder or major depressive disorder. <i>CNS Spectrums</i> , 2021, 26, 521-527.	0.7	13
78	A nationwide study of the risks of major mental disorders among the offspring of parents with rheumatoid arthritis. <i>Scientific Reports</i> , 2022, 12, 4962.	1.6	13
79	Gastroesophageal Reflux Disease and Risk for Bipolar Disorder: A Nationwide Population-Based Study. <i>PLoS ONE</i> , 2014, 9, e107694.	1.1	12
80	Structural and functional correlates of a quantitative autistic trait measured using the social responsive scale in neurotypical male adolescents. <i>Autism Research</i> , 2016, 9, 570-578.	2.1	12
81	Structural correlates of creative thinking in patients with bipolar disorder and healthy controls—a voxel-based morphometry study. <i>Journal of Affective Disorders</i> , 2017, 215, 218-224.	2.0	12
82	Analgesic effects of repetitive transcranial magnetic stimulation on modified 2010 criteria-diagnosed fibromyalgia: Pilot study. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 187-193.	1.0	12
83	Antidepressant resistance in adolescents with major depressive disorder: A nationwide longitudinal study. <i>Journal of Affective Disorders</i> , 2020, 262, 293-297.	2.0	12
84	Familial coaggregation of major psychiatric disorders in first-degree relatives of individuals with autism spectrum disorder: a nationwide population-based study. <i>Psychological Medicine</i> , 2022, 52, 1437-1447.	2.7	12
85	Cancer risk in patients with bipolar disorder and unaffected siblings of such patients: A nationwide population-based study. <i>International Journal of Cancer</i> , 2022, 150, 1579-1586.	2.3	12
86	A predisposition for allergies predicts subsequent hypertension, dyslipidemia, and diabetes mellitus among patients with schizophrenia or bipolar disorder: A nationwide longitudinal study. <i>Schizophrenia Research</i> , 2014, 159, 171-175.	1.1	11
87	Timing of the Diagnoses of Attention Deficit Hyperactivity Disorder and Autism Spectrum Disorder in Taiwan. <i>Journal of Autism and Developmental Disorders</i> , 2021, 51, 790-797.	1.7	11
88	Effects of treatment refractoriness and brain-derived neurotrophic factor Val66Met polymorphism on antidepressant response to low-dose ketamine infusion. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1267-1274.	1.8	11
89	Risk of attention deficit hyperactivity and autism spectrum disorders among the children of parents with autoimmune diseases: a nationwide birth cohort study. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 283-291.	2.8	11
90	Repeated Low-Grade Infections Predict Antidepressant-Resistant Depression. <i>Journal of Clinical Psychiatry</i> , 2018, 79, 17m11540.	1.1	11

#	ARTICLE	IF	CITATIONS
91	Exposure to Second-Generation Antipsychotics and Risk of Type 2 Diabetes Mellitus in Adolescents and Young Adults. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	1.1	11
92	The association between prostate cancer and mood disorders: a nationwide population-based study in Taiwan. <i>International Psychogeriatrics</i> , 2015, 27, 481-490.	0.6	10
93	Risk of bipolar disorder among adolescents with allergic rhinitis: A nationwide longitudinal study. <i>Journal of Psychosomatic Research</i> , 2015, 79, 533-536.	1.2	10
94	Risk of cardiometabolic diseases among siblings of patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2019, 253, 171-175.	2.0	10
95	Cortico-thalamic dysconnection in early-stage schizophrenia: a functional connectivity magnetic resonance imaging study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 351-358.	1.8	10
96	Bacterial pneumonia and subsequent dementia risk: A nationwide cohort study. <i>Brain, Behavior, and Immunity</i> , 2022, 103, 12-18.	2.0	10
97	Risk of stroke among patients with borderline personality disorder: A nationwide longitudinal study. <i>Journal of Affective Disorders</i> , 2017, 219, 80-85.	2.0	9
98	Risks of bipolar disorder, depressive disorder, and traumatic brain injury among siblings of patients with attention-deficit hyperactivity disorder. <i>Journal of Affective Disorders</i> , 2019, 245, 335-339.	2.0	9
99	A Population-Based, Nationwide Longitudinal Study of Bipolar Disorder With Incident Dementia in Taiwan. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 530-541.	0.6	9
100	Bidirectional association between migraine and depression among probands and unaffected siblings: A nationwide population-based study. <i>Journal of Affective Disorders</i> , 2021, 279, 687-691.	2.0	9
101	Postpartum Depression and Psychosis and Subsequent Severe Mental Illnesses in Mothers and Neurodevelopmental Disorders in Children. <i>Journal of Clinical Psychiatry</i> , 2021, 82, .	1.1	9
102	Utilization of psychotropic drugs in Taiwan: an overview of outpatient sector in 2000. <i>Zhonghua Yi Xue Za Zhi = Chinese Medical Journal; Free China Ed</i> , 2002, 65, 378-91.	0.0	9
103	Increased risk of type 2 diabetes among the siblings of patients with schizophrenia. <i>CNS Spectrums</i> , 2019, 24, 453-459.	0.7	8
104	Using Minimal-Redundant and Maximal-Relevant Whole-Brain Functional Connectivity to Classify Bipolar Disorder. <i>Frontiers in Neuroscience</i> , 2020, 14, 563368.	1.4	8
105	Role of appetite hormone dysregulation in the cognitive function among patients with bipolar disorder and major depressive disorder. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 428-434.	1.3	8
106	Functional connectivity of specific brain networks related to social and communication dysfunction in adolescents with attention-deficit hyperactivity disorder. <i>Psychiatry Research</i> , 2020, 284, 112785.	1.7	8
107	Using classification and regression tree modelling to investigate treatment response to a single low-dose ketamine infusion: Post hoc pooled analyses of randomized placebo-controlled and open-label trials. <i>Journal of Affective Disorders</i> , 2021, 281, 865-871.	2.0	8
108	Baseline Working Memory Predicted Response to Low-Dose Ketamine Infusion in Patients with Treatment-Resistant Depression. <i>Pharmacopsychiatry</i> , 2022, 55, 109-114.	1.7	8

#	ARTICLE	IF	CITATIONS
109	Prevalence and Risk Factors of Insomnia in Community-Dwelling Chinese Elderly: A Taiwanese Urban Area Survey. , 0, .		8
110	Identification of common neural substrates with connectomic abnormalities in four major psychiatric disorders: A connectome-wide association study. <i>European Psychiatry</i> , 2021, 64, e8.	0.1	8
111	Happiness During Low-Dose Ketamine Infusion Predicts Treatment Response. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	1.1	8
112	Bidirectional association between inflammatory bowel disease and depression among patients and their unaffected siblings. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, 37, 1307-1315.	1.4	8
113	Increased Risk of Stroke in Patients With Obsessive-Compulsive Disorder: A Nationwide Longitudinal Study. <i>Stroke</i> , 2021, 52, 2601-2608.	1.0	7
114	Sexually Transmitted Infection Among Adolescents and Young Adults With Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	1.1	7
115	Symptomatic menopausal transition and subsequent bipolar disorder among midlife women with major depression: a nationwide longitudinal study. <i>Archives of Women's Mental Health</i> , 2017, 20, 463-468.	1.2	6
116	Proton Pump Inhibitor Exposure and Acute Myocardial Infarction Risk: A Nested Cohort Study. <i>Cardiovascular Toxicology</i> , 2021, 21, 444-450.	1.1	6
117	Obsessive-Compulsive Disorder and Dementia Risk. <i>Journal of Clinical Psychiatry</i> , 2021, 82, .	1.1	6
118	Dengue and dementia risk: A nationwide longitudinal study. <i>Journal of Infection</i> , 2021, 83, 601-606.	1.7	6
119	Low-dose ketamine infusion for treating subjective cognitive, somatic, and affective depression symptoms of treatment-resistant depression. <i>Asian Journal of Psychiatry</i> , 2021, 66, 102869.	0.9	6
120	Predictive roles of brain-derived neurotrophic factor Val66Met polymorphism on antidepressant efficacy of different forms of prefrontal brain stimulation monotherapy: A randomized, double-blind, sham-controlled study. <i>Journal of Affective Disorders</i> , 2022, 297, 353-359.	2.0	6
121	Diagnostic progression to schizophrenia in 35,255 patients with obsessive-compulsive disorder: a longitudinal follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2023, 273, 541-551.	1.8	6
122	Benzodiazepines and Z-Drug Use among HIV-Infected Patients in Taiwan: A 13-Year Nationwide Cohort Study. <i>BioMed Research International</i> , 2015, 2015, 1-5.	0.9	5
123	Drowsiness Monitoring with EEG-Based MEMS Biosensing Technologies. <i>GeroPsych: the Journal of Gerontopsychology and Geriatric Psychiatry</i> , 2010, 23, 107-113.	0.2	5
124	Type 1 diabetes mellitus and risks of major psychiatric disorders: A nationwide population-based cohort study. <i>Diabetes and Metabolism</i> , 2022, 48, 101319.	1.4	5
125	Frontal asymmetry as a core feature of major depression: a functional near-infrared spectroscopy study. <i>Journal of Psychiatry and Neuroscience</i> , 2022, 47, E186-E193.	1.4	5
126	Attention deficit hyperactivity disorder and risk of migraine: A nationwide longitudinal study. <i>Headache</i> , 2022, 62, 634-641.	1.8	5

#	ARTICLE	IF	CITATIONS
127	Comorbidity of narcolepsy and schizophrenia in an adolescent patient. <i>Journal of the Chinese Medical Association</i> , 2014, 77, 598-600.	0.6	4
128	Pharmacokinetics of a Novel Zolpidem Nasal Spray for Rapid Management of Insomnia: First Trial in Humans. <i>Journal of Clinical Sleep Medicine</i> , 2016, 12, 1453-1459.	1.4	4
129	Task-Modulated Brain Activity Predicts Antidepressant Responses of Prefrontal Repetitive Transcranial Magnetic Stimulation: A Randomized Sham-Control Study. <i>Chronic Stress</i> , 2021, 5, 247054702110068.	1.7	4
130	Identifying subtypes of bipolar disorder based on clinical and neurobiological characteristics. <i>Scientific Reports</i> , 2021, 11, 17082.	1.6	4
131	Diagnostic progression to bipolar disorder in 17,285 adolescents and young adults with attention deficit hyperactivity disorder: A longitudinal follow-up study. <i>Journal of Affective Disorders</i> , 2021, 295, 1072-1078.	2.0	4
132	Association of cognitive impairment and reduced cortical thickness in prefrontal cortex and anterior cingulate cortex with treatment-resistant depression. <i>Brain Imaging and Behavior</i> , 2022, 16, 1854-1862.	1.1	4
133	Interest-activity symptom severity predicts response to ketamine infusion in treatment-resistant depression. <i>Psychopharmacology</i> , 2021, 238, 857-865.	1.5	3
134	Treatment response and age of onset as risk indicators for parkinson disease in patients with major depressive disorder: A nationwide longitudinal study. <i>Journal of Affective Disorders</i> , 2021, 283, 329-334.	2.0	3
135	Effect of relative age on childhood mental health: A cohort of 9,548,393 children and adolescents. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 168-177.	2.2	3
136	Risks of Coaggregation of Major Psychiatric Disorders Among First-Degree Relatives of Patients With Bipolar I and Bipolar II Disorder. <i>Journal of Clinical Psychiatry</i> , 2021, 82, .	1.1	3
137	Is one or two infusions better in the first week of low-dose ketamine treatment for medication-resistant depression? A post hoc pooled analysis of randomized placebo-controlled and open-label trials. <i>Journal of Psychiatric Research</i> , 2021, 144, 448-454.	1.5	3
138	Efficacy, tolerability, and safety of oral paliperidone extended release in the treatment of schizophrenia: a 24-week, open-label, prospective switch study in different settings in Taiwan. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 725-732.	1.0	2
139	Genetic Predisposition and Disease Expression of Bipolar Disorder Reflected in Shape Changes of the Anterior Limbic Network. <i>Brain Sciences</i> , 2019, 9, 240.	1.1	2
140	Cardiometabolic disease risk among siblings of patients with major depressive disorder. <i>Journal of Developmental Origins of Health and Disease</i> , 2021, 12, 530-535.	0.7	2
141	Low-dose ketamine infusion in treatment-resistant double depression: Revisiting the adjunctive ketamine study of Taiwanese patients with treatment-resistant depression. <i>Human Psychopharmacology</i> , 2022, 37, e2820.	0.7	2
142	Dengue Virus Infection and Risk of Parkinson's Disease: A Nationwide Longitudinal Study. <i>Journal of Parkinson's Disease</i> , 2022, 12, 679-687.	1.5	2
143	Atopic diseases/diathesis and subsequent ischemic stroke among patients with bipolar disorder: A nationwide longitudinal study. <i>PLoS ONE</i> , 2018, 13, e0200682.	1.1	1
144	Effect of relative age on diagnosis of autism spectrum disorder in children: a nationwide study in Taiwan. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 1565-1571.	2.8	1

#	ARTICLE	IF	CITATIONS
145	A Multi-Center Study for the Development of the Taiwan Cognition Questionnaire (TCQ) in Major Depressive Disorder. <i>Journal of Personalized Medicine</i> , 2022, 12, 359.	1.1	1
146	Risk of Pain Disorders in Offspring of Parents with Substance Use Disorders. <i>Psychiatry and Clinical Neurosciences</i> , 2022, , .	1.0	1
147	Sexually transmitted infections among adolescents with conduct disorder: a nationwide longitudinal study. <i>European Child and Adolescent Psychiatry</i> , 2020, 30, 1187-1193.	2.8	0
148	Simultaneous measurement of dopamine transporters and D2/D3 receptors in drug naïve schizophrenia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, S577-S577.	2.4	0