List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6726921/publications.pdf Version: 2024-02-01

		81434	97045
117	5,581	41	71
papers	citations	h-index	g-index
123	123	123	5794
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Predictors of hyperkinetic seizures. Epilepsy and Behavior, 2022, 129, 108629.	0.9	0
2	Long-term Outcome of Epilepsy and Cortical Malformations Due to Abnormal Migration and Postmigrational Development. Neurology, 2022, 99, .	1.5	3
3	The Movement Disorder Society Criteria for the Diagnosis of Multiple System Atrophy. Movement Disorders, 2022, 37, 1131-1148.	2.2	222
4	European Academy of Neurology guidance for developing and reporting clinical practice guidelines on rare neurological diseases. European Journal of Neurology, 2022, 29, 1571-1586.	1.7	5
5	The Indirect Impact of COVID-19 on Major Clinical Outcomes of People With Parkinson's Disease or Parkinsonism: A Cohort Study. Frontiers in Neurology, 2022, 13, .	1.1	4
6	Risk of <scp>SARSâ€CoV</scp> â€2 infection, hospitalization, and death for <scp>COVID</scp> â€19 in people with Parkinson disease or parkinsonism over a 15â€month period: A cohort study. European Journal of Neurology, 2022, 29, 3205-3217.	1.7	7
7	Risk of hospitalization and death for <scp>COVID</scp> â€19 in persons with epilepsy over a 20â€month period: The <scp>EpiLink</scp> Bologna cohort, Italy. Epilepsia, 2022, 63, 2279-2289.	2.6	8
8	If seizures left speechless: CA-P-S C-A-R-E, a proposal of a new ictal language evaluation protocol. Neurological Sciences, 2021, 42, 3249-3255.	0.9	0
9	Mitochondrial neurogastrointestinal encephalomyopathy (MNGIE): Position paper on diagnosis, prognosis, and treatment by the <scp>MNGIE</scp> International Network. Journal of Inherited Metabolic Disease, 2021, 44, 376-387.	1.7	47
10	Risk of Hospitalization and Death for <scp>COVID</scp> â€19 in People with Parkinson's Disease or Parkinsonism. Movement Disorders, 2021, 36, 1-10.	2.2	49
11	Impact of COVIDâ€19 pandemic lockdown on narcolepsy type 1 management. Brain and Behavior, 2021, 11, e01955.	1.0	19
12	Standard procedures for the diagnostic pathway of sleepâ€related epilepsies and comorbid sleep disorders: an EAN, ESRS and ILAEâ€Europe consensus review. European Journal of Neurology, 2021, 28, 15-32.	1.7	17
13	Antibiotic Use and Risk of Multiple Sclerosis: A Nested Case-Control Study in Emilia-Romagna Region, Italy. Neuroepidemiology, 2021, 55, 224-231.	1.1	4
14	BMI changes in pediatric type 1 narcolepsy under sodium oxybate treatment. Sleep, 2021, 44, .	0.6	10
15	The Arousal Disorders Questionnaire: a new and effective screening tool for confusional arousals, Sleepwalking and Sleep Terrors in epilepsy and sleep disorders units. Sleep Medicine, 2021, 80, 279-285.	0.8	11
16	Dysphagia in multiple system atrophy consensus statement on diagnosis, prognosis and treatment. Parkinsonism and Related Disorders, 2021, 86, 124-132.	1.1	22
17	Guidelines should be guidelines: Time to leave the terms "consensus―and "position―for other purposes. European Journal of Neurology, 2021, 28, 2461-2466.	1.7	9
18	Premotor antidepressants use differs according to Parkinson's disease subtype: A cohort study. Parkinsonism and Related Disorders, 2021, 87, 137-141.	1.1	0

#	Article	IF	CITATIONS
19	European guideline and expert statements on the management of narcolepsy in adults and children. European Journal of Neurology, 2021, 28, 2815-2830.	1.7	67
20	European guideline and expert statements on the management of narcolepsy in adults and children. Journal of Sleep Research, 2021, 30, e13387.	1.7	44
21	Natural history of Lafora disease: a prognostic systematic review and individual participant data meta-analysis. Orphanet Journal of Rare Diseases, 2021, 16, 362.	1.2	28
22	Seizure worsening in pregnancy in women with sleep-related hypermotor epilepsy (SHE): A historical cohort study. Seizure: the Journal of the British Epilepsy Association, 2021, 91, 258-262.	0.9	6
23	EAN guidance for developing and reporting clinical practice guidelines on rare neurological diseases. Journal of the Neurological Sciences, 2021, 429, 119938.	0.3	0
24	Focal epilepsy due to malformations of cortical development: Long-term outcome and prognosis predictors. Journal of the Neurological Sciences, 2021, 429, 117708.	0.3	1
25	TELEmedicine for EPIlepsy Care (TELE-EPIC): protocol of a randomised, open controlled non-inferiority clinical trial. BMJ Open, 2021, 11, e053980.	0.8	6
26	In reply to the letter to the editor regarding "Use of antidepressants and the risk of Parkinson's disease in the Local Health Trust of Bologna: A historical cohort study― Journal of the Neurological Sciences, 2020, 408, 116511.	0.3	0
27	Standard procedures for the diagnostic pathway of sleepâ€related epilepsies and comorbid sleep disorders: A European Academy of Neurology, European Sleep Research Society and International League against Epilepsyâ€Europe consensus review. Journal of Sleep Research, 2020, 29, e13184.	1.7	13
28	Can Autonomic Testing and Imaging Contribute to the Early Diagnosis of Multiple System Atrophy? A Systematic Review and Recommendations by the <scp>Movement Disorder Society</scp> Multiple System Atrophy Study Group. Movement Disorders Clinical Practice, 2020, 7, 750-762.	0.8	31
29	Medico-legal assessment of personal damage in older people: report from a multidisciplinary consensus conference. International Journal of Legal Medicine, 2020, 134, 2319-2334.	1.2	7
30	The Impact of the COVID-19 Pandemic on People With Epilepsy. An Italian Survey and a Global Perspective. Frontiers in Neurology, 2020, 11, 613719.	1.1	21
31	Protocols of a diagnostic study and a randomized controlled non-inferiority trial comparing televisits vs standard in-person outpatient visits for narcolepsy diagnosis and care: TElemedicine for NARcolepsy (TENAR). BMC Neurology, 2020, 20, 176.	0.8	9
32	EAN/ERS/ESO/ESRS statement on the impact of sleep disorders on risk and outcome of stroke. European Respiratory Journal, 2020, 55, 1901104.	3.1	61
33	Skin Biopsy May Help to Distinguish Multiple System Atrophy–Parkinsonism from Parkinson's Disease With Orthostatic Hypotension. Movement Disorders, 2020, 35, 1649-1657.	2.2	50
34	EAN/ERS/ESO/ESRS statement on the impact of sleep disorders on risk and outcome of stroke. European Journal of Neurology, 2020, 27, 1117-1136.	1.7	49
35	Use of antidepressants and the risk of Parkinson's disease in the Local Health Trust of Bologna: A historical cohort study. Journal of the Neurological Sciences, 2019, 405, 116421.	0.3	9
36	Sleepâ€related hypermotor epilepsy: A prediction cohort study on sleep/awake patterns of seizures. Epilepsia, 2019, 60, e115-e120.	2.6	6

#	Article	IF	CITATIONS
37	Interobserver reliability of ICSD-3 diagnostic criteria for disorders of arousal in adults. Sleep and Breathing, 2019, 23, 1309-1314.	0.9	9
38	Stridor in multiple system atrophy. Neurology, 2019, 93, 630-639.	1.5	86
39	A critique of the second consensus criteria for multiple system atrophy. Movement Disorders, 2019, 34, 975-984.	2.2	73
40	Red Flags for early referral of people with symptoms suggestive of narcolepsy: a report from a national multidisciplinary panel. Neurological Sciences, 2019, 40, 447-456.	0.9	20
41	Health-related quality of life in clinically isolated syndrome and risk of conversion to multiple sclerosis. Neurological Sciences, 2019, 40, 75-80.	0.9	10
42	Epilepsy with auditory features: Longâ€ŧerm outcome and predictors of terminal remission. Epilepsia, 2018, 59, 834-843.	2.6	8
43	Profile of neuropsychological impairment in Sleep-related Hypermotor Epilepsy. Sleep Medicine, 2018, 48, 8-15.	0.8	13
44	Cortical myoclonic tremor induced by fixation-off sensitivity. Neurology, 2018, 91, 1061-1063.	1.5	4
45	Incidence of sudden unexpected death in epilepsy in sleep-related hypermotor epilepsy, formerly named nocturnal frontal lobe epilepsy. Sleep Medicine, 2017, 29, 98.	0.8	4
46	Occurrence of Multiple Sclerosis After Drug Exposure: Insights From Evidence Mapping. Drug Safety, 2017, 40, 823-834.	1.4	6
47	Prevalence of Sleep-Related Hypermotor Epilepsy—Formerly Named Nocturnal Frontal Lobe Epilepsy—in the Adult Population of the Emilia-Romagna Region, Italy. Sleep, 2017, 40, .	0.6	5
48	The role of EEG in the diagnosis and classification of the epilepsy syndromes: a tool for clinical practice by the ILAE Neurophysiology Task Force (Part 1). Epileptic Disorders, 2017, 19, 233-298.	0.7	79
49	Sleep-related hypermotor epilepsy. Neurology, 2017, 88, 70-77.	1.5	43
50	The role of EEG in the diagnosis and classification of the epilepsy syndromes: a tool for clinical practice by the ILAE Neurophysiology Task Force (Part 2). Epileptic Disorders, 2017, 19, 385-437.	0.7	48
51	Definition and diagnostic criteria of sleep-related hypermotor epilepsy. Neurology, 2016, 86, 1834-1842.	1.5	245
52	Assessing subjective quality of life domains after multiple sclerosis diagnosis disclosure. Health Expectations, 2016, 19, 437-447.	1.1	10
53	Prevalence of Nocturnal Frontal Lobe Epilepsy in the Adult Population of Bologna and Modena, Emilia-Romagna Region, Italy. Sleep, 2015, 38, 479-485.	0.6	27
54	Response to the letter "New avenues to prevent sudden unexpected death in nocturnal frontal lobe epilepsy: follow the route established by omega-3 polyunsaturated fatty acids― Sleep Medicine, 2015, 16, 1022-1023.	0.8	0

#	Article	IF	CITATIONS
55	Incidence of sudden unexpected death in nocturnal frontal lobe epilepsy: a cohort study. Sleep Medicine, 2015, 16, 232-236.	0.8	26
56	Interventions to reduce waiting times for elective procedures. The Cochrane Library, 2015, 2015, CD005610.	1.5	45
57	Adverse cardiovascular events associated with triptans and ergotamines for treatment of migraine: Systematic review of observational studies. Cephalalgia, 2015, 35, 118-131.	1.8	115
58	An International Consensus on the Forensic Assessment of Sleep-Related Violence and Sexual Behavior in Sleep: If Not Now, When?. Journal of Clinical Sleep Medicine, 2014, 10, 1255-1256.	1.4	3
59	Sleep-Related Violence and Sexual Behavior in Sleep: A Systematic Review of Medical-Legal Case Reports. Journal of Clinical Sleep Medicine, 2014, 10, 927-935.	1.4	47
60	Factors associated with nurses' opinions and practices regarding information and consent. Nursing Ethics, 2014, 21, 299-313.	1.8	6
61	Idiopathic Recurrent Stupor: Munchausen by Proxy and Medical Litigation. Sleep, 2014, 37, 211-211.	0.6	4
62	Risk of multiple sclerosis following clinically isolated syndrome: a 4-year prospective study. Journal of Neurology, 2013, 260, 1583-1593.	1.8	29
63	Tobacco habits in nocturnal frontal lobe epilepsy. Epilepsy and Behavior, 2013, 26, 114-117.	0.9	10
64	European guidelines for quality assurance in colorectal cancer screening and diagnosis: Overview and introduction to the full Supplement publication. Endoscopy, 2012, 45, 51-59.	1.0	356
65	Diagnostic accuracy of a structured interview for nocturnal frontal lobe epilepsy (SINFLE): A proposal for developing diagnostic criteria. Sleep Medicine, 2012, 13, 81-87.	0.8	45
66	The burden of narcolepsy with cataplexy: How disease history and clinical features influence socio-economic outcomes. Sleep Medicine, 2012, 13, 1293-1300.	0.8	69
67	Effect of the disclosure of MS diagnosis on anxiety, mood and quality of life of patients: a prospective study. International Journal of Clinical Practice, 2012, 66, 504-514.	0.8	17
68	Sleep-dependent consolidation of motor skills in patients with narcolepsy-cataplexy. Archives Italiennes De Biologie, 2012, 150, 185-93.	0.1	8
69	A 5-year prospective cohort study on health-related quality of life in patients with narcolepsy. Sleep Medicine, 2011, 12, 19-23.	0.8	87
70	Parasomnias and nocturnal frontal lobe epilepsy (NFLE): Lights and shadows – Controversial points in the differential diagnosis. Sleep Medicine, 2011, 12, S27-S32.	0.8	57
71	Antidepressant drugs for narcolepsy. The Cochrane Library, 2010, 2010, CD003724.	1.5	24
72	Increased Prevalence of Sleep Disorders in Chronic Headache: A Case–Control Study. Headache, 2010, 50, 1464-1472.	1.8	91

#	Article	IF	CITATIONS
73	Increased frequency of arousal parasomnias in families with nocturnal frontal lobe epilepsy: A common mechanism?. Epilepsia, 2010, 51, 1852-1860.	2.6	110
74	Development and validation of a patient self-assessed questionnaire on satisfaction with communication of the multiple sclerosis diagnosis. Multiple Sclerosis Journal, 2010, 16, 1237-1247.	1.4	27
75	Increased prevalence of nocturnal smoking in restless legs syndrome (RLS). Sleep Medicine, 2010, 11, 218-220.	0.8	43
76	Insomnia cycling with a 42-day infradian period: Evidence for two uncoupled circadian oscillators?. Sleep Medicine, 2010, 11, 343-350.	0.8	6
77	Association of restless legs syndrome with nocturnal eating: A caseâ€control study. Movement Disorders, 2009, 24, 871-877.	2.2	97
78	Sleep and time course of consolidation of visual discrimination skills in patients with narcolepsy–cataplexy. Journal of Sleep Research, 2009, 18, 209-220.	1.7	21
79	Prognostic factors in patients with mesial temporal lobe epilepsy. Epilepsia, 2009, 50, 41-44.	2.6	51
80	089 RLS AND COMPULSIVE BEHAVIOR DURING SLEEP. Sleep Medicine, 2009, 10, S24-S25.	0.8	0
81	Quality of life, eating and mood disorders in menstrual migraine: a case-control study. Neurological Sciences, 2008, 29, 155-157.	0.9	5
82	Impact of treatment on the short-term prognosis of status epilepticus in two population-based cohorts. Journal of Neurology, 2008, 255, 197-204.	1.8	23
83	Cerebrospinal Fluid and Serum Neuron-Specific Enolase in Acute Benign Headache. Cephalalgia, 2008, 28, 506-509.	1.8	8
84	Medicoâ€legal assessment of disability in narcolepsy: an interobserver reliability study. Journal of Sleep Research, 2008, 17, 111-119.	1.7	25
85	Daytime sleepiness and neural cardiac modulation in sleepâ€related breathing disorders. Journal of Sleep Research, 2008, 17, 263-270.	1.7	96
86	Clinical, behavioural and polysomnographic correlates of cataplexy in patients with narcolepsy/cataplexy. Sleep Medicine, 2008, 9, 425-433.	0.8	81
87	Movement disorders in sleep: Guidelines for differentiating epileptic from non-epileptic motor phenomena arising from sleep. Sleep Medicine Reviews, 2007, 11, 255-267.	3.8	172
88	Impaired cortical and autonomic arousal during sleep in multiple system atrophy. Clinical Neurophysiology, 2007, 118, 2512-2518.	0.7	28
89	Parasomnias Versus Epilepsy: Common Grounds and a Need to Change the Approach to the Problem. Epilepsia, 2007, 48, 1033-1034.	2.6	13
90	Interobserver Reliability of Video Recording in the Diagnosis of Nocturnal Frontal Lobe Seizures. Epilepsia, 2007, 48, 1506-1511.	2.6	55

#	Article	IF	CITATIONS
91	Semantic priming effect during REM-sleep inertia in patients with narcolepsy. Brain Research Bulletin, 2006, 71, 270-278.	1.4	19
92	EFNS guidelines on management of restless legs syndrome and periodic limb movement disorder in sleep. European Journal of Neurology, 2006, 13, 1049-1065.	1.7	144
93	Excessive Daytime Sleepiness and Subjective Sleep Quality in Patients with Nocturnal Frontal Lobe Epilepsy: A Case-Control Study. Epilepsia, 2006, 47, 73-77.	2.6	62
94	Antidepressant drugs for narcolepsy. , 2005, , CD003724.		4
95	Cerebrospinal fluid and serum neuron-specific enolase concentrations in a normal population*. European Journal of Neurology, 2005, 12, 369-374.	1.7	68
96	A pilot double-blind placebo-controlled trial of low-dose pramipexole in sleep-related eating disorder. European Journal of Neurology, 2005, 12, 432-436.	1.7	86
97	Epidemiology of status epilepticus in a rural area of northern Italy: a 2-year population-based study. European Journal of Neurology, 2005, 12, 897-902.	1.7	69
98	Interobserver reliability of ICSD–R minimal diagnostic criteria for the parasomnias. Journal of Neurology, 2005, 252, 712-717.	1.8	39
99	REM sleep behaviour disorder in Parkinson?s disease: a questionnaire-based study. Neurological Sciences, 2005, 25, 316-321.	0.9	160
100	In vivo evidence of neuronal loss in the hypothalamus of narcoleptic patients. Neurology, 2004, 63, 1513-1515.	1.5	52
101	Idiopathic partial epilepsy with auditory features (IPEAF): a clinical and genetic study of 53 sporadic cases. Brain, 2004, 127, 1343-1352.	3.7	82
102	Health-related quality of life in Italian patients with narcolepsy: the SF-36 health survey. Sleep Medicine, 2004, 5, 467-475.	0.8	102
103	Minimal Hepatic Encephalopathy. Archives of Neurology, 2004, 61, 242.	4.9	68
104	Italian version of the Epworth sleepiness scale: external validity. Neurological Sciences, 2003, 23, 295-300.	0.9	306
105	Accuracy of ICD-9 codes in identifying ischemic stroke in the General Hospital of Lugo di Romagna (Italy). Neurological Sciences, 2003, 24, 65-69.	0.9	50
106	Incidence and Short-term Prognosis of Status Epilepticus in Adults in Bologna, Italy. Epilepsia, 2003, 44, 964-968.	2.6	222
107	Emotional Information Processing in Patients with Narcolepsy: A Psychophysiologic Investigation. Sleep, 2003, 26, 558-564.	0.6	32
108	ICSD Diagnostic Criteria for Narcolepsy: Interobserver Reliability. Sleep, 2002, 25, 193-196.	0.6	14

#	Article	IF	CITATIONS
109	Validation of Symptoms Related to Excessive Daytime Sleepiness. Neuroepidemiology, 2001, 20, 248-256.	1.1	29
110	A case of occipital epilepsy in and elderly woman. Archives of Gerontology and Geriatrics, 2001, 33, 395-400.	1.4	2
111	Cognitive function and Epworth Sleepiness Scale in 'minimal' hepatic encephalopathy. European Journal of Neurology, 2001, 8, 369-369.	1.7	3
112	Catathrenia (nocturnal groaning): A new type of parasomnia. Neurology, 2001, 56, 681-683.	1.5	123
113	Descriptive Epidemiology of Excessive Daytime Sleepiness. , 1997, , 73-85.		1
114	Brain MRI and SPET in thrombotic thrombocytopenic purpura. Italian Journal of Neurological Sciences, 1995, 16, 149-151.	0.1	16
115	Arachnoid cyst in the region of the fourth ventricle mimicking clinical picture of normal pressure hydrocephalus. Neurosurgical Review, 1995, 18, 269-271.	1.2	13
116	Fever in Acute Stroke Worsens Prognosis. Stroke, 1995, 26, 2040-2043.	1.0	357
117	Incidence of stroke among inpatients in a large Italian hospital Stroke, 1994, 25, 1752-1754.	1.0	23