List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6727770/publications.pdf Version: 2024-02-01



| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Analysis of human exposure to landslides with a GIS multiscale approach. Natural Hazards, 2022, 112, 387-412.  | 3.4  | 10        |
| 2  | Dynamic Landscapes in the UK Driven by Pressures from Energy Production and Forestry—Results of the CORINE Land Cover Map 2018. Land, 2022, 11, 192.                                     | 2.9  | 4         |
| 3  | Near Real-Time Change Detection System Using Sentinel-2 and Machine Learning: A Test for Mexican and<br>Colombian Forests. Remote Sensing, 2022, 14, 707.                                | 4.0  | 14        |
| 4  | Pyeo: A Python package for near-real-time forest cover change detection from Earth observation using machine learning. Computers and Geosciences, 2022, 167, 105192.                     | 4.2  | 9         |
| 5  | Detecting phenological changes in plant functional types over West African savannah dominated<br>landscape. International Journal of Remote Sensing, 2021, 42, 567-594.                  | 2.9  | 6         |
| 6  | Tropical forest canopy height estimation from combined polarimetric SAR and LiDAR using machine-learning. ISPRS Journal of Photogrammetry and Remote Sensing, 2021, 172, 79-94.          | 11.1 | 49        |
| 7  | Estimating Ecological Responses to Climatic Variability on Reclaimed and Unmined Lands Using Enhanced Vegetation Index. Remote Sensing, 2021, 13, 1100.                                  | 4.0  | 6         |
| 8  | Influence of Impervious Surface Area and Fractional Vegetation Cover on Seasonal Urban Surface<br>Heating/Cooling Rates. Remote Sensing, 2021, 13, 1263.                                 | 4.0  | 19        |
| 9  | Evaluation of Environmental Naturalness: A Case Study in the Tietê-Jacaré Hydrographic Basin, São<br>Paulo, Brazil. Sustainability, 2021, 13, 3021.                                      | 3.2  | 4         |
| 10 | Analysis of a Landscape Intensely Modified by Agriculture in the Tietê–Jacaré Watershed, Brazil.<br>Sustainability, 2021, 13, 9304.  | 3.2  | 2         |
| 11 | The global forest above-ground biomass pool for 2010 estimated from high-resolution satellite observations. Earth System Science Data, 2021, 13, 3927-3950.                              | 9.9  | 123       |
| 12 | Mapping the stock and spatial distribution of aboveground woody biomass in the native vegetation of the Brazilian Cerrado biome. Forest Ecology and Management, 2021, 499, 119615.       | 3.2  | 20        |
| 13 | Aboveground Woody Biomass Estimation of the Brazilian Cerrado Biome Using Data Integration. , 2021, , .  |      | 0         |
| 14 | Identifying the Spectral Signatures of Invasive and Native Plant Species in Two Protected Areas of<br>Pakistan through Field Spectroscopy. Remote Sensing, 2021, 13, 4009.               | 4.0  | 8         |
| 15 | Detection of oil pollution impacts on vegetation using multifrequency SAR, multispectral images with fuzzy forest and random forest methods. Environmental Pollution, 2020, 256, 113360. | 7.5  | 50        |
| 16 | Postfire recruitment failure in Scots pine forests of southern Siberia. Remote Sensing of<br>Environment, 2020, 237, 111539.   | 11.0 | 23        |
| 17 | Future perspectives and challenges in hyperspectral remote sensing. , 2020, , 429-439.   |      | 14        |
| 18 | Carbon Stocks and Fluxes in Kenyan Forests and Wooded Grasslands Derived from Earth Observation<br>and Model-Data Fusion. Remote Sensing, 2020, 12, 2380.                                | 4.0  | 9         |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | A Trend Analysis of Leaf Area Index and Land Surface Temperature and Their Relationship from Global<br>to Local Scale. Land, 2020, 9, 388.   | 2.9  | 11        |
| 20 | Woody Aboveground Biomass Mapping of the Brazilian Savanna with a Multi-Sensor and Machine<br>Learning Approach. Remote Sensing, 2020, 12, 2685.   | 4.0  | 32        |
| 21 | Discriminating Forest Successional Stages, Forest Degradation, and Land Use in Central Amazon Using ALOS/PALSAR-2 Full-Polarimetric Data. Remote Sensing, 2020, 12, 3512.  | 4.0  | 8         |
| 22 | Carbon Dynamics in a Human-Modified Tropical Forest: A Case Study Using Multi-Temporal LiDAR Data.<br>Remote Sensing, 2020, 12, 430.   | 4.0  | 15        |
| 23 | Environmental vulnerability index: An evaluation of the water and the vegetation quality in a<br>Brazilian Savanna and Seasonal Forest biome. Ecological Indicators, 2020, 112, 106163.                                  | 6.3  | 11        |
| 24 | Drivers of Forest Loss in a Megadiverse Hotspot on the Pacific Coast of Colombia. Remote Sensing, 2020, 12, 1235.  | 4.0  | 15        |
| 25 | Evaluating the performance of vegetation indices for detecting oil pollution effects on vegetation<br>using hyperspectral (Hyperion EO-1) and multispectral (Sentinel-2A) data in the Niger Delta. , 2020, ,<br>377-399. |      | 0         |
| 26 | Mapping forest successional stages in the Brazilian Amazon using forest heights derived from<br>TanDEM-X SAR interferometry. Remote Sensing of Environment, 2019, 232, 111194.   | 11.0 | 22        |
| 27 | Modelling Hourly Global Horizontal Irradiance from Satellite-Derived Datasets and Climate Variables as New Inputs with Artificial Neural Networks. Energies, 2019, 12, 148.  | 3.1  | 10        |
| 28 | Impact of Soil Reflectance Variation Correction on Woody Cover Estimation in Kruger National Park<br>Using MODIS Data. Remote Sensing, 2019, 11, 898.  | 4.0  | 4         |
| 29 | Spectral Diversity Metrics for Detecting Oil Pollution Effects on Biodiversity in the Niger Delta.<br>Remote Sensing, 2019, 11, 2662.  | 4.0  | 7         |
| 30 | Directional and Zonal Analysis of Urban Thermal Environmental Change in Fuzhou as an Indicator of<br>Urban Landscape Transformation. Remote Sensing, 2019, 11, 2810.   | 4.0  | 12        |
| 31 | Forest biomass retrieval approaches from earth observation in different biomes. International<br>Journal of Applied Earth Observation and Geoinformation, 2019, 77, 53-68.   | 2.8  | 60        |
| 32 | Assessment of heavy metal release into the soil after mine clearing in Halgurd-Sakran National Park,<br>Kurdistan, Iraq. Environmental Science and Pollution Research, 2019, 26, 1517-1536.                              | 5.3  | 12        |
| 33 | Investigating spatial error structures in continuous raster data. International Journal of Applied<br>Earth Observation and Geoinformation, 2019, 74, 259-268.   | 2.8  | 13        |
| 34 | Estimating fractional cover of plant functional types in African savannah from harmonic analysis of<br>MODIS time-series data. International Journal of Remote Sensing, 2018, 39, 2718-2745.                             | 2.9  | 25        |
| 35 | Modelling forest canopy height by integrating airborne LiDAR samples with satellite Radar and<br>multispectral imagery. International Journal of Applied Earth Observation and Geoinformation, 2018,<br>66, 159-173.     | 2.8  | 61        |
| 36 | Validation of Hourly Global Horizontal Irradiance for Two Satellite-Derived Datasets in Northeast<br>Iraq. Remote Sensing, 2018, 10, 1651.   | 4.0  | 13        |

HEIKO BALZTER

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Machine-Learning Fusion of Polsar and Lidar Data for Tropical Forest Canopy Height Estimation. , 2018, , .   |     | 4         |
| 38 | Quality Control of Global Horizontal Irradiance Estimates through BSRN, TOACs and Air<br>Temperature/Sunshine Duration Test Procedures. Climate, 2018, 6, 69.  | 2.8 | 8         |
| 39 | Land degradation continues despite greening in the Nigeria-Niger border region. Global Ecology and<br>Conservation, 2018, 16, e00505.  | 2.1 | 13        |
| 40 | Detecting Vegetation Response to Oil Pollution Using Hyperspectral Indices. , 2018, , .  |     | 2         |
| 41 | A Machine-Learning Approach to PolInSAR and LiDAR Data Fusion for Improved Tropical Forest Canopy<br>Height Estimation Using NASA AfriSAR Campaign Data. IEEE Journal of Selected Topics in Applied Earth<br>Observations and Remote Sensing, 2018, 11, 3453-3463. | 4.9 | 35        |
| 42 | Predicting Land Use/Land Cover Changes Using a CA-Markov Model under Two Different Scenarios.<br>Sustainability, 2018, 10, 3421.   | 3.2 | 209       |
| 43 | Applying Built-Up and Bare-Soil Indices from Landsat 8 to Cities in Dry Climates. Land, 2018, 7, 81.   | 2.9 | 132       |
| 44 | Land Cover Changes Induced by Demining Operations in Halgurd-Sakran National Park in the Kurdistan<br>Region of Iraq. Sustainability, 2018, 10, 2422.  | 3.2 | 16        |
| 45 | A comparison of airborne hyperspectral-based classifications of emergent wetland vegetation at Lake<br>Balaton, Hungary. International Journal of Remote Sensing, 2018, 39, 5689-5715.   | 2.9 | 20        |
| 46 | Acceleration and fragmentation of CORINE land cover changes in the United Kingdom from 2006–2012<br>detected by Copernicus IMAGE2012 satellite data. International Journal of Applied Earth Observation<br>and Geoinformation, 2018, 73, 107-122.                  | 2.8 | 29        |
| 47 | Normalized Difference Vegetation Vigour Index: A New Remote Sensing Approach to Biodiversity<br>Monitoring in Oil Polluted Regions. Remote Sensing, 2018, 10, 897.   | 4.0 | 18        |
| 48 | Post-War Land Cover Changes and Fragmentation in Halgurd Sakran National Park (HSNP), Kurdistan<br>Region of Iraq. Land, 2018, 7, 38.  | 2.9 | 13        |
| 49 | Dinâmica Temporal do Uso e Cobertura da Terra no MunicÃpio de Brotas-SP entre os Anos de 1988 e<br>2016. Fronteiras, 2018, 6, 204.   | 0.1 | 4         |
| 50 | Impact of data model and point density on aboveground forest biomass estimation from airborne<br>LiDAR. Carbon Balance and Management, 2017, 12, 4.  | 3.2 | 30        |
| 51 | Quantifying biomass consumption and carbon release from the California Rim fire by integrating<br>airborne LiDAR and Landsat OLI data. Journal of Geophysical Research G: Biogeosciences, 2017, 122,<br>340-353.   | 3.0 | 43        |
| 52 | Quantifying Forest Biomass Carbon Stocks From Space. Current Forestry Reports, 2017, 3, 1-18.  | 7.4 | 85        |
| 53 | Connecting Earth observation to high-throughput biodiversity data. Nature Ecology and Evolution, 2017, 1, 176.   | 7.8 | 156       |
| 54 | Applying a normalized ratio scale technique to assess influences of urban expansion on land surface<br>temperature of the semi-arid city of Erbil. International Journal of Remote Sensing, 2017, 38, 3960-3980.   | 2.9 | 22        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Analyzing the Impacts of Urbanization and Seasonal Variation on Land Surface Temperature Based on<br>Subpixel Fractional Covers Using Landsat Images. IEEE Journal of Selected Topics in Applied Earth<br>Observations and Remote Sensing, 2017, 10, 1344-1356. | 4.9 | 27        |
| 56 | Airborne laser scanning and tree crown fragmentation metrics for the assessment of Phytophthora ramorum infected larch forest stands. Forest Ecology and Management, 2017, 404, 294-305.  | 3.2 | 14        |
| 57 | Earth Observation for Land and Emergency Monitoring Core Services. , 2017, , 1-3.   |     | 0         |
| 58 | Field spectroscopy and radiative transfer modelling to assess impacts of petroleum pollution on<br>biophysical and biochemical parameters of the Amazon rainforest. Environmental Earth Sciences, 2017,<br>76, 1.   | 2.7 | 28        |
| 59 | Tropical forest structure observation with TanDEM-X data. , 2017, , .   |     | 7         |
| 60 | Multi-Criteria Assessment of Land Cover Dynamic Changes in Halgurd Sakran National Park (HSNP),<br>Kurdistan Region of Iraq, Using Remote Sensing and GIS. Land, 2017, 6, 18.   | 2.9 | 18        |
| 61 | Individual Tree Crown Delineation from Airborne Laser Scanning for Diseased Larch Forest Stands.<br>Remote Sensing, 2017, 9, 231.   | 4.0 | 44        |
| 62 | Extrapolating Forest Canopy Fuel Properties in the California Rim Fire by Combining Airborne LiDAR and Landsat OLI Data. Remote Sensing, 2017, 9, 394.  | 4.0 | 34        |
| 63 | Estimating Daily Reference Evapotranspiration in a Semi-Arid Region Using Remote Sensing Data.<br>Remote Sensing, 2017, 9, 779.   | 4.0 | 20        |
| 64 | A Review on Remote Sensing of Urban Heat and Cool Islands. Land, 2017, 6, 38.   | 2.9 | 100       |
| 65 | Drivers of metacommunity structure diverge for common and rare Amazonian tree species. PLoS ONE, 2017, 12, e0188300.  | 2.5 | 10        |
| 66 | Relationships of S-Band Radar Backscatter and Forest Aboveground Biomass in Different Forest Types.<br>Remote Sensing, 2017, 9, 1116.   | 4.0 | 27        |
| 67 | Application of Satellite-Based Precipitation Estimates to Rainfall-Runoff Modelling in a Data-Scarce<br>Semi-Arid Catchment. Climate, 2017, 5, 32.  | 2.8 | 20        |
| 68 | Plant Family-Specific Impacts of Petroleum Pollution on Biodiversity and Leaf Chlorophyll Content in the Amazon Rainforest of Ecuador. PLoS ONE, 2017, 12, e0169867.  | 2.5 | 38        |
| 69 | Methods to Quantify Regional Differences in Land Cover Change. Remote Sensing, 2016, 8, 176.  | 4.0 | 21        |
| 70 | Detection of Amazon Forest Degradation Caused by Land Use Changes. , 2016, , .  |     | 1         |
| 71 | Diurnal and Seasonal Variation of Surface Urban Cool and Heat Islands in the Semi-Arid City of Erbil,<br>Iraq. Climate, 2016, 4, 42.  | 2.8 | 51        |
| 72 | Non-Parametric Retrieval of Aboveground Biomass in Siberian Boreal Forests with ALOS PALSAR<br>Interferometric Coherence and Backscatter Intensity. Journal of Imaging, 2016, 2, 1.   | 3.0 | 37        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Mapping Forest Cover and Forest Cover Change with Airborne S-Band Radar. Remote Sensing, 2016, 8, 577.   | 4.0  | 26        |
| 74 | Airborne S-Band SAR for Forest Biophysical Retrieval in Temperate Mixed Forests of the UK. Remote<br>Sensing, 2016, 8, 609.  | 4.0  | 29        |
| 75 | Predictive Models of Primary Tropical Forest Structure from Geomorphometric Variables Based on SRTM in the Tapajós Region, Brazilian Amazon. PLoS ONE, 2016, 11, e0152009.   | 2.5  | 14        |
| 76 | Magnitude, spatial distribution and uncertainty of forest biomass stocks in Mexico. Remote Sensing of Environment, 2016, 183, 265-281.   | 11.0 | 83        |
| 77 | Validation of the TanDEM-X Intermediate Digital Elevation Model With Airborne LiDAR and Differential<br>GNSS in Kruger National Park. IEEE Geoscience and Remote Sensing Letters, 2016, 13, 277-281.                                     | 3.1  | 16        |
| 78 | Mapping regional patterns of large forest fires in Wildland–Urban Interface areas in Europe. Journal of Environmental Management, 2016, 172, 112-126.  | 7.8  | 137       |
| 79 | Harmonic analysis of Lake Balaton phytoplankton blooms using 9 years of MERIS-derived chlorophyll-A. , 2015, , .   |      | 0         |
| 80 | A conceptual model for assessing rainfall and vegetation trends in sub‣aharan Africa from satellite<br>data. International Journal of Climatology, 2015, 35, 3582-3592.  | 3.5  | 43        |
| 81 | Multi-Scale Entropy Analysis as a Method for Time-Series Analysis of Climate Data. Climate, 2015, 3, 227-240.  | 2.8  | 24        |
| 82 | Remote Sensing and GIS for Habitat Quality Monitoring: New Approaches and Future Research. Remote<br>Sensing, 2015, 7, 7987-7994.  | 4.0  | 40        |
| 83 | Mapping CORINE Land Cover from Sentinel-1A SAR and SRTM Digital Elevation Model Data using Random Forests. Remote Sensing, 2015, 7, 14876-14898.   | 4.0  | 127       |
| 84 | Evaluating Sentinel-2 for Lakeshore Habitat Mapping Based on Airborne Hyperspectral Data. Sensors, 2015, 15, 22956-22969.  | 3.8  | 42        |
| 85 | Detecting the effects of hydrocarbon pollution in the Amazon forest using hyperspectral satellite images. Environmental Pollution, 2015, 205, 225-239.   | 7.5  | 124       |
| 86 | Satellite remote sensing of phytoplankton phenology in Lake Balaton using 10years of MERIS observations. Remote Sensing of Environment, 2015, 158, 441-452.  | 11.0 | 95        |
| 87 | Validation of Envisat MERIS algorithms for chlorophyll retrieval in a large, turbid and optically-complex shallow lake. Remote Sensing of Environment, 2015, 157, 158-169.   | 11.0 | 86        |
| 88 | Assessment of ecophysiology of lake shore reed vegetation based on chlorophyll fluorescence, field spectroscopy and hyperspectral airborne imagery. Remote Sensing of Environment, 2015, 157, 72-84.                                     | 11.0 | 56        |
| 89 | Characterizing bi-temporal patterns of land surface temperature using landscape metrics based on sub-pixel classifications from Landsat TM/ETM+. International Journal of Applied Earth Observation and Geoinformation, 2015, 42, 87-96. | 2.8  | 26        |
| 90 | Land Degradation Assessment Using Residual Trend Analysis of GIMMS NDVI3g, Soil Moisture and<br>Rainfall in Sub-Saharan West Africa from 1982 to 2012. Remote Sensing, 2015, 7, 5471-5494.   | 4.0  | 160       |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Spatial variation of the daytime Surface Urban Cool Island during the dry season in Erbil, Iraqi<br>Kurdistan, from Landsat 8. Urban Climate, 2015, 14, 176-186.  | 5.7  | 147       |
| 92  | Characterizing fractional vegetation cover and land surface temperature based on sub-pixel<br>fractional impervious surfaces from Landsat TM/ETM+. International Journal of Remote Sensing, 2015,<br>36, 4213-4232. | 2.9  | 14        |
| 93  | Spatial-Temporal Variation and Prediction of Rainfall in Northeastern Nigeria. Climate, 2014, 2, 206-222.   | 2.8  | 17        |
| 94  | Mapping Tree Species in Coastal Portugal Using Statistically Segmented Principal Component Analysis and Other Methods. IEEE Sensors Journal, 2014, 14, 4434-4441.   | 4.7  | 43        |
| 95  | Wildfires in boreal ecoregions: Evaluating the power law assumption and intraâ€annual and intraâfennual and interannual variations. Journal of Geophysical Research G: Biogeosciences, 2014, 119, 14-23.            | 3.0  | 14        |
| 96  | Spatial–temporal patterns of urban anthropogenic heat discharge in Fuzhou, China, observed from<br>sensible heat flux using Landsat TM/ETM+ data. International Journal of Remote Sensing, 2013, 34,<br>1459-1477.  | 2.9  | 28        |
| 97  | Choose satellites to monitor deforestation. Nature, 2013, 496, 293-294.   | 27.8 | 68        |
| 98  | Retrieval of Savanna Vegetation Canopy Height from ICESat-GLAS Spaceborne LiDAR With Terrain<br>Correction. IEEE Geoscience and Remote Sensing Letters, 2013, 10, 1439-1443.  | 3.1  | 24        |
| 99  | Ultraviolet Fluorescence LiDAR (UFL) as a Measurement Tool for Water Quality Parameters in Turbid<br>Lake Conditions. Remote Sensing, 2013, 5, 4405-4422.   | 4.0  | 44        |
| 100 | Introduction to the special issue: Satellite Remote Sensing in the Service of Regional and Local Authorities. European Journal of Remote Sensing, 2012, 45, 261-262.  | 3.5  | 0         |
| 101 | Earth observation: a revolutionary leap into the future. Astronomy and Geophysics, 2012, 53, 3.16-3.18.   | 0.2  | 1         |
| 102 | Data assimilation into land surface models: the implications for climate feedbacks. International<br>Journal of Remote Sensing, 2011, 32, 617-632.  | 2.9  | 17        |
| 103 | The BIOMASS mission: Mapping global forest biomass to better understand the terrestrial carbon cycle. Remote Sensing of Environment, 2011, 115, 2850-2860.  | 11.0 | 582       |
| 104 | Changes in vegetation and rainfall patterns in sub-Saharan Africa over the last decade observed by satellites - a national and sub-national synthesis. , 2011, , .  |      | 0         |
| 105 | Soil surface CO <sub>2</sub> flux increases with successional time in a<br>fire scar chronosequence of Canadian boreal jack pine forest. Biogeosciences, 2010, 7, 1375-1381.  | 3.3  | 19        |
| 106 | Fire/Climate Interactions in Siberia. Advances in Global Change Research, 2010, , 21-36.  | 1.6  | 4         |
| 107 | Assimilation of land surface temperature into the land surface model JULES with an ensemble Kalman filter. Journal of Geophysical Research, 2010, 115, .  | 3.3  | 62        |
| 108 | Estimating carbon emissions from African wildfires. Biogeosciences, 2009, 6, 349-360.   | 3.3  | 84        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | The influence of regional surface soil moisture anomalies on forest fires in Siberia observed from satellites. Environmental Research Letters, 2009, 4, 045021.   | 5.2  | 70        |
| 110 | Analysing forest recovery after wildfire disturbance in boreal Siberia using remotely sensed vegetation indices. Global Change Biology, 2009, 15, 561-577.  | 9.5  | 123       |
| 111 | An environmental assessment of land cover and land use change in Central Siberia using quantified conceptual overlaps to reconcile inconsistent data sets. Journal of Land Use Science, 2008, 3, 251-264.     | 2.2  | 11        |
| 112 | Studying the change in fAPAR after forest fires in Siberia using MODIS. International Journal of Remote Sensing, 2008, 29, 6873-6892.   | 2.9  | 11        |
| 113 | Airborne SAR monitoring of tree growth in a coniferous plantation. International Journal of Remote Sensing, 2008, 29, 3873-3889.  | 2.9  | 8         |
| 114 | Climate, vegetation phenology and forest fires in Siberia. , 2007, , .  |      | 0         |
| 115 | Coupling of Vegetation Growing Season Anomalies and Fire Activity with Hemispheric and<br>Regional-Scale Climate Patterns in Central and East Siberia. Journal of Climate, 2007, 20, 3713-3729.               | 3.2  | 78        |
| 116 | Observations of forest stand top height and mean height from interferometric SAR and LiDAR over a<br>conifer plantation at Thetford Forest, UK. International Journal of Remote Sensing, 2007, 28, 1173-1197. | 2.9  | 39        |
| 117 | Post-fire vegetation phenology in Siberian burn scars. , 2007, , .  |      | 3         |
| 118 | Data Fusion for Reconstruction of a DTM, Under a Woodland Canopy, From Airborne L-band InSAR. IEEE<br>Transactions on Geoscience and Remote Sensing, 2007, 45, 1154-1163.                                     | 6.3  | 5         |
| 119 | Forest canopy height and carbon estimation at Monks Wood National Nature Reserve, UK, using dual-wavelength SAR interferometry. Remote Sensing of Environment, 2007, 108, 224-239.                            | 11.0 | 112       |
| 120 | Uncertainties of a Regional Terrestrial Biota Full Carbon Account: A Systems Analysis. Water, Air and<br>Soil Pollution, 2007, 7, 425-441.  | 0.8  | 19        |
| 121 | Uncertainties of a Regional Terrestrial Biota Full Carbon Account: A Systems Analysis. , 2007, , 5-21.  |      | 6         |
| 122 | A statistical model linking Siberian forest fire scars with early summer rainfall anomalies.<br>Geophysical Research Letters, 2006, 33, .   | 4.0  | 16        |
| 123 | The Application of Lidar in Woodland Bird Ecology. Photogrammetric Engineering and Remote Sensing, 2006, 72, 1399-1406.   | 0.6  | 54        |
| 124 | Climatic and geographic patterns of river runoff formation in Northern Eurasia. Advances in Water<br>Resources, 2006, 29, 1314-1327.  | 3.8  | 10        |
| 125 | Retrospective mapping of burnt areas in Central Siberia using a modification of the normalised difference water index. Remote Sensing of Environment, 2006, 104, 346-359.                                     | 11.0 | 44        |
| 126 | Modelling relationships between birds and vegetation structure using airborne LiDAR data: a review with case studies from agricultural and woodland environments. Ibis, 2005, 147, 443-452.                   | 1.9  | 142       |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 127 | Impact of the Arctic Oscillation pattern on interannual forest fire variability in Central Siberia.<br>Geophysical Research Letters, 2005, 32, n/a-n/a.   | 4.0  | 69        |
| 128 | Classification of forest volume resources using ERS tandem coherence and JERS backscatter data.<br>International Journal of Remote Sensing, 2004, 25, 751-768.  | 2.9  | 33        |
| 129 | Large-scale mapping of boreal forest in SIBERIA using ERS tandem coherence and JERS backscatter data.<br>Remote Sensing of Environment, 2003, 85, 125-144.  | 11.0 | 120       |
| 130 | Estimation of tree growth in a conifer plantation over 19 years from multi-satellite L-band SAR.<br>Remote Sensing of Environment, 2003, 84, 184-191.   | 11.0 | 26        |
| 131 | Forest woody biomass classification with satellite-based radar coherence over 900 000 km2 in Central<br>Siberia. Forest Ecology and Management, 2003, 174, 65-75.                                       | 3.2  | 37        |
| 132 | Forest fire scar detection in the boreal forest with multitemporal spot-vegetation data. IEEE Transactions on Geoscience and Remote Sensing, 2003, 41, 2575-2585.                                       | 6.3  | 40        |
| 133 | Accuracy assessment of a large-scale forest cover map of central Siberia from synthetic aperture radar. Canadian Journal of Remote Sensing, 2002, 28, 719-737.  | 2.4  | 32        |
| 134 | Retrieval of timber volume and snow water equivalent over a Finnish boreal forest from airborne<br>polarimetric Synthetic Aperture Radar. International Journal of Remote Sensing, 2002, 23, 3185-3208. | 2.9  | 24        |
| 135 | Deriving forest characteristics using polarimetric InSAR measurements and models. , 2001, , .   |      | 4         |
| 136 | Forest mapping and monitoring with interferometric synthetic aperture radar (InSAR). Progress in<br>Physical Geography, 2001, 25, 159-177.  | 3.2  | 98        |
| 137 | Forest mapping and monitoring with interferometric synthetic aperture radar (InSAR). Progress in Physical Geography, 2001, 25, 159-177.   | 3.2  | 12        |
| 138 | Markov chain models for vegetation dynamics. Ecological Modelling, 2000, 126, 139-154.  | 2.5  | 183       |
| 139 | Cellular automata models for vegetation dynamics. Ecological Modelling, 1998, 107, 113-125.   | 2.5  | 242       |
| 140 | Mapping deforestation in Amazon with ERS SAR interferometry. , 0, , .   |      | 4         |
| 141 | Combining unsupervised and knowledge-based methods in large-scale forest classification. , 0, , .   |      | 1         |
| 142 | The use of coherence information from ERS tandem pairs for determining forest stock volume in SIBERIA. , 0, , .   |      | 6         |
| 143 | Biomass estimation of Thetford forest from L-band SAR data: potential and limitations. , 0, , .   |      | 1         |
| 144 | Afforestation, Re-, and Deforestation monitoring in Siberia - accuracy requirements and first results. ,<br>0, , .  |      | 2         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Potential of polarimetric SAR interferometry for forest carbon accounting. , 0, , .  |     | 1         |
| 146 | MAPPING THE SPATIAL DISTRIBUTION OF COLOMBIA'S FOREST ABOVEGROUND BIOMASS USING SAR AND OPTICAL DATA. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLII-3/W7, 57-60.                                       | 0.2 | 3         |
| 147 | AIRBORNE X-HH INCIDENCE ANGLE IMPACT ON CANOPY HEIGHT RETREIVAL: IMPLICATIONS FOR SPACEBORNE<br>X-HH TANDEM-X GLOBAL CANOPY HEIGHT MODEL. International Archives of the Photogrammetry,<br>Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XXXIX-B7, 91-96. | 0.2 | 2         |