

Adam Kecskemeti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6728359/publications.pdf>

Version: 2024-02-01

13
papers

200
citations

1306789

7
h-index

1199166

12
g-index

13
all docs

13
docs citations

13
times ranked

267
citing authors

#	ARTICLE	IF	CITATIONS
1	Environment-Friendly Catalytic Mineralization of Phenol and Chlorophenols with Cu- and Fe-Tetrakis(4-aminophenyl)-porphyrin@Silica Hybrid Aerogels. <i>Gels</i> , 2022, 8, 202.	2.1	2
2	FvmsSOD is involved in oxidative stress defence, mitochondrial stability and apoptosis prevention in <i>Fusarium verticillioides</i> . <i>Journal of Basic Microbiology</i> , 2020, 60, 994-1003.	1.8	4
3	FvatfA regulates growth, stress tolerance as well as mycotoxin and pigment productions in <i>Fusarium verticillioides</i> . <i>Applied Microbiology and Biotechnology</i> , 2020, 104, 7879-7899.	1.7	20
4	Analysis of fumonisin mycotoxins with capillary electrophoresis @ mass spectrometry. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2020, 37, 1553-1563.	1.1	10
5	Fabrication of immobilized enzyme reactors with pillar arrays into polydimethylsiloxane microchip. <i>Analytica Chimica Acta</i> , 2020, 1108, 70-78.	2.6	11
6	Determination of chlorine species by capillary electrophoresis @ mass spectrometry. <i>Electrophoresis</i> , 2019, 40, 2637-2643.	1.3	5
7	Study of thermospray and evaporation effects in a flame-on-a-chip. <i>Microchemical Journal</i> , 2019, 145, 444-449.	2.3	0
8	Particle-based liquid chromatographic separations in microfluidic devices - A review. <i>Analytica Chimica Acta</i> , 2018, 1021, 1-19.	2.6	57
9	Particle-based immobilized enzymatic reactors in microfluidic chips. <i>Talanta</i> , 2018, 180, 211-228.	2.9	29
10	Preparation and characterization of a packed bead immobilized trypsin reactor integrated into a PDMS microfluidic chip for rapid protein digestion. <i>Talanta</i> , 2017, 166, 275-283.	2.9	35
11	Development of an enzymatic reactor applying spontaneously adsorbed trypsin on the surface of a PDMS microfluidic device. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 3573-3585.	1.9	19
12	The application of a microfluidic reactor including spontaneously adsorbed trypsin for rapid protein digestion of human tear samples. <i>Proteomics - Clinical Applications</i> , 2017, 11, 1700055.	0.8	6
13	Use of surface plasmon resonance to study the adsorption of detergents on poly(dimethylsiloxane) surfaces. <i>Electrophoresis</i> , 2013, 34, 1249-1252.	1.3	2