

Gregory T Clement

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6728492/gregory-t-clement-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

3,039
citations

26
h-index

54
g-index

110
ext. papers

3,553
ext. citations

3
avg, IF

5.19
L-index

#	Paper	IF	Citations
75	Toward transcranial ultrasound tomography: design of a 456-element low profile conformal array. <i>Biomedical Physics and Engineering Express</i> , 2019 , 5, 025025	1.5	0
74	Passive Acoustic Mapping with the Angular Spectrum Method. <i>IEEE Transactions on Medical Imaging</i> , 2017 , 36, 983-993	11.7	45
73	Investigation of the correlation between diffuse infrared and ultrasound for transcranial ultrasound. <i>Biomedical Physics and Engineering Express</i> , 2016 , 2,	1.5	1
72	Linear and nonlinear ultrasound fields formed by planar sources with random pressure distributions. <i>Acoustical Science and Technology</i> , 2015 , 36, 208-215	0.5	4
71	Comparison between diffuse infrared and acoustic transmission over the human skull. <i>Proceedings of Meetings on Acoustics</i> , 2015 , 22,	1	1
70	Ultrasound field measurement using a binary lens. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2015 , 62, 350-9	3.2	7
69	Transcranial Assessment and Visualization of Acoustic Cavitation: Modeling and Experimental Validation. <i>IEEE Transactions on Medical Imaging</i> , 2015 , 34, 1270-81	11.7	28
68	A computerized tomography system for transcranial ultrasound imaging. <i>Proceedings of Meetings on Acoustics</i> , 2014 , 22,	1	1
67	A projection-based approach to diffraction tomography on curved boundaries. <i>Inverse Problems</i> , 2014 , 30,	2.3	2
66	Feasibility of low-frequency directive sound source with high range resolution using pulse compression technique. <i>Japanese Journal of Applied Physics</i> , 2014 , 53, 07KC03	1.4	11
65	Multi-planar dynamic contrast-enhanced ultrasound assessment of blood flow in a rabbit model of testicular torsion. <i>Ultrasound in Medicine and Biology</i> , 2014 , 40, 361-70	3.5	5
64	Measurement of thin films using very long acoustic wavelengths. <i>Journal of Applied Physics</i> , 2013 , 114, 234904	2.5	
63	Two-dimensional image reconstruction with spectrally-randomized ultrasound signals. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2013 , 60, 2501-10	3.2	4
62	Application of the split-step Padé approach to nonlinear field predictions. <i>Ultrasonics</i> , 2013 , 53, 432-8	3.5	8
61	The feasibility of non-contact ultrasound for medical imaging. <i>Physics in Medicine and Biology</i> , 2013 , 58, 6263-78	3.8	12
60	Compressed parametric difference frequency sound with chirp signal 2013 ,		3
59	A k-space method for moderately nonlinear wave propagation. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2012 , 59, 1664-73	3.2	27

58	Time-reversal transcranial ultrasound beam focusing using a k-space method. <i>Physics in Medicine and Biology</i> , 2012 , 57, 901-17	3.8	33
57	Verification of the Westervelt equation for focused transducers. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2011 , 58, 1097-101	3.2	20
56	A wireless batteryless deep-seated implantable ultrasonic pulser-receiver powered by magnetic coupling. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2011 , 58, 1211-21	3.2	16
55	Evaluation of a wave-vector-frequency-domain method for nonlinear wave propagation. <i>Journal of the Acoustical Society of America</i> , 2011 , 129, 32-46	2.2	28
54	The feasibility of pulse compression by nonlinear effective bandwidth extension. <i>Journal of the Acoustical Society of America</i> , 2011 , 130, 1810-9	2.2	6
53	Contrast-enhanced, real-time volumetric ultrasound imaging of tissue perfusion: preliminary results in a rabbit model of testicular torsion. <i>Physics in Medicine and Biology</i> , 2011 , 56, 2183-97	3.8	10
52	On the use of Gegenbauer reconstructions for shock wave propagation modeling. <i>Journal of the Acoustical Society of America</i> , 2011 , 130, 1115-24	2.2	8
51	Spatial backward planar projection in absorbing media possessing an arbitrary dispersion relation. <i>Acoustical Science and Technology</i> , 2010 , 31, 379-386	0.5	2
50	Transcranial magnetic resonance imaging- guided focused ultrasound surgery of brain tumors: initial findings in 3 patients. <i>Neurosurgery</i> , 2010 , 66, 323-32; discussion 332	3.2	421
49	Standing-wave suppression for transcranial ultrasound by random modulation. <i>IEEE Transactions on Biomedical Engineering</i> , 2010 , 57, 203-5	5	26
48	An intraoperative brain shift monitor using shear mode transcranial ultrasound: preliminary results. <i>Journal of Ultrasound in Medicine</i> , 2009 , 28, 191-203	2.9	19
47	Acoustic standing wave suppression using randomized phase-shift-keying excitations. <i>Journal of the Acoustical Society of America</i> , 2009 , 126, 1667-70	2.2	15
46	Ultrasound phase contrast thermal imaging with reflex transmission imaging methods in tissue phantoms. <i>Ultrasound in Medicine and Biology</i> , 2009 , 35, 1995-2006	3.5	7
45	Parametric excitation of shear waves in soft solids. <i>Acoustical Physics</i> , 2009 , 55, 567-574	1.1	8
44	Accelerated focused ultrasound imaging. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2009 , 56, 2612-23	3.2	19
43	A harmonic cancellation technique for an ultrasound transducer excited by a switched-mode power converter. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2008 , 55, 359-67	3.2	18
42	Errata for "A harmonic cancellation technique for an ultrasound transducer excited by a switched-mode power converter" [Feb 08 359-367]. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2008 , 55, 738-738	3.2	2
41	Thermal imaging with ultrasound reflex transmission methods 2008 ,		1

40	Parametric Excitation of Shear Waves in Soft Solids. <i>AIP Conference Proceedings</i> , 2008 ,	0	1
39	Feasibility of ultrasound phase contrast for heating localization. <i>Journal of the Acoustical Society of America</i> , 2008 , 123, 1773-83	2.2	4
38	A nonlinear method for high-intensity focused ultrasound (HIFU) aberration reduction 2008 ,		1
37	A pre-treatment planning strategy for high-intensity focused ultrasound (HIFU) treatments 2008 ,		2
36	Nonlinear planar forward and backward projection 2008 ,		2
35	The effects of desiccation on skull bone sound speed in porcine models. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2007 , 54, 1708-10	3.2	10
34	Two-dimensional localization with a single diffuse ultrasound field excitation. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2007 , 54, 2309-17	3.2	3
33	Two-dimensional ultrasound detection with unfocused frequency-randomized signals. <i>Journal of the Acoustical Society of America</i> , 2007 , 121, 636-47	2.2	3
32	Clinical applications of focused ultrasound-the brain. <i>International Journal of Hyperthermia</i> , 2007 , 23, 193-202	3.7	85
31	A computer-controlled ultrasound pulser-receiver system for transskull fluid detection using a shear wave transmission technique. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2007 , 54, 1772-83	3.2	16
30	Treatment Planning 2007 , 69-79		
29	Automated sonographic evaluation of testicular perfusion. <i>Physics in Medicine and Biology</i> , 2006 , 51, 3419-32	3.8	10
28	Local Frequency Dependence in Transcranial Ultrasound Transmission. <i>AIP Conference Proceedings</i> , 2006 ,	0	2
27	Longitudinal and Shear Mode Ultrasound Propagation in Human Skull Bone. <i>AIP Conference Proceedings</i> , 2006 ,	0	2
26	Local frequency dependence in transcranial ultrasound transmission. <i>Physics in Medicine and Biology</i> , 2006 , 51, 2293-305	3.8	46
25	Pre-clinical testing of a phased array ultrasound system for MRI-guided noninvasive surgery of the brain--a primate study. <i>European Journal of Radiology</i> , 2006 , 59, 149-56	4.7	180
24	Longitudinal and shear mode ultrasound propagation in human skull bone. <i>Ultrasound in Medicine and Biology</i> , 2006 , 32, 1085-96	3.5	166
23	Spectral image reconstruction for transcranial ultrasound measurement. <i>Physics in Medicine and Biology</i> , 2005 , 50, 5557-72	3.8	12

22	Transcranial ultrasound focus reconstruction with phase and amplitude correction. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2005 , 52, 1518-22	3.2	53
21	A magnetic resonance imaging-compatible, large-scale array for trans-skull ultrasound surgery and therapy. <i>Journal of Ultrasound in Medicine</i> , 2005 , 24, 1117-25	2.9	71
20	A new ultrasound method for determining the acoustic phase shifts caused by the skull bone. <i>Ultrasound in Medicine and Biology</i> , 2005 , 31, 771-80	3.5	21
19	Superresolution ultrasound imaging using back-projected reconstruction. <i>Journal of the Acoustical Society of America</i> , 2005 , 118, 3953-60	2.2	27
18	Ultrasound phase-contrast transmission imaging of localized thermal variation and the identification of fat/tissue boundaries. <i>Physics in Medicine and Biology</i> , 2005 , 50, 1585-600	3.8	9
17	Enhanced ultrasound transmission through the human skull using shear mode conversion. <i>Journal of the Acoustical Society of America</i> , 2004 , 115, 1356-64	2.2	104
16	Perspectives in clinical uses of high-intensity focused ultrasound. <i>Ultrasonics</i> , 2004 , 42, 1087-93	3.5	143
15	500-element ultrasound phased array system for noninvasive focal surgery of the brain: a preliminary rabbit study with ex vivo human skulls. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 100-7	4.4	260
14	Preliminary results using ultrasound transmission for image-guided thermal therapy. <i>Ultrasound in Medicine and Biology</i> , 2003 , 29, 293-9	3.5	13
13	Forward planar projection through layered media. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2003 , 50, 1689-98	3.2	25
12	Correlation of ultrasound phase with physical skull properties. <i>Ultrasound in Medicine and Biology</i> , 2002 , 28, 617-24	3.5	83
11	A unified model for the speed of sound in cranial bone based on genetic algorithm optimization. <i>Physics in Medicine and Biology</i> , 2002 , 47, 3925-44	3.8	58
10	A non-invasive method for focusing ultrasound through the human skull. <i>Physics in Medicine and Biology</i> , 2002 , 47, 1219-36	3.8	349
9	Micro-receiver guided transcranial beam steering. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2002 , 49, 447-53	3.2	46
8	The role of internal reflection in transskull phase distortion. <i>Ultrasonics</i> , 2001 , 39, 109-13	3.5	26
7	Comparison of modelled and observed in vivo temperature elevations induced by focused ultrasound: implications for treatment planning. <i>Physics in Medicine and Biology</i> , 2001 , 46, 1785-98	3.8	41
6	Investigation of a large-area phased array for focused ultrasound surgery through the skull. <i>Physics in Medicine and Biology</i> , 2000 , 45, 1071-83	3.8	122
5	Field characterization of therapeutic ultrasound phased arrays through forward and backward planar projection. <i>Journal of the Acoustical Society of America</i> , 2000 , 108, 441-6	2.2	60

4	A hemisphere array for non-invasive ultrasound brain therapy and surgery. <i>Physics in Medicine and Biology</i> , 2000 , 45, 3707-19	3.8	134
3	Forward projection of transient signals obtained from a fiber-optic pressure sensor. <i>Journal of the Acoustical Society of America</i> , 1998 , 104, 1266-1273	2.2	12
2	Temporal backward planar projection of acoustic transients. <i>Journal of the Acoustical Society of America</i> , 1998 , 103, 1723-1726	2.2	7
1			1