
Silvia Torretta

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6731281/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. Nature, 2022, 604, 502-508.	27.8	929
2	Clinical and Functional Characterization of a Novel Mutation in Lamin A/C Gene in a Multigenerational Family with Arrhythmogenic Cardiac Laminopathy. PLoS ONE, 2015, 10, e0121723.	2.5	43
3	Antipsychotic Drug Responsiveness and Dopamine Receptor Signaling; Old Players and New Prospects. Frontiers in Psychiatry, 2019, 9, 702.	2.6	43
4	Role of nuclear Lamin A/C in cardiomyocyte functions. Biology of the Cell, 2014, 106, 346-358.	2.0	35
5	A Pattern of Cognitive Deficits Stratified for Genetic and Environmental Risk Reliably Classifies Patients With Schizophrenia From Healthy Control Subjects. Biological Psychiatry, 2020, 87, 697-707.	1.3	33
6	Prefrontal activity during working memory is modulated by the interaction of variation in CB1 and COX2 coding genes and correlates with frequency of cannabis use. Cortex, 2016, 81, 231-238.	2.4	25
7	High-throughput fluorescent-based NKCC functional assay in adherent epithelial cells. BMC Cell Biology, 2013, 14, 16.	3.0	23
8	NKCC2 activity is inhibited by the Bartter's syndrome type 5 gainâ€ofâ€function CaRâ€A843E mutant in renal cells. Biology of the Cell, 2015, 107, 98-110.	2.0	22
9	NURR1 and ERR1 Modulate the Expression of Genes of a <i>DRD2</i> Coexpression Network Enriched for Schizophrenia Risk. Journal of Neuroscience, 2020, 40, 932-941.	3.6	19
10	A Polygenic Risk Score of glutamatergic SNPs associated with schizophrenia predicts attentional behavior and related brain activity in healthy humans. European Neuropsychopharmacology, 2017, 27, 928-939.	0.7	17
11	Identification of moesin as NKCC2â€interacting protein and analysis of its functional role in the NKCC2 apical trafficking. Biology of the Cell, 2012, 104, 658-676.	2.0	10
12	Involvement of vascular endothelial growth factor in schizophrenia. Neuroscience Letters, 2021, 760, 136093.	2.1	10
13	Na+/K+-ATPase \hat{l}^21 -subunit is recruited in Na-K-2Cl co-transporter isoform 2 multiprotein complexes in rat kidneys. Journal of Hypertension, 2014, 32, 1842-1853.	0.5	7
14	Emotional Stability Interacts with Cortisol Levels Before fMRI on Brain Processing of Fearful Faces. Neuroscience, 2019, 416, 190-197.	2.3	7
15	Evidence of an interaction between <i>FXR1</i> and <i>GSK3β</i> polymorphisms on levels of Negative Symptoms of Schizophrenia and their response to antipsychotics. European Psychiatry, 2021, 64, e39.	0.2	6
16	Abnormal RasGRP1 Expression in the Post-Mortem Brain and Blood Serum of Schizophrenia Patients. Biomolecules, 2022, 12, 328.	4.0	4
17	Genetic variation is associated with RTN4R expression and working memory processing in healthy humans. Brain Research Bulletin, 2017, 134, 162-167.	3.0	3
18	Strategies for Psychiatric Rehabilitation and their Cognitive Outcomes in Schizophrenia: Review of Last Five-year Studies. Clinical Practice and Epidemiology in Mental Health, 2021, 17, 31-47.	1.2	3

#	Article	IF	CITATIONS
19	Toll-Like Receptors in Stem/Progenitor Cells. Handbook of Experimental Pharmacology, 2021, , 175-212.	1.8	3

SILVIA TORRETTA