
## Silvia Torretta

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6731281/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Abnormal RasGRP1 Expression in the Post-Mortem Brain and Blood Serum of Schizophrenia Patients. Biomolecules, 2022, 12, 328.	4.0	4
2	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. Nature, 2022, 604, 502-508.	27.8	929
3	Evidence of an interaction between <i>FXR1</i> and <i>GSK3β</i> polymorphisms on levels of Negative Symptoms of Schizophrenia and their response to antipsychotics. European Psychiatry, 2021, 64, e39.	0.2	6
4	Strategies for Psychiatric Rehabilitation and their Cognitive Outcomes in Schizophrenia: Review of Last Five-year Studies. Clinical Practice and Epidemiology in Mental Health, 2021, 17, 31-47.	1.2	3
5	Involvement of vascular endothelial growth factor in schizophrenia. Neuroscience Letters, 2021, 760, 136093.	2.1	10
6	Toll-Like Receptors in Stem/Progenitor Cells. Handbook of Experimental Pharmacology, 2021, , 175-212.	1.8	3
7	A Pattern of Cognitive Deficits Stratified for Genetic and Environmental Risk Reliably Classifies Patients With Schizophrenia From Healthy Control Subjects. Biological Psychiatry, 2020, 87, 697-707.	1.3	33
8	NURR1 and ERR1 Modulate the Expression of Genes of a <i>DRD2</i> Coexpression Network Enriched for Schizophrenia Risk. Journal of Neuroscience, 2020, 40, 932-941.	3.6	19
9	Emotional Stability Interacts with Cortisol Levels Before fMRI on Brain Processing of Fearful Faces. Neuroscience, 2019, 416, 190-197.	2.3	7
10	Antipsychotic Drug Responsiveness and Dopamine Receptor Signaling; Old Players and New Prospects. Frontiers in Psychiatry, 2019, 9, 702.	2.6	43
11	Genetic variation is associated with RTN4R expression and working memory processing in healthy humans. Brain Research Bulletin, 2017, 134, 162-167.	3.0	3
12	A Polygenic Risk Score of glutamatergic SNPs associated with schizophrenia predicts attentional behavior and related brain activity in healthy humans. European Neuropsychopharmacology, 2017, 27, 928-939.	0.7	17
13	Prefrontal activity during working memory is modulated by the interaction of variation in CB1 and COX2 coding genes and correlates with frequency of cannabis use. Cortex, 2016, 81, 231-238.	2.4	25
14	Clinical and Functional Characterization of a Novel Mutation in Lamin A/C Gene in a Multigenerational Family with Arrhythmogenic Cardiac Laminopathy. PLoS ONE, 2015, 10, e0121723.	2.5	43
15	NKCC2 activity is inhibited by the Bartter's syndrome type 5 gainâ€ofâ€function CaRâ€A843E mutant in renal cells. Biology of the Cell, 2015, 107, 98-110.	2.0	22
16	Na+/K+-ATPase β1-subunit is recruited in Na-K-2Cl co-transporter isoform 2 multiprotein complexes in rat kidneys. Journal of Hypertension, 2014, 32, 1842-1853.	0.5	7
17	Role of nuclear Lamin A/C in cardiomyocyte functions. Biology of the Cell, 2014, 106, 346-358.	2.0	35
18	High-throughput fluorescent-based NKCC functional assay in adherent epithelial cells. BMC Cell Biology, 2013, 14, 16.	3.0	23

#	Article	IF	CITATIONS
19	Identification of moesin as NKCC2â€interacting protein and analysis of its functional role in the NKCC2 apical trafficking. Biology of the Cell, 2012, 104, 658-676.	2.0	10