Jenny T Van Der Steen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6732690/publications.pdf

Version: 2024-02-01

237 papers 7,463 citations

45 h-index 76900 74 g-index

256 all docs

256 docs citations

256 times ranked 4665 citing authors

#	Article	IF	CITATIONS
1	White paper defining optimal palliative care in older people with dementia: A Delphi study and recommendations from the European Association for Palliative Care. Palliative Medicine, 2014, 28, 197-209.	3.1	714
2	Dying with Dementia: What We Know after More than a Decade of Research. Journal of Alzheimer's Disease, 2010, 22, 37-55.	2.6	228
3	Antibiotic Use and Resistance in Long Term Care Facilities. Journal of the American Medical Directors Association, 2012, 13, 568.e1-568.e13.	2.5	171
4	Factors Associated with Initiation of Advance Care Planning in Dementia: A Systematic Review. Journal of Alzheimer's Disease, 2014, 40, 743-757.	2.6	161
5	Music-based therapeutic interventions for people with dementia. The Cochrane Library, 2018, 2018, CD003477.	2.8	153
6	Dying With Dementia: Symptoms, Treatment, and Quality of Life in the Last Week of Life. Journal of Pain and Symptom Management, 2014, 47, 710-720.	1,2	144
7	Music-based therapeutic interventions for people with dementia. The Cochrane Library, 2017, 5, CD003477.	2.8	131
8	Withholding Antibiotic Treatment in Pneumonia Patients With Dementia. Archives of Internal Medicine, 2002, 162, 1753.	3.8	116
9	Interventions targeting pain or behaviour in dementia: A systematic review. Ageing Research Reviews, 2013, 12, 1042-1055.	10.9	106
10	From Admission to Death: Prevalence and Course of Pain, Agitation, and Shortness of Breath, and Treatment of These Symptoms in Nursing Home Residents With Dementia. Journal of the American Medical Directors Association, 2015, 16, 475-481.	2.5	104
11	Treatment of Nursing Home Residents with Dementia and Lower Respiratory Tract Infection in the United States and the Netherlands: An Ocean Apart. Journal of the American Geriatrics Society, 2004, 52, 691-699.	2.6	103
12	Nursing Home Residents Dying With Dementia in Flanders, Belgium: AÂNationwide Postmortem Study on Clinical Characteristics and Quality of Dying. Journal of the American Medical Directors Association, 2013, 14, 485-492.	2.5	103
13	Pneumonia: The Demented Patient's Best Friend? Discomfort After Starting or Withholding Antibiotic Treatment. Journal of the American Geriatrics Society, 2002, 50, 1681-1688.	2.6	101
14	Severe Dementia and Adverse Outcomes of Nursing Homeâ€Acquired Pneumonia: Evidence for Mediation by Functional and Pathophysiological Decline. Journal of the American Geriatrics Society, 2002, 50, 439-448.	2.6	100
15	Discomfort in dementia patients dying from pneumonia and its relief by antibiotics. Scandinavian Journal of Infectious Diseases, 2009, 41, 143-151.	1.5	97
16	Caregivers' understanding of dementia predicts patients' comfort at death: a prospective observational study. BMC Medicine, 2013, 11, 105.	5.5	87
17	A Cross-Cultural Study of Physician Treatment Decisions for Demented Nursing Home Patients Who Develop Pneumonia. Annals of Family Medicine, 2006, 4, 221-227.	1.9	85
18	Quality of Dying in Nursing Home Residents Dying with Dementia: Does Advanced Care Planning Matter? A Nationwide Postmortem Study. PLoS ONE, 2014, 9, e91130.	2.5	83

#	Article	IF	CITATIONS
19	Antibiotics and Mortality in Patients with Lower Respiratory Infection and Advanced Dementia. Journal of the American Medical Directors Association, 2012, 13, 156-161.	2.5	80
20	Which Score Most Likely Represents Pain on the Observational PAINAD Pain Scale for Patients with Dementia?. Journal of the American Medical Directors Association, 2012, 13, 384-389.	2.5	79
21	Antibiotic Prescribing In Dutch Nursing Homes: How Appropriate Is It?. Journal of the American Medical Directors Association, 2015, 16, 229-237.	2.5	77
22	Relationship between symptoms of depression and agitation in nursing home residents with dementia. International Journal of Geriatric Psychiatry, 2012, 27, 749-754.	2.7	76
23	Advance Care Planning and Physician Orders in Nursing Home Residents With Dementia: A Nationwide Retrospective Study Among Professional Caregivers and Relatives. Journal of Pain and Symptom Management, 2014, 47, 245-256.	1.2	73
24	Symptoms, Signs, Problems, and Diseases of Terminally Ill Nursing Home Patients. Archives of Internal Medicine, 2005, 165, 314.	3.8	71
25	Palliative care for people with dementia in the terminal phase: a mixed-methods qualitative study to inform service development. BMC Palliative Care, 2017, 16, 28.	1.8	71
26	Factors influencing antibiotic prescribing in long-term care facilities: a qualitative in-depth study. BMC Geriatrics, 2014, 14, 136.	2.7	70
27	Effects on pain of a stepwise multidisciplinary intervention (STA OP!) that targets pain and behavior in advanced dementia: A cluster randomized controlled trial. Palliative Medicine, 2018, 32, 682-692.	3.1	69
28	The last days of life of nursing home patients with and without dementia assessed with the Palliative care Outcome Scale. Palliative Medicine, 2005, 19, 334-342.	3.1	66
29	Spirituality at the End of Life: Conceptualization of Measurable Aspects—a Systematic Review. Journal of Palliative Medicine, 2011, 14, 852-863.	1.1	63
30	Participatory action research in antimicrobial stewardship: a novel approach to improving antimicrobial prescribing in hospitals and long-term care facilities. Journal of Antimicrobial Chemotherapy, 2014, 69, 1734-1741.	3.0	63
31	The †natural†mendpoint of dementia: death from cachexia or dehydration following palliative care?. International Journal of Geriatric Psychiatry, 2007, 22, 350-355.	2.7	59
32	Modifiable Factors Related to Abusive Behaviors in Nursing Home Residents With Dementia. Journal of the American Medical Directors Association, 2009, 10, 617-622.	2.5	59
33	Measuring the Quality of Dying and Quality of Care When Dying in Long-Term Care Settings: A Qualitative Content Analysis of Available Instruments. Journal of Pain and Symptom Management, 2011, 42, 852-863.	1.2	57
34	Predictors of mortality for lower respiratory infections in nursing home residents with dementia were validated transnationally. Journal of Clinical Epidemiology, 2006, 59, 970-979.	5.0	56
35	Defining severe dementia with the Minimum Data Set. International Journal of Geriatric Psychiatry, 2006, 21, 1099-1106.	2.7	56
36	A Model for Quality of Life Measures in Patients with Dementia: Lawton's Next Step. Dementia and Geriatric Cognitive Disorders, 2004, 18, 159-164.	1.5	55

#	Article	IF	CITATIONS
37	Effects of a Stepwise Multidisciplinary Intervention for Challenging Behavior in Advanced Dementia: A Cluster Randomized Controlled Trial. Journal of the American Geriatrics Society, 2016, 64, 261-269.	2.6	55
38	Toward a theoryâ€based specification of nonâ€pharmacological treatments in aging and dementia: Focused reviews and methodological recommendations. Alzheimer's and Dementia, 2021, 17, 255-270.	0.8	55
39	An evaluation of palliative care contents in national dementia strategies in reference to the European Association for Palliative Care white paper. International Psychogeriatrics, 2015, 27, 1551-1561.	1.0	53
40	Selecting the Best Instruments to Measure Quality of End-of-Life Care and Quality of Dying in Long Term Care. Journal of the American Medical Directors Association, 2013, 14, 179-186.	2.5	52
41	Practical nursing recommendations for palliative care for people with dementia living in long-term care facilities during the COVID-19 pandemic: A rapid scoping review. International Journal of Nursing Studies, 2021, 113, 103781.	5.6	52
42	Psychometric properties of instruments to measure the quality of end-of-life care and dying for long-term care residents with dementia. Quality of Life Research, 2012, 21, 671-684.	3.1	51
43	Characteristics Associated with Quality of Life in Long-Term Care Residents with Dementia: A Cross-Sectional Study. Dementia and Geriatric Cognitive Disorders, 2016, 42, 186-197.	1.5	50
44	Effects of a spiritual care training for nurses. Nurse Education Today, 2011, 31, 790-796.	3.3	49
45	Hospitalizations of nursing home residents with dementia in the last month of life: Results from a nationwide survey. Palliative Medicine, 2014, 28, 1110-1117.	3.1	49
46	Effects of two feedback interventions on end-of-life outcomes in nursing home residents with dementia: A cluster-randomized controlled three-armed trial. Palliative Medicine, 2018, 32, 693-702.	3.1	49
47	Comparing Palliative Care in Care Homes Across Europe (PACE): Protocol of a Cross-sectional Study of Deceased Residents in 6 EU Countries. Journal of the American Medical Directors Association, 2016, 17, 566.e1-566.e7.	2.5	47
48	The Pain Assessment in Impaired Cognition scale (PAIC15): A multidisciplinary and international approach to develop and test a metaâ€ŧool for pain assessment in impaired cognition, especially dementia. European Journal of Pain, 2020, 24, 192-208.	2.8	47
49	Lower Respiratory Infections in Nursing Home Residents With Dementia: A Tale of Two Countries. Gerontologist, The, 2003, 43, 85-93.	3.9	45
50	The implementation of the serial trial intervention for pain and challenging behaviour in advanced dementia patients (STA OP!): a clustered randomized controlled trial. BMC Geriatrics, 2011, 11, 12.	2.7	45
51	Apathy and Weight Loss in Nursing Home Residents: Longitudinal Study. Journal of the American Medical Directors Association, 2013, 14, 417-420.	2.5	45
52	Symptoms and treatment when death is expected in dementia patients in long-term care facilities. BMC Geriatrics, 2014, 14, 99.	2.7	45
53	Advance directives and physicians' orders in nursing home residents with dementia in Flanders, Belgium: prevalence and associated outcomes. International Psychogeriatrics, 2012, 24, 1133-1143.	1.0	44
54	Withholding or Starting Antibiotic Treatment in Patients with Dementia and Pneumonia: Prediction of Mortality with Physicians' Judgment of Illness Severity and with Specific Prognostic Models. Medical Decision Making, 2005, 25, 210-221.	2.4	43

#	Article	IF	CITATIONS
55	Prediction of 6-month Mortality in Nursing Home Residents with Advanced Dementia: Validity of a Risk Score. Journal of the American Medical Directors Association, 2007, 8, 464-468.	2.5	43
56	Retrospective and Prospective Data Collection Compared in the Dutch End of Life in Dementia (DEOLD) Study. Alzheimer Disease and Associated Disorders, 2014, 28, 88-94.	1.3	43
57	Predictors of spiritual care provision for patients with dementia at the end of life as perceived by physicians: a prospective study. BMC Palliative Care, 2014, 13, 61.	1.8	42
58	Advance Care Planning in Nursing Home Patients With Dementia: A Qualitative Interview Study Among Family and Professional Caregivers. Journal of the American Medical Directors Association, 2015, 16, 979-989.	2.5	42
59	Tools to Assess Pain or Lack of Comfort in Dementia: A Content Analysis. Journal of Pain and Symptom Management, 2015, 50, 659-675.e3.	1.2	41
60	The Importance of Physician Presence in Nursing Homes for Residents with Dementia and Pneumonia. Journal of the American Medical Directors Association, 2011, 12, 68-73.	2.5	40
61	Endâ€ofâ€ife treatment decisions in nursing home residents dying with dementia in the Netherlands. International Journal of Geriatric Psychiatry, 2017, 32, e43-e49.	2.7	39
62	Integrating palliative care in long-term care facilities across Europe (PACE): protocol of a cluster randomized controlled trial of the †PACE Steps to Success' intervention in seven countries. BMC Palliative Care, 2018, 17, 47.	1.8	39
63	Strategies for the implementation of palliative care education and organizational interventions in long-term care facilities: A scoping review. Palliative Medicine, 2020, 34, 558-570.	3.1	39
64	Dying in long-term care facilities in Europe: the PACE epidemiological study of deceased residents in six countries. BMC Public Health, 2019, 19, 1199.	2.9	37
65	Benefits and pitfalls of pooling datasets from comparable observational studies: combining US and Dutch nursing home studies. Palliative Medicine, 2008, 22, 750-759.	3.1	36
66	Effect of tailored antibiotic stewardship programmes on the appropriateness of antibiotic prescribing in nursing homes. Journal of Antimicrobial Chemotherapy, 2015, 70, 2153-2162.	3.0	36
67	Family Perceptions of Endâ€ofâ€Life Care for Longâ€Term Care Residents with Dementia: Differences Between the United States and the Netherlands. Journal of the American Geriatrics Society, 2012, 60, 316-322.	2.6	35
68	Prospective Observations of Discomfort, Pain, and Dyspnea in Nursing Home Residents With Dementia and Pneumonia. Journal of the American Medical Directors Association, 2016, 17, 128-135.	2.5	35
69	Care staff's self-efficacy regarding end-of-life communication in the long-term care setting: Results of the PACE cross-sectional study in six European countries. International Journal of Nursing Studies, 2019, 92, 135-143.	5.6	35
70	Dementia, Lower Respiratory Tract Infection, and Long-Term Mortality. Journal of the American Medical Directors Association, 2007, 8, 396-403.	2.5	34
71	Palliative Care Implementation in Long-Term Care Facilities: European Association for Palliative Care White Paper. Journal of the American Medical Directors Association, 2020, 21, 1051-1057.	2.5	34
72	Decisions to treat or not to treat pneumonia in demented psychogeriatric nursing home patients: development of a guideline. Journal of Medical Ethics, 2000, 26, 114-120.	1.8	33

#	Article	IF	CITATIONS
73	Ratings of symptoms and comfort in dementia patients at the end of life: comparison of nurses and families. Palliative Medicine, 2009, 23, 317-324.	3.1	33
74	Educating families about end-of-life care in advanced dementia: acceptability of a Canadian family booklet to nurses from Canada, France, and Japan. International Journal of Palliative Nursing, 2013, 19, 67-74.	0.5	33
75	Evaluations of end of life with dementia by families in Dutch and U.S. nursing homes. International Psychogeriatrics, 2009, 21, 321.	1.0	32
76	General practitioners perceptions on advance care planning for patients living with dementia. BMC Palliative Care, 2015, 14, 14.	1.8	32
77	Measuring End-of-Life Care and Outcomes in Residential Care/Assisted Living and Nursing Homes. Journal of Pain and Symptom Management, 2015, 49, 666-679.	1.2	32
78	Treatments and Prescriptions in Advanced Dementia Patients Residing in Long-Term Care Institutions and at Home. Journal of Palliative Medicine, 2013, 16, 31-37.	1.1	31
79	Translation and cross-cultural adaptation of a family booklet on comfort care in dementia: sensitive topics revised before implementation. Journal of Medical Ethics, 2013, 39, 104-109.	1.8	31
80	Families' Experiences With End-of-Life Care in Nursing Homes and Associations With Dying Peacefully With Dementia. Journal of the American Medical Directors Association, 2019, 20, 268-272.	2.5	31
81	Nursing staff needs in providing palliative care for people with dementia at home or in long-term care facilities: A scoping review. International Journal of Nursing Studies, 2019, 96, 143-152.	5.6	31
82	A Family Booklet About Comfort Care in Advanced Dementia: Three-Country Evaluation. Journal of the American Medical Directors Association, 2012, 13, 368-375.	2.5	30
83	Comfort goal of care and end-of-life outcomes in dementia: A prospective study. Palliative Medicine, 2015, 29, 538-546.	3.1	30
84	Critical Decisions for Older People With Advanced Dementia: A Prospective Study in Long-Term Institutions and District Home Care. Journal of the American Medical Directors Association, 2015, 16, 535.e13-535.e20.	2.5	29
85	Trends in Treatment of Pneumonia among Dutch Nursing Home Patients with Dementia. Journal of Palliative Medicine, 2009, 12, 789-795.	1.1	27
86	General practitioners' perceptions of the barriers and solutions to good-quality palliative care in dementia. Dementia, 2017, 16, 79-95.	2.0	27
87	Spiritual End-of-Life Care in Dutch Nursing Homes: An Ethnographic Study. Journal of the American Medical Directors Association, 2013, 14, 679-684.	2.5	26
88	When do people with dementia die peacefully? An analysis of data collected prospectively in long-term care settings. Palliative Medicine, 2014, 28, 210-219.	3.1	26
89	Achieving consensus and controversy around applicability of palliative care to dementia. International Psychogeriatrics, 2016, 28, 133-145.	1.0	26
90	Initiating advance care planning on end-of-life issues in dementia: Ambiguity among UK and Dutch physicians. Archives of Gerontology and Geriatrics, 2016, 65, 225-230.	3.0	26

#	Article	IF	CITATIONS
91	Antibiotic Treatment and Survival of Nursing Home Patients With Lower Respiratory Tract Infection: A Cross-National Analysis. Annals of Family Medicine, 2005, 3, 422-429.	1.9	25
92	Treatment strategy and risk of functional decline and mortality after nursing-home acquired lower respiratory tract infection: two prospective studies in residents with dementia. International Journal of Geriatric Psychiatry, 2007, 22, 1013-1019.	2.7	25
93	A validated risk score to estimate mortality risk in patients with dementia and pneumonia: barriers to clinical impact. International Psychogeriatrics, 2011, 23, 31-43.	1.0	25
94	Continuous Deep Sedation Until Death in Nursing Home Residents with Dementia: A Case Series. Journal of the American Geriatrics Society, 2013, 61, 1768-1776.	2.6	24
95	Palliative care for persons with Parkinson's disease: a qualitative study on the experiences of health care professionals. BMC Palliative Care, 2019, 18, 53.	1.8	24
96	Palliative care provision in long-term care facilities differs across Europe: Results of a cross-sectional study in six European countries (PACE). Palliative Medicine, 2019, 33, 1176-1188.	3.1	24
97	Mortality Following Nursing Home–Acquired Lower Respiratory Infection: LRI Severity, Antibiotic Treatment, and Water Intake. Journal of the American Medical Directors Association, 2012, 13, 376-383.	2.5	23
98	Underdiagnosis and undertreatment of depression in nursing home residents. European Geriatric Medicine, 2011, 2, 332-337.	2.8	22
99	Physicians' and Nurses' Perceived Usefulness and Acceptability of a Family Information Booklet about Comfort Care in Advanced Dementia. Journal of Palliative Medicine, 2011, 14, 614-622.	1.1	21
100	Quality of dying of nursing home residents with dementia as judged by relatives. International Psychogeriatrics, 2013, 25, 1697-1707.	1.0	21
101	Factors Related to Rejection of Care and Behaviors Directed towards Others: A Longitudinal Study in Nursing Home Residents with Dementia. Dementia and Geriatric Cognitive Disorders Extra, 2015, 5, 123-134.	1.3	21
102	Effects of the Namaste Care Family programme on quality of life of nursing home residents with advanced dementia and on family caregiving experiences: study protocol of a cluster-randomised controlled trial. BMJ Open, 2018, 8, e025411.	1.9	21
103	Prognosis is important in decisionmaking in Dutch nursing home patients with dementia and pneumonia. International Journal of Geriatric Psychiatry, 2009, 24, 933-936.	2.7	20
104	Development of a practice guideline for optimal symptom relief for patients with pneumonia and dementia in nursing homes using a Delphi study. International Journal of Geriatric Psychiatry, 2015, 30, 487-496.	2.7	20
105	Limited engagement in, yet clear preferences for advance care planning in young-onset dementia: An exploratory interview-study with family caregivers. Palliative Medicine, 2019, 33, 1166-1175.	3.1	20
106	Physicians' perceptions of suffering in people with dementia at the end of life. Palliative and Supportive Care, 2017, 15, 587-599.	1.0	19
107	Pneumonia in Nursing Home Patients With Advanced Dementia: Decisions, Intravenous Rehydration Therapy, and Discomfort. American Journal of Hospice and Palliative Medicine, 2018, 35, 423-430.	1.4	19
108	We're all different and we're the same: the story of the European nursing home resident. Age and Ageing, 2020, 49, 3-4.	1.6	19

#	Article	IF	Citations
109	End-of-Life Decision Making in Nursing Home Residents with Dementia and Pneumonia: Dutch Physicians?? Intentions Regarding Hastening Death. Alzheimer Disease and Associated Disorders, 2005, 19, 148-155.	1.3	18
110	Providing Optimal Palliative Care for Persons Living with Dementia: A Comparison of Physician Perceptions in the Netherlands and the United Kingdom. Journal of Palliative Medicine, 2017, 20, 473-477.	1.1	18
111	Examining trust in health professionals among family caregivers of nursing home residents with advanced dementia. Geriatrics and Gerontology International, 2017, 17, 2466-2471.	1.5	18
112	Nursing Staff Needs in Providing Palliative Care for Persons With Dementia at Home or in Nursing Homes: A Survey. Journal of Nursing Scholarship, 2020, 52, 164-173.	2.4	18
113	The difficulty of predicting mortality in nursing home residents. European Geriatric Medicine, 2011, 2, 79-81.	2.8	17
114	Selection Bias in Family Reports on End of Life with Dementia in Nursing Homes. Journal of Palliative Medicine, 2012, 15, 1292-1296.	1.1	17
115	Outcome Measures for Dementia in the Advanced Stage and at the End of Life. Advances in Geriatrics, 2014, 2014, 1-10.	1.6	17
116	Effects of Nurses' Screening of Spiritual Needs of Hospitalized Patients on Consultation and Perceived Nurses' Support and Patients' Spiritual Well-being. Holistic Nursing Practice, 2015, 29, 346-356.	0.7	17
117	What research we no longer need in neurodegenerative disease at the end of life: The case of research in dementia. Palliative Medicine, 2015, 29, 189-192.	3.1	17
118	What do relatives value most in end-of-life care for people with dementia?. International Journal of Palliative Nursing, 2019, 25, 432-442.	0.5	17
119	Dementia and Parkinson's Disease: Similar and Divergent Challenges in Providing Palliative Care. Frontiers in Neurology, 2019, 10, 54.	2.4	17
120	Which moral barriers and facilitators do physicians encounter in advance care planning conversations about the end of life of persons with dementia? A meta-review of systematic reviews and primary studies. BMJ Open, 2020, 10, e038528.	1.9	17
121	The Bedford Alzheimer Nursing-Severity Scale to Assess Dementia Severity in Advanced Dementia. American Journal of Alzheimer's Disease and Other Dementias, 2014, 29, 84-89.	1.9	16
122	Pneumonia, Intake Problems, and Survival Among Nursing Home Residents With Variable Stages of Dementia in the Netherlands. Alzheimer Disease and Associated Disorders, 2017, 31, 200-208.	1.3	16
123	Determinants of selective reporting: A taxonomy based on content analysis of a random selection of the literature. PLoS ONE, 2018, 13, e0188247.	2.5	16
124	Observational pain assessment in older persons with dementia in four countries: Observer agreement of items and factor structure of the <i>Pain Assessment in Impaired Cognition</i> . European Journal of Pain, 2020, 24, 279-296.	2.8	16
125	The impact of pain on the course of ADL functioning in patients with dementia. Age and Ageing, 2021, 50, 906-913.	1.6	16
126	Absence of Influenza A(H1N1) During Seasonal and Pandemic Seasons in a Sentinel Nursing Home Surveillance Network in the Netherlands. Journal of the American Geriatrics Society, 2011, 59, 2301-2305.	2.6	15

#	Article	IF	Citations
127	Factors Related to Establishing a Comfort Care Goal in Nursing Home Patients with Dementia: A Cohort Study among Family and Professional Caregivers. Journal of Palliative Medicine, 2014, 17, 1317-1327.	1.1	15
128	Orofacial Pain during Mastication in People with Dementia: Reliability Testing of the Orofacial Pain Scale for Non-Verbal Individuals. Behavioural Neurology, 2016, 2016, 1-7.	2.1	15
129	Cost-effectiveness of the Namaste care family program for nursing home residents with advanced dementia in comparison with usual care: a cluster-randomized controlled trial. BMC Health Services Research, 2020, 20, 831.	2.2	15
130	Components of palliative care interventions addressing the needs of people with dementia living in long-term care: A systematic review. Palliative Medicine, 2020, 34, 454-492.	3.1	15
131	RADPAC-PD: A tool to support healthcare professionals in timely identifying palliative care needs of people with Parkinson's disease. PLoS ONE, 2020, 15, e0230611.	2.5	15
132	Implementation of a Stepwise, Multidisciplinary Intervention for Pain and Challenging Behaviour in Dementia (STA OP!): A Process Evaluation. International Journal of Integrated Care, 2018, 18, 15.	0.2	15
133	European palliative care guidelines: how well do they meet the needs of people with impaired cognition?: Table 1. BMJ Supportive and Palliative Care, 2015, 5, 301-305.	1.6	14
134	Improving comfort in people with dementia and pneumonia: a cluster randomized trial. BMC Medicine, 2016, 14, 116.	5.5	14
135	How Is End-of-Life Care With and Without Dementia Associated With Informal Caregivers' Outcomes?. American Journal of Hospice and Palliative Medicine, 2019, 36, 1008-1015.	1.4	14
136	"How Long Can I Carry On?―The Need for Palliative Care in Parkinson's Disease: A Qualitative Study from the Perspective of Bereaved Family Caregivers. Journal of Parkinson's Disease, 2020, 10, 1631-1642.	2.8	14
137	Decisions to Treat or Not to Treat Pneumonia in Demented Psychogeriatric Nursing Home Patients: Evaluation of a Guideline. Alzheimer Disease and Associated Disorders, 2001, 15, 119-128.	1.3	13
138	Involvement in Activities and Wandering in Nursing Home Residents With Cognitive Impairment. Alzheimer Disease and Associated Disorders, 2013, 27, 272-277.	1.3	13
139	Palliative Care in People With Young-Onset Dementia (YOD): An Undiscovered Area!. Journal of the American Medical Directors Association, 2015, 16, 1008-1009.	2.5	13
140	Antibiotic Use and Associated Factors in Patients with Dementia: A Systematic Review. Drugs and Aging, 2015, 32, 43-56.	2.7	13
141	Evaluating the feasibility and acceptability of the Namaste Care program in long-term care settings in Canada. Pilot and Feasibility Studies, 2020, 6, 34.	1.2	13
142	Family involvement in the Namaste care family program for dementia: A qualitative study on experiences of family, nursing home staff, and volunteers. International Journal of Nursing Studies, 2021, 121, 103968.	5.6	13
143	Spiritual care provided by nursing home physicians: a nationwide survey. BMJ Supportive and Palliative Care, 2020, 10, e42-e42.	1.6	12
144	Palliative Care in Advanced Dementia: Comparison of Strategies in Three Countries. Geriatrics (Switzerland), 2021, 6, 44.	1.7	12

#	Article	IF	CITATIONS
145	When should physicians forgo curative treatment of pneumonia in patients with dementia?: Using a guideline for decision-making. Western Journal of Medicine, 2000, 173, 274-277.	0.3	12
146	Causes of reporting bias: a theoretical framework. F1000Research, 2019, 8, 280.	1.6	12
147	Family perceptions of wishes of dementia patients regarding end-of-life care. International Journal of Geriatric Psychiatry, 2011, 26, 217-220.	2.7	11
148	The perspectives of people with dementia on their future, end of life and on being cared for by others: A qualitative study. Journal of Clinical Nursing, 2022, 31, 1738-1752.	3.0	11
149	Changes in Care Goals and Treatment Orders Around the Occurrence of Health Problems and Hospital Transfers in Dementia: A Prospective Study. Journal of the American Geriatrics Society, 2017, 65, 769-776.	2.6	10
150	Palliative care for patients with Parkinson's disease: study protocol for a mixed methods study. BMC Palliative Care, 2017, 16, 61.	1.8	10
151	Change in quality of life after a multidisciplinary intervention for people with dementia: A cluster randomized controlled trial. International Journal of Geriatric Psychiatry, 2018, 33, 1213-1219.	2.7	10
152	Physician Visits and Recognition of Residents' Terminal Phase in Long-Term Care Facilities: Findings From the PACE Cross-Sectional Study in 6 EU Countries. Journal of the American Medical Directors Association, 2019, 20, 696-702.e1.	2.5	10
153	Comparing Advance Care Planning in Young-Onset Dementia in the USA vs Belgium: Challenges Partly Related to Societal Context. Journal of the American Medical Directors Association, 2020, 21, 851-857.	2.5	10
154	Antimicrobial Use in Patients with Dementia: Current Concerns and Future Recommendations. CNS Drugs, 2017, 31, 433-438.	5.9	9
155	The Effect of Ultraviolet B Irradiation Compared with Oral Vitamin D Supplementation on the Well-being of Nursing Home Residents with Dementia: A Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2020, 17, 1684.	2.6	9
156	Measuring positive caregiving experiences in family caregivers of nursing home residents: A comparison of the Positive Experiences Scale, Gain in Alzheimer Care <scp>INstrument, </scp> and Positive Aspects of Caregiving questionnaire. Geriatrics and Gerontology International, 2021, 21, 636-643.	1.5	9
157	Medical Treatment of Acute Illnesses in End-Stage Dementiaâ€"Reply. Archives of Internal Medicine, 2003, 163, 497.	3.8	8
158	Prolonged Life and Increased Symptoms vs Prolonged Dying and Increased Comfort After Antibiotic Treatment in Patients With Dementia and Pneumonia. Archives of Internal Medicine, 2011, 171, 93.	3.8	8
159	Feedback on end-of-life care in dementia: the study protocol of the FOLlow-up project. BMC Palliative Care, 2013, 12, 29.	1.8	8
160	Professional caregivers' experiences with the Liverpool Care Pathway in dementia: An ethnographic study in a Dutch nursing home. Palliative and Supportive Care, 2018, 16, 479-486.	1.0	8
161	Potentially Inappropriate Treatments at the End of Life in Nursing Home Residents: Findings From the PACE Cross-Sectional Study in Six European Countries. Journal of Pain and Symptom Management, 2021, 61, 732-742.e1.	1.2	8
162	Palliative Care in Dementia 1986–2016: Progress and Remaining Challenges. Journal of the American Medical Directors Association, 2017, 18, 190-191.	2.5	7

#	Article	IF	CITATIONS
163	Incidence of pneumonia in nursing home residents with dementia in the Netherlands: an estimation based on three differently designed studies. Epidemiology and Infection, 2017, 145, 2400-2408.	2.1	7
164	Complexity and gaps: The high-hanging fruit of dementia and palliative care research. Palliative Medicine, 2018, 32, 591-593.	3.1	7
165	Palliative Care in Dementia. , 2018, , 1-23.		7
166	A framework for cross-cultural development and implementation of complex interventions to improve palliative care in nursing homes: the PACE steps to success programme. BMC Health Services Research, 2019, 19, 745.	2.2	7
167	Perception of the Quality of Communication With Physicians Among Relatives of Dying Residents of Long-term Care Facilities in 6 European Countries: PACE Cross-Sectional Study. Journal of the American Medical Directors Association, 2020, 21, 331-337.	2.5	7
168	Conceptualization of a good end-of-life experience with dementia in Japan: a qualitative study. International Psychogeriatrics, 2020, 32, 255-265.	1.0	7
169	Practitioners' perceptions of acceptability of a question prompt list about palliative care for advance care planning with people living with dementia and their family caregivers: a mixed-methods evaluation study. BMJ Open, 2021, 11, e044591.	1.9	7
170	Probable Pain on the Pain Assessment in Impaired Cognition (PAIC15) Instrument: Assessing Sensitivity and Specificity of Cut-Offs against Three Standards. Brain Sciences, 2021, 11, 869.	2.3	7
171	Hospital Deaths Increased After Reforms Regardless of Dementia Status: An Interrupted Time-Series Analysis. Journal of the American Medical Directors Association, 2021, 22, 1507-1511.	2.5	7
172	Causes of reporting bias: a theoretical framework. F1000Research, 2019, 8, 280.	1.6	7
173	Occurrence and Timing of Advance Care Planning in Persons With Dementia in General Practice: Analysis of Linked Electronic Health Records and Administrative Data. Frontiers in Public Health, 2022, 10, 653174.	2.7	7
174	Predicting Mortality in Nursing Home Residents With Dementia and Pneumonia Treated With Antibiotics: Validation of a Prediction Model in a More Recent Population. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1922-1928.	3.6	6
175	Comfort and clinical events at the end of life of nursing home residents with and without dementia: The sixâ€country epidemiological PACE study. International Journal of Geriatric Psychiatry, 2020, 35, 719-727.	2.7	6
176	Trends in quality of care and dying perceived by family caregivers of nursing home residents with dementia 2005–2019. Palliative Medicine, 2021, 35, 026921632110308.	3.1	6
177	Palliative Care in Patients with Severe Dementia. , 2006, , 205-213.		5
178	Symptom relief in patients with pneumonia and dementia: implementation of a practice guideline. International Journal of Geriatric Psychiatry, 2017, 32, 829-839.	2.7	5
179	National dementia plans to address escalating global palliative care needs. Palliative Medicine, 2020, 34, 966-967.	3.1	5
180	Developing country-specific questions about end-of-life care for nursing home residents with advanced dementia using the nominal group technique with family caregivers. Patient Education and Counseling, 2022, 105, 965-973.	2.2	5

#	Article	IF	Citations
181	End-of-life Care for Patients with Alzheimer's Disease. , 2009, , 113-123.		5
182	Reform influences location of death: Interrupted time-series analysis on older adults and persons with dementia. PLoS ONE, 2020, 15, e0241132.	2.5	5
183	Agreement of Nursing Home Staff With Palliative Care Principles: A PACE Cross-sectional Study Among Nurses and Care Assistants in Five European Countries. Journal of Pain and Symptom Management, 2019, 58, 824-834.	1.2	4
184	Launching â€~Namaste Care' in Canada: findings from training sessions and initial perceptions of an end-of-life programme for people with advanced dementia. Journal of Research in Nursing, 2019, 24, 403-417.	0.9	4
185	Decreased costs and retained QoL due to the  PACE Steps to Success' intervention in LTCFs: cost-effectiveness analysis of a randomized controlled trial. BMC Medicine, 2020, 18, 258.	5.5	4
186	No difference in effects of †PACE steps to success' palliative care program for nursing home residents with and without dementia: a pre-planned subgroup analysis of the seven-country PACE trial. BMC Palliative Care, 2021, 20, 39.	1.8	4
187	"No One Can Tell Me How Parkinson's Disease Will Unfoldâ€! A Mixed Methods Case Study on Palliative Care for People with Parkinson's Disease and Their Family Caregivers. Journal of Parkinson's Disease, 2022, 12, 207-219.	2.8	4
188	Large differences in the organization of palliative care in nursing homes in six European countries: findings from the PACE cross-sectional study. BMC Palliative Care, 2021, 20, 131.	1.8	4
189	Do Findings of High Mortality From Pneumonia in the Elderly Make It the Old Man's Friend?. Archives of Internal Medicine, 2004, 164, 224.	3.8	3
190	TREATMENTS IN PATIENTS DYING WITH DEMENTIA: A CROSSâ€CULTURAL PERSPECTIVE. Journal of the American Geriatrics Society, 2008, 56, 565-567.	2.6	3
191	Vitamin D Supplementation in Older Persons: Guidelines Versus Practice. Journal of the American Medical Directors Association, 2019, 20, 639-640.	2.5	3
192	Japanese National Dementia Plan Is Associated with a Small Shift in Location of Death: An Interrupted Time Series Analysis. Journal of Alzheimer's Disease, 2021, 83, 791-797.	2.6	3
193	Non-specialist palliative care - question prompt list preparation: patient, family and clinician experiences. BMJ Supportive and Palliative Care, 2022, , bmjspcare-2021-003035.	1.6	3
194	The Revised Medical Care Act is associated with a decrease in hospital death for the total Japanese older adult population regardless of dementia status: An interrupted time series analysis. PLoS ONE, 2022, 17, e0264624.	2.5	3
195	The importance of methodology to palliative care research: A new article type for Palliative Medicine. Palliative Medicine, 2022, 36, 4-6.	3.1	3
196	General practitioners' evaluations of optimal timing to initiate advance care planning for patients with cancer, organ failure, or multimorbidity: A health records survey study. Palliative Medicine, 2022, 36, 510-518.	3.1	3
197	Guidance for family about comfort care in dementia: a comparison of an educational booklet adopted in six jurisdictions over a 15 year timespan. BMC Palliative Care, 2022, 21, 76.	1.8	3
198	Implementing a Personalized Integrated Stepped-Care Method (STIP-Method) to Prevent and Treat Neuropsychiatric Symptoms in Persons With Dementia in Nursing Homes: Protocol for a Mixed Methods Study. JMIR Research Protocols, 2022, 11, e34550.	1.0	3

#	Article	IF	Citations
199	Pneumonia and Mortality in Elderly Patients: Response to a Letter by Dr Rozzini et al. Journal of the American Medical Directors Association, 2008, 9, 66-67.	2.5	2
200	Defining Spirituality at the End of Life. Journal of Palliative Medicine, 2009, 12, 677-677.	1.1	2
201	Decision-making in patients with severe dementia and pneumonia: cross-national perspectives. International Journal of Geriatric Psychiatry, 2011, 26, 216-217.	2.7	2
202	Predicting mortality in patients treated differently: updating and external validation of a prediction model for nursing home residents with dementia and lower respiratory infections. BMJ Open, 2016, 6, e011380.	1.9	2
203	333 A Transnational Effectiveness-Implementation Study of the Family Carer Decision Support Intervention to Improve End of Life Care in Long-Term Care. Age and Ageing, 2019, 48, iii17-iii65.	1.6	2
204	Factors Associated with Perception of the Quality of Physicians' End-of-life Communication in Long-Term Care Facilities: PACE Cross-Sectional Study. Journal of the American Medical Directors Association, 2020, 21, 439.e1-439.e8.	2.5	2
205	Experiences with the Liverpool care pathway for the dying patient in nursing home residents: a mixed-method study to assess physicians' and nurse practitioners' perceptions. BMC Palliative Care, 2020, 19, 183.	1.8	2
206	Crossâ€cultural acceptability of interventions at the end of life in dementia: Video vignette study design and pilot evaluation (ERC CONTâ€END WP1). Alzheimer's and Dementia, 2020, 16, e041542.	0.8	2
207	Earlier initiation of palliative care in the disease trajectory of people living with dementia: a scoping review protocol. BMJ Open, 2021, 11, e044502.	1.9	2
208	The relationship between guilt feelings, conflicts with staff and satisfaction with care in relatives of nursing home residents with dementia: A longitudinal analysis. Dementia, 2022, 21, 5-20.	2.0	2
209	The effect of ultraviolet irradiation compared to oral vitamin D supplementation on blood pressure of nursing home residents with dementia. BMC Geriatrics, 2021, 21, 577.	2.7	2
210	Cross-cultural conceptualization of a good end of life with dementia: a qualitative study. BMC Palliative Care, 2022, 21 , .	1.8	2
211	Tools for Determining Life Expectancy in End-Stage Dementia: Validation Studies. Journal of Palliative Medicine, 2008, 11, 673-673.	1.1	1
212	It's Not a Small World After All. Journal of the American Medical Directors Association, 2018, 19, 187-189.	2.5	1
213	Consensus on treatment for residents in long-term care facilities: perspectives from relatives and care staff in the PACE cross-sectional study in 6 European countries. BMC Palliative Care, 2019, 18, 73.	1.8	1
214	Measuring positive caregiving experiences in caregivers of nursing home residents with dementia. Geriatrics and Gerontology International, 2021, 21, 1070-1071.	1.5	1
215	Palliative care in institutional long-term care settings. , 2012, , 122-134.		1
216	Nurse-Physician Communication Around Identifying Palliative Care Needs in Nursing Home Residents. Journal of the American Medical Directors Association, 2022, 23, 893-894.	2.5	1

#	Article	IF	Citations
217	How Do We Talk With People Living With Dementia About Future Care: A Scoping Review. Frontiers in Psychology, 2022, 13, 849100.	2.1	1
218	Reply to the Letter to the Editor by Bellelli. Journal of the American Medical Directors Association, 2011, 12, 388.	2.5	0
219	Ensuring continuous high-quality care for people with impaired cognition including dementia at the end of life. Palliative Medicine, 2012, 26, 871-872.	3.1	0
220	Verwijzen naar het hospice: verwijsgedrag van artsen en ervaren belemmeringen in Deventer en omgeving. Tijdschrift Voor Gerontologie En Geriatrie, 2014, 45, 321-331.	0.0	0
221	Letter Referring to the Article "Development and Testing of a Decision Aid on Goals of Care for Advanced Dementia―by Einterz etÂal. Journal of the American Medical Directors Association, 2014, 15, 445.	2.5	0
222	Palliative Care in Dementia., 2019,, 1049-1071.		0
223	THE EFFECTS OF THE NAMASTE CARE FAMILY PROGRAM ON QUALITY OF LIFE OF PEOPLE WITH ADVANCED DEMENTIA. Innovation in Aging, 2019, 3, S824-S824.	0.1	0
224	Developing Country-Specific Question Prompt Lists About Dementia Palliative Care for Family Caregivers. Innovation in Aging, 2020, 4, 786-786.	0.1	0
225	Perceptions and Motivation Regarding Performing Research in Physicians Specializing in Care for Older Adults Involved in a Mandatory Evidence-Based Medicine Training Study: A Mixed-Methods Study. Advances in Medical Education and Practice, 2022, Volume 13, 217-224.	1.5	0
226	Pain Assessment in Impaired Cognition (PAIC15) Instrument: Cutoffs Against Three Standards. Innovation in Aging, 2021, 5, 164-164.	0.1	0
227	Title is missing!. , 2020, 15, e0230611.		0
228	Title is missing!. , 2020, 15, e0230611.		0
229	Title is missing!. , 2020, 15, e0230611.		0
230	Title is missing!. , 2020, 15, e0230611.		0
231	Title is missing!. , 2020, 15, e0241132.		0
232	Title is missing!. , 2020, 15, e0241132.		0
233	Title is missing!. , 2020, 15, e0241132.		0
234	Title is missing!. , 2020, 15, e0241132.		0

#	Article	IF	CITATIONS
235	Title is missing!. , 2020, 15, e0241132.		O
236	Title is missing!. , 2020, 15, e0241132.		0
237	Societal and Ethical Views on End-of-Life Decisions in Dementia. , 2022, , 233-250.		0