

Jenny T Van Der Steen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6732690/publications.pdf>

Version: 2024-02-01

237
papers

7,463
citations

53794

45
h-index

76900

74
g-index

256
all docs

256
docs citations

256
times ranked

4665
citing authors

#	ARTICLE	IF	CITATIONS
1	The perspectives of people with dementia on their future, end of life and on being cared for by others: A qualitative study. <i>Journal of Clinical Nursing</i> , 2022, 31, 1738-1752.	3.0	11
2	Developing country-specific questions about end-of-life care for nursing home residents with advanced dementia using the nominal group technique with family caregivers. <i>Patient Education and Counseling</i> , 2022, 105, 965-973.	2.2	5
3	The relationship between guilt feelings, conflicts with staff and satisfaction with care in relatives of nursing home residents with dementia: A longitudinal analysis. <i>Dementia</i> , 2022, 21, 5-20.	2.0	2
4	“No One Can Tell Me How Parkinson’s Disease Will Unfold”: A Mixed Methods Case Study on Palliative Care for People with Parkinson’s Disease and Their Family Caregivers. <i>Journal of Parkinson’s Disease</i> , 2022, 12, 207-219.	2.8	4
5	Nurse-Physician Communication Around Identifying Palliative Care Needs in Nursing Home Residents. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 893-894.	2.5	1
6	Non-specialist palliative care - question prompt list preparation: patient, family and clinician experiences. <i>BMJ Supportive and Palliative Care</i> , 2022, , bmjspcare-2021-003035.	1.6	3
7	Perceptions and Motivation Regarding Performing Research in Physicians Specializing in Care for Older Adults Involved in a Mandatory Evidence-Based Medicine Training Study: A Mixed-Methods Study. <i>Advances in Medical Education and Practice</i> , 2022, Volume 13, 217-224.	1.5	0
8	Occurrence and Timing of Advance Care Planning in Persons With Dementia in General Practice: Analysis of Linked Electronic Health Records and Administrative Data. <i>Frontiers in Public Health</i> , 2022, 10, 653174.	2.7	7
9	The Revised Medical Care Act is associated with a decrease in hospital death for the total Japanese older adult population regardless of dementia status: An interrupted time series analysis. <i>PLoS ONE</i> , 2022, 17, e0264624.	2.5	3
10	The importance of methodology to palliative care research: A new article type for <i>Palliative Medicine</i> . <i>Palliative Medicine</i> , 2022, 36, 4-6.	3.1	3
11	General practitioners’ evaluations of optimal timing to initiate advance care planning for patients with cancer, organ failure, or multimorbidity: A health records survey study. <i>Palliative Medicine</i> , 2022, 36, 510-518.	3.1	3
12	How Do We Talk With People Living With Dementia About Future Care: A Scoping Review. <i>Frontiers in Psychology</i> , 2022, 13, 849100.	2.1	1
13	Guidance for family about comfort care in dementia: a comparison of an educational booklet adopted in six jurisdictions over a 15-year timespan. <i>BMC Palliative Care</i> , 2022, 21, 76.	1.8	3
14	Societal and Ethical Views on End-of-Life Decisions in Dementia. , 2022, , 233-250.		0
15	Implementing a Personalized Integrated Stepped-Care Method (STIP-Method) to Prevent and Treat Neuropsychiatric Symptoms in Persons With Dementia in Nursing Homes: Protocol for a Mixed Methods Study. <i>JMIR Research Protocols</i> , 2022, 11, e34550.	1.0	3
16	Cross-cultural conceptualization of a good end of life with dementia: a qualitative study. <i>BMC Palliative Care</i> , 2022, 21, .	1.8	2
17	Potentially Inappropriate Treatments at the End of Life in Nursing Home Residents: Findings From the PACE Cross-Sectional Study in Six European Countries. <i>Journal of Pain and Symptom Management</i> , 2021, 61, 732-742.e1.	1.2	8
18	Practical nursing recommendations for palliative care for people with dementia living in long-term care facilities during the COVID-19 pandemic: A rapid scoping review. <i>International Journal of Nursing Studies</i> , 2021, 113, 103781.	5.6	52

#	ARTICLE	IF	CITATIONS
19	Toward a theory-based specification of non-pharmacological treatments in aging and dementia: Focused reviews and methodological recommendations. <i>Alzheimer's and Dementia</i> , 2021, 17, 255-270.	0.8	55
20	The impact of pain on the course of ADL functioning in patients with dementia. <i>Age and Ageing</i> , 2021, 50, 906-913.	1.6	16
21	No difference in effects of PACE steps to successful palliative care program for nursing home residents with and without dementia: a pre-planned subgroup analysis of the seven-country PACE trial. <i>BMC Palliative Care</i> , 2021, 20, 39.	1.8	4
22	Palliative Care in Advanced Dementia: Comparison of Strategies in Three Countries. <i>Geriatrics (Switzerland)</i> , 2021, 6, 44.	1.7	12
23	Practitioners' perceptions of acceptability of a question prompt list about palliative care for advance care planning with people living with dementia and their family caregivers: a mixed-methods evaluation study. <i>BMJ Open</i> , 2021, 11, e044591.	1.9	7
24	Measuring positive caregiving experiences in family caregivers of nursing home residents: A comparison of the Positive Experiences Scale, Gain in Alzheimer Care Instrument, and Positive Aspects of Caregiving questionnaire. <i>Geriatrics and Gerontology International</i> , 2021, 21, 636-643.	1.5	9
25	Earlier initiation of palliative care in the disease trajectory of people living with dementia: a scoping review protocol. <i>BMJ Open</i> , 2021, 11, e044502.	1.9	2
26	Probable Pain on the Pain Assessment in Impaired Cognition (PAIC15) Instrument: Assessing Sensitivity and Specificity of Cut-Offs against Three Standards. <i>Brain Sciences</i> , 2021, 11, 869.	2.3	7
27	Hospital Deaths Increased After Reforms Regardless of Dementia Status: An Interrupted Time-Series Analysis. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 1507-1511.	2.5	7
28	Trends in quality of care and dying perceived by family caregivers of nursing home residents with dementia 2005-2019. <i>Palliative Medicine</i> , 2021, 35, 026921632110308.	3.1	6
29	Japanese National Dementia Plan Is Associated with a Small Shift in Location of Death: An Interrupted Time Series Analysis. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 791-797.	2.6	3
30	Measuring positive caregiving experiences in caregivers of nursing home residents with dementia. <i>Geriatrics and Gerontology International</i> , 2021, 21, 1070-1071.	1.5	1
31	Family involvement in the Namaste care family program for dementia: A qualitative study on experiences of family, nursing home staff, and volunteers. <i>International Journal of Nursing Studies</i> , 2021, 121, 103968.	5.6	13
32	The effect of ultraviolet irradiation compared to oral vitamin D supplementation on blood pressure of nursing home residents with dementia. <i>BMC Geriatrics</i> , 2021, 21, 577.	2.7	2
33	Large differences in the organization of palliative care in nursing homes in six European countries: findings from the PACE cross-sectional study. <i>BMC Palliative Care</i> , 2021, 20, 131.	1.8	4
34	Pain Assessment in Impaired Cognition (PAIC15) Instrument: Cutoffs Against Three Standards. <i>Innovation in Aging</i> , 2021, 5, 164-164.	0.1	0
35	Spiritual care provided by nursing home physicians: a nationwide survey. <i>BMJ Supportive and Palliative Care</i> , 2020, 10, e42-e42.	1.6	12
36	Perception of the Quality of Communication With Physicians Among Relatives of Dying Residents of Long-term Care Facilities in 6 European Countries: PACE Cross-Sectional Study. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 331-337.	2.5	7

#	ARTICLE	IF	CITATIONS
37	Conceptualization of a good end-of-life experience with dementia in Japan: a qualitative study. <i>International Psychogeriatrics</i> , 2020, 32, 255-265.	1.0	7
38	The Pain Assessment in Impaired Cognition scale (PAIC15): A multidisciplinary and international approach to develop and test a meta-tool for pain assessment in impaired cognition, especially dementia. <i>European Journal of Pain</i> , 2020, 24, 192-208.	2.8	47
39	Observational pain assessment in older persons with dementia in four countries: Observer agreement of items and factor structure of the <i>Pain Assessment in Impaired Cognition</i>. <i>European Journal of Pain</i> , 2020, 24, 279-296.	2.8	16
40	Factors Associated with Perception of the Quality of Physicians' End-of-life Communication in Long-Term Care Facilities: PACE Cross-Sectional Study. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 439.e1-439.e8.	2.5	2
41	Decreased costs and retained QoL due to the "PACE Steps to Success"™ intervention in LTCFs: cost-effectiveness analysis of a randomized controlled trial. <i>BMC Medicine</i> , 2020, 18, 258.	5.5	4
42	"How Long Can I Carry On?" The Need for Palliative Care in Parkinson's Disease: A Qualitative Study from the Perspective of Bereaved Family Caregivers. <i>Journal of Parkinson's Disease</i> , 2020, 10, 1631-1642.	2.8	14
43	Which moral barriers and facilitators do physicians encounter in advance care planning conversations about the end of life of persons with dementia? A meta-review of systematic reviews and primary studies. <i>BMJ Open</i> , 2020, 10, e038528.	1.9	17
44	Experiences with the Liverpool care pathway for the dying patient in nursing home residents: a mixed-method study to assess physicians' and nurse practitioners' perceptions. <i>BMC Palliative Care</i> , 2020, 19, 183.	1.8	2
45	Cost-effectiveness of the Namaste care family program for nursing home residents with advanced dementia in comparison with usual care: a cluster-randomized controlled trial. <i>BMC Health Services Research</i> , 2020, 20, 831.	2.2	15
46	Cross-cultural acceptability of interventions at the end of life in dementia: Video vignette study design and pilot evaluation (ERC CONT WP1). <i>Alzheimer's and Dementia</i> , 2020, 16, e041542.	0.8	2
47	Evaluating the feasibility and acceptability of the Namaste Care program in long-term care settings in Canada. <i>Pilot and Feasibility Studies</i> , 2020, 6, 34.	1.2	13
48	The Effect of Ultraviolet B Irradiation Compared with Oral Vitamin D Supplementation on the Well-being of Nursing Home Residents with Dementia: A Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1684.	2.6	9
49	Comfort and clinical events at the end of life of nursing home residents with and without dementia: The six-country epidemiological PACE study. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 719-727.	2.7	6
50	Components of palliative care interventions addressing the needs of people with dementia living in long-term care: A systematic review. <i>Palliative Medicine</i> , 2020, 34, 454-492.	3.1	15
51	Nursing Staff Needs in Providing Palliative Care for Persons With Dementia at Home or in Nursing Homes: A Survey. <i>Journal of Nursing Scholarship</i> , 2020, 52, 164-173.	2.4	18
52	Palliative Care Implementation in Long-Term Care Facilities: European Association for Palliative Care White Paper. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1051-1057.	2.5	34
53	Strategies for the implementation of palliative care education and organizational interventions in long-term care facilities: A scoping review. <i>Palliative Medicine</i> , 2020, 34, 558-570.	3.1	39
54	We're all different and we're the same: the story of the European nursing home resident. <i>Age and Ageing</i> , 2020, 49, 3-4.	1.6	19

#	ARTICLE	IF	CITATIONS
55	RADPAC-PD: A tool to support healthcare professionals in timely identifying palliative care needs of people with Parkinson's disease. PLoS ONE, 2020, 15, e0230611.	2.5	15
56	National dementia plans to address escalating global palliative care needs. Palliative Medicine, 2020, 34, 966-967.	3.1	5
57	Comparing Advance Care Planning in Young-Onset Dementia in the USA vs Belgium: Challenges Partly Related to Societal Context. Journal of the American Medical Directors Association, 2020, 21, 851-857.	2.5	10
58	Developing Country-Specific Question Prompt Lists About Dementia Palliative Care for Family Caregivers. Innovation in Aging, 2020, 4, 786-786.	0.1	0
59	Reform influences location of death: Interrupted time-series analysis on older adults and persons with dementia. PLoS ONE, 2020, 15, e0241132.	2.5	5
60	Title is missing!. , 2020, 15, e0230611.		0
61	Title is missing!. , 2020, 15, e0230611.		0
62	Title is missing!. , 2020, 15, e0230611.		0
63	Title is missing!. , 2020, 15, e0230611.		0
64	Title is missing!. , 2020, 15, e0241132.		0
65	Title is missing!. , 2020, 15, e0241132.		0
66	Title is missing!. , 2020, 15, e0241132.		0
67	Title is missing!. , 2020, 15, e0241132.		0
68	Title is missing!. , 2020, 15, e0241132.		0
69	Title is missing!. , 2020, 15, e0241132.		0
70	Agreement of Nursing Home Staff With Palliative Care Principles: A PACE Cross-sectional Study Among Nurses and Care Assistants in Five European Countries. Journal of Pain and Symptom Management, 2019, 58, 824-834.	1.2	4
71	Palliative care for persons with Parkinson's disease: a qualitative study on the experiences of health care professionals. BMC Palliative Care, 2019, 18, 53.	1.8	24
72	Limited engagement in, yet clear preferences for advance care planning in young-onset dementia: An exploratory interview-study with family caregivers. Palliative Medicine, 2019, 33, 1166-1175.	3.1	20

#	ARTICLE	IF	CITATIONS
73	Palliative care provision in long-term care facilities differs across Europe: Results of a cross-sectional study in six European countries (PACE). <i>Palliative Medicine</i> , 2019, 33, 1176-1188.	3.1	24
74	333 A Transnational Effectiveness-Implementation Study of the Family Carer Decision Support Intervention to Improve End of Life Care in Long-Term Care. <i>Age and Ageing</i> , 2019, 48, iii17-iii65.	1.6	2
75	Consensus on treatment for residents in long-term care facilities: perspectives from relatives and care staff in the PACE cross-sectional study in 6 European countries. <i>BMC Palliative Care</i> , 2019, 18, 73.	1.8	1
76	A framework for cross-cultural development and implementation of complex interventions to improve palliative care in nursing homes: the PACE steps to success programme. <i>BMC Health Services Research</i> , 2019, 19, 745.	2.2	7
77	Launching "Namaste Care"™ in Canada: findings from training sessions and initial perceptions of an end-of-life programme for people with advanced dementia. <i>Journal of Research in Nursing</i> , 2019, 24, 403-417.	0.9	4
78	Dying in long-term care facilities in Europe: the PACE epidemiological study of deceased residents in six countries. <i>BMC Public Health</i> , 2019, 19, 1199.	2.9	37
79	What do relatives value most in end-of-life care for people with dementia?. <i>International Journal of Palliative Nursing</i> , 2019, 25, 432-442.	0.5	17
80	Palliative Care in Dementia. , 2019, , 1049-1071.		0
81	How Is End-of-Life Care With and Without Dementia Associated With Informal Caregivers'™ Outcomes?. <i>American Journal of Hospice and Palliative Medicine</i> , 2019, 36, 1008-1015.	1.4	14
82	Dementia and Parkinson's Disease: Similar and Divergent Challenges in Providing Palliative Care. <i>Frontiers in Neurology</i> , 2019, 10, 54.	2.4	17
83	Families' Experiences With End-of-Life Care in Nursing Homes and Associations With Dying Peacefully With Dementia. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 268-272.	2.5	31
84	Care staff's™ self-efficacy regarding end-of-life communication in the long-term care setting: Results of the PACE cross-sectional study in six European countries. <i>International Journal of Nursing Studies</i> , 2019, 92, 135-143.	5.6	35
85	THE EFFECTS OF THE NAMASTE CARE FAMILY PROGRAM ON QUALITY OF LIFE OF PEOPLE WITH ADVANCED DEMENTIA. <i>Innovation in Aging</i> , 2019, 3, S824-S824.	0.1	0
86	Vitamin D Supplementation in Older Persons: Guidelines Versus Practice. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 639-640.	2.5	3
87	Predicting Mortality in Nursing Home Residents With Dementia and Pneumonia Treated With Antibiotics: Validation of a Prediction Model in a More Recent Population. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 1922-1928.	3.6	6
88	Nursing staff needs in providing palliative care for people with dementia at home or in long-term care facilities: A scoping review. <i>International Journal of Nursing Studies</i> , 2019, 96, 143-152.	5.6	31
89	Physician Visits and Recognition of Residents' Terminal Phase in Long-Term Care Facilities: Findings From the PACE Cross-Sectional Study in 6 EU Countries. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 696-702.e1.	2.5	10
90	Causes of reporting bias: a theoretical framework. <i>F1000Research</i> , 2019, 8, 280.	1.6	12

#	ARTICLE	IF	CITATIONS
91	Causes of reporting bias: a theoretical framework. F1000Research, 2019, 8, 280.	1.6	7
92	It's Not a Small World After All. Journal of the American Medical Directors Association, 2018, 19, 187-189.	2.5	1
93	Effects of two feedback interventions on end-of-life outcomes in nursing home residents with dementia: A cluster-randomized controlled three-armed trial. Palliative Medicine, 2018, 32, 693-702.	3.1	49
94	Complexity and gaps: The high-hanging fruit of dementia and palliative care research. Palliative Medicine, 2018, 32, 591-593.	3.1	7
95	Effects on pain of a stepwise multidisciplinary intervention (STA OP!) that targets pain and behavior in advanced dementia: A cluster randomized controlled trial. Palliative Medicine, 2018, 32, 682-692.	3.1	69
96	Pneumonia in Nursing Home Patients With Advanced Dementia: Decisions, Intravenous Rehydration Therapy, and Discomfort. American Journal of Hospice and Palliative Medicine, 2018, 35, 423-430.	1.4	19
97	Professional caregivers' experiences with the Liverpool Care Pathway in dementia: An ethnographic study in a Dutch nursing home. Palliative and Supportive Care, 2018, 16, 479-486.	1.0	8
98	Effects of the Namaste Care Family programme on quality of life of nursing home residents with advanced dementia and on family caregiving experiences: study protocol of a cluster-randomised controlled trial. BMJ Open, 2018, 8, e025411.	1.9	21
99	Music-based therapeutic interventions for people with dementia. The Cochrane Library, 2018, 2018, CD003477.	2.8	153
100	Palliative Care in Dementia. , 2018, , 1-23.		7
101	Integrating palliative care in long-term care facilities across Europe (PACE): protocol of a cluster randomized controlled trial of the "PACE Steps to Success"™ intervention in seven countries. BMC Palliative Care, 2018, 17, 47.	1.8	39
102	Determinants of selective reporting: A taxonomy based on content analysis of a random selection of the literature. PLoS ONE, 2018, 13, e0188247.	2.5	16
103	Change in quality of life after a multidisciplinary intervention for people with dementia: A cluster randomized controlled trial. International Journal of Geriatric Psychiatry, 2018, 33, 1213-1219.	2.7	10
104	Implementation of a Stepwise, Multidisciplinary Intervention for Pain and Challenging Behaviour in Dementia (STA OP!): A Process Evaluation. International Journal of Integrated Care, 2018, 18, 15.	0.2	15
105	General practitioners'™ perceptions of the barriers and solutions to good-quality palliative care in dementia. Dementia, 2017, 16, 79-95.	2.0	27
106	Palliative Care in Dementia 1986"2016: Progress and Remaining Challenges. Journal of the American Medical Directors Association, 2017, 18, 190-191.	2.5	7
107	Physicians' perceptions of suffering in people with dementia at the end of life. Palliative and Supportive Care, 2017, 15, 587-599.	1.0	19
108	Antimicrobial Use in Patients with Dementia: Current Concerns and Future Recommendations. CNS Drugs, 2017, 31, 433-438.	5.9	9

#	ARTICLE	IF	CITATIONS
109	Music-based therapeutic interventions for people with dementia. The Cochrane Library, 2017, 5, CD003477.	2.8	131
110	End-of-life treatment decisions in nursing home residents dying with dementia in the Netherlands. International Journal of Geriatric Psychiatry, 2017, 32, e43-e49.	2.7	39
111	Providing Optimal Palliative Care for Persons Living with Dementia: A Comparison of Physician Perceptions in the Netherlands and the United Kingdom. Journal of Palliative Medicine, 2017, 20, 473-477.	1.1	18
112	Examining trust in health professionals among family caregivers of nursing home residents with advanced dementia. Geriatrics and Gerontology International, 2017, 17, 2466-2471.	1.5	18
113	Incidence of pneumonia in nursing home residents with dementia in the Netherlands: an estimation based on three differently designed studies. Epidemiology and Infection, 2017, 145, 2400-2408.	2.1	7
114	Palliative care for people with dementia in the terminal phase: a mixed-methods qualitative study to inform service development. BMC Palliative Care, 2017, 16, 28.	1.8	71
115	Pneumonia, Intake Problems, and Survival Among Nursing Home Residents With Variable Stages of Dementia in the Netherlands. Alzheimer Disease and Associated Disorders, 2017, 31, 200-208.	1.3	16
116	Symptom relief in patients with pneumonia and dementia: implementation of a practice guideline. International Journal of Geriatric Psychiatry, 2017, 32, 829-839.	2.7	5
117	Changes in Care Goals and Treatment Orders Around the Occurrence of Health Problems and Hospital Transfers in Dementia: A Prospective Study. Journal of the American Geriatrics Society, 2017, 65, 769-776.	2.6	10
118	Palliative care for patients with Parkinson's disease: study protocol for a mixed methods study. BMC Palliative Care, 2017, 16, 61.	1.8	10
119	Orofacial Pain during Mastication in People with Dementia: Reliability Testing of the Orofacial Pain Scale for Non-Verbal Individuals. Behavioural Neurology, 2016, 2016, 1-7.	2.1	15
120	Predicting mortality in patients treated differently: updating and external validation of a prediction model for nursing home residents with dementia and lower respiratory infections. BMJ Open, 2016, 6, e011380.	1.9	2
121	Achieving consensus and controversy around applicability of palliative care to dementia. International Psychogeriatrics, 2016, 28, 133-145.	1.0	26
122	Initiating advance care planning on end-of-life issues in dementia: Ambiguity among UK and Dutch physicians. Archives of Gerontology and Geriatrics, 2016, 65, 225-230.	3.0	26
123	Improving comfort in people with dementia and pneumonia: a cluster randomized trial. BMC Medicine, 2016, 14, 116.	5.5	14
124	Characteristics Associated with Quality of Life in Long-Term Care Residents with Dementia: A Cross-Sectional Study. Dementia and Geriatric Cognitive Disorders, 2016, 42, 186-197.	1.5	50
125	Comparing Palliative Care in Care Homes Across Europe (PACE): Protocol of a Cross-sectional Study of Deceased Residents in 6 EU Countries. Journal of the American Medical Directors Association, 2016, 17, 566.e1-566.e7.	2.5	47
126	Effects of a Stepwise Multidisciplinary Intervention for Challenging Behavior in Advanced Dementia: A Cluster Randomized Controlled Trial. Journal of the American Geriatrics Society, 2016, 64, 261-269.	2.6	55

#	ARTICLE	IF	CITATIONS
127	Prospective Observations of Discomfort, Pain, and Dyspnea in Nursing Home Residents With Dementia and Pneumonia. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 128-135.	2.5	35
128	Effects of Nurses' Screening of Spiritual Needs of Hospitalized Patients on Consultation and Perceived Nurses' Support and Patients' Spiritual Well-being. <i>Holistic Nursing Practice</i> , 2015, 29, 346-356.	0.7	17
129	General practitioners perceptions on advance care planning for patients living with dementia. <i>BMC Palliative Care</i> , 2015, 14, 14.	1.8	32
130	Advance Care Planning in Nursing Home Patients With Dementia: A Qualitative Interview Study Among Family and Professional Caregivers. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 979-989.	2.5	42
131	Palliative Care in People With Young-Onset Dementia (YOD): An Undiscovered Area!. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 1008-1009.	2.5	13
132	Factors Related to Rejection of Care and Behaviors Directed towards Others: A Longitudinal Study in Nursing Home Residents with Dementia. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2015, 5, 123-134.	1.3	21
133	Antibiotic Use and Associated Factors in Patients with Dementia: A Systematic Review. <i>Drugs and Aging</i> , 2015, 32, 43-56.	2.7	13
134	Development of a practice guideline for optimal symptom relief for patients with pneumonia and dementia in nursing homes using a Delphi study. <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 487-496.	2.7	20
135	Measuring End-of-Life Care and Outcomes in Residential Care/Assisted Living and Nursing Homes. <i>Journal of Pain and Symptom Management</i> , 2015, 49, 666-679.	1.2	32
136	Critical Decisions for Older People With Advanced Dementia: A Prospective Study in Long-Term Institutions and District Home Care. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 535.e13-535.e20.	2.5	29
137	From Admission to Death: Prevalence and Course of Pain, Agitation, and Shortness of Breath, and Treatment of These Symptoms in Nursing Home Residents With Dementia. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 475-481.	2.5	104
138	Comfort goal of care and end-of-life outcomes in dementia: A prospective study. <i>Palliative Medicine</i> , 2015, 29, 538-546.	3.1	30
139	European palliative care guidelines: how well do they meet the needs of people with impaired cognition?: Table 1. <i>BMJ Supportive and Palliative Care</i> , 2015, 5, 301-305.	1.6	14
140	Effect of tailored antibiotic stewardship programmes on the appropriateness of antibiotic prescribing in nursing homes. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 2153-2162.	3.0	36
141	An evaluation of palliative care contents in national dementia strategies in reference to the European Association for Palliative Care white paper. <i>International Psychogeriatrics</i> , 2015, 27, 1551-1561.	1.0	53
142	Antibiotic Prescribing In Dutch Nursing Homes: How Appropriate Is It?. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 229-237.	2.5	77
143	What research we no longer need in neurodegenerative disease at the end of life: The case of research in dementia. <i>Palliative Medicine</i> , 2015, 29, 189-192.	3.1	17
144	Tools to Assess Pain or Lack of Comfort in Dementia: A Content Analysis. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 659-675.e3.	1.2	41

#	ARTICLE	IF	CITATIONS
145	Quality of Dying in Nursing Home Residents Dying with Dementia: Does Advanced Care Planning Matter? A Nationwide Postmortem Study. <i>PLoS ONE</i> , 2014, 9, e91130.	2.5	83
146	Outcome Measures for Dementia in the Advanced Stage and at the End of Life. <i>Advances in Geriatrics</i> , 2014, 2014, 1-10.	1.6	17
147	Factors influencing antibiotic prescribing in long-term care facilities: a qualitative in-depth study. <i>BMC Geriatrics</i> , 2014, 14, 136.	2.7	70
148	Verwijzen naar het hospice: verwijsgedrag van artsen en ervaren belemmeringen in Deventer en omgeving. <i>Tijdschrift Voor Gerontologie En Geriatrie</i> , 2014, 45, 321-331.	0.0	0
149	Participatory action research in antimicrobial stewardship: a novel approach to improving antimicrobial prescribing in hospitals and long-term care facilities. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 1734-1741.	3.0	63
150	White paper defining optimal palliative care in older people with dementia: A Delphi study and recommendations from the European Association for Palliative Care. <i>Palliative Medicine</i> , 2014, 28, 197-209.	3.1	714
151	Factors Related to Establishing a Comfort Care Goal in Nursing Home Patients with Dementia: A Cohort Study among Family and Professional Caregivers. <i>Journal of Palliative Medicine</i> , 2014, 17, 1317-1327.	1.1	15
152	Predictors of spiritual care provision for patients with dementia at the end of life as perceived by physicians: a prospective study. <i>BMC Palliative Care</i> , 2014, 13, 61.	1.8	42
153	When do people with dementia die peacefully? An analysis of data collected prospectively in long-term care settings. <i>Palliative Medicine</i> , 2014, 28, 210-219.	3.1	26
154	Hospitalizations of nursing home residents with dementia in the last month of life: Results from a nationwide survey. <i>Palliative Medicine</i> , 2014, 28, 1110-1117.	3.1	49
155	The Bedford Alzheimer Nursing-Severity Scale to Assess Dementia Severity in Advanced Dementia. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2014, 29, 84-89.	1.9	16
156	Symptoms and treatment when death is expected in dementia patients in long-term care facilities. <i>BMC Geriatrics</i> , 2014, 14, 99.	2.7	45
157	Retrospective and Prospective Data Collection Compared in the Dutch End of Life in Dementia (DEOLD) Study. <i>Alzheimer Disease and Associated Disorders</i> , 2014, 28, 88-94.	1.3	43
158	Letter Referring to the Article "Development and Testing of a Decision Aid on Goals of Care for Advanced Dementia" by Einterz et al. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 445.	2.5	0
159	Advance Care Planning and Physician Orders in Nursing Home Residents With Dementia: A Nationwide Retrospective Study Among Professional Caregivers and Relatives. <i>Journal of Pain and Symptom Management</i> , 2014, 47, 245-256.	1.2	73
160	Dying With Dementia: Symptoms, Treatment, and Quality of Life in the Last Week of Life. <i>Journal of Pain and Symptom Management</i> , 2014, 47, 710-720.	1.2	144
161	Factors Associated with Initiation of Advance Care Planning in Dementia: A Systematic Review. <i>Journal of Alzheimer's Disease</i> , 2014, 40, 743-757.	2.6	161
162	Caregivers'™ understanding of dementia predicts patients'™ comfort at death: a prospective observational study. <i>BMC Medicine</i> , 2013, 11, 105.	5.5	87

#	ARTICLE	IF	CITATIONS
163	Selecting the Best Instruments to Measure Quality of End-of-Life Care and Quality of Dying in Long Term Care. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 179-186.	2.5	52
164	Spiritual End-of-Life Care in Dutch Nursing Homes: An Ethnographic Study. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 679-684.	2.5	26
165	Feedback on end-of-life care in dementia: the study protocol of the FOLlow-up project. <i>BMC Palliative Care</i> , 2013, 12, 29.	1.8	8
166	Interventions targeting pain or behaviour in dementia: A systematic review. <i>Ageing Research Reviews</i> , 2013, 12, 1042-1055.	10.9	106
167	Continuous Deep Sedation Until Death in Nursing Home Residents with Dementia: A Case Series. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 1768-1776.	2.6	24
168	Nursing Home Residents Dying With Dementia in Flanders, Belgium: A Nationwide Postmortem Study on Clinical Characteristics and Quality of Dying. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 485-492.	2.5	103
169	Apathy and Weight Loss in Nursing Home Residents: Longitudinal Study. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 417-420.	2.5	45
170	Educating families about end-of-life care in advanced dementia: acceptability of a Canadian family booklet to nurses from Canada, France, and Japan. <i>International Journal of Palliative Nursing</i> , 2013, 19, 67-74.	0.5	33
171	Treatments and Prescriptions in Advanced Dementia Patients Residing in Long-Term Care Institutions and at Home. <i>Journal of Palliative Medicine</i> , 2013, 16, 31-37.	1.1	31
172	Quality of dying of nursing home residents with dementia as judged by relatives. <i>International Psychogeriatrics</i> , 2013, 25, 1697-1707.	1.0	21
173	Involvement in Activities and Wandering in Nursing Home Residents With Cognitive Impairment. <i>Alzheimer Disease and Associated Disorders</i> , 2013, 27, 272-277.	1.3	13
174	Translation and cross-cultural adaptation of a family booklet on comfort care in dementia: sensitive topics revised before implementation. <i>Journal of Medical Ethics</i> , 2013, 39, 104-109.	1.8	31
175	Ensuring continuous high-quality care for people with impaired cognition including dementia at the end of life. <i>Palliative Medicine</i> , 2012, 26, 871-872.	3.1	0
176	Selection Bias in Family Reports on End of Life with Dementia in Nursing Homes. <i>Journal of Palliative Medicine</i> , 2012, 15, 1292-1296.	1.1	17
177	Advance directives and physicians' orders in nursing home residents with dementia in Flanders, Belgium: prevalence and associated outcomes. <i>International Psychogeriatrics</i> , 2012, 24, 1133-1143.	1.0	44
178	A Family Booklet About Comfort Care in Advanced Dementia: Three-Country Evaluation. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 368-375.	2.5	30
179	Mortality Following Nursing Home-acquired Lower Respiratory Infection: LRI Severity, Antibiotic Treatment, and Water Intake. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 376-383.	2.5	23
180	Antibiotics and Mortality in Patients with Lower Respiratory Infection and Advanced Dementia. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 156-161.	2.5	80

#	ARTICLE	IF	CITATIONS
181	Which Score Most Likely Represents Pain on the Observational PAINAD Pain Scale for Patients with Dementia?. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 384-389.	2.5	79
182	Antibiotic Use and Resistance in Long Term Care Facilities. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 568.e1-568.e13.	2.5	171
183	Relationship between symptoms of depression and agitation in nursing home residents with dementia. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 749-754.	2.7	76
184	Psychometric properties of instruments to measure the quality of end-of-life care and dying for long-term care residents with dementia. <i>Quality of Life Research</i> , 2012, 21, 671-684.	3.1	51
185	Family Perceptions of End-of-Life Care for Long-Term Care Residents with Dementia: Differences Between the United States and the Netherlands. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 316-322.	2.6	35
186	Palliative care in institutional long-term care settings. , 2012, , 122-134.		1
187	Spirituality at the End of Life: Conceptualization of Measurable Aspects—a Systematic Review. <i>Journal of Palliative Medicine</i> , 2011, 14, 852-863.	1.1	63
188	The Importance of Physician Presence in Nursing Homes for Residents with Dementia and Pneumonia. <i>Journal of the American Medical Directors Association</i> , 2011, 12, 68-73.	2.5	40
189	Reply to the Letter to the Editor by Bellelli. <i>Journal of the American Medical Directors Association</i> , 2011, 12, 388.	2.5	0
190	The difficulty of predicting mortality in nursing home residents. <i>European Geriatric Medicine</i> , 2011, 2, 79-81.	2.8	17
191	Underdiagnosis and undertreatment of depression in nursing home residents. <i>European Geriatric Medicine</i> , 2011, 2, 332-337.	2.8	22
192	Effects of a spiritual care training for nurses. <i>Nurse Education Today</i> , 2011, 31, 790-796.	3.3	49
193	A validated risk score to estimate mortality risk in patients with dementia and pneumonia: barriers to clinical impact. <i>International Psychogeriatrics</i> , 2011, 23, 31-43.	1.0	25
194	Absence of Influenza A(H1N1) During Seasonal and Pandemic Seasons in a Sentinel Nursing Home Surveillance Network in the Netherlands. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 2301-2305.	2.6	15
195	Measuring the Quality of Dying and Quality of Care When Dying in Long-Term Care Settings: A Qualitative Content Analysis of Available Instruments. <i>Journal of Pain and Symptom Management</i> , 2011, 42, 852-863.	1.2	57
196	The implementation of the serial trial intervention for pain and challenging behaviour in advanced dementia patients (STA OP!): a clustered randomized controlled trial. <i>BMC Geriatrics</i> , 2011, 11, 12.	2.7	45
197	Decision-making in patients with severe dementia and pneumonia: cross-national perspectives. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 216-217.	2.7	2
198	Family perceptions of wishes of dementia patients regarding end-of-life care. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 217-220.	2.7	11

#	ARTICLE	IF	CITATIONS
199	Physicians' and Nurses' Perceived Usefulness and Acceptability of a Family Information Booklet about Comfort Care in Advanced Dementia. <i>Journal of Palliative Medicine</i> , 2011, 14, 614-622.	1.1	21
200	Prolonged Life and Increased Symptoms vs Prolonged Dying and Increased Comfort After Antibiotic Treatment in Patients With Dementia and Pneumonia. <i>Archives of Internal Medicine</i> , 2011, 171, 93.	3.8	8
201	Dying with Dementia: What We Know after More than a Decade of Research. <i>Journal of Alzheimer's Disease</i> , 2010, 22, 37-55.	2.6	228
202	Ratings of symptoms and comfort in dementia patients at the end of life: comparison of nurses and families. <i>Palliative Medicine</i> , 2009, 23, 317-324.	3.1	33
203	Prognosis is important in decisionmaking in Dutch nursing home patients with dementia and pneumonia. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 933-936.	2.7	20
204	Discomfort in dementia patients dying from pneumonia and its relief by antibiotics. <i>Scandinavian Journal of Infectious Diseases</i> , 2009, 41, 143-151.	1.5	97
205	Trends in Treatment of Pneumonia among Dutch Nursing Home Patients with Dementia. <i>Journal of Palliative Medicine</i> , 2009, 12, 789-795.	1.1	27
206	Defining Spirituality at the End of Life. <i>Journal of Palliative Medicine</i> , 2009, 12, 677-677.	1.1	2
207	Modifiable Factors Related to Abusive Behaviors in Nursing Home Residents With Dementia. <i>Journal of the American Medical Directors Association</i> , 2009, 10, 617-622.	2.5	59
208	Evaluations of end of life with dementia by families in Dutch and U.S. nursing homes. <i>International Psychogeriatrics</i> , 2009, 21, 321.	1.0	32
209	End-of-life Care for Patients with Alzheimer's Disease. , 2009, , 113-123.		5
210	TREATMENTS IN PATIENTS DYING WITH DEMENTIA: A CROSS-CULTURAL PERSPECTIVE. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 565-567.	2.6	3
211	Pneumonia and Mortality in Elderly Patients: Response to a Letter by Dr Rozzini et al. <i>Journal of the American Medical Directors Association</i> , 2008, 9, 66-67.	2.5	2
212	Tools for Determining Life Expectancy in End-Stage Dementia: Validation Studies. <i>Journal of Palliative Medicine</i> , 2008, 11, 673-673.	1.1	1
213	Benefits and pitfalls of pooling datasets from comparable observational studies: combining US and Dutch nursing home studies. <i>Palliative Medicine</i> , 2008, 22, 750-759.	3.1	36
214	Dementia, Lower Respiratory Tract Infection, and Long-Term Mortality. <i>Journal of the American Medical Directors Association</i> , 2007, 8, 396-403.	2.5	34
215	Prediction of 6-month Mortality in Nursing Home Residents with Advanced Dementia: Validity of a Risk Score. <i>Journal of the American Medical Directors Association</i> , 2007, 8, 464-468.	2.5	43
216	The "natural" endpoint of dementia: death from cachexia or dehydration following palliative care?. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 350-355.	2.7	59

#	ARTICLE	IF	CITATIONS
217	Treatment strategy and risk of functional decline and mortality after nursing-home acquired lower respiratory tract infection: two prospective studies in residents with dementia. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 1013-1019.	2.7	25
218	Predictors of mortality for lower respiratory infections in nursing home residents with dementia were validated transnationally. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 970-979.	5.0	56
219	Palliative Care in Patients with Severe Dementia. , 2006, , 205-213.		5
220	Defining severe dementia with the Minimum Data Set. <i>International Journal of Geriatric Psychiatry</i> , 2006, 21, 1099-1106.	2.7	56
221	A Cross-Cultural Study of Physician Treatment Decisions for Demented Nursing Home Patients Who Develop Pneumonia. <i>Annals of Family Medicine</i> , 2006, 4, 221-227.	1.9	85
222	End-of-Life Decision Making in Nursing Home Residents with Dementia and Pneumonia: Dutch Physicians' Intentions Regarding Hastening Death. <i>Alzheimer Disease and Associated Disorders</i> , 2005, 19, 148-155.	1.3	18
223	Withholding or Starting Antibiotic Treatment in Patients with Dementia and Pneumonia: Prediction of Mortality with Physicians' Judgment of Illness Severity and with Specific Prognostic Models. <i>Medical Decision Making</i> , 2005, 25, 210-221.	2.4	43
224	Antibiotic Treatment and Survival of Nursing Home Patients With Lower Respiratory Tract Infection: A Cross-National Analysis. <i>Annals of Family Medicine</i> , 2005, 3, 422-429.	1.9	25
225	Symptoms, Signs, Problems, and Diseases of Terminally Ill Nursing Home Patients. <i>Archives of Internal Medicine</i> , 2005, 165, 314.	3.8	71
226	The last days of life of nursing home patients with and without dementia assessed with the Palliative care Outcome Scale. <i>Palliative Medicine</i> , 2005, 19, 334-342.	3.1	66
227	Do Findings of High Mortality From Pneumonia in the Elderly Make It the Old Man's Friend?. <i>Archives of Internal Medicine</i> , 2004, 164, 224.	3.8	3
228	A Model for Quality of Life Measures in Patients with Dementia: Lawton's Next Step. <i>Dementia and Geriatric Cognitive Disorders</i> , 2004, 18, 159-164.	1.5	55
229	Treatment of Nursing Home Residents with Dementia and Lower Respiratory Tract Infection in the United States and the Netherlands: An Ocean Apart. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 691-699.	2.6	103
230	Medical Treatment of Acute Illnesses in End-Stage Dementia—Reply. <i>Archives of Internal Medicine</i> , 2003, 163, 497.	3.8	8
231	Lower Respiratory Infections in Nursing Home Residents With Dementia: A Tale of Two Countries. <i>Gerontologist</i> , The, 2003, 43, 85-93.	3.9	45
232	Withholding Antibiotic Treatment in Pneumonia Patients With Dementia. <i>Archives of Internal Medicine</i> , 2002, 162, 1753.	3.8	116
233	Severe Dementia and Adverse Outcomes of Nursing Home-Acquired Pneumonia: Evidence for Mediation by Functional and Pathophysiological Decline. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 439-448.	2.6	100
234	Pneumonia: The Demented Patient's Best Friend? Discomfort After Starting or Withholding Antibiotic Treatment. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 1681-1688.	2.6	101

#	ARTICLE	IF	CITATIONS
235	Decisions to Treat or Not to Treat Pneumonia in Demented Psychogeriatric Nursing Home Patients: Evaluation of a Guideline. <i>Alzheimer Disease and Associated Disorders</i> , 2001, 15, 119-128.	1.3	13
236	Decisions to treat or not to treat pneumonia in demented psychogeriatric nursing home patients: development of a guideline. <i>Journal of Medical Ethics</i> , 2000, 26, 114-120.	1.8	33
237	When should physicians forgo curative treatment of pneumonia in patients with dementia?: Using a guideline for decision-making. <i>Western Journal of Medicine</i> , 2000, 173, 274-277.	0.3	12