

Fuping Zeng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6733135/publications.pdf>

Version: 2024-02-01

74
papers

1,118
citations

394421

19
h-index

454955

30
g-index

74
all docs

74
docs citations

74
times ranked

489
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | First-principles analysis of Ti ₃ C ₂ T _x MXene as a promising candidate for SF ₆ decomposition characteristic components sensor. Applied Surface Science, 2022, 578, 152020. | 6.1 | 37 |
| 2 | Impulse Breakdown Characteristics of Eco-Friendly Gas C ₅ F ₁₀ O/N ₂ , in Nonhomogeneous Field. IEEE Transactions on Dielectrics and Electrical Insulation, 2022, 29, 162-169. | 2.9 | 6 |
| 3 | The effect of the convex lens focal length and distance between the optical devices on the photoacoustic signals in gas detection. Sensors and Actuators A: Physical, 2022, 335, 113369. | 4.1 | 4 |
| 4 | Adsorption Characteristics of SF ₆ and its Main Over-Thermal Decomposition Components on Ag (1 1 1) Surface. IEEE Transactions on Dielectrics and Electrical Insulation, 2022, 29, 551-558. | 2.9 | 8 |
| 5 | Effect of O ₂ on the Thermal Stability and Decomposition Process of C ₅ F ₁₀ O. IEEE Transactions on Dielectrics and Electrical Insulation, 2022, , 1-1. | 2.9 | 0 |
| 6 | Isotope Tracing Experiment on the Mechanism of O ₂ on the Over-Thermal Decomposition of SF ₆ . Plasma Chemistry and Plasma Processing, 2022, 42, 505-518. | 2.4 | 4 |
| 7 | Breakdown Characteristics of Eco-Friendly Gas C ₅ F ₁₀ O/CO ₂ Under Switching Impulse in Nonuniform Electric Field. IEEE Transactions on Dielectrics and Electrical Insulation, 2022, 29, 866-873. | 2.9 | 4 |
| 8 | Hybrid numerical simulation of the generation and distribution characteristics of SF ₆ heavy particles under different DC PD energies. AIP Advances, 2022, 12, 045226. | 1.3 | 0 |
| 9 | The effect of the photoacoustic Field-Photoacoustic cell coupling term on the performance of the gas detection system. Optics and Laser Technology, 2022, 153, 108211. | 4.6 | 7 |
| 10 | Theoretical study of the interaction of SF ₆ molecule on Ti ₃ C ₂ T _x surfaces. Applied Surface Science, 2022, 597, 153721. | 6.1 | 6 |
| 11 | Self-Recovery Pathways of C ₅ F ₁₀ O After Over Thermal Decomposition. IEEE Transactions on Dielectrics and Electrical Insulation, 2022, 29, 1450-1458. | 2.9 | 1 |
| 12 | Switching Impulse Characteristics of C ₅ F ₁₀ O Gas Mixtures Under Extremely Nonuniform Field. IEEE Transactions on Dielectrics and Electrical Insulation, 2022, 29, 1617-1624. | 2.9 | 2 |
| 13 | AC Breakdown Characteristics of C ₅ F ₁₀ O/CO ₂ Gas Under Different Electrode Surface Roughness. IEEE Transactions on Dielectrics and Electrical Insulation, 2022, 29, 1425-1432. | 2.9 | 3 |
| 14 | Ti ₃ C ₂ T _x as a Sensor for SF ₆ /N ₂ Nitrogen-Containing Fault Decomposition Characteristic Products: A Theoretical Study. Nanomaterials, 2022, 12, 2311. | 4.1 | 8 |
| 15 | Establishment of a Reax force field to study SF ₆ gas over-thermal decomposition. Journal Physics D: Applied Physics, 2021, 54, 115501. | 2.8 | 18 |
| 16 | Thermal Decomposition Mechanism of Environmental-Friendly Insulating Gas C ₅ F ₁₀ O on Cu (1 1 1) Surface. Plasma Chemistry and Plasma Processing, 2021, 41, 1455-1469. | 2.4 | 4 |
| 17 | Compatibility of C ₅ F ₁₀ O with common-used sealing materials: An experimental study. AIP Advances, 2021, 11, . | 1.3 | 6 |
| 18 | Kinetic analysis of the effect of O ₂ on SF ₆ over-thermal decomposition. Journal Physics D: Applied Physics, 2021, 54, 495502. | 2.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Adsorption mechanism of the environmentally friendly insulating gas C ₅ F ₁₀ O and its main decomposition products on a Cu (1 1 1) surface. Journal Physics D: Applied Physics, 2021, 54, 145502. | 2.8 | 6 |
| 20 | SF ₆ decomposition and insulation condition monitoring of GIE: A review. High Voltage, 2021, 6, 955-966. | 4.7 | 52 |
| 21 | Decomposition Process of SF ₆ with Residual O ₂ under Over-Thermal Fault. , 2021, , . | | 0 |
| 22 | Study on the Compatibility of Chloroprene Rubber and Environment-friendly Insulating Gas C ₅ F ₁₀ O. , 2021, , . | | 0 |
| 23 | Intelligent perception of power grid condition. High Voltage, 2021, 6, 923-923. | 4.7 | 1 |
| 24 | Decomposition Characteristics of SF ₆ /N ₂ Under Partial Discharge of Different Degrees. IEEE Access, 2020, 8, 192312-192319. | 4.2 | 10 |
| 25 | Isotope tracing experimental study on the effects of trace H ₂ O on the over-thermal decomposition of SF ₆ . Journal Physics D: Applied Physics, 2020, 53, 355501. | 2.8 | 23 |
| 26 | Mechanism of Trace O ₂ on SF ₆ Characteristic Decomposed Components Under Spark Discharge. Plasma Chemistry and Plasma Processing, 2020, 40, 469-481. | 2.4 | 6 |
| 27 | SF ₆ fault decomposition feature component extraction and triangle fault diagnosis method. IEEE Transactions on Dielectrics and Electrical Insulation, 2020, 27, 581-589. | 2.9 | 45 |
| 28 | Reaction Thermodynamics of Overthermal Decomposition of C ₆ F ₁₂ O. Lecture Notes in Electrical Engineering, 2020, , 43-51. | 0.4 | 3 |
| 29 | GIS Insulation State Evaluation Based on Multi-source Information Fusion. Lecture Notes in Electrical Engineering, 2020, , 406-416. | 0.4 | 2 |
| 30 | Decomposition Characteristics of SF ₆ and Component Features Extraction Under Negative DC Partial Discharge. Lecture Notes in Electrical Engineering, 2020, , 396-405. | 0.4 | 0 |
| 31 | Influence Mechanism of O ₂ on SF ₆ Overheating Decomposition Based on Isotope Tracer. , 2020, , . | | 0 |
| 32 | Construction of Reax FF Force Field for SF ₆ Gas Insulation Medium under Over-thermal Fault. , 2020, , . | | 0 |
| 33 | Over Thermal Decomposition Characteristics of C ₅ F ₁₀ O: An Environmental Friendly Insulation Medium. IEEE Access, 2019, 7, 62080-62086. | 4.2 | 21 |
| 34 | Fault Diagnosis and Condition Division Criterion of DC Gas Insulating Equipment Based on SF ₆ Partial Discharge Decomposition Characteristics. IEEE Access, 2019, 7, 29869-29881. | 4.2 | 19 |
| 35 | Comprehensive Evaluation and Application of GIS Insulation Condition Part 2: Construction and Application of Comprehensive Evaluation Model Considering Universality and Economic Value. IEEE Access, 2019, 7, 129127-129135. | 4.2 | 3 |
| 36 | Comprehensive Evaluation and Application of GIS Insulation Condition Part 1: Selection and Optimization of Insulation Condition Comprehensive Evaluation Index Based on Multi-Source Information Fusion. IEEE Access, 2019, 7, 88254-88263. | 4.2 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Conformation Analysis of Environmentally Friendly Insulating Gas C5-PFK. IEEE Access, 2019, 7, 92724-92731. | 4.2 | 9 |
| 38 | Triangle Fault Diagnosis Method for SF ₆ Gas-Insulated Equipment. IEEE Transactions on Power Delivery, 2019, 34, 1470-1477. | 4.3 | 40 |
| 39 | Evaluating DC Partial Discharge With SF ₆ Decomposition Characteristics. IEEE Transactions on Power Delivery, 2019, 34, 1383-1392. | 4.3 | 39 |
| 40 | SF ₆ positive DC partial discharge decomposition components under four typical insulation defects. IET Generation, Transmission and Distribution, 2019, 13, 1-8. | 2.5 | 14 |
| 41 | Blade imbalance fault diagnosis of doubly fed wind turbine based on current coordinate transformation. IEJ Transactions on Electrical and Electronic Engineering, 2019, 14, 185-191. | 1.4 | 8 |
| 42 | SF ₆ decomposition components under different metallic free-conducting wire-type particles in positive DC partial discharge. IEJ Transactions on Electrical and Electronic Engineering, 2019, 14, 214-220. | 1.4 | 9 |
| 43 | Correlation analysis between SF ₆ decomposed components and negative DC partial discharge strength initiated by needle-plate defect. IEJ Transactions on Electrical and Electronic Engineering, 2018, 13, 382-389. | 1.4 | 15 |
| 44 | Correlation characteristics between SF ₆ decomposition process and partial discharge quantity under negative DC condition initiated by free metal particle defect. IEEE Transactions on Dielectrics and Electrical Insulation, 2018, 25, 574-583. | 2.9 | 17 |
| 45 | Correlation characteristics between gas pressure and SF ₆ decomposition under negative DC partial discharge. IET Generation, Transmission and Distribution, 2018, 12, 1240-1246. | 2.5 | 13 |
| 46 | Recognition of partial discharge types based on SF ₆ decomposed components under negative DC. , 2018, , . | | 0 |
| 47 | Calculation Method of Partial Discharge Severity Assessment Index Weight Using Factor Analysis Based on Mutual Information. , 2018, , . | | 0 |
| 48 | Research on SF ₆ Sulfur-containing Decomposition Components by Different Metallic Wire-type Free Conducting Particles under Positive DC Partial Discharge. , 2018, , . | | 0 |
| 49 | The Influence of Free Wire-type Conducting Particles on SF ₆ Sulfur-containing Decomposition Components Under Positive DC Partial Discharge. , 2018, , . | | 1 |
| 50 | Correlation Characteristics Between Partial Discharge Quantity and SF ₆ Decomposition Component Under Negative DC. , 2018, , . | | 0 |
| 51 | Influence and mechanism of pressure on SF ₆ decomposition components of gas-insulated switchgear under positive DC partial discharge. IEJ Transactions on Electrical and Electronic Engineering, 2018, 13, 1136-1141. | 1.4 | 6 |
| 52 | Influence Mechanisms of Trace H ₂ O on the Generating Process of SF ₆ Spark Discharge Decomposition Components. Plasma Chemistry and Plasma Processing, 2017, 37, 325-340. | 2.4 | 17 |
| 53 | Study on the influence rules of trace H ₂ O on SF ₆ spark discharge decomposition characteristic components. IEEE Transactions on Dielectrics and Electrical Insulation, 2017, 24, 367-374. | 2.9 | 9 |
| 54 | Influence of Metallic Materials on SF ₆ Decomposition Components under Positive DC Partial Discharge. Plasma Chemistry and Plasma Processing, 2017, 37, 1523-1534. | 2.4 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Investigation on SF ₆ spark decomposition characteristics under different pressures. IEEE Transactions on Dielectrics and Electrical Insulation, 2017, 24, 2066-2075. | 2.9 | 17 |
| 56 | Decomposition Characteristics of SF ₆ and Partial Discharge Recognition under Negative DC Conditions. Energies, 2017, 10, 556. | 3.1 | 21 |
| 57 | Using SF ₆ Decomposed Component Analysis for the Diagnosis of Partial Discharge Severity Initiated by Free Metal Particle Defect. Energies, 2017, 10, 1119. | 3.1 | 19 |
| 58 | Feature Selection for Partial Discharge Severity Assessment in Gas-Insulated Switchgear Based on Minimum Redundancy and Maximum Relevance. Energies, 2017, 10, 1516. | 3.1 | 14 |
| 59 | Assessment of PD severity in gas-insulated switchgear with an SSAE. IET Science, Measurement and Technology, 2017, 11, 423-430. | 1.6 | 30 |
| 60 | Correlation Characteristics Comparison of SF ₆ Decomposition versus Gas Pressure under Negative DC Partial Discharge Initiated by Two Typical Defects. Energies, 2017, 10, 1085. | 3.1 | 3 |
| 61 | Investigation of partial discharge between moving charged metal particles and electrodes in insulating oil under flow state and AC condition. IEEE Transactions on Dielectrics and Electrical Insulation, 2016, 23, 1099-1105. | 2.9 | 24 |
| 62 | Reconstructing and extracting information on SF ₆ decomposition characteristic components induced by partial overthermal fault in GIE. IEEE Transactions on Dielectrics and Electrical Insulation, 2016, 23, 183-193. | 2.9 | 19 |
| 63 | SF ₆ ; partial overthermal decomposition characteristics of thermal fault in organic insulating materials. IEEE Transactions on Dielectrics and Electrical Insulation, 2016, 23, 829-837. | 2.9 | 9 |
| 64 | Feature extraction of SF ₆ thermal decomposition characteristics to diagnose overheating fault. IET Science, Measurement and Technology, 2015, 9, 751-757. | 1.6 | 21 |
| 65 | Influence regularity of trace H ₂ O on SF ₆ decomposition characteristics under partial discharge of needle-plate electrode. IEEE Transactions on Dielectrics and Electrical Insulation, 2015, 22, 287-295. | 2.9 | 36 |
| 66 | Study on the influence mechanism of trace H ₂ O on SF ₆ thermal decomposition characteristic components. IEEE Transactions on Dielectrics and Electrical Insulation, 2015, 22, 766-774. | 2.9 | 46 |
| 67 | A semi-definite relaxation approach for partial discharge source location in transformers. IEEE Transactions on Dielectrics and Electrical Insulation, 2015, 22, 1097-1103. | 2.9 | 20 |
| 68 | Feature extraction and severity assessment of partial discharge under protrusion defect based on fuzzy comprehensive evaluation. IET Generation, Transmission and Distribution, 2015, 9, 2493-2500. | 2.5 | 28 |
| 69 | Decomposition characteristics of SF ₆ under thermal fault for temperatures below 400°C. IEEE Transactions on Dielectrics and Electrical Insulation, 2014, 21, 995-1004. | 2.9 | 77 |
| 70 | Quantitative analysis of the influence of regularity of SF ₆ decomposition characteristics with trace O ₂ under partial discharge. IEEE Transactions on Dielectrics and Electrical Insulation, 2014, 21, 1462-1470. | 2.9 | 9 |
| 71 | Influence regularity of trace O ₆ on SF ₆ decomposition characteristics and its mathematical amendment under partial discharge. IEEE Transactions on Dielectrics and Electrical Insulation, 2014, 21, 105-115. | 2.9 | 16 |
| 72 | Relationship between decomposition gas ratios and partial discharge energy in GIS, and the influence of residual water and oxygen. IEEE Transactions on Dielectrics and Electrical Insulation, 2014, 21, 1226-1234. | 2.9 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Influence regularity of trace O ₂ on SF ₆ decomposition characteristics and its mathematical amendment under partial discharge. IEEE Transactions on Dielectrics and Electrical Insulation, 2014, 21, 105-115. | 2.9 | 9 |
| 74 | Correlation analysis between formation process of SF ₆ decomposed components and partial discharge qualities. IEEE Transactions on Dielectrics and Electrical Insulation, 2013, 20, 864-875. | 2.9 | 127 |