

Steven D Hanes

List of PR Articles by Year in descending order

Source: [//exaly.com/author-pdf/6735517/publications.pdf](https://exaly.com/author-pdf/6735517/publications.pdf)

Version: 2025-02-01

24

PR articles

1,138

PR citations

468646

16

PR h-index

550848

24

g-index

25

documents

2123

doc citations

471942

17

h-index

2109

citing authors

#	ARTICLE	IF	PR CITATIONS
1	Sec61 channel subunit Sbh1/Sec61 ^{Δ2} promotes ER translocation of proteins with suboptimal targeting sequences and is fine-tuned by phosphorylation. <i>Journal of Biological Chemistry</i> , 2023, 299, 102895.	2.2	13
2	Coevolution of the Ess1-CTD axis in polar fungi suggests a role for phase separation in cold tolerance. <i>Science Advances</i> , 2022, 8, .	11.0	13
3	Structure analysis suggests Ess1 isomerizes the carboxy-terminal domain of RNA polymerase II via a bivalent anchoring mechanism. <i>Communications Biology</i> , 2021, 4, .	4.4	9
4	Prolyl isomerases in gene transcription. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2015, 1850, 2017-2034.	2.0	82
5	The Yeast Ess1 Prolyl Isomerase Controls Swi6 and Whi5 Nuclear Localization. <i>G3: Genes, Genomes, Genetics</i> , 2014, 4, 523-537.	2.0	15
6	The Ess1 prolyl isomerase: Traffic cop of the RNA polymerase II transcription cycle. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2014, 1839, 316-333.	2.4	39
7	Role of Ess1 in Growth, Morphogenetic Switching, and RNA Polymerase II Transcription in <i>Candida albicans</i> . <i>PLoS ONE</i> , 2013, 8, e59094.	2.4	4
8	Multiple Roles for the Ess1 Prolyl Isomerase in the RNA Polymerase II Transcription Cycle. <i>Molecular and Cellular Biology</i> , 2012, 32, 3594-3607.	2.5	17
9	A Universal RNA Polymerase II CTD Cycle Is Orchestrated by Complex Interplays between Kinase, Phosphatase, and Isomerase Enzymes along Genes. <i>Molecular Cell</i> , 2012, 45, 158-170.	13.4	204
10	The Bin3 RNA methyltransferase targets 7SK RNA to control transcription and translation. <i>Wiley Interdisciplinary Reviews RNA</i> , 2012, 3, 633-647.	5.4	32
11	The Bin3 RNA methyltransferase is required for repression of caudal translation in the <i>Drosophila</i> embryo. <i>Developmental Biology</i> , 2011, 352, 104-115.	1.9	24
12	Restricted domain mobility in the <i>Candida albicans</i> Ess1 prolyl isomerase. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2010, 1804, 1537-1541.	2.1	7
13	The Ess1 Prolyl Isomerase Is Required for Transcription Termination of Small Noncoding RNAs via the Nrd1 Pathway. <i>Molecular Cell</i> , 2009, 36, 255-266.	13.4	63
14	Vanishingly Low Levels of Ess1 Prolyl-isomerase Activity Are Sufficient for Growth in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2005, 280, 15510-15517.	2.2	57
15	The Structure of the <i>Candida albicans</i> Ess1 Prolyl Isomerase Reveals a Well-Ordered Linker that Restricts Domain Mobility,. <i>Biochemistry</i> , 2005, 44, 6180-6189.	2.4	47
16	Prolyl isomerases in yeast. <i>Frontiers in Bioscience - Landmark</i> , 2004, 9, 2420.	6.0	97
17	Genetic Interactions With C-Terminal Domain (CTD) Kinases and the CTD of RNA Pol II Suggest a Role for ESS1 in Transcription Initiation and Elongation in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2004, 167, 93-105.	4.2	38
18	The<i>ESS1</i> Prolyl Isomerase and Its Suppressor<i>BYE1</i> Interact With RNA Pol II to Inhibit Transcription Elongation in<i>Saccharomyces cerevisiae</i>. <i>Genetics</i> , 2003, 165, 1687-1702.	4.2	51

#	ARTICLE	IF	PR CITATIONS
19	The Ess1 Prolyl Isomerase Is Required for Growth and Morphogenetic Switching in <i>Candida albicans</i> . <i>Genetics</i> , 2002, 160, 37-48.	4.2	44
20	Genetic interactions between the ESS1 prolyl-isomerase and the RSP5 ubiquitin ligase reveal opposing effects on RNA polymerase II function. <i>Current Genetics</i> , 2001, 40, 234-242.	1.5	32
21	The Ess1 prolyl isomerase is linked to chromatin remodeling complexes and the general transcription machinery. <i>EMBO Journal</i> , 2000, 19, 3727-3738.	7.4	152
22	Cyclophilin A and Ess1 interact with and regulate silencing by the Sin3-Rpd3 histone deacetylase. <i>EMBO Journal</i> , 2000, 19, 3739-3749.	7.4	104
23	Identification of <i>Drosophila</i> Bicoid-interacting proteins using a custom two-hybrid selection. <i>Gene</i> , 2000, 245, 329-339.	2.4	34
24	Sequence and mutational analysis of ESS1, a gene essential for growth in <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 1989, 5, 55-72.	2.5	170