

Saad Lahlou

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6735887/saad-lahlou-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers

1,510
citations

24
h-index

34
g-index

87
ext. papers

1,651
ext. citations

3.8
avg, IF

4.03
L-index

#	Paper	IF	Citations
86	Cardiovascular effects of 1,8-cineole, a terpenoid oxide present in many plant essential oils, in normotensive rats. <i>Canadian Journal of Physiology and Pharmacology</i> , 2002 , 80, 1125-31	2.4	104
85	Antihypertensive effects of the essential oil of <i>Alpinia zerumbet</i> and its main constituent, terpinen-4-ol, in DOCA-salt hypertensive conscious rats. <i>Fundamental and Clinical Pharmacology</i> , 2003 , 17, 323-30	3.1	79
84	Vasorelaxant effects of the monoterpenic phenol isomers, carvacrol and thymol, on rat isolated aorta. <i>Fundamental and Clinical Pharmacology</i> , 2010 , 24, 341-50	3.1	69
83	Linalool blocks excitability in peripheral nerves and voltage-dependent Na ⁺ current in dissociated dorsal root ganglia neurons. <i>European Journal of Pharmacology</i> , 2010 , 645, 86-93	5.3	49
82	Endothelium-dependent vasorelaxant effects of the essential oil from aerial parts of <i>Alpinia zerumbet</i> and its main constituent 1,8-cineole in rats. <i>Phytomedicine</i> , 2009 , 16, 1151-5	6.5	46
81	Cardiovascular effects of the essential oil of <i>Croton zehntneri</i> leaves and its main constituents, anethole and estragole, in normotensive conscious rats. <i>Life Sciences</i> , 2006 , 78, 2365-72	6.8	45
80	Cardiovascular effects of the essential oil of <i>Mentha x villosa</i> and its main constituent, piperitenone oxide, in normotensive anaesthetised rats: role of the autonomic nervous system. <i>Planta Medica</i> , 2001 , 67, 638-43	3.1	45
79	Cardiovascular effects of the essential oil of <i>Alpinia zerumbet</i> leaves and its main constituent, Terpinen-4-ol, in rats: role of the autonomic nervous system. <i>Planta Medica</i> , 2002 , 68, 1097-102	3.1	45
78	Essential oil of <i>Croton nepetaefolius</i> decreases blood pressure through an action upon vascular smooth muscle: studies in DOCA-salt hypertensive rats. <i>Planta Medica</i> , 2000 , 66, 138-43	3.1	42
77	Cardiovascular effects of eugenol, a phenolic compound present in many plant essential oils, in normotensive rats. <i>Journal of Cardiovascular Pharmacology</i> , 2004 , 43, 250-7	3.1	37
76	Cardiovascular effects of the essential oil of <i>Croton nepetaefolius</i> in rats: role of the autonomic nervous system. <i>Planta Medica</i> , 1999 , 65, 553-7	3.1	37
75	The vasorelaxant effects of 1-nitro-2-phenylethane involve stimulation of the soluble guanylate cyclase-cGMP pathway. <i>Biochemical Pharmacology</i> , 2013 , 85, 780-8	6	34
74	Pharmacological evidence of calcium-channel blockade by essential oil of <i>Ocimum gratissimum</i> and its main constituent, eugenol, in isolated aortic rings from DOCA-salt hypertensive rats. <i>Fundamental and Clinical Pharmacology</i> , 2007 , 21, 497-506	3.1	34
73	Cardiovascular effects of methyleugenol, a natural constituent of many plant essential oils, in normotensive rats. <i>Life Sciences</i> , 2004 , 74, 2401-12	6.8	34
72	Cardiovascular effects of the essential oil of <i>Aniba canelilla</i> bark in normotensive rats. <i>Journal of Cardiovascular Pharmacology</i> , 2005 , 46, 412-21	3.1	34
71	Relaxant effects of the essential oil of <i>Eucalyptus tereticornis</i> and its main constituent 1,8-cineole on guinea-pig tracheal smooth muscle. <i>Planta Medica</i> , 2005 , 71, 1173-5	3.1	34
70	Essential oil of <i>croton nepetaefolius</i> and its main constituent, 1,8-cineole, block excitability of rat sciatic nerve in vitro. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2006 , 33, 1158-63	3	32

69	Antispasmodic effects of essential oil of <i>Pterodon polygalaeflorus</i> and its main constituent Earyophyllene on rat isolated ileum. <i>Fundamental and Clinical Pharmacology</i> , 2010 , 24, 749-58	3.1	31
68	Enhanced hypotensive effects of the essential oil of <i>Ocimum gratissimum</i> leaves and its main constituent, eugenol, in DOCA-salt hypertensive conscious rats. <i>Planta Medica</i> , 2005 , 71, 376-8	3.1	30
67	Essential oil of <i>Croton zehntneri</i> and its major constituent anethole display gastroprotective effect by increasing the surface mucous layer. <i>Fundamental and Clinical Pharmacology</i> , 2013 , 27, 288-98	3.1	29
66	1-Nitro-2-phenylethane, the main constituent of the essential oil of <i>Aniba canelilla</i> , elicits a vago-vagal bradycardiac and depressor reflex in normotensive rats. <i>European Journal of Pharmacology</i> , 2010 , 638, 90-8	5.3	29
65	Vasorelaxation induced by the essential oil of <i>Croton nepetaefolius</i> and its constituents in rat aorta are partially mediated by the endothelium. <i>Fundamental and Clinical Pharmacology</i> , 2008 , 22, 169-77	3.1	26
64	Eugenol modifies the excitability of rat sciatic nerve and superior cervical ganglion neurons. <i>Neuroscience Letters</i> , 2010 , 472, 220-4	3.3	25
63	Antispasmodic effects of the essential oil of <i>Croton nepetaefolius</i> on guinea-pig ileum: a myogenic activity. <i>Fundamental and Clinical Pharmacology</i> , 2004 , 18, 539-46	3.1	25
62	Mechanisms underlying the cardiovascular effects of a labdenic diterpene isolated from <i>Moldenhawera nutans</i> in normotensive rats. <i>Vascular Pharmacology</i> , 2007 , 46, 60-6	5.9	24
61	Inhibitory actions of eugenol on rat isolated ileum. <i>Canadian Journal of Physiology and Pharmacology</i> , 2002 , 80, 901-6	2.4	23
60	Cardiovascular effects of the essential oil of <i>Ocimum gratissimum</i> leaves in rats: role of the autonomic nervous system. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2004 , 31, 219-25	3	22
59	Involvement of nitric oxide in the mediation of the hypotensive action of the essential oil of <i>Mentha x villosa</i> in normotensive conscious rats. <i>Planta Medica</i> , 2002 , 68, 694-9	3.1	22
58	Vasorelaxant effects of 1-nitro-2-phenylethane, the main constituent of the essential oil of <i>Aniba canelilla</i> , in superior mesenteric arteries from spontaneously hypertensive rats. <i>European Journal of Pharmaceutical Sciences</i> , 2013 , 48, 709-16	5.1	21
57	In-vitro characterization of the pharmacological effects induced by (-)-Ebisabolol in rat smooth muscle preparations. <i>Canadian Journal of Physiology and Pharmacology</i> , 2012 , 90, 23-35	2.4	21
56	Cardiovascular effects of 1-nitro-2-phenylethane, the main constituent of the essential oil of <i>Aniba canelilla</i> , in spontaneously hypertensive rats. <i>Fundamental and Clinical Pharmacology</i> , 2011 , 25, 661-9	3.1	21
55	Effects of 1,8-cineole on electrophysiological parameters of neurons of the rat superior cervical ganglion. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2009 , 36, 1068-73	3	21
54	Antinociceptive and antispasmodic effects of the essential oil of <i>Ocimum micranthum</i> : potential anti-inflammatory properties. <i>Planta Medica</i> , 2012 , 78, 681-5	3.1	18
53	Essential oil of <i>Pterodon polygalaeflorus</i> inhibits electromechanical coupling on rat isolated trachea. <i>Journal of Ethnopharmacology</i> , 2007 , 109, 515-22	5	17
52	Rostrocaudal localization of cardiovascular responses induced by intrathecal administration of apomorphine in conscious, freely moving rats. <i>Journal of Cardiovascular Pharmacology</i> , 1990 , 16, 331-7	3.1	17

51	Inhibitory effect of 1,8-cineole on guinea-pig airway challenged with ovalbumin involves a preferential action on electromechanical coupling. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2009 , 36, 1120-6	3	16
50	Involvement of spinal dopamine receptors in mediation of the hypotensive and bradycardic effects of systemic quinpirole in anaesthetised rats. <i>European Journal of Pharmacology</i> , 1998 , 353, 227-37	5.3	16
49	Vasorelaxant effects of 1-nitro-2-phenylethene in rat isolated aortic rings. <i>Vascular Pharmacology</i> , 2014 , 63, 55-62	5.9	15
48	Linalool-rich rosewood oil induces vago-vagal bradycardic and depressor reflex in rats. <i>Phytotherapy Research</i> , 2014 , 28, 42-8	6.7	14
47	Myorelaxant effects of the essential oil of <i>Croton nepetaefolius</i> on the contractile activity of the guinea-pig tracheal smooth muscle. <i>Planta Medica</i> , 2003 , 69, 874-7	3.1	12
46	Cytoprotective effect of 1-nitro-2-phenylethane in mice pancreatic acinar cells subjected to taurocholate: putative role of guanylyl cyclase-derived 8-nitro-cyclic-GMP. <i>Biochemical Pharmacology</i> , 2014 , 91, 191-201	6	11
45	(-)-Bisabolol inhibits preferentially electromechanical coupling on rat isolated arteries. <i>Vascular Pharmacology</i> , 2014 , 63, 37-45	5.9	11
44	The essential oil of <i>Eucalyptus tereticornis</i> and its constituents, α - and β -pinene, show accelerative properties on rat gastrointestinal transit. <i>Planta Medica</i> , 2011 , 77, 57-9	3.1	11
43	Contribution of spinal dopamine receptors to the hypotensive action of bromocriptine in rats. <i>Journal of Cardiovascular Pharmacology</i> , 1991 , 18, 317-25	3.1	11
42	The essential oil of <i>Eucalyptus tereticornis</i> , and its constituents alpha- and beta-pinene, potentiate acetylcholine-induced contractions in isolated rat trachea. <i>Phytotherapy Research</i> , 2010 , 81, 649-55	3.2	10
41	Cardiovascular responses to intrathecal dopamine receptor agonists in conscious DOCA-salt hypertensive rats. <i>Fundamental and Clinical Pharmacology</i> , 1999 , 13, 624-34	3.1	10
40	Chronic administration of sildenafil improves endothelial function in spontaneously hypertensive rats by decreasing COX-2 expression and oxidative stress. <i>Life Sciences</i> , 2019 , 225, 29-38	6.8	9
39	Biphasic cardiovascular and respiratory effects induced by citronellol. <i>European Journal of Pharmacology</i> , 2016 , 775, 96-105	5.3	9
38	Antispasmodic and myorelaxant effects of the flavoring agent methyl cinnamate in gut: potential inhibition of tyrosine kinase. <i>European Journal of Pharmacology</i> , 2014 , 740, 192-9	5.3	8
37	Trans-4-methoxy- β -nitrostyrene relaxes rat thoracic aorta through a sGC-dependent pathway. <i>European Journal of Pharmacology</i> , 2017 , 807, 182-189	5.3	8
36	Mechanism of the vasorelaxant effect induced by trans-4-methyl- β -nitrostyrene, a synthetic nitroderivative, in rat thoracic aorta. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2017 , 44, 787-794	3	7
35	Vasorelaxation induced by methyl cinnamate, the major constituent of the essential oil of <i>Ocimum micranthum</i> , in rat isolated aorta. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2014 , 41, 755-62	3	7
34	Mechanisms underlying the cardiovascular responses to spinal dopamine receptor stimulation by apomorphine in anesthetized rats. <i>Neuroscience Letters</i> , 2003 , 335, 187-91	3.3	7

33	Cardiovascular Effects of the Essential Oil of in Normotensive Rats: Role of the Autonomic Nervous System. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016 , 2016, 4106502	2.3	7
32	Antispasmodic effects of a new kaurene diterpene isolated from <i>Croton argyrophylloides</i> on rat airway smooth muscle. <i>Journal of Pharmacy and Pharmacology</i> , 2012 , 64, 1155-64	4.8	6
31	Effects of long-term pretreatment with isoproterenol on bromocriptine-induced tachycardia in conscious rats. <i>Canadian Journal of Physiology and Pharmacology</i> , 2000 , 78, 260-265	2.4	6
30	Mechanisms underlying the vasorelaxant effect of trans-4-methoxy- β -nitrostyrene in the rat mesenteric resistance arteries. <i>European Journal of Pharmacology</i> , 2019 , 853, 201-209	5.3	5
29	Pressor responsiveness to intravenous quinpirole is blunted in malnourished, conscious rats: central vs. peripheral and spinal mechanisms. <i>Journal of Cardiovascular Pharmacology</i> , 2004 , 44, 16-25	3.1	5
28	Blunted pressor responsiveness to intravenous quinpirole in conscious, chronic spinal cord-transected rats: peripheral vs. spinal mechanisms. <i>European Journal of Pharmacology</i> , 2000 , 408, 51-62	5.3	5
27	Cardiovascular effects of the essential oil of <i>Croton zehntneri</i> leaves in DOCA-salt hypertensive, conscious rats. <i>Natural Product Communications</i> , 2013 , 8, 1167-70	0.9	5
26	Endothelium-independent vasodilator effect of 2-nitro-1-phenyl-1-propanol on mesenteric resistance vessels in rats. <i>European Journal of Pharmacology</i> , 2017 , 806, 52-58	5.3	4
25	Stimulation of pulmonary vagal C-fibers by trans-4-methyl- β -nitrostyrene induces bradycardiac and depressor reflex in rats: Role of vanilloid TRPV receptors. <i>European Journal of Pharmacology</i> , 2019 , 849, 154-159	5.3	4
24	Cardiovascular Effects of the Essential Oil of <i>Croton Zehntneri</i> Leaves in DOCA-salt Hypertensive, Conscious Rats. <i>Natural Product Communications</i> , 2013 , 8, 1934578X1300800	0.9	4
23	Effects of long-term pretreatment with isoproterenol on inotropic responsiveness to alpha-adrenoceptor stimulation: study in isolated perfused rat hearts. <i>Journal of Pharmacy and Pharmacology</i> , 2001 , 53, 233-42	4.8	4
22	Blunted central bromocriptine-induced tachycardia in conscious, malnourished rats. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2003 , 92, 189-94		4
21	Essential oil of <i>Croton argyrophylloides</i> : toxicological aspects and vasorelaxant activity in rats. <i>Natural Product Communications</i> , 2012 , 7, 1397-400	0.9	4
20	Vasodilator effects and putative guanylyl cyclase stimulation by 2-nitro-1-phenylethanone and 2-nitro-2-phenyl-propane-1,3-diol on rat aorta. <i>European Journal of Pharmacology</i> , 2018 , 830, 105-114	5.3	3
19	Essential Oil of <i>Croton Argyrophylloides</i> : Toxicological Aspects and Vasorelaxant Activity in Rats. <i>Natural Product Communications</i> , 2012 , 7, 1934578X1200701	0.9	3
18	Enhanced hypotensive response to intravenous apomorphine in chronic spinalized, conscious rats: role of spinal dopamine D(1) and D(2) receptors. <i>Neuroscience Letters</i> , 2003 , 349, 115-9	3.3	3
17	Vasorelaxant effects of 2-nitro-1-phenyl-1-propanol in rat aorta. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2016 , 43, 1054-1061	3	3
16	Cardiovascular Effects of -4-Methoxy- β -Nitrostyrene in Spontaneously Hypertensive Rats: Comparison With Its Parent Drug β -Nitrostyrene. <i>Frontiers in Pharmacology</i> , 2019 , 10, 1407	5.6	3

15	Apocynin decreases AGEs-induced stimulation of NF- κ B protein expression in vascular smooth muscle cells from GK rats. <i>Pharmaceutical Biology</i> , 2015 , 53, 488-93	3.8	2
14	Cardiovascular effects of a labdenic diterpene isolated from <i>Moldenhawera nutans</i> in conscious, spontaneously hypertensive rats. <i>Pharmaceutical Biology</i> , 2015 , 53, 582-7	3.8	2
13	The essential oil of <i>Croton nepetaefolius</i> selectively blocks histamine-augmented neuronal excitability in guinea-pig celiac ganglion. <i>Journal of Pharmacy and Pharmacology</i> , 2010 , 62, 1045-53	4.8	2
12	Alpha-adrenergic responsiveness in rat isolated perfused heart after abdominal aortic coarctation. <i>Journal of Pharmacy and Pharmacology</i> , 2002 , 54, 139-46	4.8	2
11	Blockade of spinal dopamine D2 receptors enhances the pressor effect of intravenous quinpirole in normotensive, conscious rats. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2002 , 90, 94-9		2
10	Endothelium-dependent and endothelium-independent effects of 1-nitro-2-propylbenzene on rat aorta. <i>Fundamental and Clinical Pharmacology</i> , 2019 , 33, 612-620	3.1	1
9	Central Bromocriptine-Induced Tachycardia is Reversed to Bradycardia in Conscious, Deoxycorticosterone Acetate-Salt Hypertensive Rats. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2008 , 88, 238-243		1
8	Blood pressure effects of intravenous apomorphine in conscious deoxycorticosterone-acetate salt-hypertensive rats. <i>Journal of Cardiovascular Pharmacology</i> , 2003 , 42, 772-81	3.1	1
7	GQ-130, a novel analogue of thiazolidinedione, improves obesity-induced metabolic alterations in rats: Evidence for the involvement of PPAR γ pathway. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2020 , 47, 798-808	3	1
6	Soluble guanylate cyclase stimulator, trans-4-methoxy- β -nitrostyrene, has a beneficial effect in monocrotaline-induced pulmonary arterial hypertension in rats. <i>European Journal of Pharmacology</i> , 2021 , 897, 173948	5.3	1
5	The soluble guanylate cyclase stimulator, 1-nitro-2-phenylethane, reverses monocrotaline-induced pulmonary arterial hypertension in rats. <i>Life Sciences</i> , 2021 , 275, 119334	6.8	1
4	Vasorelaxant effect of trans-4-chloro- β -nitrostyrene, a synthetic nitroderivative, in rat thoracic aorta. <i>Fundamental and Clinical Pharmacology</i> , 2021 , 35, 331-340	3.1	1
3	Vasodilatory action of trans-4-methoxy- β -nitrostyrene in rat isolated pulmonary artery. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2021 , 48, 717-725	3	1
2	Cardiovascular effects of methyleugenol, a natural constituent of many plant essential oils, in normotensive rats. <i>Life Sciences</i> , 2004 , 74, 2401-2401	6.8	
1	Pharmacological evidence of calcium-channel blockade by essential oil of <i>Ocimum gratissimum</i> and its main constituent, eugenol, in isolated aortic rings from DOCA-salt hypertensive rats. <i>Fundamental and Clinical Pharmacology</i> , 2007 , 070726025241001-???	3.1	