

Liang Yu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6736425/publications.pdf>

Version: 2024-02-01

65
papers

2,427
citations

230014

27
h-index

242451

47
g-index

65
all docs

65
docs citations

65
times ranked

3143
citing authors

#	ARTICLE	IF	CITATIONS
1	Industrially relevant CHA membranes for CO ₂ /CH ₄ separation. <i>Journal of Membrane Science</i> , 2022, 641, 119888.	4.1	42
2	The origin of the surface barrier in nanoporous materials. <i>Journal of Membrane Science</i> , 2022, 641, 119893.	4.1	10
3	Recovery of helium from natural gas using MFI membranes. <i>Journal of Membrane Science</i> , 2022, 644, 120113.	4.1	6
4	Bacterial cellulose assisted synthesis of hierarchical pompon-like SAPO-34 for CO ₂ adsorption. <i>Microporous and Mesoporous Materials</i> , 2022, 331, 111664.	2.2	5
5	Mass transport of CO ₂ over CH ₄ controlled by the selective surface barrier in ultra-thin CHA membranes. <i>Microporous and Mesoporous Materials</i> , 2022, 332, 111716.	2.2	7
6	Ultra-thin zeolite CHA and FAU membranes for desalination by pervaporation. <i>Separation and Purification Technology</i> , 2022, 294, 121177.	3.9	5
7	Structural transformation of the nickel coordination-induced subnanoporosity of aminosilica membranes for methanol-selective, high-flux pervaporation. <i>Journal of Membrane Science</i> , 2022, 656, 120613.	4.1	10
8	Zeolite membrane process for industrial CO ₂ /CH ₄ separation. <i>Chemical Engineering Journal</i> , 2022, 446, 137223.	6.6	14
9	Removal of dyes from aqueous solution using novel C@C composite adsorbents. <i>Microporous and Mesoporous Materials</i> , 2021, 313, 110840.	2.2	15
10	Microporous Nickel-Coordinated Aminosilica Membranes for Improved Pervaporation Performance of Methanol/Toluene Separation. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 23247-23259.	4.0	23
11	C@TiO ₂ core-shell adsorbents for efficient rhodamine B adsorption from aqueous solution. <i>Microporous and Mesoporous Materials</i> , 2021, 320, 111110.	2.2	7
12	Pore Structure Controllability and CO ₂ Permeation Properties of Silica-Derived Membranes with a Dual-Network Structure. <i>Industrial & Engineering Chemistry Research</i> , 2021, 60, 8527-8537.	1.8	3
13	Monolithic carbon aerogels from bioresources and their application for CO ₂ adsorption. <i>Microporous and Mesoporous Materials</i> , 2021, 323, 111236.	2.2	10
14	Efficient synthesis of polyether polyols in simple microreactors. <i>Reaction Chemistry and Engineering</i> , 2021, 6, 685-693.	1.9	2
15	Metal-induced microporous aminosilica creates a highly permeable gas-separation membrane. <i>Materials Chemistry Frontiers</i> , 2021, 5, 3029-3042.	3.2	16
16	Phase inversion/sintering-induced porous ceramic microsheet membranes for high-quality separation of oily wastewater. <i>Journal of Membrane Science</i> , 2020, 595, 117477.	4.1	59
17	Fine-tuned, molecular-composite, organosilica membranes for highly efficient propylene/propane separation via suitable pore size. <i>AIChE Journal</i> , 2020, 66, e16850.	1.8	14
18	Preparation of Silica@Silica Core-Shell Microspheres Using an Aqueous Two-Phase System in a Novel Microchannel Device. <i>Langmuir</i> , 2020, 36, 576-584.	1.6	6

#	ARTICLE	IF	CITATIONS
19	Energy-efficient separation of organic liquids using organosilica membranes via a reverse osmosis route. <i>Journal of Membrane Science</i> , 2020, 597, 117758.	4.1	46
20	Development of high-performance sub-nanoporous SiC-based membranes derived from polytitanocarbosilane. <i>Journal of Membrane Science</i> , 2020, 598, 117688.	4.1	24
21	High performance fluoride MFI membranes for efficient CO ₂ /H ₂ separation. <i>Journal of Membrane Science</i> , 2020, 616, 118623.	4.1	15
22	A carbon-silica-zirconia ceramic membrane with CO ₂ flow-switching behaviour promising versatile high-temperature H ₂ /CO ₂ separation. <i>Journal of Materials Chemistry A</i> , 2020, 8, 23563-23573.	5.2	15
23	Pervaporation removal of methanol from methanol/organic azeotropes using organosilica membranes: Experimental and modeling. <i>Journal of Membrane Science</i> , 2020, 610, 118284.	4.1	43
24	Tuning the microstructure of polycarbosilane-derived SiC(O) separation membranes via thermal-oxidative cross-linking. <i>Separation and Purification Technology</i> , 2020, 248, 117067.	3.9	15
25	Amino-decorated organosilica membranes for highly permeable CO ₂ capture. <i>Journal of Membrane Science</i> , 2020, 611, 118328.	4.1	24
26	High-performance molecular separation ceramic membranes derived from oxidative cross-linked polytitanocarbosilane. <i>Journal of the American Ceramic Society</i> , 2020, 103, 4473-4488.	1.9	19
27	Pore subnano-environment engineering of organosilica membranes for highly selective propylene/propane separation. <i>Journal of Membrane Science</i> , 2020, 603, 117999.	4.1	15
28	Microstructure evolution and enhanced permeation of SiC membranes derived from allylhydridopolycarbosilane. <i>Journal of Membrane Science</i> , 2020, 612, 118392.	4.1	18
29	Preparation of low carbon impact lignin nanoparticles with controllable size by using different strategies for particles recovery. <i>Industrial Crops and Products</i> , 2020, 147, 112243.	2.5	35
30	Highly permeable and selective tubular zeolite CHA membranes. <i>Journal of Membrane Science</i> , 2019, 588, 117224.	4.1	52
31	Tailoring Ultramicroporosity To Maximize CO ₂ Transport within Pyrimidine-Bridged Organosilica Membranes. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 7164-7173.	4.0	28
32	Preparation of carbon/cobalt composite from phenolic resin and ZIF-67 for efficient tannic acid adsorption. <i>Microporous and Mesoporous Materials</i> , 2019, 287, 9-17.	2.2	21
33	Tailoring the microstructure and permeation properties of bridged organosilica membranes via control of the bond angles. <i>Journal of Membrane Science</i> , 2019, 584, 56-65.	4.1	35
34	Ultra-thin MFI membranes with different Si/Al ratios for CO ₂ /CH ₄ separation. <i>Microporous and Mesoporous Materials</i> , 2019, 284, 258-264.	2.2	33
35	A novel method for fabrication of high-flux zeolite membranes on supports with arbitrary geometry. <i>Journal of Materials Chemistry A</i> , 2019, 7, 10325-10330.	5.2	25
36	Binderless zeolite NaX microspheres with enhanced CO ₂ adsorption selectivity. <i>Microporous and Mesoporous Materials</i> , 2019, 278, 267-274.	2.2	28

#	ARTICLE	IF	CITATIONS
37	Enhanced CO ₂ separation performance for tertiary amine-silica membranes via thermally induced local liberation of CH ₃ Cl. <i>AIChE Journal</i> , 2018, 64, 1528-1539.	1.8	22
38	Two-Phase Diffusion Technique for the Preparation of Ultramacroporous/Mesoporous Silica Microspheres via Interface Hydrolysis, Diffusion, and Gelation of TEOS. <i>Langmuir</i> , 2018, 34, 2046-2056.	1.6	4
39	Highly permeable CHA membranes prepared by fluoride synthesis for efficient CO ₂ /CH ₄ separation. <i>Journal of Materials Chemistry A</i> , 2018, 6, 6847-6853.	5.2	75
40	Ultra-thin MFI membranes for removal of C ₃ + hydrocarbons from methane. <i>Journal of Membrane Science</i> , 2018, 551, 254-260.	4.1	30
41	Preparation of hollow zeolite NaA/chitosan composite microspheres via in situ hydrolysis-gelation-hydrothermal synthesis of TEOS. <i>Microporous and Mesoporous Materials</i> , 2018, 257, 262-271.	2.2	15
42	Fabrication of PAA-PETPTA Janus Microspheres with Respiratory Function for Controlled Release of Guests with Different Sizes. <i>Langmuir</i> , 2018, 34, 7106-7116.	1.6	12
43	Role of Amine Type in CO ₂ Separation Performance within Amine Functionalized Silica/Organosilica Membranes: A Review. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 1032.	1.3	46
44	Pyrimidine-bridged organoalkoxysilane membrane for high-efficiency CO ₂ transport via mild affinity. <i>Separation and Purification Technology</i> , 2017, 178, 232-241.	3.9	34
45	Fabrication and Microstructure Tuning of a Pyrimidine-Bridged Organoalkoxysilane Membrane for CO ₂ Separation. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 1316-1326.	1.8	24
46	Preparation of size-controllable monodispersed carbon@silica core-shell microspheres and hollow silica microspheres. <i>Microporous and Mesoporous Materials</i> , 2017, 247, 75-85.	2.2	9
47	Fabrication and CO ₂ permeation properties of amine-silica membranes using a variety of amine types. <i>Journal of Membrane Science</i> , 2017, 541, 447-456.	4.1	36
48	In situ impregnation-gelation-hydrothermal crystallization synthesis of hollow fiber zeolite NaA membrane. <i>Microporous and Mesoporous Materials</i> , 2017, 244, 278-283.	2.2	10
49	Improved Salts Transportation of a Positively Charged Loose Nanofiltration Membrane by Introduction of Poly(ionic liquid) Functionalized Hydrotalcite Nanosheets. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 3292-3304.	3.2	72
50	A universal biological-materials-assisted hydrothermal route to prepare various inorganic hollow microcapsules in the presence of pollens. <i>Powder Technology</i> , 2016, 301, 26-33.	2.1	11
51	Recent advances in halloysite nanotube derived composites for water treatment. <i>Environmental Science: Nano</i> , 2016, 3, 28-44.	2.2	132
52	High flux, positively charged loose nanofiltration membrane by blending with poly(ionic liquid) brushes grafted silica spheres. <i>Journal of Hazardous Materials</i> , 2015, 287, 373-383.	6.5	138
53	Development of a molecular separation membrane for efficient separation of low-molecular-weight organics and salts. <i>Desalination</i> , 2015, 359, 176-185.	4.0	56
54	A simple method for blocking defects in zeolite membranes. <i>Journal of Membrane Science</i> , 2015, 489, 270-274.	4.1	25

#	ARTICLE	IF	CITATIONS
55	Very high flux MFI membranes for alcohol recovery via pervaporation at high temperature and pressure. <i>Separation and Purification Technology</i> , 2015, 153, 138-145.	3.9	26
56	Fabrication and characterization of positively charged hybrid ultrafiltration and nanofiltration membranes via the in-situ exfoliation of Mg/Al hydrotalcite. <i>Desalination</i> , 2014, 335, 78-86.	4.0	45
57	Preparation and characterization of negatively charged PES nanofiltration membrane by blending with halloysite nanotubes grafted with poly (sodium 4-styrenesulfonate) via surface-initiated ATRP. <i>Journal of Membrane Science</i> , 2014, 465, 91-99.	4.1	140
58	Enhanced Antibacterial Activity of Silver Nanoparticles/Halloysite Nanotubes/Graphene Nanocomposites with Sandwich-Like Structure. <i>Scientific Reports</i> , 2014, 4, 4551.	1.6	113
59	Synthesis of binderless zeolite X microspheres and their CO ₂ adsorption properties. <i>Separation and Purification Technology</i> , 2013, 118, 188-195.	3.9	48
60	Preparation and characterization of HPEI-GO/PES ultrafiltration membrane with antifouling and antibacterial properties. <i>Journal of Membrane Science</i> , 2013, 447, 452-462.	4.1	387
61	Preparation of poly(sodium acrylate-acrylamide) superabsorbent nanocomposites incorporating graphene oxide and halloysite nanotubes. <i>RSC Advances</i> , 2013, 3, 13756.	1.7	32
62	Preparation of zeolite-A/chitosan hybrid composites and their bioactivities and antimicrobial activities. <i>Materials Science and Engineering C</i> , 2013, 33, 3652-3660.	3.8	55
63	A two-phase segmented microfluidic technique for one-step continuous versatile preparation of zeolites. <i>Chemical Engineering Journal</i> , 2013, 219, 78-85.	6.6	33
64	Synthesis of Monodisperse Zeolite A/Chitosan Hybrid Microspheres and Binderless Zeolite A Microspheres. <i>Industrial & Engineering Chemistry Research</i> , 2012, 51, 2299-2308.	1.8	34
65	Influence of glycerol cosolvent on the synthesis of size controllable zeolite A. <i>Materials Letters</i> , 2011, 65, 2304-2306.	1.3	18