

Adán Pérez García

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6737884/publications.pdf>

Version: 2024-02-01

125
papers

1,620
citations

331670
21
h-index

454955
30
g-index

125
all docs

125
docs citations

125
times ranked

680
citing authors

#	ARTICLE	IF	CITATIONS
1	Mesozoic marine reptile palaeobiogeography in response to drifting plates. <i>Gondwana Research</i> , 2014, 26, 869-887.	6.0	108
2	A nomenclature for fossil and living turtles using phylogenetically defined clade names. <i>Swiss Journal of Palaeontology</i> , 2021, 140, .	1.7	66
3	New Crocodyliforms from Southwestern Europe and Definition of a Diverse Clade of European Late Cretaceous Basal Eusuchians. <i>PLoS ONE</i> , 2015, 10, e0140679.	2.5	46
4	New Spanish Late Cretaceous eusuchian reveals the synchronic and sympatric presence of two allodaposuchids. <i>Cretaceous Research</i> , 2016, 65, 112-125.	1.4	43
5	New and exceptional discovery in the Upper Cretaceous of the Iberian Peninsula: the palaeontological site of ´Lo Hueco`, Cuenca, Spain. <i>Cretaceous Research</i> , 2009, 30, 1268-1278.	1.4	41
6	The biota of the Upper Cretaceous site of ´Lo Hueco` (Cuenca, Spain). <i>Journal of Iberian Geology</i> , 2015, 41, .	1.3	41
7	The Iberian fossil record of turtles: an update. <i>Journal of Iberian Geology</i> , 2017, 43, 155-191.	1.3	39
8	<i>< i>Selenemys lusitanica< /i></i> , gen. et sp. nov., a new pleurosternid turtle (Testudines: Paracryptodira) from the Upper Jurassic of Portugal. <i>Journal of Vertebrate Paleontology</i> , 2011, 31, 60-69.	1.0	35
9	The turtles from the uppermost Jurassic and Early Cretaceous of Galve (Iberian Range, Spain): Anatomical, systematic, biostratigraphic and palaeobiogeographical implications. <i>Cretaceous Research</i> , 2013, 44, 64-82.	1.4	31
10	A new genus of Bothremydidae (Chelonii, Pleurodira) in the Cretaceous of Southwestern Europe. <i>Geobios</i> , 2012, 45, 219-229.	1.4	30
11	High diversity of pancryptodiran turtles in the Lower Cretaceous of Europe. <i>Cretaceous Research</i> , 2012, 36, 67-82.	1.4	29
12	Shell bone histology of solemydid turtles (stem Testudines): palaeoecological implications. <i>Organisms Diversity and Evolution</i> , 2015, 15, 199-212.	1.6	29
13	New interpretations of <i>Dortoka vasconica</i> Lapparent de Broin and Murelaga, a freshwater turtle with an unusual carapace. <i>Cretaceous Research</i> , 2012, 36, 151-161.	1.4	28
14	A new European Late Jurassic pleurosternid (Testudines, Paracryptodira) and a new hypothesis of paracryptodiran phylogeny. <i>Journal of Systematic Palaeontology</i> , 2015, 13, 351-369.	1.5	28
15	Palaeontological and palaeobiogeographical implications of the new Cenomanian vertebrate site of Algora, Guadalajara, Spain. <i>Cretaceous Research</i> , 2012, 37, 231-239.	1.4	27
16	<i>< i>Berruchelus russelli< /i></i> , gen. et sp. nov., a paracryptodiran turtle from the Cenozoic of Europe. <i>Journal of Vertebrate Paleontology</i> , 2012, 32, 545-556.	1.0	27
17	A new European Albian turtle that extends the known stratigraphic range of the Pleurosternidae (Paracryptodira). <i>Cretaceous Research</i> , 2015, 55, 74-83.	1.4	25
18	A new turtle taxon (Podocnemidoidea, Bothremydidae) reveals the oldest known dispersal event of the crown Pleurodira from Gondwana to Laurasia. <i>Journal of Systematic Palaeontology</i> , 2017, 15, 709-731.	1.5	25

#	ARTICLE	IF	CITATIONS
19	New highly pachystomatic nothosauroid interpreted as a filter-feeding Triassic marine reptile. <i>Biology Letters</i> , 2018, 14, 20180130.	2.3	24
20	A New Freshwater Basal Eucryptodiran Turtle from the Early Cretaceous of Spain. <i>Acta Palaeontologica Polonica</i> , 2012, 57, 285-298.	0.4	23
21	A review of the upper Campanian vertebrate site of Armutzha (Segovia Province, Spain). <i>Cretaceous Research</i> , 2016, 57, 591-623.	1.4	23
22	New insights into the anatomy and systematic of <i>Papoulemys laurenti</i> , a representative of Neochelys (Chelonii, Podocnemididae) from the early Eocene of the south of France. <i>Palaontologische Zeitschrift</i> , 2015, 89, 901-923.	1.6	22
23	Revision of the poorly known Dorsetochelys typocardium, a relatively abundant pleurosternid turtle (Paracryptodira) in the Early Cretaceous of Europe. <i>Cretaceous Research</i> , 2014, 49, 152-162.	1.4	21
24	New generic proposal for the European Neogene large testudinids (Cryptodira) and the first phylogenetic hypothesis for the medium and large representatives of the European Cenozoic record. <i>Zoological Journal of the Linnean Society</i> , 2014, 172, 653-719.	2.3	21
25	Taxonomy, systematics, and diversity of the European oldest testudinids. <i>Zoological Journal of the Linnean Society</i> , 2016, 177, 648-675.	2.3	20
26	The last giant continental tortoise of Europe: A survivor in the Spanish Pleistocene site of Fonelas P-1. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 470, 30-39.	2.3	19
27	Early Pliocene continental vertebrate Fauna at Puerto de la Cadena (SE Spain) and its bearing on the marine-continental correlation of the Late Neogene of Eastern Betics. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 479, 102-114.	2.3	18
28	New insights on the anatomy and systematics of Kallukibotion Nopcsa, 1923, the enigmatic uppermost Cretaceous basal turtle (stem Testudines) from Transylvania. <i>Zoological Journal of the Linnean Society</i> , 2018, 182, 419-443.	2.3	18
29	<i>Larachelus morla</i> , gen. et sp. nov., a new member of the little-known European Early Cretaceous record of stem cryptodiran turtles. <i>Journal of Vertebrate Paleontology</i> , 2012, 32, 1293-1302.	1.0	17
30	Eodortoka morellana gen. et sp. nov., the first pan-pleurodiran turtle (Dortokidae) defined in the Lower Cretaceous of Europe. <i>Cretaceous Research</i> , 2014, 48, 130-138.	1.4	17
31	A diverse Late Triassic tetrapod fauna from Manzanera (Teruel, Spain). <i>Geobios</i> , 2015, 48, 479-490.	1.4	17
32	A new turtle confirms the presence of Bothremydidae (Pleurodira) in the Cenozoic of Europe and expands the biostratigraphic range of Foxemydina. <i>Die Naturwissenschaften</i> , 2016, 103, 50.	1.6	17
33	A new species of Neochelys (Chelonii, Podocnemididae) from the Ypresian (Early Eocene) of the South of France. <i>Comptes Rendus - Palevol</i> , 2013, 12, 269-277.	0.2	16
34	The European Early Cretaceous Cryptodiran Turtle <i>Chitracephalus dumoni</i> and the Diversity of a Poorly Known Lineage of Turtles. <i>Acta Palaeontologica Polonica</i> , 2012, 57, 575-588.	0.4	15
35	Preliminary taphonomic approach to the Lo Hueco palaeontological site (Upper Cretaceous, Cuenca, Spain) 1.4	0.784314	rgBT / Ov
36	New data on the poorly-known European Late Jurassic turtles "Thalassemys" and "Enaliochelys" and description of a new basal eucryptodiran taxon. <i>Journal of Iberian Geology</i> , 2015, 41, .	1.3	15

#	ARTICLE	IF	CITATIONS
37	A new basal turtle represented by the two most complete skeletons of Helochelydidae in Europe. <i>Cretaceous Research</i> , 2020, 107, 104291.	1.4	15
38	<i>Galvechelone lopezmartinezae</i> gen. et sp. nov., a new cryptodiran turtle in the Lower Cretaceous of Europe. <i>Palaeontology</i> , 2012, 55, 937-944.	2.2	14
39	New generic proposal for the European Neogene large testudinids (Cryptodira) and the first phylogenetic hypothesis for the medium and large representatives of the European Cenozoic record. <i>Zoological Journal of the Linnean Society</i> , 2014, 172, 653-719.	2.3	14
40	Revision of the British record of <i>Tropidemys</i> (Testudines, Plesiochelyidae) and recognition of its presence in the Late Jurassic of Portugal. <i>Journal of Iberian Geology</i> , 2015, 41, .	1.3	14
41	Late cretaceous continental and marine vertebrate assemblages from the Laño quarry (Basque-Cantabrian Region, Iberian Peninsula): an update. <i>Journal of Iberian Geology</i> , 2015, 41, .	1.3	14
42	Surviving the Cretaceous-Paleogene mass extinction event: A terrestrial stem turtle in the Cenozoic of Laurasia. <i>Scientific Reports</i> , 2020, 10, 1489.	3.3	14
43	Historical and Comparative Study of the First Spanish Vertebrate Paleoichnological Record and Bibliographic Review of the Spanish Chirotheriid Footprints. <i>Ichnos</i> , 2012, 19, 141-149.	0.5	12
44	<i>Camerochelys vilanovaiai</i> gen. et sp. nov., a new pan-cryptodiran turtle in the Early Cretaceous of the Iberian Range (Spain). <i>Cretaceous Research</i> , 2013, 41, 143-149.	1.4	12
45	A bothremydid from the middle Cenomanian of Portugal identified as one of the oldest pleurodiran turtles in Laurasia. <i>Cretaceous Research</i> , 2017, 78, 61-70.	1.4	12
46	The African Aptian <i>Francemys gadoufaouensis</i> gen. et sp. nov.: New data on the early diversification of Pelomedusoides (Testudines, Pleurodira) in northern Gondwana. <i>Cretaceous Research</i> , 2019, 102, 112-126.	1.4	12
47	The Erymnochelys group of turtles (Pleurodira, Podocnemididae) in the Eocene of Europe: New taxa and paleobiogeographical implications. <i>Palaeontologia Electronica</i> , 0, , .	0.9	12
48	New information on the Cenomanian bothremydid turtle <i&>Algorachelus</i> based on new, well-preserved material from Spain. <i>Fossil Record</i> , 2018, 21, 119-135.	1.4	12
49	Ampliación de la distribución geográfica y temporal de <i>Elochelys convenarum</i> (Chelonii, Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 0.7 11		
50	A new species of the turtle <i>Hylaeochelys</i> (Eucryptodira) outside its known geographic and stratigraphic ranges of distribution. <i>Comptes Rendus - Palevol</i> , 2014, 13, 183-188.	0.2	11
51	Neuroanatomy of the European uppermost Cretaceous stem turtle <i>Kallokibotion bajazidi</i> . <i>Cretaceous Research</i> , 2021, 120, 104720.	1.4	11
52	The turtles from the upper Eocene, Osona County (Ebro Basin, Catalonia, Spain): new material and its faunistic and environmental context. <i>Fossil Record</i> , 2018, 21, 237-284.	1.4	11
53	Turtles from the Lower Cretaceous of the Cameros Basin (Iberian Range, Spain). <i>Cretaceous Research</i> , 2012, 33, 146-158.	1.4	10
54	Las Tortugas Del Vallesiense Superior Del Cerro de Los Batallones (Madrid, España): Nuevos Datos Sobre el Escasamente Conocido Género Paleotestudo. <i>Ameghiniana</i> , 2013, 50, 335-353.	0.7	10

#	ARTICLE	IF	CITATIONS
55	Fossil assemblages and palaeoenvironments in the Cenomanian vertebrate site of Nazar© (West) Tij ETQq1 1 0.784314 rgBT ₁₀ /Overlock et al., 2015.	0.4	10
56	Largest shell of a basal eucryptodiran turtle reveals Late Jurassic <i>Thalassemys hugii</i> in the British record. Comptes Rendus - Palevol, 2015, 14, 555-561.	0.2	10
57	A new placodont from the Upper Triassic of Spain provides new insights on the acquisition of the specialized skull of Henodontidae. Papers in Palaeontology, 2018, 4, 567-576.	1.5	10
58	New remains from the Spanish Cenomanian shed light on the Gondwanan origin of European Early Cretaceous titanosaurs. Cretaceous Research, 2019, 95, 164-190.	1.4	10
59	Cenomanian vertebrates from Algora (central Spain): New data on the establishment of the European Upper Cretaceous continental faunas. Cretaceous Research, 2020, 115, 104566.	1.4	10
60	Morphological variability and shell characterization of the European uppermost Jurassic to lowermost Cretaceous stem turtle <i>Pleurosternon bullockii</i> (Paracryptodira, Pleurosternidae). Cretaceous Research, 2021, 125, 104872.	1.4	10
61	Identification of the Lower Cretaceous pleurodiran turtle <i>Taquetochelys decorata</i> as the only African araripemydid species. Comptes Rendus - Palevol, 2019, 18, 24-32.	0.2	9
62	New genera of Taphrosphyina (Pleurodira, Bothremydidae) for the French Maastrichtian <i>Tretosternum</i> and the Peruvian Ypresian <i>Podocnemis</i> olssoni. Historical Biology, 2020, 32, 555-560.	1.4	9
63	A new Iberian pleurosternid (Jurassic-Cretaceous transition, Spain) and first neuroanatomical study of this clade of stem turtles. Historical Biology, 2022, 34, 298-311.	1.4	9
64	Analysis of the Iberian Aragonian record of <i>Paleotestudo</i> , and refutation of the validity of the Spanish <i>Testudo catalaunica</i> and the French <i>Paleotestudo canetotiana</i> . Spanish Journal of Paleontology, 2020, 31, 321.	0.1	9
65	First Triassic tetrapod (Sauropterygia, Nothosauridae) from Castilla y León: evidence of an unknown taxon for the Spanish record. Journal of Iberian Geology, 2016, 42, .	1.3	8
66	The eosauroptrygian fossils from the Middle Triassic of Canales de Molina (Guadalajara, Spain). Journal of Iberian Geology, 2017, 43, 129-138.	1.3	8
67	The oldest evidence of a dortokid turtle (stem Pleurodira) from the uppermost Hauterivian-basal Barremian El Castellar Formation (Teruel, Spain). Journal of Iberian Geology, 2017, 43, 139-146.	1.3	8
68	Late Miocene tortoises from Samos, Greece: implications for European Neogene testudinid systematics and distributions. Journal of Vertebrate Paleontology, 2019, 39, e1722950.	1.0	8
69	A European Cenozoic Macrobaenid: New Data about the Paleocene Arrival of Several Turtle Lineages to Europe. Journal of Vertebrate Paleontology, 2020, 40, e1795874.	1.0	8
70	A large testudinid with African affinities in the post-Messinian (lower Pliocene) record of south-eastern Spain. Palaeontology, 2020, 63, 497-512.	2.2	8
71	An unexpected finding: identification of the first complete shell of the Franco-Belgian middle Eocene littoral pleurodiran turtle <i>Eocenochelus eremberti</i> in Spain. Historical Biology, 2021, 33, 527-533.	1.4	8
72	Neuroanatomical Study and Three-Dimensional Reconstruction of the Skull of a Bothremydid Turtle (Pleurodira) Based on the European Eocene <i>Tartaruscola teodorii</i> . Diversity, 2021, 13, 298.	1.7	8

#	ARTICLE	IF	CITATIONS
73	The Cretaceous (Lower Cenomanian) Continental Vertebrates of Gara Samani, Algeria. Sedimentological Framework and Palaeodiversity. <i>Frontiers in Earth Science</i> , 0, 10, .	1.8	8
74	First dinosaur and turtle remains from the latest Cretaceous shallow marine deposits of Albaina (La Aldea quarry, Iberian Peninsula). <i>Comptes Rendus - Palevol</i> , 2015, 14, 471-482.	0.2	7
75	Crocodyliformes and Testudines from the Eocene of the Duero Basin (northwestern Spain): an update of their diversity and stratigraphic context. <i>Historical Biology</i> , 2022, 34, 1560-1581.	1.4	7
76	The tortoises from the Lower Pleistocene palaeontological site of Quibas (Región de Murcia, Spain). <i>Comptes Rendus - Palevol</i> , 2015, 14, 589-603.	0.2	6
77	A new genus for <i>Testudo gigas</i> , the largest European Paleogene testudinid. <i>Journal of Vertebrate Paleontology</i> , 2016, 36, e1030024.	1.0	6
78	Analysis and phylogenetic status of the eusuchian fragmentary material from Western Europe assigned to <i>Allodaposuchus precedens</i> . <i>Journal of Iberian Geology</i> , 2017, 43, 345-361.	1.3	6
79	A new member of Taphrosphyini (Pleurodira, Bothremydidae) from the Maastrichtian of Niger. <i>Journal of African Earth Sciences</i> , 2019, 158, 103548.	2.0	6
80	New diagnosis for <i>Allodaposuchus precedens</i> , the type species of the European Upper Cretaceous clade Allodaposuchidae. <i>Zoological Journal of the Linnean Society</i> , 2020, 189, 618-634.	2.3	6
81	Shell anatomy of the African Paleocene bothremydid turtle <i>Taphrosphys congolensis</i> and systematic implications within Taphrosphyini. <i>Historical Biology</i> , 2020, 32, 376-385.	1.4	6
82	On the validity of the British Upper Jurassic turtle <i>Pleurosternon portlandicum</i> (Paracryptodira, <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 1.5</i>)	1.5	6
83	Upper Jurassic sauropod record in the Lusitanian Basin (Portugal): Geographical and lithostratigraphical distribution. <i>Palaeontologia Electronica</i> , 0, .	0.9	6
84	Cranial variability of the European Middle Triassic sauropterygian <i>Simosaurus gaillardotii</i> . <i>Acta Palaeontologica Polonica</i> , 0, 63, .	0.4	6
85	Identification of the African "European <i>Erymnochelys</i>" group (Pleurodira, <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 1.4</i>) outside its type locality. <i>Fossil Record</i> , 2017, 20, 245-251.	1.4	6
86	Shell Anomalies in the European Aquatic Stem Turtle <i>Pleurosternon bullockii</i> (Paracryptodira, <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 1.7</i>)	1.7	6
87	The most complete extinct species of <i>Testudo</i> (Testudines, Testudinidae) defined by several well-preserved skeletons from the late Miocene of Romania. <i>Journal of Systematic Palaeontology</i> , 2021, 19, 1237-1270.	1.5	6
88	High sauropod diversity in the upper Barremian Arcillas de Morella Formation (Maestrat Basin, Spain) revealed by a systematic review of historical material. <i>Journal of Iberian Geology</i> , 2017, 43, 111-128.	1.3	5
89	Identification of the French Upper Cretaceous bothremydid turtle <i>Foxemys mechinorum</i> in the Spanish record. <i>Geobios</i> , 2018, 51, 211-217.	1.4	5
90	New information and establishment of a new genus for the Egyptian Paleogene turtle " <i>Stereogenys libyca</i> " (Podocnemididae, Erymnochelyinae). <i>Historical Biology</i> , 2019, 31, 383-392.	1.4	5

#	ARTICLE	IF	CITATIONS
91	The Iberian Triassic fossil record of Sauropterygia: an update. <i>Journal of Iberian Geology</i> , 2020, 46, 445-464.	1.3	5
92	Turtles from the middle Miocene (MN5) of Somosaguas (Pozuelo de Alarcón, Madrid, Spain). <i>Spanish Journal of Paleontology</i> , 2020, 28, 55.	0.1	5
93	A new species of <i>Brodiechelys</i> (Testudines, Pan-Cryptodira) from the Early Cretaceous of Spain: Systematic and palaeobiogeographic implications. <i>Acta Palaeontologica Polonica</i> , 0, ., .	0.4	4
94	Two Synchronous and Sympatric Bothremydidae Taxa (Chelonii, Pleurodira) in the Late Cretaceous Site of El Hueco (Cuenca, Spain). <i>Vertebrate Paleobiology and Paleoanthropology</i> , 2013, , 251-259.	0.5	4
95	The oldest Quaternary turtle remains from the Basque-Cantabrian Basin (Atxoste, Álava, Spain). <i>Comptes Rendus - Palevol</i> , 2015, 14, 605-611.	0.2	4
96	Identification of Podocnemididae (Pleurodira) in the British record by the first specimen of the coastal Eocenochelus recognized outside Continental Europe. <i>Proceedings of the Geologists Association</i> , 2017, 128, 757-763.	1.1	4
97	The westernmost records of extinct large European tortoises: the presence of <i>Titanochelon</i> (Testudinidae) in the Miocene of Portugal. <i>Historical Biology</i> , 2017, 29, 854-861.	1.4	4
98	Systematics and diversity of the giant soft-shelled turtles (Cryptodira, Trionychidae) from the earliest Eocene of Belgium. <i>Geobios</i> , 2021, 66-67, 15-34.	1.4	4
99	Recognizing a lost nesting ground: First unambiguous Testudines eggshells from the Eocene, associated with the pleurodiran Eocenochelus (Huesca, Northern Spain). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 576, 110526.	2.3	4
100	Ontogenetic development of the European basal aquatic turtle <i>Pleurosternon bullockii</i> (Paracryptodira, Pleurosternidae). <i>Fossil Record</i> , 2021, 24, 357-377.	1.4	4
101	Geological and Palaeontological context of three new Barremian (Lower Cretaceous) vertebrate sites in the Iberian Peninsula (Cuenca Province, Central Spain). <i>Proceedings of the Geologists Association</i> , 2017, 128, 256-270.	1.1	3
102	Systematic study of the historical material of Upper Cretaceous reptiles from the Tremp Basin (Catalonia, Spain) housed at the Museo Nacional de Ciencias Naturales (Madrid). <i>Journal of Iberian Geology</i> , 2017, 43, 217-233.	1.3	3
103	New information on the anatomy and systematics of the Spanish Lower Cretaceous Camerochelys vilanovaï (Testudines, Pan-Cryptodira). <i>Journal of Iberian Geology</i> , 2017, 43, 147-154.	1.3	3
104	A plesiosaur (Reptilia, Sauropterygia) from the Cenomanian (Late Cretaceous) of Algorta (Guadalajara) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.4	3
105	On the validity of the Middle Triassic sauropterygian <i>Partanosaurus zittelii</i> ™ and the diversity of Simosauridae. <i>Journal of Vertebrate Paleontology</i> , 2019, 39, e1704770.	1.0	3
106	Plesiosauria remains from the Barremian of Morella (Castellón, Spain) and first identification of Leptocleididae in the Iberian record. <i>Cretaceous Research</i> , 2019, 94, 8-24.	1.4	3
107	The placodonts (Sauropterygia) from the Middle Triassic of Canales de Molina (Central Spain), and an update on the knowledge about this clade in the Iberian record. <i>Historical Biology</i> , 2020, 32, 34-48.	1.4	3
108	A new bothremydid turtle (Pleurodira) from the Upper Cretaceous (Cenomanian) of Madagascar. <i>Cretaceous Research</i> , 2021, 118, 104645.	1.4	3

#	ARTICLE	IF	CITATIONS
109	A new bothremydid turtle (Pleurodira) from the Olmos Formation (upper Campanian) of Coahuila, Mexico. <i>Cretaceous Research</i> , 2021, 119, 104710.	1.4	3
110	New finds of the turtle <i>Plesiochelys</i> in the Upper Jurassic of Portugal and evaluation of its diversity in the Iberian Peninsula. <i>Historical Biology</i> , 0, , 1-9.	1.4	3
111	Case 3743 “ <i>Allodaposuchus precedens</i> Nopcsa, 1928 (Crocodyliformes: Eusuchia: Allodaposuchidae): proposed designation of a neotype. <i>Bulletin of Zoological Nomenclature</i> , 2017, 74, 95.	0.1	3
112	Redescription and phylogenetic placement of the Spanish middle Eocene eusuchian <i>< i>Duerosuchus pectoralis</i></i> (Crocodylia, Planocraniidae). <i>Journal of Vertebrate Paleontology</i> , 2021, 41, .	1.0	3
113	First evidence of a bothremydid turtle (crown Pleurodira) in the middle Cretaceous of Castile and Leon (Spain). <i>Journal of Iberian Geology</i> , 2020, 46, 363-368.	1.3	2
114	Primera cita de cocodrilos zifodontos en el Cenozoico de Asturias: Royo Gómez y los supuestos dientes de dinosaurio del Eocene de Llamasquique. <i>Estudios Geológicos</i> , 2012, 68, 233-245.	0.2	2
115	Palynological and sedimentological implications of the sauropterygian Upper Triassic site of El Atance (Central Iberian Peninsula). <i>Review of Palaeobotany and Palynology</i> , 2021, 295, 104541.	1.5	2
116	Mark of ectoparasitic activity on a bothremydid (Pleurodira) turtle shell from the Lo Hueco site (Upper Cretaceous, Central Spain). <i>Cretaceous Research</i> , 2022, 138, 105297.	1.4	2
117	Reinterpretation of the Spanish Late Jurassic “ <i>Hispaniachelys prebetica</i> ” as an indeterminate plesiochelyid turtle (Testudines, Pancryptodira). <i>Acta Palaeontologica Polonica</i> , 2013, , .	0.4	1
118	The oldest turtle from Portugal corresponding to the only pre-Kimmeridgian plesiochelyid (basal) <i>Tj ETQq0 0 0 rgBT</i> Overlock 10 Tf 50 3	1.4	1
119	The freshwater and terrestrial turtles from Monte Pila and Fuenmayor (La Rioja, northern Spain): new data on the lower Miocene turtle diversity of the Ebro Basin. <i>Geodiversitas</i> , 2021, 43, .	0.8	1
120	New shell information and new generic attributions for the Egyptian podocnemidid turtles “ <i>Podocnemis</i> ” <i>fajumensis</i> (Oligocene) and “ <i>Podocnemis</i> ” <i>aegyptiaca</i> (Miocene). <i>Fossil Record</i> , 2021, 24, 247-262.	1.4	1
121	New insights on the only bothremydid turtle (Pleurodira) identified in the British record: <i>Palemys bowerbankii</i> new combination. <i>Palaeontología Electronica</i> , 0, , .	0.9	1
122	Identification of a large anguimorph lizard (Reptilia, Squamata) by an articulated hindlimb from the upper Maastrichtian (Upper Cretaceous) of Basturs-1 (Lleida, Spain). <i>Cretaceous Research</i> , 2022, 131, 105094.	1.4	1
123	Palaeoecological Analysis and Diversity of Turtles and Other Reptiles. <i>Diversity</i> , 2022, 14, 88.	1.7	1
124	The oldest evidence of <i>< i>Testudo graeca</i></i> (Testudinidae) in the Iberian Peninsula. <i>Anatomical Record</i> , 2023, 306, 1537-1547.	1.4	1
125	Braincase and endocranum of the Placodont <i>Parahenodus atancensis</i> de Miguel Chaves, Ortega & Párez-García, 2018, a representative of the highly specialized clade Henodontidae. <i>Comptes Rendus - Palevol</i> , 2020, , .	0.2	0