

# Wanhyung Lee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/673954/publications.pdf>

Version: 2024-02-01

69  
papers

839  
citations

567144

15  
h-index

610775

24  
g-index

72  
all docs

72  
docs citations

72  
times ranked

1105  
citing authors

#	ARTICLE	IF	CITATIONS
1	Heat exposure and workers'™ health: a systematic review. <i>Reviews on Environmental Health</i> , 2022, 37, 45-59.	1.1	10
2	The Effect of Change of Working Schedule on Health Behaviors: Evidence from the Korea Labor and Income Panel Study (2005–2019). <i>Journal of Clinical Medicine</i> , 2022, 11, 1725.	1.0	8
3	Cohort Profile: The Korean Vietnam War Veterans'™ Health Study Cohort (KOVECO). <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4211.	1.2	1
4	Analysis of self-reported mental health problems among the self-employed compared with paid workers in the Republic of Korea. <i>Annals of Occupational and Environmental Medicine</i> , 2022, 34, .	0.3	2
5	Status and Risk of Noncompliance of Adherence to Medications for Metabolic Diseases According to Occupational Characteristics. <i>Journal of Clinical Medicine</i> , 2022, 11, 3484.	1.0	3
6	The combined effect of long working hours and individual risk factors on cardiovascular disease: An interaction analysis. <i>Journal of Occupational Health</i> , 2021, 63, e12204.	1.0	9
7	The Occupational Characteristics and Health Status of Workers in Geographically Isolated and Confined Areas in the Republic of Korea. <i>Journal of Korean Medical Science</i> , 2021, 36, e119.	1.1	2
8	Tuberculosis infection status and risk factors among health workers: an updated systematic review. <i>Annals of Occupational and Environmental Medicine</i> , 2021, 33, e17.	0.3	5
9	The Impact of Long Working Hours on Cognitive Function: A Follow-Up Study with Gender Stratification1. <i>Journal of Alzheimer's Disease</i> , 2021, 80, 727-734.	1.2	1
10	The Impact of Hearing Loss on Clinical Dementia and Preclinical Cognitive Impairment in Later Life. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 963-972.	1.2	5
11	The Association Between Long Working Hours and Infertility. <i>Safety and Health at Work</i> , 2021, 12, 517-521.	0.3	4
12	Associations of Abnormal Sleep Duration with Occupational and Leisure-time Physical Activity in the Working Population: A Nation-wide Population-based Study. <i>Safety and Health at Work</i> , 2021, 12, 311-316.	0.3	6
13	Predictors for depressive symptoms by four types of disability. <i>Scientific Reports</i> , 2021, 11, 19371.	1.6	4
14	Sunlight exposure and eye disorders in an economically active population: data from the KNHANES 2008-2012. <i>Annals of Occupational and Environmental Medicine</i> , 2021, 33, e24.	0.3	5
15	Association between breakfast skipping and metabolic outcomes by sex, age, and work status stratification. <i>Nutrition and Metabolism</i> , 2021, 18, 8.	1.3	5
16	Effect of long work hours and shift work on high-sensitivity C-reactive protein levels among Korean workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 200-207.	1.7	10
17	Cohort Profile: Gachon Regional Occupational Cohort Study (GROCS). <i>Safety and Health at Work</i> , 2021, , .	0.3	0
18	Risk of Heat-Related Mortality, Disease, Accident, and Injury Among Korean Workers: A National Representative Study From 2002 to 2015. <i>GeoHealth</i> , 2021, 5, e2021GH000516.	1.9	3

#	ARTICLE	IF	CITATIONS
19	Association between occupational or environmental noise exposure and renal function among middle-aged and older Korean adults: a cross-sectional study. <i>Scientific Reports</i> , 2021, 11, 24127.	1.6	9
20	Working Conditions and Mental Health Status Related With Occupational Injury of Korean Outdoor Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, e334-e339.	0.9	4
21	Cancer risk in road transportation workers: a national representative cohort study with 600,000 person-years of follow-up. <i>Scientific Reports</i> , 2020, 10, 11331.	1.6	16
22	Effect of Severe External Airborne Agents™ Exposure on Dementia. <i>Journal of Clinical Medicine</i> , 2020, 9, 4069.	1.0	2
23	Impact of occupational dust exposure on dermatologic symptoms among Korean workers. <i>Toxicology and Industrial Health</i> , 2020, 36, 971-978.	0.6	0
24	The Modified International Standard Classification of Occupations defined by the clustering of occupational characteristics in the Korean Working Conditions Survey. <i>Industrial Health</i> , 2020, 58, 132-141.	0.4	23
25	How the Bidi Tobacco Industry Harms Child-workers: Results From a Walk-through and Quantitative Survey. <i>Safety and Health at Work</i> , 2020, 11, 143-151.	0.3	4
26	Rate of inappropriate energy and micronutrient intake among the Korean working population. <i>Public Health Nutrition</i> , 2020, 23, 3356-3367.	1.1	2
27	Relationship between occupational dust exposure levels and mental health symptoms among Korean workers. <i>PLoS ONE</i> , 2020, 15, e0228853.	1.1	7
28	Association between Working Hours and Self-Rated Health. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2736.	1.2	14
29	External Airborne-agent Exposure Increase Risk of Digestive Tract Cancer. <i>Scientific Reports</i> , 2020, 10, 8617.	1.6	5
30	Multidimensional sleep quality of dependent self-employment workers. <i>Annals of Occupational and Environmental Medicine</i> , 2020, 32, e6.	0.3	8
31	Can Workplace Rest Breaks Prevent Work-Related Injuries Related to Long Working Hours?. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, 179-184.	0.9	5
32	Association between irregular menstrual cycles and occupational characteristics among female workers in Korea. <i>Maturitas</i> , 2019, 129, 62-67.	1.0	8
33	The Effects of Workplace Rest Breaks on Health Problems Related to Long Working Hours and Shift Work among Male Apartment Janitors in Korea. <i>Safety and Health at Work</i> , 2019, 10, 512-517.	0.3	10
34	Spontaneous and repeat spontaneous abortion risk in relation to occupational characteristics among working Korean women: a cross-sectional analysis of nationally representative data from Korea. <i>BMC Public Health</i> , 2019, 19, 1339.	1.2	8
35	The cumulative incidence and trends of rare diseases in South Korea: a nationwide study of the administrative data from the National Health Insurance Service database from 2011-2015. <i>Orphanet Journal of Rare Diseases</i> , 2019, 14, 49.	1.2	33
36	Injury epidemiology of workers by age, sex and industrial classification using the medical claim data of National Health Insurance in South Korea, 2012-2015: a population-based retrospective study. <i>BMJ Open</i> , 2019, 9, e029413.	0.8	3

#	ARTICLE	IF	CITATIONS
37	The Impact of Working Hours on Cardiovascular Diseases and Moderating Effects of Sex and Type of Work. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, e247-e252.	0.9	11
38	Association between Exposure to Extreme Temperature and Injury at the Workplace. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4955.	1.2	15
39	Association between premature ovarian insufficiency, early menopause, socioeconomic status in a nationally representative sample from Korea. <i>Maturitas</i> , 2019, 121, 22-27.	1.0	20
40	Anxiety, Depression and Sleep Disturbance among Customer-Facing Workers. <i>Journal of Korean Medical Science</i> , 2019, 34, e313.	1.1	5
41	Gender-related effects of vision impairment characteristics on depression in Korea. <i>Ophthalmic Epidemiology</i> , 2018, 25, 105-112.	0.8	6
42	Ten-year prediction of suicide death using Cox regression and machine learning in a nationwide retrospective cohort study in South Korea. <i>Journal of Affective Disorders</i> , 2018, 231, 8-14.	2.0	59
43	Predictors and estimation of risk for early exit from working life by poor health among middle and older aged workers in Korea. <i>Scientific Reports</i> , 2018, 8, 5180.	1.6	9
44	Relationship Between Exposure to Second-Hand Smoke in the Workplace and Occupational Injury in the Republic of Korea. <i>Annals of Work Exposures and Health</i> , 2018, 62, 41-52.	0.6	5
45	Differences in the performance of health officers at the workplace according to their qualifications. <i>Annals of Occupational and Environmental Medicine</i> , 2018, 30, 35.	0.3	0
46	Symptoms of Nervous System Related Disorders Among Workers Exposed to Occupational Noise and Vibration in Korea. <i>Journal of Occupational and Environmental Medicine</i> , 2017, 59, 191-197.	0.9	19
47	Risk factors of suicide attempt among people with suicidal ideation in South Korea: a cross-sectional study. <i>BMC Public Health</i> , 2017, 17, 579.	1.2	52
48	Relationship between long working hours and periodontitis among the Korean workers. <i>Scientific Reports</i> , 2017, 7, 7967.	1.6	17
49	The Association Between Symptomatic and Diagnostic Depression and Pain Among the Elderly Population in South Korea. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 699-704.	0.5	2
50	Increased fragility fracture risk in Korean women who snore: a 10-year population-based prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 236.	0.8	11
51	The association between subjective socioeconomic status and health inequity in victims of occupational accidents in Korea. <i>Journal of Occupational Health</i> , 2017, 59, 38-45.	1.0	6
52	The relationship between occupational noise and vibration exposure and headache/eyestrain, based on the fourth Korean Working Condition Survey (KWCS). <i>PLoS ONE</i> , 2017, 12, e0177846.	1.1	13
53	The Association between Involuntary Smoking Exposure with Urine Cotinine Level and Blood Cadmium Level in General Non-Smoking Populations. <i>Journal of Korean Medical Science</i> , 2017, 32, 568.	1.1	12
54	The Perceived Socioeconomic Status Is an Important Factor of Health Recovery for Victims of Occupational Accidents in Korea. <i>Journal of Korean Medical Science</i> , 2016, 31, 164.	1.1	11

#	ARTICLE	IF	CITATIONS
55	Facing Complaining Customer and Suppressed Emotion at Worksite Related to Sleep Disturbance in Korea. <i>Journal of Korean Medical Science</i> , 2016, 31, 1696.	1.1	12
56	The association between low blood lead levels and the prevalence of prehypertension among nonhypertensive adults in Korea. <i>American Journal of Human Biology</i> , 2016, 28, 729-735.	0.8	10
57	Concealing Emotions at Work Is Associated with Allergic Rhinitis in Korea. <i>Tohoku Journal of Experimental Medicine</i> , 2016, 238, 25-32.	0.5	5
58	Occupational exposure to crystalline silica and gastric cancer: a systematic review and meta-analysis. <i>Occupational and Environmental Medicine</i> , 2016, 73, oemed-2016-103552.	1.3	23
59	Metabolic outcomes of workers according to the International Standard Classification of Occupations in Korea. <i>American Journal of Industrial Medicine</i> , 2016, 59, 685-694.	1.0	30
60	The Association Between Blood Mercury Levels and Risk for Overweight in a General Adult Population: Results from the Korean National Health and Nutrition Examination Survey. <i>Biological Trace Element Research</i> , 2016, 171, 251-261.	1.9	16
61	Does pain deteriorate working life expectancy in aging workers?. <i>Journal of Occupational Health</i> , 2016, 58, 582-592.	1.0	6
62	Relationship between symptoms of dry eye syndrome and occupational characteristics: the Korean National Health and Nutrition Examination Survey 2010-2012. <i>BMC Ophthalmology</i> , 2015, 15, 147.	0.6	20
63	Factors related to the physician and the employer influencing successful return to work in Korea: results from the first panel study of workers' compensation insurance (PSWCI). <i>Annals of Occupational and Environmental Medicine</i> , 2015, 27, 27.	0.3	6
64	Workplace Violence Experienced by Substitute (Daeri) Drivers and Its Relationship to Depression in Korea. <i>Journal of Korean Medical Science</i> , 2015, 30, 1748.	1.1	14
65	The association between sleep duration and dry eye syndrome among Korean adults. <i>Sleep Medicine</i> , 2015, 16, 1327-1331.	0.8	47
66	Occupational Noise Annoyance Linked to Depressive Symptoms and Suicidal Ideation: A Result from Nationwide Survey of Korea. <i>PLoS ONE</i> , 2014, 9, e105321.	1.1	43
67	The association between concealing emotions at work and medical utilization in Korea. <i>Annals of Occupational and Environmental Medicine</i> , 2014, 26, 31.	0.3	13
68	Osteoporosis Risk Prediction for Bone Mineral Density Assessment of Postmenopausal Women Using Machine Learning. <i>Yonsei Medical Journal</i> , 2013, 54, 1321.	0.9	56
69	A New Severity Predicting Index for Hemorrhagic Shock Using Lactate Concentration and Peripheral Perfusion in a Rat Model. <i>Shock</i> , 2012, 38, 635-641.	1.0	21