

Madalena Alves

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6739627/madalena-alves-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

174
papers

7,488
citations

45
h-index

82
g-index

181
ext. papers

8,559
ext. citations

6.4
avg, IF

6.03
L-index

#	Paper	IF	Citations
174	Monitoring morphological changes from activated sludge to aerobic granular sludge under distinct organic loading rates and increasing minimal imposed sludge settling velocities through quantitative image analysis. <i>Chemosphere</i> , 2022 , 286, 131637	8.4	1
173	UPIMAPI, reCOGnizer and KEGGCharter: Bioinformatics tools for functional annotation and visualization of (meta)-omics datasets.. <i>Computational and Structural Biotechnology Journal</i> , 2022 , 20, 1798-1810	6.8	2
172	Volatile Fatty Acids (VFA) Production from Wastewaters with High Salinity Influence of pH, Salinity and Reactor Configuration. <i>Fermentation</i> , 2021 , 7, 303	4.7	3
171	pH-Induced Modulation of <i>Vibrio fischeri</i> Population Life Cycle. <i>Chemosensors</i> , 2021 , 9, 283	4	0
170	Detoxification of Ciprofloxacin in an Anaerobic Bioprocess Supplemented with Magnetic Carbon Nanotubes: Contribution of Adsorption and Biodegradation Mechanisms. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
169	Intensification of methane production from waste frying oil in a biogas-lift bioreactor. <i>Renewable Energy</i> , 2021 , 168, 1141-1148	8.1	5
168	Propionate Production from Carbon Monoxide by Synthetic Cocultures of <i>Acetobacterium wieringae</i> and Propionigenic Bacteria. <i>Applied and Environmental Microbiology</i> , 2021 , 87, e0283920	4.8	3
167	Bioelectrochemical energy storage in a Microbial Redox Flow Cell. <i>Journal of Energy Storage</i> , 2021 , 39, 102610	7.8	1
166	Bioelectrochemical systems (BESs) towards conversion of carbon monoxide/syngas: A mini-review. <i>Renewable and Sustainable Energy Reviews</i> , 2021 , 135, 110358	16.2	11
165	Zeolite addition to improve biohydrogen production from dark fermentation of C5/C6-sugars and <i>Sargassum</i> sp. biomass. <i>Scientific Reports</i> , 2021 , 11, 16350	4.9	1
164	Hydrocarbon Toxicity towards Hydrogenotrophic Methanogens in Oily Waste Streams. <i>Energies</i> , 2021 , 14, 4830	3.1	1
163	Multiple and flexible roles of facultative anaerobic bacteria in microaerophilic oleate degradation. <i>Environmental Microbiology</i> , 2020 , 22, 3650-3659	5.2	1
162	Study and valorisation of wastewaters generated in the production of bacterial nanocellulose. <i>Biodegradation</i> , 2020 , 31, 47-56	4.1	1
161	Co-cultivation of <i>Thermoanaerobacter</i> strains with a methanogenic partner enhances glycerol conversion. <i>Microbial Biotechnology</i> , 2020 , 13, 962-973	6.3	0
160	Enhanced Photocatalytic Activity of Au/TiO ₂ Nanoparticles against Ciprofloxacin. <i>Catalysts</i> , 2020 , 10, 234	4	21
159	Enrichment of Anaerobic Syngas-Converting Communities and Isolation of a Novel Carboxydotrophic Strain JM. <i>Frontiers in Microbiology</i> , 2020 , 11, 58	5.7	11
158	Multi-Walled Carbon Nanotubes Enhance Methanogenesis from Diverse Organic Compounds in Anaerobic Sludge and River Sediments. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 8184	2.6	2

157	Ciprofloxacin, diclofenac, ibuprofen and 17 β -ethinylestradiol differentially affect the activity of acetogens and methanogens in anaerobic communities. <i>Ecotoxicology</i> , 2020 , 29, 866-875	2.9	6
156	Effect of Sub-Stoichiometric Fe(III) Amounts on LCFA Degradation by Methanogenic Communities. <i>Microorganisms</i> , 2020 , 8,	4.9	2
155	Effect of Sulfate on Carbon Monoxide Conversion by a Thermophilic Syngas-Fermenting Culture Dominated by a Species. <i>Frontiers in Microbiology</i> , 2020 , 11, 588468	5.7	2
154	Tailoring Carbon Nanotubes to Enhance their Efficiency as Electron Shuttle on the Biological Removal of Acid Orange 10 Under Anaerobic Conditions. <i>Nanomaterials</i> , 2020 , 10,	5.4	4
153	Long-Chain Fatty Acids Degradation by Species and Proposal of " Desulfomonile Palmitatoxidans". <i>Frontiers in Microbiology</i> , 2020 , 11, 539604	5.7	1
152	Microbially-charged electrochemical fuel for energy storage in a redox flow cell. <i>Journal of Power Sources</i> , 2020 , 445, 227307	8.9	4
151	Garden and food waste co-fermentation for biohydrogen and biomethane production in a two-step hyperthermophilic-mesophilic process. <i>Bioresource Technology</i> , 2019 , 278, 180-186	11	45
150	Anaerobic biological fermentation of urine as a strategy to enhance the performance of a microbial electrolysis cell (MEC). <i>Renewable Energy</i> , 2019 , 139, 936-943	8.1	19
149	Spatial Multicriteria GIS-Based Analysis to Anaerobic Biogas Plant Location for Dairy Waste and Wastewater Treatment and Energy Recovery (Barcelos, NW Portugal). <i>Lecture Notes in Electrical Engineering</i> , 2019 , 626-632	0.2	1
148	MOSCA: An Automated Pipeline for Integrated Metagenomics and Metatranscriptomics Data Analysis. <i>Advances in Intelligent Systems and Computing</i> , 2019 , 183-191	0.4	2
147	Bioelectrochemical Systems for Production of Valuable Compounds 2019 , 311-323		
146	Microbially Charged Redox Flow Batteries for Bioenergy Storage 2019 , 251-269		1
145	Enzymatic Self-powered Biosensing Devices 2019 , 505-519		1
144	Microbial conversion of oily wastes to methane: Effect of ferric nanomaterials 2019 , 339-345		1
143	Inhibition Studies with 2-Bromoethanesulfonate Reveal a Novel Syntrophic Relationship in Anaerobic Oleate Degradation. <i>Applied and Environmental Microbiology</i> , 2019 , 85,	4.8	17
142	Hydrogen Production by <i>Clostridium cellulolyticum</i> a Cellulolytic and Hydrogen-Producing Bacteria Using Sugarcane Bagasse. <i>Waste and Biomass Valorization</i> , 2019 , 10, 827-837	3.2	8
141	Influence of carbon anode properties on performance and microbiome of Microbial Electrolysis Cells operated on urine. <i>Electrochimica Acta</i> , 2018 , 267, 122-132	6.7	15
140	Biochemical methane potential of brewery by-products. <i>Clean Technologies and Environmental Policy</i> , 2018 , 20, 435-440	4.3	23

139	TiO ₂ /graphene and TiO ₂ /graphene oxide nanocomposites for photocatalytic applications: A computer modeling and experimental study. <i>Composites Part B: Engineering</i> , 2018 , 145, 39-46	10	66
138	Improvement of Biomethane Production from Sewage Sludge in Co-digestion with Glycerol and Waste Frying Oil, Using a Design of Experiments. <i>Bioenergy Research</i> , 2018 , 11, 763-771	3.1	9
137	Methane Production and Conductive Materials: A Critical Review. <i>Environmental Science & Technology</i> , 2018 , 52, 10241-10253	10.3	182
136	Enrichment of syngas-converting communities from a multi-orifice baffled bioreactor. <i>Microbial Biotechnology</i> , 2018 , 11, 639-646	6.3	15
135	Insight into the Role of Facultative Bacteria Stimulated by Microaeration in Continuous Bioreactors Converting LCFA to Methane. <i>Environmental Science & Technology</i> , 2018 , 52, 6497-6507	10.3	22
134	Influence of nutritional and operational parameters on the production of butanol or 1,3-propanediol from glycerol by a mutant <i>Clostridium pasteurianum</i> . <i>New Biotechnology</i> , 2017 , 34, 59-67	6.4	11
133	Carbon nanotubes accelerate methane production in pure cultures of methanogens and in a syntrophic coculture. <i>Environmental Microbiology</i> , 2017 , 19, 2727-2739	5.2	94
132	Synthesis, characterization and application of magnetic carbon materials as electron shuttles for the biological and chemical reduction of the azo dye Acid Orange 10. <i>Applied Catalysis B: Environmental</i> , 2017 , 212, 175-184	21.8	29
131	Harnessing the Power of PCR Molecular Fingerprinting Methods and Next Generation Sequencing for Understanding Structure and Function in Microbial Communities. <i>Methods in Molecular Biology</i> , 2017 , 1620, 225-248	1.4	1
130	Effect of ferulic acid on the performance of soy protein isolate-based edible coatings applied to fresh-cut apples. <i>LWT - Food Science and Technology</i> , 2017 , 80, 409-415	5.4	52
129	Investigating bacterial community changes and organic substrate degradation in microbial fuel cells operating on real human urine. <i>Environmental Science: Water Research and Technology</i> , 2017 , 3, 897-904	4.2	26
128	Microbial Remediation of Organometals and Oil Hydrocarbons in the Marine Environment 2017 , 41-66		1
127	<i>Rhodococcus opacus</i> B4: a promising bacterium for production of biofuels and biobased chemicals. <i>AMB Express</i> , 2016 , 6, 35	4.1	35
126	Valorization of lubricant-based wastewater for bacterial neutral lipids production: Growth-linked biosynthesis. <i>Water Research</i> , 2016 , 101, 17-24	12.5	13
125	Conversion of C _n -Unsaturated into C _{n-2} -Saturated LCFA Can Occur Uncoupled from Methanogenesis in Anaerobic Bioreactors. <i>Environmental Science & Technology</i> , 2016 , 50, 3082-90	10.3	37
124	Response surface design to study the influence of inoculum, particle size and inoculum to substrate ratio on the methane production from <i>Ulex</i> sp.. <i>Renewable Energy</i> , 2016 , 96, 1071-1077	8.1	11
123	Continuous fungal treatment of non-sterile veterinary hospital effluent: pharmaceuticals removal and microbial community assessment. <i>Applied Microbiology and Biotechnology</i> , 2016 , 100, 2401-15	5.7	30
122	Removal of Erythrosine B dye from water effluents using crop waste pumpkin seed hulls as adsorbent. <i>Desalination and Water Treatment</i> , 2016 , 57, 22585-22608		12

121	Comparative Analysis of Carbon Monoxide Tolerance among Thermoanaerobacter Species. <i>Frontiers in Microbiology</i> , 2016 , 7, 1330	5.7	5
120	Toxicity of long chain fatty acids towards acetate conversion by Methanosaeta concilii and Methanosarcina mazei. <i>Microbial Biotechnology</i> , 2016 , 9, 514-8	6.3	40
119	Effect of different carbon materials as electron shuttles in the anaerobic biotransformation of nitroanilines. <i>Biotechnology and Bioengineering</i> , 2016 , 113, 1194-202	4.9	25
118	Perspectives on carbon materials as powerful catalysts in continuous anaerobic bioreactors. <i>Water Research</i> , 2016 , 101, 441-447	12.5	15
117	Towards a standardization of biomethane potential tests. <i>Water Science and Technology</i> , 2016 , 74, 2515-2522	379	
116	A design of experiments to assess phosphorous removal and crystal properties in struvite precipitation of source separated urine using different Mg sources. <i>Chemical Engineering Journal</i> , 2016 , 298, 146-153	14.7	99
115	Ciprofloxacin wastewater treated by UVA photocatalysis: contribution of irradiated TiO ₂ and ZnO nanoparticles on the final toxicity as assessed by Vibrio fischeri. <i>RSC Advances</i> , 2016 , 6, 95494-95503	3.7	36
114	Boosting dark fermentation with co-cultures of extreme thermophiles for biohythane production from garden waste. <i>Bioresource Technology</i> , 2016 , 219, 132-138	11	44
113	Hydrogenotrophic activity under increased H ₂ /CO ₂ pressure: Effect on methane production and microbial community. <i>Journal of Biotechnology</i> , 2015 , 208, S57	3.7	3
112	Aromatic Amines Sources, Environmental Impact and Remediation. <i>Environmental Chemistry for A Sustainable World</i> , 2015 , 297-346	0.8	7
111	Anaerobic Digestion of Lipid-Rich Waste. <i>Springer Protocols</i> , 2015 , 221-236	0.3	2
110	Metallic nanoparticles: microbial synthesis and unique properties for biotechnological applications, bioavailability and biotransformation. <i>Critical Reviews in Biotechnology</i> , 2015 , 35, 114-28	9.4	75
109	Optimization of biogas production from Sargassum sp. using a design of experiments to assess the co-digestion with glycerol and waste frying oil. <i>Bioresource Technology</i> , 2015 , 175, 480-5	11	48
108	Biohythane production from marine macroalgae Sargassum sp. coupling dark fermentation and anaerobic digestion. <i>Bioresource Technology</i> , 2015 , 190, 251-6	11	28
107	Anaerobic co-digestion of cork based oil sorbent and cow manure or sludge 2015 , 43-48		
106	Design of experiments to assess pre-treatment and co-digestion strategies that optimize biogas production from macroalgae Gracilaria vermiculophylla. <i>Bioresource Technology</i> , 2014 , 162, 323-30	11	43
105	Anaerobic granular sludge as a biocatalyst for 1,3-propanediol production from glycerol in continuous bioreactors. <i>Bioresource Technology</i> , 2014 , 155, 28-33	11	27
104	CO ₂ Dissolution and Design Aspects of a Multiorifice Oscillatory Baffled Column. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 17303-17316	3.9	11

103	A methodology for a quantitative interpretation of DGGE with the help of mathematical modelling: application in biohydrogen production. <i>Water Science and Technology</i> , 2014 , 69, 511-7	2.2	1
102	Long-term acclimation of anaerobic sludges for high-rate methanogenesis from LCFA. <i>Biomass and Bioenergy</i> , 2014 , 67, 297-303	5.3	35
101	UV/TiO ₂ photocatalytic reactor for real textile wastewaters treatment. <i>Water Science and Technology</i> , 2014 , 70, 1670-6	2.2	10
100	Modulation of crude glycerol fermentation by <i>Clostridium pasteurianum</i> DSM 525 towards the production of butanol. <i>Biomass and Bioenergy</i> , 2014 , 71, 134-143	5.3	31
99	On the independence of hydrogen production from methanogenic suppressor in olive mill wastewater. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 6402-6406	6.7	8
98	Carbon based materials as novel redox mediators for dye wastewater biodegradation. <i>Applied Catalysis B: Environmental</i> , 2014 , 144, 713-720	21.8	94
97	Management of Microbial Resources in the Environment 2013 ,		5
96	Enrichment of anaerobic syngas-converting bacteria from thermophilic bioreactor sludge. <i>FEMS Microbiology Ecology</i> , 2013 , 86, 590-7	4.3	37
95	<i>Moorella stamsii</i> sp. nov., a new anaerobic thermophilic hydrogenogenic carboxydrotroph isolated from digester sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 4072-4076	2.7	39
94	Endurance of methanogenic archaea in anaerobic bioreactors treating oleate-based wastewater. <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 2211-8	5.7	16
93	Quantitative image analysis for the characterization of microbial aggregates in biological wastewater treatment: a review. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 5887-912	5.1	28
92	UV/TiO ₂ photocatalytic degradation of xanthene dyes. <i>Photochemistry and Photobiology</i> , 2013 , 89, 33-9	3.6	17
91	Modelling inhibitory effects of long chain fatty acids in the anaerobic digestion process. <i>Water Research</i> , 2013 , 47, 1369-80	12.5	67
90	The Role of Marine Anaerobic Bacteria and Archaea in Bioenergy Production 2013 , 445-469		1
89	Biomethanation Potential of Biological and Other Wastes 2013 , 369-396		
88	Biochemical methane potential of raw and pre-treated meat-processing wastes. <i>Bioresource Technology</i> , 2013 , 129, 519-25	11	36
87	Activity and viability of methanogens in anaerobic digestion of unsaturated and saturated long-chain fatty acids. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 4239-45	4.8	70
86	Posttreatment of olive mill wastewater by immobilized TiO ₂ photocatalysis. <i>Photochemistry and Photobiology</i> , 2013 , 89, 545-51	3.6	12

85	Thermochemical pre- and biological co-treatments to improve hydrolysis and methane production from poultry litter. <i>Bioresource Technology</i> , 2012 , 111, 141-7	11	71
84	Biomethanation potential of macroalgae <i>Ulva</i> spp. and <i>Gracilaria</i> spp. and in co-digestion with waste activated sludge. <i>Bioresource Technology</i> , 2012 , 114, 320-6	11	121
83	1,3-Propanediol production from glycerol by a newly isolated <i>Trichococcus</i> strain. <i>Microbial Biotechnology</i> , 2012 , 5, 573-8	6.3	34
82	Biohydrogen production from arabinose and glucose using extreme thermophilic anaerobic mixed cultures. <i>Biotechnology for Biofuels</i> , 2012 , 5, 6	7.8	41
81	Kinetic and stoichiometric characterization of a fixed biofilm reactor by pulse respirometry. <i>Journal of Biotechnology</i> , 2012 , 157, 173-9	3.7	14
80	Influence of adsorption and anaerobic granular sludge characteristics on long chain fatty acids inhibition process. <i>Water Research</i> , 2012 , 46, 5268-78	12.5	55
79	Evaluation of the biomethane potential of solid fish waste. <i>Waste Management</i> , 2012 , 32, 1347-52	8.6	57
78	Strategies for lipids and phenolics degradation in the anaerobic treatment of olive mill wastewater. <i>Water Research</i> , 2012 , 46, 1684-92	12.5	64
77	Biological decolorization of xanthene dyes by anaerobic granular biomass. <i>Biodegradation</i> , 2012 , 23, 725-37	4.1	43
76	Bioaugmentation of sewage sludge with <i>Trametes versicolor</i> in solid-phase biopiles produces degradation of pharmaceuticals and affects microbial communities. <i>Environmental Science & Technology</i> , 2012 , 46, 12012-20	10.3	42
75	Anaerobic biodegradability of Category 2 animal by-products: methane potential and inoculum source. <i>Bioresource Technology</i> , 2012 , 124, 276-82	11	17
74	Syntrophic Degradation of Fatty Acids by Methanogenic Communities 2012 , 127-142		6
73	Dyes Environmental Impact and Remediation 2012 , 111-162		129
72	Fate of aniline and sulfanilic acid in UASB bioreactors under denitrifying conditions. <i>Water Research</i> , 2011 , 45, 191-200	12.5	28
71	In situ pulse respirometric methods for the estimation of kinetic and stoichiometric parameters in aerobic microbial communities. <i>Biochemical Engineering Journal</i> , 2011 , 58-59, 12-19	4.2	14
70	Inoculum acclimation to oleate promotes the conversion of olive mill wastewater to methane. <i>Energy</i> , 2011 , 36, 2138-2141	7.9	26
69	Strategies to suppress hydrogen-consuming microorganisms affect macro and micro scale structure and microbiology of granular sludge. <i>Biotechnology and Bioengineering</i> , 2011 , 108, 1766-75	4.9	22
68	Thermophilic co-digestion of organic fraction of municipal solid wastes with FOG wastes from a sewage treatment plant: reactor performance and microbial community monitoring. <i>Bioresource Technology</i> , 2011 , 102, 4734-41	11	64

67	Methane production from oleate: assessing the bioaugmentation potential of <i>Syntrophomonas zehnderi</i> . <i>Water Research</i> , 2010 , 44, 4940-7	12.5	31
66	A chemometric tool to monitor high-rate anaerobic granular sludge reactors during load and toxic disturbances. <i>Biochemical Engineering Journal</i> , 2010 , 53, 38-43	4.2	9
65	Thermal modification of activated carbon surface chemistry improves its capacity as redox mediator for azo dye reduction. <i>Journal of Hazardous Materials</i> , 2010 , 183, 931-9	12.8	62
64	Engineered heat treated methanogenic granules: a promising biotechnological approach for extreme thermophilic biohydrogen production. <i>Bioresource Technology</i> , 2010 , 101, 9577-86	11	46
63	Virtual laboratories in (bio)chemical engineering education. <i>Education for Chemical Engineers</i> , 2010 , 5, e22-e27	2.4	38
62	EDITORIAL - A SPECIAL ISSUE DEDICATED TO WASTEWATER TREATMENT FOR RECOVERING WATER, ENERGY, NUTRIENTS AND VALUABLE PRODUCTS. <i>Environmental Engineering and Management Journal</i> , 2010 , 9, 293-294	0.6	2
61	OLIVE MILL WASTEWATER AS A RENEWABLE RESOURCE. <i>Environmental Engineering and Management Journal</i> , 2010 , 9, 319-325	0.6	2
60	INFLUENCE OF INOCULUM ACCLIMATION IN THE BIODEGRADATION RATE AND ESTIMATED BIODEGRADABILITY OF COW MANURE, FOOD WASTE AND OIL. <i>Environmental Engineering and Management Journal</i> , 2010 , 9, 327-334	0.6	1
59	Determination of Kinetic and Stoichiometric Parameters of <i>Pseudomonas putida</i> F1 by Chemostat and In Situ Pulse Respirometry. <i>Chemical Product and Process Modeling</i> , 2009 , 4,	1.1	3
58	Waste lipids to energy: how to optimize methane production from long-chain fatty acids (LCFA). <i>Microbial Biotechnology</i> , 2009 , 2, 538-50	6.3	195
57	Advanced monitoring of high-rate anaerobic reactors through quantitative image analysis of granular sludge and multivariate statistical analysis. <i>Biotechnology and Bioengineering</i> , 2009 , 102, 445-56	4.9	12
56	Quantitative monitoring of an activated sludge reactor using on-line UV-visible and near-infrared spectroscopy. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 395, 1159-66	4.4	46
55	Ecophysiology of syntrophic communities that degrade saturated and unsaturated long-chain fatty acids. <i>FEMS Microbiology Ecology</i> , 2009 , 68, 257-72	4.3	135
54	Effect of sulfate on methanogenic communities that degrade unsaturated and saturated long-chain fatty acids (LCFA). <i>Environmental Microbiology</i> , 2009 , 11, 68-80	5.2	43
53	Co-digestion of cow manure, food waste and intermittent input of fat. <i>Bioresource Technology</i> , 2009 , 100, 1957-62	11	75
52	Inoculum type response to different pHs on biohydrogen production from l-arabinose, a component of hemicellulosic biopolymers. <i>International Journal of Hydrogen Energy</i> , 2009 , 34, 1744-1751	6.7	38
51	Morphology and physiology of anaerobic granular sludge exposed to an organic solvent. <i>Journal of Hazardous Materials</i> , 2009 , 167, 393-8	12.8	9
50	Detection and quantification of long chain fatty acids in liquid and solid samples and its relevance to understand anaerobic digestion of lipids. <i>Bioresource Technology</i> , 2009 , 100, 91-6	11	70

49	Principal component analysis and quantitative image analysis to predict effects of toxics in anaerobic granular sludge. <i>Bioresource Technology</i> , 2009 , 100, 1180-5	11	27
48	Continuous high rate anaerobic treatment of oleic acid based wastewater is possible after a step feeding start-up. <i>Environmental Science & Technology</i> , 2009 , 43, 2931-6	10.3	54
47	Fate of LCFA in the co-digestion of cow manure, food waste and discontinuous addition of oil. <i>Water Research</i> , 2009 , 43, 5142-50	12.5	54
46	Defining the biomethane potential (BMP) of solid organic wastes and energy crops: a proposed protocol for batch assays. <i>Water Science and Technology</i> , 2009 , 59, 927-34	2.2	1141
45	Photocatalytic and combined anaerobic-photocatalytic treatment of textile dyes. <i>Chemosphere</i> , 2008 , 72, 1816-22	8.4	60
44	Activated sludge process monitoring through in situ near-infrared spectral analysis. <i>Water Science and Technology</i> , 2008 , 57, 1643-50	2.2	20
43	Anaerobic microbial LCFA degradation in bioreactors. <i>Water Science and Technology</i> , 2008 , 57, 439-44	2.2	25
42	Kinetic and stoichiometric parameters estimation in a nitrifying bubble column through "in-situ" pulse respirometry. <i>Biotechnology and Bioengineering</i> , 2008 , 100, 94-102	4.9	16
41	Enhancement of methane production from long chain fatty acid based effluents. <i>Bioresource Technology</i> , 2008 , 99, 4086-95	11	68
40	Electrooxidation as the anaerobic pre-treatment of fats: oleate conversion using RuO ₂ and IrO ₂ based anodes. <i>Bioresource Technology</i> , 2008 , 99, 8207-11	11	4
39	Effect of arabinose concentration on dark fermentation hydrogen production using different mixed cultures. <i>International Journal of Hydrogen Energy</i> , 2008 , 33, 4527-4532	6.7	24
38	Influence of composition on the biomethanation potential of restaurant waste at mesophilic temperatures. <i>Waste Management</i> , 2008 , 28, 965-72	8.6	72
37	EFFECT OF METHANOGENIC INHIBITORS, INOCULA TYPE, AND TEMPERATURE ON BIOHYDROGEN PRODUCTION FROM FOOD COMPONENTS. <i>Environmental Engineering and Management Journal</i> , 2008 , 7, 531-536	0.6	12
36	Quantitative image analysis as a diagnostic tool for monitoring structural changes of anaerobic granular sludge during detergent shock loads. <i>Biotechnology and Bioengineering</i> , 2007 , 98, 60-8	4.9	19
35	Molecular assessment of complex microbial communities degrading long chain fatty acids in methanogenic bioreactors. <i>FEMS Microbiology Ecology</i> , 2007 , 60, 252-65	4.3	89
34	Anaerobic digestion of lipid-rich waste—effects of lipid concentration. <i>Renewable Energy</i> , 2007 , 32, 965-975	11	308
33	Syntrophomonas zehnderi sp. nov., an anaerobe that degrades long-chain fatty acids in co-culture with Methanobacterium formicum. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007 , 57, 609-615	2.2	118
32	Microbial communities involved in anaerobic degradation of unsaturated or saturated long-chain fatty acids. <i>Applied and Environmental Microbiology</i> , 2007 , 73, 1054-64	4.8	86

31	Quantitative image analysis as a diagnostic tool for identifying structural changes during a revival process of anaerobic granular sludge. <i>Water Research</i> , 2007 , 41, 1473-80	12.5	15
30	Effects of bioaugmentation by an anaerobic lipolytic bacterium on anaerobic digestion of lipid-rich waste. <i>Journal of Chemical Technology and Biotechnology</i> , 2006 , 81, 1745-1752	3.5	49
29	Effect of electrochemical treatment of oleic acid on anaerobic digestion. <i>Environmental Technology (United Kingdom)</i> , 2006 , 27, 1289-95	2.6	1
28	Knowledge-based fuzzy system for diagnosis and control of an integrated biological wastewater treatment process. <i>Water Science and Technology</i> , 2006 , 53, 313-20	2.2	7
27	Anaerobic co-digestion of coffee waste and sewage sludge. <i>Waste Management</i> , 2006 , 26, 176-81	8.6	97
26	Enhancement of methane production from barley waste. <i>Biomass and Bioenergy</i> , 2006 , 30, 599-603	5.3	91
25	Anodic oxidation of oleate for wastewater treatment. <i>Desalination</i> , 2005 , 185, 351-355	10.3	9
24	Anaerobic biodegradation of oleic and palmitic acids: evidence of mass transfer limitations caused by long chain fatty acid accumulation onto the anaerobic sludge. <i>Biotechnology and Bioengineering</i> , 2005 , 92, 15-23	4.9	221
23	Development of image analysis techniques as a tool to detect and quantify morphological changes in anaerobic sludge: II. Application to a granule deterioration process triggered by contact with oleic acid. <i>Biotechnology and Bioengineering</i> , 2004 , 87, 194-9	4.9	24
22	Development of image analysis techniques as a tool to detect and quantify morphological changes in anaerobic sludge: I. Application to a granulation process. <i>Biotechnology and Bioengineering</i> , 2004 , 87, 184-93	4.9	16
21	Mineralization of LCFA associated with anaerobic sludge: Kinetics, enhancement of methanogenic activity, and effect of VFA. <i>Biotechnology and Bioengineering</i> , 2004 , 88, 502-11	4.9	138
20	Influence of inoculum activity on the bio-methanization of a kitchen waste under different waste/inoculum ratios. <i>Process Biochemistry</i> , 2004 , 39, 2019-2024	4.8	148
19	Image analysis, methanogenic activity measurements, and molecular biological techniques to monitor granular sludge from an EGSB reactor fed with oleic acid. <i>Water Science and Technology</i> , 2003 , 47, 181-188	2.2	8
18	Accumulation of long chain fatty acids onto anaerobic sludge under steady state and shock loading conditions: effect on acetogenic and methanogenic activity. <i>Water Science and Technology</i> , 2003 , 48, 33-40	2.2	50
17	Image analysis, methanogenic activity measurements, and molecular biological techniques to monitor granular sludge from an EGSB reactor fed with oleic acid. <i>Water Science and Technology</i> , 2003 , 47, 181-8	2.2	1
16	Anaerobic degradation of oleic acid by suspended and granular sludge: identification of palmitic acid as a key intermediate. <i>Water Science and Technology</i> , 2002 , 45, 139-144	2.2	87
15	Operation of an anaerobic filter and an EGSB reactor for the treatment of an oleic acid-based effluent: influence of inoculum quality. <i>Process Biochemistry</i> , 2002 , 37, 1025-1031	4.8	29
14	Molecular monitoring of microbial diversity in expanded granular sludge bed (EGSB) reactors treating oleic acid. <i>FEMS Microbiology Ecology</i> , 2002 , 41, 95-103	4.3	43

13	Anaerobic degradation of oleic acid by suspended and granular sludge: identification of palmitic acid as a key intermediate. <i>Water Science and Technology</i> , 2002 , 45, 139-44	2.2	6
12	Degradation of oleic acid in anaerobic filters: the effect of inoculum acclimatization and biomass recirculation. <i>Water Environment Research</i> , 2001 , 73, 612-21	2.8	24
11	Microbial and operational response of an anaerobic fixed bed digester to oleic acid overloads. <i>Process Biochemistry</i> , 2001 , 37, 387-394	4.8	17
10	Influence of up-flow velocity on the performance of an anaerobic filter under oleic acid overloads. <i>Biotechnology Letters</i> , 2001 , 23, 1833-1839	3	2
9	Effect of lipids and oleic acid on biomass development in anaerobic fixed-bed reactors. Part I: Biofilm growth and activity. <i>Water Research</i> , 2001 , 35, 255-63	12.5	69
8	Effects of lipids and oleic acid on biomass development in anaerobic fixed-bed reactors. Part II: Oleic acid toxicity and biodegradability. <i>Water Research</i> , 2001 , 35, 264-70	12.5	100
7	Staged and non-staged anaerobic filters: performance in relation to physical and biological characteristics of microbial aggregates. <i>Journal of Chemical Technology and Biotechnology</i> , 2000 , 75, 601-609	3.5	1
6	Influence of physico-chemical properties of porous microcarriers on the adhesion of an anaerobic consortium. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2000 , 24, 181-186	4.2	29
5	Biodegradability and toxicity of styrene in the anaerobic digestion process. <i>Biotechnology Letters</i> , 2000 , 22, 1477-1481	3	12
4	A New Device to Select Microcarriers for Biomass Immobilization: Application to an Anaerobic Consortium. <i>Water Environment Research</i> , 1999 , 71, 209-217	2.8	16
3	A new method to study interactions between biomass and packing material in anaerobic filters. <i>Biotechnology Letters</i> , 1998 , 12, 277-283		5
2	Staged and non-staged anaerobic filters: Microbial activity segregation, hydrodynamic behaviour and performance. <i>Journal of Chemical Technology and Biotechnology</i> , 1998 , 73, 99-108	3.5	13
1	Flocs vs granules: Differentiation by fractal dimension. <i>Water Research</i> , 1997 , 31, 1227-1231	12.5	38