

# Yueming Sun

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6739650/yueming-sun-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84  
papers

2,080  
citations

25  
h-index

43  
g-index

90  
ext. papers

2,408  
ext. citations

6.3  
avg, IF

5  
L-index

#	Paper	IF	Citations
84	Ceramic nanofibers fabricated by electrospinning and their applications in catalysis, environmental science, and energy technology. <i>Polymers for Advanced Technologies</i> , <b>2011</b> , 22, 326-338	3.2	264
83	Ternary Hybrid Material for High-Performance Lithium-Sulfur Battery. <i>Journal of the American Chemical Society</i> , <b>2015</b> , 137, 12946-53	16.4	215
82	Versatile Graphene Quantum Dots with Tunable Nitrogen Doping. <i>Particle and Particle Systems Characterization</i> , <b>2014</b> , 31, 597-604	3.1	105
81	Self-Host Blue Dendrimer Comprised of Thermally Activated Delayed Fluorescence Core and Bipolar Dendrons for Efficient Solution-Processable Nondoped Electroluminescence. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 7339-7346	9.5	72
80	Graphene-wrapped TiO <sub>2</sub> nanofibers with effective interfacial coupling as ultrafast electron transfer bridges in novel photoanodes. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 1060-1067	13	70
79	Synthesis of MoS <sub>2</sub> /SrTiO <sub>3</sub> composite materials for enhanced photocatalytic activity under UV irradiation. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 706-712	13	56
78	Self-host thermally activated delayed fluorescent dendrimers with flexible chains: an effective strategy for non-doped electroluminescent devices based on solution processing. <i>Journal of Materials Chemistry C</i> , <b>2016</b> , 4, 8810-8816	7.1	54
77	Bipolar host with multielectron transport benzimidazole units for low operating voltage and high power efficiency solution-processed phosphorescent OLEDs. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2015</b> , 7, 7303-14	9.5	53
76	Star-shaped dendritic hosts based on carbazole moieties for highly efficient blue phosphorescent OLEDs. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 12016		52
75	Nanocables composed of anatase nanofibers wrapped in UV-light reduced graphene oxide and their enhancement of photoinduced electron transfer in photoanodes. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 18174		49
74	Highly Efficient All-Solution-Processed Fluorescent Organic Light-Emitting Diodes Based on a Novel Self-Host Thermally Activated Delayed Fluorescence Emitter. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 21900-21908	9.5	46
73	Direct electrochemistry of hemoglobin on graphene/Fe <sub>3</sub> O <sub>4</sub> nanocomposite-modified glass carbon electrode and its sensitive detection for hydrogen peroxide. <i>Journal of Solid State Electrochemistry</i> , <b>2013</b> , 17, 881-887	2.6	45
72	High Power Efficiency Solution-Processed Blue Phosphorescent Organic Light-Emitting Diodes Using Exciplex-Type Host with a Turn-on Voltage Approaching the Theoretical Limit. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2015</b> , 7, 25129-38	9.5	39
71	Self-host homoleptic green iridium dendrimers based on diphenylamine dendrons for highly efficient single-layer PhOLEDs. <i>Journal of Materials Chemistry C</i> , <b>2014</b> , 2, 1104-1115	7.1	38
70	Synthesis of MoS <sub>2</sub> /SrZrO <sub>3</sub> heterostructures and their photocatalytic H <sub>2</sub> evolution under UV irradiation. <i>RSC Advances</i> , <b>2015</b> , 5, 734-739	3.7	36
69	Coupling of Hierarchical Al <sub>2</sub> O <sub>3</sub> /TiO <sub>2</sub> Nanofibers into 3D Photothermal Aerogels Toward Simultaneous Water Evaporation and Purification. <i>Advanced Fiber Materials</i> , <b>2020</b> , 2, 93-104	10.9	36
68	Thermally activated delayed fluorescence dendrimers with exciplex-forming dendrons for low-voltage-driving and power-efficient solution-processed OLEDs. <i>Journal of Materials Chemistry C</i> , <b>2018</b> , 6, 43-49	7.1	36

67	Hierarchical nanostructures of K-birnessite nanoplates on anatase nanofibers and their application for decoloration of dye solution. <i>Journal of Materials Chemistry</i> , <b>2010</b> , 20, 3157		35
66	Solution-processed efficient deep-blue fluorescent organic light-emitting diodes based on novel 9,10-diphenyl-anthracene derivatives. <i>RSC Advances</i> , <b>2015</b> , 5, 29708-29717	3.7	33
65	Behavior of a Layered Double Hydroxide under High Current Density Charge and Discharge Cycles. <i>Journal of Physical Chemistry C</i> , <b>2009</b> , 113, 7448-7455	3.8	28
64	A high triplet energy small molecule based thermally cross-linkable hole-transporting material for solution-processed multilayer blue electrophosphorescent devices. <i>Journal of Materials Chemistry C</i> , <b>2015</b> , 3, 243-246	7.1	27
63	Enhanced Electron Affinity and Exciton Confinement in Exciplex-Type Host: Power Efficient Solution-Processed Blue Phosphorescent OLEDs with Low Turn-on Voltage. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 2010-6	9.5	27
62	Achieving 20% External Quantum Efficiency for Fully Solution-Processed Organic Light-Emitting Diodes Based on Thermally Activated Delayed Fluorescence Dendrimers with Flexible Chains. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 16737-16748	9.5	26
61	Multidimensional and Binary Micro CuCo <sub>2</sub> O <sub>4</sub> /Nano NiMoO <sub>4</sub> for High-Performance Supercapacitors. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2020</b> , 8, 1687-1694	8.3	26
60	Design of efficient thermally activated delayed fluorescence blue host for high performance solution-processed hybrid white organic light emitting diodes. <i>Chemical Science</i> , <b>2019</b> , 10, 3054-3064	9.4	25
59	Electrochemical detection of L-cysteine using a glassy carbon electrode modified with a two-dimensional composite prepared from platinum and Fe <sub>3</sub> O <sub>4</sub> nanoparticles on reduced graphene oxide. <i>Mikrochimica Acta</i> , <b>2016</b> , 183, 3221-3228	5.8	25
58	Novel aggregation-induced emission and thermally activated delayed fluorescence materials based on thianthrene-9,9',10,10'-tetraoxide derivatives. <i>RSC Advances</i> , <b>2016</b> , 6, 22137-22143	3.7	25
57	Bicolour electroluminescence of 2-(carbazol-9-yl)anthraquinone based on a solution process. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 12031-12034	7.1	25
56	Unusual Hollow AlO Nanofibers with Loofah-Like Skins: Intriguing Catalyst Supports for Thermal Stabilization of Pt Nanocrystals. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 21258-21266	9.5	24
55	New versatile Pt supports composed of graphene sheets decorated by Fe <sub>2</sub> O <sub>3</sub> nanorods and N-dopants with high activity based on improved metal/support interactions. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 125-130	13	24
54	A New Insight of the Photothermal Effect on the Highly Efficient Visible-Light-Driven Photocatalytic Performance of Novel-Designed TiO <sub>2</sub> Rambutan-Like Microspheres Decorated by Au Nanorods. <i>Particle and Particle Systems Characterization</i> , <b>2016</b> , 33, 140-149	3.1	24
53	A Sinter-Resistant Catalytic System Based on Platinum Nanoparticles Supported on TiO <sub>2</sub> Nanofibers and Covered by Porous Silica. <i>Angewandte Chemie</i> , <b>2010</b> , 122, 8341-8344	3.6	23
52	Spatial separation of a TADF sensitizer and fluorescent emitter with a core-dendron system to block the energy loss in deep blue organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , <b>2019</b> , 7, 11005-11013	7.1	21
51	Design of Blue Thermally Activated Delayed Fluorescent Emitter with Efficient Exciton Gathering Property for High-Performance Fully Solution-Processed Hybrid White OLEDs. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 1190-1200	9.5	20
50	Strategy for the Realization of Highly Efficient Solution-Processed All-Fluorescence White OLEDs-Encapsulated Thermally Activated Delayed Fluorescent Yellow Emitters. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 37335-37344	9.5	20

49	Gradient Vertical Channels within Aerogels Based on N-Doped Graphene Meshes toward Efficient and Salt-Resistant Solar Evaporation. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2020</b> , 8, 4955-4965	8.3	18
48	N-doped graphene quantum dots-functionalized titanium dioxide nanofibers and their highly efficient photocurrent response. <i>Journal of Materials Research</i> , <b>2014</b> , 29, 1408-1416	2.5	18
47	Growth of single-crystalline rutile TiO <sub>2</sub> nanorods on fluorine-doped tin oxide glass for organic/inorganic hybrid solar cells. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2012</b> , 23, 1657-1663	2.1	18
46	Thermally cross-linkable thermally activated delayed fluorescent materials for efficient blue solution-processed organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , <b>2016</b> , 4, 8973-8979	7.1	16
45	Luminescent properties and energy transfer of color-tunable Sr <sub>3</sub> Y <sub>2</sub> (SiO <sub>3</sub> ) <sub>6</sub> :Ce <sup>3+</sup> , Tb <sup>3+</sup> phosphors. <i>Journal of Rare Earths</i> , <b>2014</b> , 32, 933-937	3.7	16
44	A bipolar homoleptic iridium dendrimer composed of diphenylphosphoryl and diphenylamine dendrons for highly efficient non-doped single-layer green PhOLEDs. <i>Journal of Materials Chemistry C</i> , <b>2015</b> , 3, 981-984	7.1	15
43	Gradient-aligned Au/graphene meshes with confined heat at multiple levels for solar evaporation and anti-gravity catalytic conversion. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 16570-16581	13	15
42	Novel photocatalyst gold nanoparticles with dumbbell-like structure and their superior photocatalytic performance for ammonia borane hydrolysis. <i>Nanotechnology</i> , <b>2018</b> ,	3.4	14
41	Constructing a Novel Dendron for a Self-Host Blue Emitter with Thermally Activated Delayed Fluorescence: Solution-Processed Nondoped Organic Light-Emitting Diodes with Bipolar Charge Transfer and Stable Color Purity. <i>Chemistry - an Asian Journal</i> , <b>2017</b> , 12, 216-223	4.5	12
40	Systematically tuning the EST and charge balance property of bipolar hosts for low operating voltage and high power efficiency solution-processed electrophosphorescent devices. <i>Journal of Materials Chemistry C</i> , <b>2015</b> , 3, 5004-5016	7.1	12
39	Manipulation of the sterically hindering effect to realize AIE and TADF for high-performing nondoped solution-processed OLEDs with extremely low efficiency roll-off. <i>Journal of Materials Chemistry C</i> , <b>2020</b> , 8, 11850-11859	7.1	11
38	Surface-Functionalized Graphite as Long Cycle Life Anode Materials for Lithium-Ion Batteries. <i>ChemElectroChem</i> , <b>2020</b> , 7, 1465-1472	4.3	10
37	Selective Etching of N-Doped Graphene Meshes as Metal-Free Catalyst with Tunable Kinetics, High Activity and the Origin of New Catalytic Behaviors. <i>Particle and Particle Systems Characterization</i> , <b>2018</b> , 35, 1700395	3.1	10
36	Light-driven removal of rhodamine B over SrTiO <sub>3</sub> modified Bi <sub>2</sub> WO <sub>6</sub> composites. <i>RSC Advances</i> , <b>2016</b> , 6, 83471-83481	3.7	10
35	Graphene sheets manipulated the thermal-stability of ultrasmall Pt nanoparticles supported on porous Fe <sub>2</sub> O <sub>3</sub> nanocrystals against sintering. <i>RSC Advances</i> , <b>2017</b> , 7, 16379-16386	3.7	9
34	Tuning Electron Transport Direction through the Deposition Sequence of MoS <sub>2</sub> and WS <sub>2</sub> on Fluorine-Doped Tin Oxide for Improved Electrocatalytic Reduction Efficiency. <i>ChemElectroChem</i> , <b>2019</b> , 6, 2737-2740	4.3	9
33	Quasi-static particle formation of poly(acrylamide/methacrylic acid) in ethanol by using V-65 as initiator. <i>Polymer Chemistry</i> , <b>2010</b> , 1, 899	4.9	9
32	Au nano dumbbells catalyzed the cutting of graphene oxide sheets upon plasmon-enhanced reduction. <i>RSC Advances</i> , <b>2016</b> , 6, 46218-46225	3.7	9

31	Chitosan-silica nanoparticles catalyst (M@CSiO <sub>2</sub> ) for the degradation of 1,1-dimethylhydrazine. <i>Research on Chemical Intermediates</i> , <b>2019</b> , 45, 1721-1735	2.8	9
30	Core-shell-structured Li <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /VOPO <sub>4</sub> nanocomposites cathode for high-rate and long-life lithium-ion batteries. <i>RSC Advances</i> , <b>2017</b> , 7, 3101-3107	3.7	8
29	Theoretical and experimental investigations on mono-substituted and multi-substituted functional polyhedral oligomeric silsesquioxanes. <i>RSC Advances</i> , <b>2015</b> , 5, 80339-80345	3.7	8
28	A novel cyclometalated Ir(III) complex based luminescence intensity and lifetime sensor for Cu <sup>2+</sup> . <i>RSC Advances</i> , <b>2016</b> , 6, 16482-16488	3.7	8
27	Hydrogen bonding of single acetic acid with water molecules in dilute aqueous solutions. <i>Science in China Series B: Chemistry</i> , <b>2009</b> , 52, 2219-2225		8
26	Synthesis and characterization of novel two-component conjugated polythiophenes with 3-octyl and 3-isooctylthiophene side chains. <i>Journal of Applied Polymer Science</i> , <b>2007</b> , 104, 1169-1175	2.9	8
25	Exciplex Formation and Electromer Blocking for Highly Efficient Blue Thermally Activated Delayed Fluorescence OLEDs with All-Solution-Processed Organic Layers. <i>Chemistry - A European Journal</i> , <b>2020</b> , 26, 3090-3102	4.8	8
24	Structural and solvent effects on the spectroscopic properties of 1, 8-naphthalimide derivatives: A density functional study. <i>International Journal of Quantum Chemistry</i> , <b>2011</b> , 111, 2234-2241	2.1	7
23	A biomass-derived, all-day-round solar evaporation platform for harvesting clean water from microplastic pollution. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 11013-11024	13	6
22	Succinimide-modified graphite as anode materials for lithium-ion batteries. <i>Electrochimica Acta</i> , <b>2020</b> , 356, 136858	6.7	5
21	Surface Engineering of Defective Hematite Nanostructures Coupled by Graphene Sheets with Enhanced Photoelectrochemical Performance. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 12750-12759	8.3	4
20	Enhanced electron affinity and charge balance property of a bipolar material: highly efficient solution-processed deep blue electrofluorescent and green electrophosphorescent devices. <i>RSC Advances</i> , <b>2015</b> , 5, 66994-67000	3.7	4
19	Synthesis, characterization and luminescence properties of SrLa <sub>2</sub> (MoO <sub>4</sub> ) <sub>4</sub> :Eu phosphors. <i>Journal of Sol-Gel Science and Technology</i> , <b>2013</b> , 67, 196-202	2.3	4
18	Synthesizing nonstoichiometric Li <sub>3</sub> B <sub>x</sub> V <sub>2+x</sub> (PO <sub>4</sub> ) <sub>3</sub> /C as cathode materials for high-performance lithium-ion batteries by solid state reaction. <i>RSC Advances</i> , <b>2017</b> , 7, 32721-32726	3.7	4
17	Stimulus-Responsive Graphene with Periodical Wrinkles on Grooved Microfiber Arrays: Simulation, Programmable Shape-Shifting, and Catalytic Applications. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 26561-26572	9.5	4
16	A novel CWPO/HO/VUV synergistic treatment for the degradation of unsymmetrical dimethylhydrazine in wastewater. <i>Environmental Technology (United Kingdom)</i> , <b>2021</b> , 42, 479-491	2.6	3
15	The Intrinsic Thermodynamic Difficulty and a Step-Guided Mechanism for the Epitaxial Growth of Uniform Multilayer MoS <sub>2</sub> with Controllable Thickness.. <i>Advanced Materials</i> , <b>2022</b> , e2201402	24	3
14	Binding of N-substituted pyrrole derivatives to HIV-1 gp41. <i>Journal of Theoretical and Computational Chemistry</i> , <b>2014</b> , 13, 1450018	1.8	2

13	Bioelectrochemical response of a choline biosensor fabricated by using polyaniline. <i>Science in China Series B: Chemistry</i> , <b>2009</b> , 52, 2275-2280		2
12	A CTAB-modified S/C nanocomposite cathode for high performance LiB batteries. <i>RSC Advances</i> , <b>2016</b> , 6, 92621-92628	3.7	2
11	Constructing host-guest structures to optimize the efficiency of non-doped solution-processed OLEDs. <i>Journal of Materials Chemistry C</i> , <b>2021</b> , 9, 1221-1227	7.1	2
10	Yolk-shell silicon/carbon composites prepared from aluminum-silicon alloy as anode materials for lithium-ion batteries. <i>Ionics</i> , <b>2021</b> , 27, 1939-1948	2.7	2
9	Bis(phosphine oxide)/triphenylamine based material for solution-processed blue electrofluorescent and green electrophosphorescent devices. <i>RSC Advances</i> , <b>2015</b> , 5, 48654-48658	3.7	1
8	Computational Characterization of Binding of Small Molecule Inhibitors to HIV-1 gp41. <i>Chinese Journal of Chemistry</i> , <b>2011</b> , 29, 1307-1311	4.9	1
7	The unmediated choline sensor based on layered double hydroxides in hydrogen peroxide detection mode. <i>Science in China Series B: Chemistry</i> , <b>2009</b> , 52, 2281-2286		1
6	Oxide Nanofibers as Catalysts Toward Energy Conversion and Environmental Protection. <i>Chemical Research in Chinese Universities</i> , <b>2021</b> , 37, 366-378	2.2	1
5	Spatial regulation of electroplex emission via dendritic molecular engineering. <i>Journal of Materials Chemistry C</i> ,	7.1	1
4	Stepwise Growth of CuO via Transformation of Cu <sub>2</sub> (OH) <sub>3</sub> Br Intermediate in Aqueous Solution of Long-Alkyl-Chain Copper Salt. <i>Crystal Growth and Design</i> , <b>2020</b> , 20, 3044-3052	3.5	0
3	High electron transfer of TiO <sub>2</sub> nanorod@carbon layer supported flower-like WS <sub>2</sub> nanosheets for triiodide electrocatalytic reduction. <i>New Journal of Chemistry</i> , <b>2021</b> , 45, 3387-3391	3.6	0
2	A periphery hindered strategy with a dopant and sensitizer for solution-processed red TSF-OLEDs with high color purity. <i>Journal of Materials Chemistry C</i> , <b>2022</b> , 10, 5230-5239	7.1	0
1	Effective Regulation of ZnO Surface Facets for Enhanced Photoluminescence Properties Assisted by Zinc Quaternary Ammonium Salts. <i>ACS Omega</i> , <b>2021</b> , 6, 17455-17463	3.9	